PRODUCT GUIDE

AI Voice Control

by NoXoZ.be · v10.0.0

Independent Brave / Chromium extension for a hands-free ChatGPT workflow: speak, transcribe, send, listen, and continue automatically.

Author: Bruno DELNOZ / @NoXoZ.be
Contact: bruno.delnoz@protonmail.com
Release date: October 13, 2026
License: NoXoZ Personal License v1.0
Status: Public Release
Version base: v9.0.7 validated behavior

Independent project. Not affiliated with, endorsed, sponsored or officially connected to OpenAI or Anthropic.

Contents

1. Overview 3

2. Installation 4

3. Fundamental concepts 5

4. Interface modes 6

5. Control reference 7

6. Full Flow - cycle in detail 8

7. Toggle combinations 9

8. Manual Read Aloud 10

9. Audio and thresholds 11

10. Permissions and hosts 12

11. Privacy and security 13

12. Practical examples 14

13. Troubleshooting 15

14. FAQ and limitations 16

15. Version and support 17

1. Overview

v10.0.0 | Validated v9.0.7 baseline | Manifest V3 | Hands-free workflow

AI Voice Control is an independent browser extension for coordinating dictation, silence-based turn completion, sending and spoken assistant replies. It works through the supported AI website interface and keeps the ordinary text composer available.

1.1 What is new in v10.0.0

This major version consolidates the tested v9.0.7 behavior into an organized public package, with updated installation, security, privacy and user documentation. It does **not** intentionally change the Full Flow logic.

1.2 Who should use it?

Use case	Why it helps
Hands-free conversation	Speak, receive a response, listen, and speak again without repeated keyboard interaction.
Accessible chat workflow	Reduce the manual steps around native browser dictation and Read Aloud.
Careful drafting	Keep AutoSend OFF to review and edit transcribed text before sending.
Debugging complex flows	Developer mode provides stage status and local diagnostic logs.

> This is not an official OpenAI or Anthropic product. Website voice and playback services remain subject to the provider's terms and privacy policies.

2. Installation

Installation is identical on Chromium-based browsers except for the extensions page URL.

Step	Brave	Chrome / Chromium
1	Extract `NoXoZ_AI_VoiceControl-public.zip` to a permanent directory.	
2	`brave://extensions/`	`chrome://extensions/`
3	Enable Developer mode in the extensions manager.	
4	Choose **Load unpacked**.	
5	Select the extracted folder containing `manifest.json`.	
6	Open or reload ChatGPT and use the extension toolbar control.	

> You must select the unpacked folder, not the ZIP itself. To update, replace the files, reload the extension and refresh the chat page.

Runtime application files

```
manifest.json
background.js
content-autosend.js
donate-mini.js
autosend-style.css
icons/
```

First safe test

Start with AutoSend OFF, activate Full Flow and New Transcription + TOS, say a brief sentence, and confirm the resulting transcript appears in PROMPT. Enable automatic sending only once your input source and silence detection are working.

3. Fundamental concepts

3.1 PROMPT is the central state

The user can type, edit, or attach files while the extension is waiting at the composer. Dictation and response handling always lead back to that state between turns.

3.2 New Transcription + TOS

When enabled under Full Flow, the extension opens native dictation and monitors microphone amplitude. After a continuous configured period of silence, the spoken turn is finalized. The extension waits for the website's dictation UI to become ready before timing silence.

3.3 AutoSend ON versus OFF

Option	Behavior at silence timeout
OFF	Stop dictation and leave editable text in PROMPT without sending.
ON	Send dictated content once, using native Send Dictated Message where available or the validated composer fallback.

3.4 Trigger Read Aloud

With Trigger ON, the extension starts playback for the **new current assistant response** after response completion. With Trigger OFF, it skips the playback phase and can proceed to the next dictation.

4. Interface modes

Mode	Purpose	Special behavior
Button	Minimal floating shell	Switch to another presentation when controls are needed.
Mini	Compact quick-access controls	Abbreviated display and status indicators.
Maxi User	Full daily controls	Resizing available.
Maxi Developer	Runtime inspection and diagnostics	Logs, debug status, Reload Ext, drag and resize.

4.1 Developer startup placement

After a Reload Ext/page bootstrap the v9.0.7 baseline initializes the Developer panel near the upper-left corner at **(4, 4)**, approximately **300 px wide**, with dragging and resizing preserved.

4.2 Switching modes

Presentation mode and Full Flow are distinct concepts. Switching User / Developer or Mini / Maxi is not intended to alter recording, sending, or reading logic.

> An isolated UI-mode irregularity was reported during live testing but was not reproduced after subsequent switches. Treat it as a diagnostic observation, not a confirmed resolved defect.

5. Control reference

Control	Action
ACTIVATED / NOT ACTIVATED	Global Full Flow master state.
New Transcription + TOS	Enable dictation after eligible prompt/response stage.
Time Of Silence	Quiet interval in seconds required for a completed spoken turn.
Threshold	Microphone level threshold for the sound/silence monitor.
AutoSend	Automatic submission of completed text.
Trigger Read Aloud	Automatic playback of the new assistant answer.
Read Aloud Last Message	Start playback of the newest assistant response manually.
Stop Read Aloud	Stop currently playing spoken output.
Set Read Aloud Mode	Issue the configured Read Aloud mode command.
Copy / Export / Clear Log	Copy, save or clear local debug traces in Developer mode.
Reload Ext	Reload unpacked extension from Developer mode.

6. Full Flow - cycle in detail

1. PROMPT → choose your text/voice path.

2. Dictate → New Transcription + TOS ON starts native dictation.

3. Silence detection → threshold and timer determine when voice input has ended.

4. Transcript → recognized content is finalized and placed in the composer.

5. Send? → AutoSend OFF leaves text at PROMPT; AutoSend ON sends once.

6. Thinking / Writing → wait for the network response and its current rendered message.

7. Read Aloud? → Trigger ON speaks the current answer; Trigger OFF skips.

8. Repeat → if Full Flow and New Transcription + TOS are enabled, Dictate again.

An in-progress assistant reply or Read Aloud playback must not overlap a new microphone recording. These stages are serialized in the intended workflow.

7. Toggle combinations

Full Flow	TOS	AutoSend	Trigger	Result
OFF	Any	Any	Any	Manual conversation.
ON	OFF	Any	Any	Wait at PROMPT.
ON	ON	OFF	Any	Transcribe and hold.
ON	ON	ON	OFF	Send, skip voice reply, continue dictation.
ON	ON	ON	ON	Complete spoken conversation loop.

AutoSend OFF → ON

When a completed transcript has been retained at PROMPT, turning AutoSend ON submits that retained draft instead of starting a new recording unnecessarily.

TOS ON → OFF during a response

The already sent response may complete, but the extension should not restart dictation while New Transcription + TOS remains disabled.

Manual Send

Submitting the composer directly by hand is also an allowed way to enter the normal response processing path.

8. Manual Read Aloud

8.1 Read Aloud Last Message

The manual control should use the latest available assistant message and its current action row. It is not dependent on having Trigger Read Aloud ON.

8.2 Stop Read Aloud

While a response is being read, clicking Stop Read Aloud ends the playback. When Full Flow is active, the expected next step is to continue toward Dictate if New Transcription + TOS is ON.

8.3 Finishing normally

The automatic flow waits for the actual playback end, not merely the click acknowledgment. The toolbar can return from Stop to Read Aloud when the reading is complete.

> A live v9.0.7 test confirmed Stop Read Aloud interrupted the response and the flow restarted dictation. This is a user-observed test, not a universal browser guarantee.

9. Audio and thresholds

9.1 Silence duration

Time Of Silence sets how long the microphone must remain below the threshold for a spoken turn to be finalized. The live release tests used **3 seconds**.

9.2 Microphone threshold

The live tests used a **threshold of 35**. Higher background sound can reset the timer, while a high threshold can make soft speech harder to detect.

9.3 Television and background audio

If the computer's microphone hears speech from a TV or other source, the extension can treat it as microphone activity. This matters when AutoSend is ON: avoid unintended sends by choosing a suitable audio setup or pausing Full Flow.

Situation	Check
No voice level	Microphone permissions and selected input.
Timer keeps resetting	Background sound relative to threshold.
Transcript differs from spoken words	The AI website's dictation system and language settings.
Unintended sends	Set AutoSend OFF while tuning microphone settings.

10. Permissions and hosts

Browser permission	Purpose
`storage`	Save local widget preferences and workflow state.
`tabs`	Coordinate with browser tabs for extension operation.
`activeTab`	Work with the active selected tab.
`scripting`	Run/inject the browser-side automation logic.
`downloads`	Support explicitly requested local log exports.

Declared website access

```
https://chatgpt.com/*
https://chat.openai.com/*
https://claude.ai/*
https://www.claude.ai/*
```

> The extension declares these hosts in its v10.0.0 manifest. The live user testing discussed in this guide was performed on ChatGPT.

11. Privacy and security

Browser-side processing

Widget settings and the voice-flow controller operate in the user's browser. The extension contains no NoXoZ analytics SDK and is not designed to send audio, chat text or diagnostic logs automatically to a NoXoZ backend.

AI-provider processing

Website transcription and response generation may involve communication with the selected AI provider. This extension does not make the AI service offline and does not change that provider's terms.

Logs and sensitive content

Developer logs can include timestamps, interface state and operation traces. Inspect logs before sharing them; conversations, prompts and session context may be sensitive.

Security reports

Send private vulnerability reports to **bruno.delnoz@protonmail.com**.

> The public repository includes `PRIVACY.md` and `SECURITY.md` with additional detail.

12. Practical examples

Scenario	Configuration	Observed/expected result
Talk and listen continuously	Full Flow ON; TOS ON; AutoSend ON; Trigger ON	Dictate → send → wait → Read Aloud → dictate.
Review before send	Full Flow ON; TOS ON; AutoSend OFF	Dictate → transcript at PROMPT → edit/send manually.
Skip spoken answer	Trigger OFF with automatic sending ON	Wait for response, skip Read Aloud, resume dictation.
Interrupt a long answer	Trigger ON; click Stop Read Aloud	Playback stops and Full Flow moves to next stage.
Return to keyboard	Turn TOS OFF	No new voice recording; PROMPT remains available.

Workflow tip

For daily hands-free use, confirm your microphone and threshold first. AutoSend is convenient, but only when ambient sound and the selected input are under control.

13. Troubleshooting

Symptom	Possible diagnostic	Action
Widget not visible	Extension not loaded or page not refreshed	Confirm unpacked extension, reload page and check browser toolbar.
Dictate fails	Site UI or microphone access unavailable	Test native dictation directly; check permissions and current page.
Silence timer never fires	Microphone level remains high or UI not ready	Check Threshold, Time Of Silence and input status.
Transcript is left in PROMPT	AutoSend is OFF	Expected; edit, send manually, or enable AutoSend.
Playback did not start	Current assistant target or toolbar unavailable	Capture Developer log and inspect response-completion events.
Stuck waiting for current assistant	Network finished but DOM target not recognized	Preserve log; this intermittent case is tracked but not claimed fixed.
Unexpected interaction with TV sound	Ambient speech detected	Pause Full Flow or adjust microphone setup.

14. FAQ and limitations

Does it work without typing?

Yes, when the configured Full Flow and supported site controls work together, the intended cycle can proceed hands-free.

Can I turn off automatic sending?

Yes. AutoSend OFF preserves the transcript in the prompt for manual review.

Can I stop a long spoken reply?

Yes. The Stop Read Aloud control interrupts playback and should continue the flow under Full Flow.

Is this an official ChatGPT voice product?

No. It is an independent browser extension that operates existing webpage controls.

Does it work equally well on Claude?

Claude hosts are declared in the manifest, but the v9.0.7 live validation behind this guide was performed on ChatGPT; parity is not asserted.

Are all known bugs resolved?

No. An intermittent `Waiting current assistant message` case occurred after network generation was complete and is still being monitored.

15. Version and support

Version history

Version	Summary
v10.0.0	Public package/documentation refresh based on v9.0.7, with no intended runtime feature changes.
v9.0.7	Current-response recovery after page reload, and Developer panel compact upper-left placement.
v9.0.6	Guarded recovery for mixed assistant/user DOM structures.
v9.0.5	Read Aloud current-assistant targeting.
v9.0.0	Prompt-centered Full Flow, AutoSend fallback and playback state protections.

License and voluntary support

Personal and non-commercial use is governed by the included **NoXoZ Personal License v1.0**. The code's public visibility does not grant unlimited redistribution or derivative rights. Donations are voluntary and do not unlock extra features.

Contact	Information
Author	Bruno DELNOZ
Developer identity	@NoXoZ.be
Email	bruno.delnoz@protonmail.com
Project	NoXoZ AI Voice Control

© 2026 Bruno DELNOZ / NoXoZ.be. All rights reserved. Independent project, not affiliated with OpenAI or Anthropic.