

Neovim Keybindings

burak's config • leader = Space

General		Debug	
	Clear search highlights	db	Toggle breakpoint
q	Quit	dB	Conditional breakpoint
w	Save	dT	Debug pytest at cursor
W	Save all	dF	Debug pytest file
p	Paste without yanking (visual)	dc	Continue / start debug
		ds	Step over
		di	Step into
		do	Step out
		dt	Terminate debug
		du	Toggle debug UI
		dr	Open debug REPL
Navigation		CI/CD (pipeline.nvim)	
/	Scroll down / up (centered)	ci	Toggle GitHub Actions / GitLab CI panel
	Window left / down / up / right	:Pipeline	Toggle pipeline panel
	Resize window height	:Pipeline open	Open pipeline panel
	Resize window width	:Pipeline close	Close pipeline panel
/	Move line down / up	:Pipeline remote	Pick git remote for CI
		statusline	Pipeline status (lualine)
Buffers		Pipeline panel (GitHub Actions)	
/	Prev / Next buffer	q	Close pipeline panel
[b /]b	Prev / Next buffer	gp	Open workflow on GitHub
bd	Delete buffer	gr	Open run on GitHub
bo	Delete other buffers	gj	Open job on GitHub
br	Delete right buffers	gs	Open step on GitHub
bl	Delete left buffers	gR	Switch active remote
bp	Pin buffer	d	Dispatch workflow_dispatch run
		rr	Retry run
Editing & Surround			
/	Indent / Unindent		
gsa	Add surround		
gsd	Delete surround		
gsr	Replace surround		
gsf / gsF	Find surround right / left		
	Autopair fast wrap		

		rj	Retry job
Flash (Motion)		rs	Retry step
s	Flash jump		
S	Flash treesitter	Git	
r	Flash remote (operator)	gg	Open Neogit
R	Flash treesitter search	gc	Commit
	Toggle flash in / search	gp	Push
		gl	Pull
Misc		gt	Time machine (Tardis)
uu	Undo tree	gd	Diff working tree
		gdm	Diff from main (PR view)
Code & LSP		gdh	Diff last commit
cf	Format buffer		
cd	Show diagnostic float	Git Hunks	
cs	Symbols (Trouble)	]h / [h	Next / Prev hunk
cl	LSP references (Trouble)	]H / [H	Last / First hunk
[d /]d	Prev / Next diagnostic	hs	Stage hunk
		hr	Reset hunk
Coverage		hS	Stage buffer
cL	Load coverage (project root .coverage / lcov)	hR	Reset buffer
cv	Toggle coverage signs	hu	Undo stage hunk
cS	Coverage summary	hp	Preview hunk
		hb	Blame line
		hd	Diff this
		Search & Notifications	
		sr	Search & Replace (grug-far)
		sn	Noice message history
		snl	Noice last message
		snd	Dismiss notifications
		Diagnostics / Trouble	
		xx	Toggle diagnostics
		xX	Toggle buffer diagnostics
		xL	Location list

xQ	Quickfix list
Multicursor	
	Add cursor at next match
	Add cursor at prev match
	Toggle cursor manually
[layer]	Switch to prev cursor
[layer]	Switch to next cursor
[layer]	Delete cursor
[layer]	Enable / clear all cursors
Completion (blink.cmp)	
/	Select next / prev item
	Accept
	Show / hide docs
	Hide menu
/	Scroll docs up / down
/	Snippet forward / backward

Pytest: cursor in def test_* → db → dT • CI/CD: gh auth login (or GITHUB_TOKEN), then ci • In panel: gp/gr/gj open on GitHub, d = dispatch • [layer] = multicursor active