

References

- Shopp, J. D., Stewart, L. K., Emmett, T. W., & Kline, J. A. (2015). Findings from 12-lead electrocardiography that predict circulatory shock from pulmonary embolism: systematic review and meta-analysis. *Academic Emergency Medicine*, 22(10), 1127-1137.
- Macić-Dzanković A, Pozderac-Memija M. Specificity of electrocardiography and echocardiography changes at the patients with the pulmonary embolism. *Bosn J Basic Med Sci*. 2006 Nov;6(4):72-5. doi: 10.17305/bjbms.2006.3126. PMID: 17177655; PMCID: PMC5807975.
- Senthilkumaran, S., Jena, N. N., Balamurugan, N., Benita, F., & Thirumalaikolundusubramanian, P. (2019). The electrocardiogram in pulmonary embolus: Diagnostic applications. *The American Journal of Emergency Medicine*, 37(1), 165-166.
- Co I, Eilbert W, Chiganos T. New Electrocardiographic Changes in Patients Diagnosed with Pulmonary Embolism. *J Emerg Med*. 2017;52(3):280-285. doi:10.1016/j.jemermed.2016.09.009
- Rodger M, Makropoulos D, Turek M, et al. Diagnostic value of the electrocardiogram in suspected pulmonary embolism. *Am J Cardiol*. 2000;86(7):807-A10. doi:10.1016/s0002-9149(00)01090-0
- Burns E & Buttner R. ECG changes in Pulmonary Embolism. *Life in the Fast Lane*. <https://litfl.com/ecg-changes-in-pulmonary-embolism/>

