

Se recibe solicitud Apertura producto financiero Ahorros, creación de producto exitosa

The screenshot shows a REST client interface with the following details:

- Request 1**: Method **POST**, Endpoint **http://127.0.0.1:7802**, Resource **/product-requests**.
- Request Headers**:

Name	Value	Style	Level
X-canal	DIGITAL_CHAN...	HEADER	RESOURCE
X-peticionId	12312312312	HEADER	RESOURCE
- Request Body (Raw JSON)**:

```
{  "tipoevento": "PRODUCT_REQUEST_CREATED",  "tipoProducto": "AHORROS",  "peticionId": "12312312312",  "fecha": "2026-06-18T12:00:00Z"}
```
- Response Headers**:

Header	Value
X-Original-HTTP-Status-Code	201
X-Original-HTTP-Reason-Phrase	HTTP/1.1 201 Created
Server	IBM App Connect Enterprise
#status#	HTTP/1.1 201 Created
Content-Length	122
Date	Wed, 24 Jun 2026 20:37:35 GMT
Content-Type	application/json; charset=utf-8
- Response Body (Raw JSON)**:

```
{  "tipoProducto": "AHORROS",  "numeroDocumento": "12345678",  "nombreCliente": "Juan Perez",  "correo": "juan@email.com",  "flujoProducto": "1"}
```
- Status Bar**: response time: 27ms (122 bytes), 1:59


Simulacion de legado mediante Mockservice en <http://127.0.0.1:9092/legacy/Savings> indicando la creación de un producto, se realiza el mapeo solicitado

The screenshot shows the REST MockService 1 interface with the following details:



- REST MockService 1**: running on port 9092.
- Actions**: A **POST** action is configured.
- Response 1**:
 - Http Status Code**: 201 - Created
 - Content-Type**: application/json
 - Content | Media type**: application/json
 - Editor**:

```
{  "eventType": "PRODUCT_REQUEST_CREATED",  "productType": "AHORROS",  "requestId": "12345",  "timestamp": "2026-06-18T12:00:00Z"}
```
 - Script**: (Empty)
- Message Log**: Shows two log entries:
 - 2026-06-24 15:37:00.829: [] 0ms
 - 2026-06-24 15:37:35.296: [] 0ms

En caso de error en legado no disponible



Caso error Legado responde pero error de negocio o técnico



Se recibe solicitud Apertura producto financiero Corriente, creación de producto exitosa

The screenshot shows a REST client interface with the following details:

- Request 1**: Method **POST**, Endpoint **http://127.0.0.1:7802**, Resource **/product-requests**.
- Headers**:

Name	Value	Style	Level
X-canal	DIGITAL_CHANN...	HEADER	RESOURCE
X-peticionId	12312312312	HEADER	RESOURCE
- Body**:

```
{  "tipoProducto": "CORRIENTE",  "numeroDocumento": "12345678",  "nombreCliente": "Juan Perez",  "correo": "juan@email.com",  "flujoProducto": "2"}
```
- Response**:

Header	Value
X-Original-HTTP-Status-Code	201
X-Original-HTTP-Reason-Phrase	HTTP/1.1 201 Created
Server	IBM App Connect Enterprise
#status#	HTTP/1.1 201 Created
Content-Length	124
Date	Wed, 24 Jun 2026 20:42:31 GMT
Content-Type	application/json; charset=utf-8
- Raw**:

```
{  "tipoProducto": "CORRIENTE",  "numeroDocumento": "12345678",  "nombreCliente": "Juan Perez",  "correo": "juan@email.com",  "flujoProducto": "2"}
```
- Footer**: response time: 16ms (124 bytes)

Simulacion de legado mediante Mockservice en <http://127.0.0.1:9093/legacy/Checking> indicando la creación de un producto, se realiza el mapeo solicitado


The screenshot shows the REST MockService 1 interface with the following details:

- REST MockService 1**: running on port 9093.
- Actions**: A table with columns: Descri..., Prop..., Start ..., Stop ..., OnReques..., AfterReque....
- Response 1**:
 - Http Status Code**: 201 - Created
 - Headers**:



Header	Value
Server	IBM App Connect Enterprise
Date	Wed, 24 Jun 2026 18:55:59 GMT
Content-Type	application/json
 - Content | Media type**: application/json
 - Editor**:

```
{  "eventType": "PRODUCT_REQUEST_CREATED",  "productType": "CORRIENTE",  "requestId": "12345",  "timestamp": "2026-06-18T12:00:00Z"}
```
 - Script**: (empty)
- Message Log**: 2026-06-24 15:42:31.558: [] 0ms

En caso de error en legado no disponible



Caso error Legado responde pero error de negocio o técnico



Se recibe solicitud Apertura producto financiero CDT, creación de producto exitosa

The screenshot shows a REST client interface with the following details:

- Request 1**: Method **POST**, Endpoint **http://127.0.0.1:7802**, Resource **/product-requests**.
- Headers**:

Name	Value	Style	Level
X-canal	DIGITAL_CHANN...	HEADER	RESOURCE
X-peticionId	12312312312	HEADER	RESOURCE
- Body**:

```
{  "tipoProducto": "CDT",  "numeroDocumento": "12345678",  "nombreCliente": "Juan Perez",  "correo": "juan@email.com",  "flujoProducto": "3"}
```
- Response**:

Header	Value
X-Original-HTTP-Status-Code	201
X-Original-HTTP-Reason-Phrase	HTTP/1.1 201 Created
Server	IBM App Connect Enterprise
#status#	HTTP/1.1 201 Created
Content-Length	118
Date	Wed, 24 Jun 2026 20:52:19 GMT
Content-Type	application/json; charset=utf-8
- Raw JSON**:

```
{  "tipoProducto": "PRODUCT_REQUEST_CREATED",  "tipoProducto": "CDT",  "peticionId": "12312312312",  "fecha": "2026-06-18T12:00:00Z"}
```
- Footer**: response time: 22ms (118 bytes), 1: 59

Simulacion de legado mediante Mockservice en <http://127.0.0.1:9094/legacy/CDT> indicando la creación de un producto, se realiza el mapeo solicitado


The screenshot shows the REST MockService 1 interface with the following details:

- REST MockService 1**: running on port 9094.
- Actions**:
 - POST /legacy/CDT**:
 - Descri... Prop... Start ... Stop ... OnReques... AfterReque...
 - ☒ **Enable**
 - 2026-06-24 15:52:19.439: [/legacy/CDT] 0ms
 - Message Log**
- Response 1**:
 - Http Status Code**: 201 - Created
 - Header**:



Header	Value
Content-Type	application/json
 - Content | Media type**: application/json
 - Editor**:

```
{  "eventType": "PRODUCT_REQUEST_CREATED",  "productType": "CDT",  "requestId": "12345",  "timestamp": "2026-06-18T12:00:00Z"}
```
 - Script**


En caso de error en legado no disponible



Caso error Legado responde pero error de negocio o técnico




Registro tabla homologación productos ruta



	ID	PRODUCTO_ORIGEN	PRODUCTO_DESTINO	RUTA_DESTINO
1	4	AHORROS	SAVINGS	1
2	5	CORRIENTE	CHECKING	2
3	6	CDT	CDT	3

Registro tabla homologación productos



	ID	PRODUCTO_ORIGEN	PRODUCTO_DESTINO
1	1	AHORROS	SAVINGS
2	2	CORRIENTE	CHECKING
3	3	CDT	CDT

COLAS DE AUDITORIA Y NOTIFICACION MQ EXPLORER

MQ_AUDIT_ERROR.In	Local	0	0	0	Permitido	Permitido
MQ_NOTIFY.In	Local	0	0	0	Permitido	Permitido