ASPEN IMAGING
HEALTHCARE

# Europa85L

**Portable X-ray** System Unit



# LIGHTWEIGHT PORTABLE X-RAY GENERATOR FOR FLEXIBLE DR WORKFLOWS.

Europa85L is an 8 lb portable X-ray generator engineered for environments where mobility and simplicity matter. Its lightweight design and streamlined operation make Europa85L a practical solution for flexible portable imaging workflows.

## PORTABLE PERFORMANCE BENEFITS

### LIGHTWEIGHT 8 lb DESIGN

- Easy to carry, position, and transport.
- Ideal for mobile use and space-limited environments.

### EXTERNAL WORKSTATION WORKFLOW

- Operate with your preferred laptop or medical workstation.
- Images are captured and viewed through external DR acquisition software.

### FLEXIBLE DR COMPATIBILITY

- Works with iODR and other compatible DR detectors.
- Fits naturally into a variety of portable radiography setups.

## KEY FEATURES

### 1. PORTABLE, LIGHTWEIGHT CONSTRUCTION

- Europa85L weighs only 8 lb, making it easy to move between patient rooms, mobile setups, or temporary imaging environments.
- Its compact form makes positioning simple and efficient during routine radiographic procedures.

### 2. EXTERNAL WORKSTATION INTEGRATION

- Europa85L operates with an external workstation.
- Image capture, processing, and DICOM transfer are handled entirely by the workstation's DR software.
- Supports flexible configuration options.
- Works with standard DR acquisition platforms.

## 3. RELIABLE X-RAY OUTPUT

- Europa85L provides consistent generator performance for general radiographic imaging.
- Adjustable 50–85 kV
- 2–5 mA range
- 0.8 mm focal spot
- 0.03–2.0 sec exposure time

## 4. DESIGNED FOR SPACE-LIMITED USE

- Its compact design allows Europa85L to be used comfortably in:
    - Small imaging rooms
    - Mobile carts
    - Temporarily converted care areas
    - Situations with limited operational space

## 5. COMPATIBLE WITH IODR DR DETECTORS

- Europa85L pairs naturally with Aspen's iODR DR detector family.
- Supports wireless and tethered iODR panels.



# WHAT'S INCLUDED

- Europa85L
- Carrying case
- Handswitch
- Charger
- Carrying strap





## SPECIFICATIONS


Europa85L

| | |
|---|---|
| POWER OUTPUT | 425 W |
| kV / mA | 50–85 kV / 2–5 mA |
| EXPOSURE TIME | 0.03–2 sec |
| COLLIMATOR | Multi-leaf |
| ANODE TYPE | Stationary |
| ANODE ANGLE | 16˚ |
| FOCAL SPOT | 0.8 mm |
| HEAT CAPACITY | 8,000 J |
| BATTERY CAPACITY | 22.2 VDC / 2,200 mAh |
| OPERATION | LCD touch screen |
| WEIGHT | About 3.6 kg / 8 lb |
| DIMENSIONS | 266 mm (W) x 167 mm (H) x 156 mm (D) |

**EXTREME LIGHT WEIGHT**

8 lb for ultimate portability and convenience

## HANDHELD MODE



ASPEN IMAGING
HEALTHCARE

DISTRIBUTED BY

801 Jupiter Rd Suite 200, Plano, TX 75074, USA
sales@aspenimaging.com | (+1) 214-257-0113

WWW.ASPEN-IMAGING.COM

## About Aspen Imaging

Aspen Imaging Healthcare is a Texas-based Original Equipment Manufacturer (OEM) providing complete imaging solutions for x-ray distributors and custom designed, private-labeled solutions for OEMs across the Americas.

Founded in 2015, Aspen Imaging has become one of the fastest growing Medical Imaging companies with offices in the United States, Mexico and South Korea.

FDA

GOOD MANUFACTURING PRACTICE GMP

ISO ISO 13485