

ASPEN IMAGING
HEALTHCARE



AspenOTC H.D.

PRODUCT BOOKLET



Introducing AspenOTC H.D.

Facilitate a wide range of X-ray procedures with the AspenOTC H.D. Fully counterbalanced, these heavy-duty ceiling systems can be easily positioned at any selected point within their total range of travel.

HEAVY-DUTY FEATURES


Aspen Imaging Healthcare's Heavy-Duty line of overhead tube crane systems are designed to be your imaging workhorse, manufactured to last decades.

- MADE IN THE USA FROM PRECISION MACHINED COMPONENTS
  (93% domestic content)
- MANUFACTURED WITH AIRCRAFT ALUMINUM AND STEEL CONSTRUCTION
- ALL MOTION COMPONENTS ARE MADE FROM BALL BEARING AND OILITE®
- DURABLE POWDER COATED SURFACES
- ALL MECHANICAL COMPONENTS ARE ELECTROPLATED FOR SUPERIOR CORROSION PROTECTION

HEAVY DUTY


POWDER COATED TOUGH®

Aspen Imaging Stationary X-Ray Systems for Every Application





5 YEAR PARTS WARRANTY



Overhead Tube Crane

Featuring single handle controls, the AspenOTC H.D. promotes fast and out of the way positioning. The ergonomic operator control panels provide convenient selections to allow tube movement in longitudinal, transversal, vertical and rotational directions, and allows for table/wall Bucky centering.

WITH XL 765LB TABLE AND
BARIATRIC MAGNET BOOSTER



- Five-million cycle-life MilSpec interface switches
- The X-ray tube rotates a full 360-degrees about their vertical and horizontal axis with mechanical indexing at each 90-degree position
- Clean and carefully laid out cable management
- Adaptable to ceiling heights between 96”-132” (lower ceiling height installations are available)
- LCD displays indicating SID to tabletop/wall Bucky in inches or centimeters (calibrated at installation) and angulation of X-ray tube in degrees
- “Intelligent Firmware” allows for fast and easy access to calibration and configuration
- Platform mounts are standard and 10” orthopedic column extensions are optional

OVERHEAD TUBE CRANE SPECIFICATIONS	
STANDARD LONGITUDINAL LENGTH	14’ (Optional – 12’, 16’, 18’)
TRANSVERSE BRIDGE LENGTH	120”
VERTICAL TRAVEL	60”
ELECTRICAL REQUIREMENTS	115/220 VAC, 50/60 HZ, 5-amps
TOTAL WEIGHT OF STANDARD UNIT	400 lbs


Table


This elevating 6-way table is designed as a stand-alone system, consisting of plug-in cables and a single board interface compatible with all standard X-ray equipment.

The table height is adjustable to accommodate ambulatory, wheelchair, or gurney patients. Easier transfer is accomplished for both patient and operator. The vertical movement is motorized and controlled by applying pressure to the foot pedals. In unique applications, optionally, the foot pedal controls can be configured to function only when an auxiliary button is depressed.

- **TESTED 60,000 UP/DOWN WITH A 650LB LOAD**
- **BARIATRIC PACKAGE:**
  - Bariatric magnet booster for extra-strong table-top retention when loading patients
  - Bariatric grade 3/4” solid steel scissor lift mechanism
- **SLIDE OUT PC BOARD FOR EASY SERVICE AND INSTALLATION**

TABLE SPECIFICATIONS	
MAXIMUM PATIENT WEIGHT	600 lbs / 765 lb (XL table option)
TABLETOP DIMENSIONS	84” X 30.25”
TABLETOP HEIGHT	23” to 34”
SIDE CLEARANCE	17”
CASSETTE HOLDER TRAVEL	20”
TABLE PEDESTAL LENGTH	50.75”
TABLE PEDESTAL WIDTH	28.37”
ELECTRICAL REQUIREMENTS	115 VAC, 50/60 HZ, 10 Amps








Wall Stand

Aspen Imaging wall stands are fully counterbalanced units and use electronic positive locks for patients and technician safety in the event of power failure. Featuring seamless columns for extreme rigidity, these columns contain hardened, serviceable, bearing races for limitless life.

- COUNTERWEIGHTS ARE SECURED BY TWIN, MULTISTRANDED STAINLESS STEEL CABLES
- FINISHED WITH DURABLE POWDER COATED SURFACES AND BRIGHT NICKEL HARDWARE, TO GIVE LONG-LASTING, PROFESSIONAL APPEARANCE – TRUE HOSPITAL-GRADE QUALITY

WALL STAND SPECIFICATIONS	
DETECTOR SIZE	17x17 or 14x17 (please confirm at time of order)
ELECTRICAL REQUIREMENTS	24 VDC, 50/60 HZ, 1.5 amps
ACCEPTS BUCKYS, GRIDS AND ION CHAMBERS	
RIGHT- AND LEFT-HAND LOAD AVAILABLE	





“COLLIMARE TOUCH” COLLIMATOR

ASPEN IMAGING
HEALTHCARE

DISTRIBUTED BY

801 Jupiter Rd Suite 200, Plano, TX 75074, USA
sales@aspenstate.com | (+1) 214-257-0113

WWW.ASPEN-IMAGING.COM

About Aspen Imaging

Aspen Imaging Healthcare is a Texas-based Original Equipment Manufacturer (OEM) providing complete imaging solutions for X-ray distributors and custom designed, private-labeled solutions for OEMs across the Americas.

Founded in 2015, Aspen Imaging has become one of the fastest growing Medical Imaging companies with offices in the United States, Canada, Mexico and South Korea.

FDA

GOOD MANUFACTURING PRACTICE GMP

ISO ISO 13485

MADE IN THE USA