HUMAN COMPUTER INTERACTION

LECTURE 1 INTRODUCTION

TEST BEFORE CLASS

INTRODUCTION

- •วิชา Human Computer Interaction เป็นวิชาเกี่ยวกับ อะไร
- •มีเนื้อหาของวิชาอะไรหลักๆ ที่ควรจะต้องเรียนรู้
- •มีความเกี่ยวข้องอย่างไรกับสาขาวิชาที่เรียน

• คาดหวังอะไรหลังจากเรียนจบวิชานี้ไป

นึกถึงถ้าเราต้องการกดเงินที่ตู้ ATM จำนวนเงิน 500 บาท

- จงอธิบายขั้นตอนการกดเงินอย่างละเอียด
- •คิดว่าการออกแบบขั้นตอนการกดเงินนั้น ดีหรือไม่ดี อย่างไร ถ้าดีแล้ว ข้อดีดีออะไร ถ้าไม่ดี ข้อเสียคือ อะไร

จงอธิบาย 3 สิ่งที่เห็นนี้ คืออะไร อธิบายการใช้งาน







อะไรคือปัญหาของคำถามข้อนี้

จงเขียนเลขที่เห็นลงกระดาษ

*** กรุณาอ่านให้จบก่อนแล้วค่อยเขียน ***

ข้อ 5.1

00441280814080

จงเขียนเลขที่เห็นลงกระดาษ

*** กรุณาอ่านให้จบก่อนแล้วค่อยเขียน ***


ข้อ 5.2

00 44 1280 828 298

Human Computer Interaction และ User Interface

คืออะไร มีความแตกต่างกันหรือไม่ อย่างไร จงอธิบาย

BOOK IN USE










DESIGN

Design of Beauty

Design of Usability




































GUNSHOT DOORKNOB PULL THE TRIGGER & SHOOT THE DOOR























WHAT IS THIS COURSE ABOUT

WHAT IS THIS COURSE ABOUT

- About human issues
- About computer issues
- About interaction of the two (human and computer)
 - Specifying interaction แจกแจงวิธีการปฏิสัมพันธ์
 - Choosing a suitable style of interaction เลือกรูปแบบที่เหมาะสม ในการใช้งาน
 - Designing a system for the interaction ออกแบบการ ปฏิสัมพันธ์
 - Testing whether a system is effective in interaction or not ทดสอบว่ารูปแบบการออกแบบมานั้นเหมาะสมแล้ว หรือไม่

HOW TO STUDY THIS COURSE

- Quite some reading to do
- Lecture notes are NOT enough
- Discussions among students are useful
- Case study exchanges are important

MARKING SCHEME

Lecture (preference?) 2 hrs. per week

Discussion / Tutorials 1 hrs. per week

Total 100%

Assignment 30%

Final 70%

Quiz / Discussion(no mark) everyone needs to participate

The marking scheme can be changed with the priority before midterm exam

*** All students can not complain ***

OUTLINE OF THIS LECTURE

- Understand about HCI.
- Why is it important?
- Some bad design sample
- Understand the word usability, user interface and accessibility
- Evolution of user interfaces

WHY DO I NEED TO STUDY THIS COURSE

WHY DO I NEED TO STUDY HCI

- Computer, electronic devices, mobile etc. are one of the most important thing for human in the real world.
- The designing of those devices, some of them are hard to use, to learn and to train.
- For the computing and electronic people, it is important to understand users before designing any devices.
- The interaction and devices designing need to design to help user easy to use and learn, take less time to train.


WHAT IS HCI?

- HCI: Human Computer Interaction
- The study of interaction between people and computer-based systems
 - Computer, Mobile, keyboard etc.
- Concern with the physical, psychological and theoretical aspects [Dix et al. p3]
 - Vision, hearing, touch

WHY DO HCI IMPORTANT?

- To enable us to design interactive products to support people in their everyday and working lives. [Rogers et al, preface, V]
- There is a lot of devices/processing design that can cause problem for users such as ATM process.
- Good design involves understanding how users interact with computers, and enabling them to do so effectively
- The designer can develop usable products (Goal of HCls)

THE MAIN FIELDS THAT HCI COVER



USABLE PRODUCTS: GOALS OF HCI

- Allow users to carry out tasks
 - Understanding
 - Safely to use
 - Effectively/Efficiently
 - Easy to learn
 - Enjoyable experience
 - Timeless to use and understand
 - No training

BACKGROUND

- Traditionally, software development is about functions. The usability is a secondary concern or an issue for training.
- Increasingly, usability has become as important as the functionality to ensure the smooth running of the organisation and improving productivity.
- Often a powerful software system is devalued by a poorly designed human-computer interface, known as user interface

*** Sample of Macintosh and PCs first users

GREAT HCI



WHAT IS USABILITY

- Usability means making products and systems easier to use and learnability, and closely to user needs and requirements
- Describes the effectiveness, efficiency and satisfaction with which users achieve their goals.
 - It is important because:
 - Good interface design makes people more productive
 - Bad interface design can lead to disaster

MAIN OUTCOME OF USABILITY

- Effectiveness can users complete tasks, achieve goals
- Efficiency how much effort do users require to do this?
 (Often measured in time/error rate)
- Satisfaction what do users think about the products ease of use?
- Familiarity how much time do user need to get familiar with the system?

WHY USABILITY IS IMPORTANT

- If a system is difficult to use, people leave.
- If the main page of the system fails to clearly state and users don't know how to fix it, people leave.
- If users get lost on the system, they leave.
- If a system information is hard to read or doesn't answer users' key questions, they **leave**.
- If all users leave ... we lose !!!

USABILITY DEFINE 5 QUALITY COMPONENTS

Neilsen Norman Group [www.nngroup.com]

- Learnability: How easy is it for users to accomplish basic tasks the first time they encounter the design?
- **Efficiency**: Once users have learned the design, how quickly can they perform tasks
- Memorability: When users return to the design after a period of not using it, how easily can they reestablish proficiency
- Errors: How many errors do users make, how severe are these errors, and how easily can they recover from the errors
- Satisfaction: How pleasant is it to use the design

MAIN OF USABILITY GOALS

- User friendly
- Ease of learn and use
- Memorability
- High speed of user task performance and safety
- Low user error rate
- Subjective user satisfaction
- User royalty

HOW TO IMPROVE USABILITY

- Ask the users to perform representative tasks with the design.
- **Observe** what the users do, where they succeed, and where they have difficulties with the user interface. Shut up and let the users do the talking.
- It's important to test users individually and let them solve any problems on their own.

ACCESSIBILITY

- Access for all, usable by as many people as possible.
- Including elderly and people with disabilities.
- Disabilities is the group of people who has visual, hearing, cognitive and motor impairment. [www.adobe.com]

SOME PROBLEMATIC DESIGNS

How fast am I going?



SOME PROBLEMATIC DESIGNS

How Do I get out of this lift?









[www.baddesigns.co] [http://uxdesign.cc]

HCI VS UI


Human Computer Interaction VS User Interface

USER INTERFACE - UI

- is everything designed into the device with which people can interact. [Magaret Rouse]
- is everything where user will interact with a computer or machine to complete task.
- UI designer will often use visualization software before it is build in code.
- UI design is the largest part of the production.

UI DESIGN/DEVELOP PROCESS

- The User-Centered Design
 - Analyze user's goals & tasks
 - Create design alternatives
 - Evaluate options
 - Implement prototype
 - Test
 - Refine



INTERFACES IN THE REAL WORLD

- Not just computers!
 - VCR
 - Wristwatch
 - Phone
 - Copier
 - Car
 - Plane cockpit
 - Airline reservation
 - Air traffic control
 - Running shoes!







- Early days (Up to 1960s)
 - Isolated computer centres with mainframe computers
 - Punched card input
 - line-printer output
 - Batch processing (even the command)





,	/	D	0		M	01	N'	TH	ł	=		1		T	0		12	2.	:		ī		7	*	F	P	80	00	E	5	SS	S	E	f	10	Н	1	M	0	N	T	Н		*,	7																												Ī	Ī
(ı	ı																			ļ	I	ı			ļ	I	I	I	ı																																					
						Į	1								ı			ı	ı						ı	I	I	ı																																														
	0	0	0	0	0	0	0	ı	0	0	0	0	0		0	0	0 1	0 1	0 (0	0	0		0	0 1) (0 (0	1	ľ	Į	l	0	0	0	0	0	0	0	0		0	0	0	ı	0 (0	0	0	0	0	0 6	0	0	0	0 0	0	0	0	0	0 1	0 () (0	0	0	0	0	0 1	0 (16	0	,	
	1	1	1	1	1	1	1	1 :	. 1	. 1	1		1	1	1	1	ı	1 :	l 1	. 1	. 1	1		1	1 :	ı	l 1	. 1	1	. 1	1	1	. 1	ı	1	. 1	1	1	1	1	1	1	1	1	ı	l 1	1	1	1	1	1	1 1	1	1	1:	1 1	. 1	1	1	1:	1 :	1 1	1 1	. 1	1	1	1	1	1 :	ı	. 1	1		
	2	2	2	2	2	2:	2 :	22	2	2	2	2	2	2	2:	2:	2	ı	2 2	2	2	2	2	2:	2 2	2 2	2 2	2	2	Ċ	ı	12	2	2 2	2	2	2	2	2	2	2	2	2	2:	2 2	2 2	2 2	2	2	2	2:	2 2	2	2	2:	2 2	2	2	2	2:	2 :	2 2	2 2	2	2	2	2	2:	2 2	2 2	2	2 2		
	3	3	3	3	3	3:	3	k	3	3	3	3	3		3:	3:	3 :	3 3	3 3	3	3	3	3	3:	3 3	3 3	3 3	d	3	3	3	3	3	3		3	3	3	3	3		3	3	3 :	3 3	3 3	3 3	3	3	3	3:	3 3	3	3	3 :	3 3	3	3	3	3 :	3 :	3 3	3 3	3	3	3	3	3:	3 :	3 3	3	3 3		
	4		4	4		4	4 -	4 4	4	4	4	4	4	4	4 •	4	4 4	4 4	1 4	4	4	4	4		4 4	1	4	4	4	4	4	4	4	4	4	4	4	i	4	4	4	4	4	ı	4 4	1 4	4	4	4	4	4	4 4	4	4	4 4	1 4	4	4	4	4 4	4 4	1 4	1 4	4	4	4	4	4	4 4	14	4	4		
	5	5	5	5	5	5	ı	5 5	5	5	5	5	5	5	5 !	5 !	5 5	5 5	5 5	5	5	5	5	5 !	5 5	5 5	5 5	5	ı	5	5 5	5	Ċ	5	5	5	5	5	5	i	5	5	5	5 !	5 5	5 5	5 5	5	5	5	5	5 5	5	5	5 !	5 5	5	5	5	5 !	5.5	5 5	5 5	5	5	5	5	5	5 5	5 5	5	5 5	ı	
	6	6		6	6		6 1	5 6	6	i	6	6	6	6	ı	61	6 6	6	9	6	6	6	6	61	6 6	5 6		6	9	6	6	9	6	6	6	6	6	6	ı	6	6	6	6	61	5 6	6	6	6	6	6	61	6 6	6	6	61	3 6	6	6	6	61	5 6	5 6	6	6	6	6	6	61	6 6	6 6	6	6		
	7	7	7	7	7	7	7	77	7	7	7	7	7	7	7	7	7 7	7 7	7 7	7	7	7	7	7	7	ı	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7 7	7 7	7	7	7	7	7	7 7	7	7	7	7 7	7	7	7	7	7 7	7 7	77	7	7	7	7	7	7 7	7 7	7	7	,	
	8	8	8	8	8	8 :	8 8	8	a	i	8	8	8	8	8;	8	8 8	8	8	8	8	8	8		8 8	3 8	8 8	8	8	8	8	8	8	8	8	Ċ	8	8	8	8	8		8	ı	8 8	8 8	8	8	8	8	8	8 8	8	8	8 :	3 8	8	8	8	8 8	3 8	3 8	8 8	8	8	8	8	8	8 8	8 8	8	8	,	
	9	9	9	9	9	9 '	9 .	9 9	9	9	9	9	9	9	9 .	9	9 9	9 9	9 9	9	9	9	9	9	9 9	1	9	9	9	9	9	9	9	9	19	9	9	9	9	9	9	9	9	9 .	9 9	9 9	9	9	9	9	9	9 9	9	9	9 !	3 9	9	9	9	9 1	3 9	9 9	9 9	9	9	9	9	9	9 9	9 9	19	9	,	
L																																																																										


- Start of interaction (Mid 1960s early 1980s)
 - Mechanical or 'glass' teletype alphanumeric displays
 - Users interact via command line or menu-driven interfaces through terminal stations






- Age of Personal Computers (Early 1980s - mid 1990s)
 - A lot of interaction required
 - Graphical user interfaces (GUI) based on windows, icons, menus and pointing devices (WIMP)
 - Users manipulate graphical representations of objects directly on the screen








- Use of Graphics (Mid 1990s early 2000s)
 - Multimedia machines with animation, sound, moving image and voice input
 - Interaction still limited
 - GUI improvement with rich colour and realistic icons and desktop
 - Start of adaptive interface





Program Manager

Help

Main

Acce

File Options Window

File Manager Control Panel Print Mai

- Next Generation
 - Multimodal interfaces will exploit different user senses and different types of human interaction
 - Virtual reality?
 - Full range of user interaction will be opened up







THE NEED FOR GOOD INTERFACE DESIGN

Benefits of good design


- Increases in:
 - Productivity
 - Sales
 - Customer royalty
- Decreases in:
 - Training time
 - User errors
 - Development time
 - Customer support

Risks of poor design

- Misinformation
- Incorrect decision making
- Increased training cost without improvement of productivity
- Customer dissatisfaction
- III-health (eyesight, repetitive strain injuries)


WHEN THINGS GO WRONG: ERROR MESSAGES











WHEN THINGS GO WRONG: IRAN AIR 655

3 July 1988: IR655 shot down, 290 passengers including 66 children dead

U.S. government claimed the aircraft was mistakenly identified as an attacking F-14.







http://en.wikipedia.org/wiki/Iran_Air_Flight_655

SUMMARY

Define the basic concepts of:

- User interface
- Human-computer interaction (HCI)
- Usability
- Accessibility

Explain why they are important and give examples of:

- The benefits of good design
- The risks of bad design

Further reading and revision:

• Dix et al, Introduction, pp. 1-8

UN-ANSWERED QUESTIONS:

- What human factors should be thought about?
- Does the human mental model works in the same way as computer's (check this when learning programming)?
- Are devices design with a human consideration? What devices are suitable for what circumstances?
- How do we describe formally the human-machine dialogue before an interface is designed?
- What interaction style are there, and which to use?
- How tasks are decomposed, and how to shared them effectively between the human and the machine?
- What are interface design guidelines? What are the use for these guidelines in practice?
- How do we evaluate usability of something?

PREPARE FOR NEXT WEEK

Human

- Memory
- Vision
- Eyes
- Fingers

Senses

- Sight
- Hearing
- Touch