```
= demod [id, (), ((module id (req ...) (code ...)) mod_0 ... mod_n ...)]
demod [id, (), (mod_0 ... (module id (req ...) (code ...)) mod_n ...)]
demod [id, (), ((module id ((require id_r @ phase_r) req_m ...) (code_m ...)) = demod [id, (), ((module id ((require id_r @ phase_r) req_m ...) (code_m ...))]
                  mod_i ... (module id_r (rea_r ...) (code<sub>r</sub> ...)) mod_n ...)
                                                                                                         (module id_r(req_r...)(code_r...)) mod_i...mod_n...)
demod [id, ((id_c phase_c) (id_n phase_n) ...),
                                                                                   = demod [id, ((id_c phase_c) (id_n phase_n) ...),
          ((module id (req_m ...) (code_m ...))
                                                                                                 ((module id (req_m ...) (code_m ...))
                                                                                                   (module id_c (req_c ...) (code<sub>c</sub> ...))
           mod_i \dots
           (module id_c (req_c ...) (code_c ...))
                                                                                                  mod_i \dots
           mod_n \dots)
                                                                                                  mod_n \dots)
demod [id, ((id_c phase_c) (id_n phase_n) ...),
                                                                                   = demod [id, ((id_c phase_c) (id_n phase_n) ...),
          ((\text{module } id (req_m ...) (code_m ...))
                                                                                                 ((module id (req_m ...) (code_m ...))
           (module id_c ((require id_r @ phase_r) req_c ...) (code_c ...))
                                                                                                   (module id_c ((require id_r @ phase_r) req_c ...) (code_c ...))
                                                                                                   (module id_r(req_r...)(code_r...))
           mod_i \dots
           (module id_r(req_r...)(code_r...))
                                                                                                  mod_i ...
           mod_n \dots)
                                                                                                  mod_n \dots)
```