

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="jWUCc62wZJp0Zsw7XgF7HfhVlFVca3SzD0gmchk8">

  <title>BrightEvents</title>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 37, column 1; to line 37, column 73](#)

```
</script>↵<script type="text/javascript" src=http://localhost:8000/js/app.js
defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 38, column 1; to line 38, column 78](#)

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/comments.js defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 39, column 1; to line 39, column 79](#)

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/attendees.js defer></scri
```

4. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 40, column 1; to line 40, column 76](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/notification.js></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 41, column 1; to line 41, column 75](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/report.form.js></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 42, column 1; to line 42, column 69](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/polls.js></scri
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 43, column 1; to line 43, column 75](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/style.js defer></scri
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 47, column 1; to line 47, column 72](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/location.js></scri
```

9. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 49, column 1; to line 49, column 31](#)

```
/script><script type="text/javascript"> /
```

10. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 74, column 9; to line 74, column 82](#)

```
><script type="text/javascript" src=http://localhost:8000/js/auth.js
defer></scri
```

11. **Warning** The `navigation` role is unnecessary for element `nav`.

[From line 80, column 5; to line 81, column 38](#)

```
mn"><nav class="navbar navbar-expand-md navbar-light flex-wrap py-4
fixed-top d-flex flex-collumn align-items-center" role="navigation"
id="navbar">
```

12. **Error** Element `a` is missing one or more of the following attributes: `href`, `role`.

From line 95, column 5; to line 96, column 60

```
<oup">< <a class="bi bi-bell-fill clickableIcon" id="notificationBell"
data-bs-toggle="dropdown" data-bs-auto-close="outside"
onclick="readNotifications()" aria-expanded="false">
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

13. **Error** Element `div` not allowed as child of element `ul` in this context.  
(Suppressing further errors from this subtree.)

From line 102, column 9; to line 102, column 46

```
>< <div id="notifications" class="w-100">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

14. **Error** Element `div` not allowed as child of element `ul` in this context.  
(Suppressing further errors from this subtree.)

From line 104, column 9; to line 104, column 62

```
>< <div class="w-100 d-flex justify-content-center my-2">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

15. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other](#)

[tools](#)).

[From line 155, column 17; to line 155, column 20](#)

```
<h1>Edit U
```

16. **Error** Duplicate attribute `class`.

[At line 157, column 76](#)

```
'name');" class="text-white mb
```

17. **Error** Duplicate attribute `class`.

[At line 160, column 80](#)

```
rname');" class="text-white mb
```

18. **Error** Duplicate attribute `class`.

[At line 163, column 78](#)

```
('bio');" class="text-white" t
```

19. **Error** Attribute `type` not allowed on element `textarea` at this point.

[From line 163, column 17; to line 164, column 67](#)

```
<textarea class="input" onchange="removeErrors('bio');"
class="text-white" type="text"↵                               name="bio" id="bio"
value="" placeholder="Bio"></text
```

Attributes for element [textarea](#):

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

20. **Error** Attribute `value` not allowed on element `textarea` at this point.

[From line 163, column 17; to line 164, column 67](#)

```
<textarea class="input" onchange="removeErrors('bio');"
class="text-white" type="text" name="bio" id="bio"
value="" placeholder="Bio"></text>
```

Attributes for element [textarea](#):

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

21. **Error** Duplicate attribute `class`.

[At line 166, column 77](#)

```
email');" class="text-white mb
```

22. **Error** Duplicate attribute `class`.

[At line 169, column 82](#)

```
_date');" class="text-dark mb-
```

23. **Error** Attribute `placeholder` is only allowed when the input type is `email`, `number`, `password`, `search`, `tel`, `text`, or `url`.

[From line 169, column 17; to line 171, column 45](#)

```
<input class="input" onchange="removeErrors('birth_date');"
class="text-dark mb-3 d-block" type="date"
name="birth_date" id="birth_date" value="2000-01-09">
```

24. **Error** Duplicate attribute `name`.

[At line 173, column 57](#)

```
e="gender" name="gender" id="g
```

25. **Error** Duplicate attribute `class`.

[At line 173, column 84](#)

```
= "gender" class="mb-3"><
```

26. **Error** Duplicate attribute `class`.

[At line 180, column 80](#)

```
sword');" class="text-white mb
```

27. **Error** Duplicate attribute `class`.

[At line 183, column 88](#)

```
sword');" class="text-white mb
```

28. **Error** Duplicate attribute `class`.

[At line 187, column 43](#)

```
s="input" class="text-white mb
```

29. **Error** Attribute `placeholder` is only allowed when the input type is `email`, `number`, `password`, `search`, `tel`, `text`, or `url`.

[From line 187, column 17; to line 188, column 66](#)

```
<input class="input" class="text-white mb-3" type="file"
name="profile_picture" id="profile_picture"
placeholder="Crisóstomo"><<
```

30. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 142, column 5; to line 142, column 75](#)

```
nav><< <section class="w-100 position-relative wrapper flex-grow-1"
id="main"><
```

Document checking completed.

## Source

```
1. <
2. <!DOCTYPE html><
3. <html lang="en"><
4. <
5. <head><
6.   <meta charset="utf-8"><
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge"><
8.   <meta name="viewport" content="width=device-width, initial-scale=1"><
9. <
10.   <!-- CSRF Token --><
11.   <meta name="csrf-token"
content="jWUCc62wZJpOZsw7XgF7HfhV1FVca3SzD0gmchk8"><
12. <
13.   <title>BrightEvents</title><
14. <
15. <
16.   <!-- Styles --><
```

```
17. <link href="http://localhost:8000/css/milligram.min.css"
    rel="stylesheet">↵
18. <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
19. <link href="http://localhost:8000/css/nav.css" rel="stylesheet">↵
20. <link href="http://localhost:8000/css/breadcrumbs.css" rel="stylesheet">↵
21. <link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
    rel="stylesheet"↵
22.     integrity="sha384-
    1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
    crossorigin="anonymous">↵
23. <link rel="preconnect" href="https://fonts.googleapis.com">↵
24. <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
25. <link href="https://fonts.googleapis.com/css2?family=Spartan&display=swap"
    rel="stylesheet">↵
26. <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
    icons@1.7.2/font/bootstrap-icons.css">↵
27. <link rel="stylesheet"
    href="https://unpkg.com/leaflet@1.7.1/dist/leaflet.css"↵
28.     integrity="sha512-
    xodZBNTC5n17Xt2atTPuE1HxjVMSvLVW9ocqUKLsCC5CXdbqCmblAshOMAS6/keqq/sMzMZ19scR4Ps
    ZChSR7A=="↵
29.     crossorigin="" />↵
30. ↵
31. <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"↵
32.     integrity="sha384-
    KJ3o2DKtIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
    crossorigin="anonymous"></script>↵
33. <script
    src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"↵
34.     integrity="sha384-
    ApNbgh9B+Y1QKt3Rn7W3mgPxxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
    crossorigin="anonymous"></script>↵
35. <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.
    js"↵
36.     integrity="sha384-
    ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
    crossorigin="anonymous"></script>↵
37. <script type="text/javascript" src=http://localhost:8000/js/app.js defer>
</script>↵
38. <script type="text/javascript" src=http://localhost:8000/js/comments.js defer>
</script>↵
39. <script type="text/javascript" src=http://localhost:8000/js/attendees.js defer>
</script>↵
40. <script type="text/javascript" src=http://localhost:8000/js/notification.js>
</script>↵
41. <script type="text/javascript" src=http://localhost:8000/js/report.form.js>
</script>↵
42. <script type="text/javascript" src=http://localhost:8000/js/polls.js>
</script>↵
43. <script type="text/javascript" src=http://localhost:8000/js/style.js defer>
</script>↵
44. <script src="https://unpkg.com/leaflet@1.7.1/dist/leaflet.js"↵
45.     integrity="sha512-
    XQoYMqMTK8LvdxXYG3nZ448h0EQiglfqkJs1NOQV44cWnUrBc8PkAOcXy20w0v1aXaVUearIOBhiXZ5
    V3ynxwA=="↵
46.     crossorigin=""></script>↵
47. <script type="text/javascript" src=http://localhost:8000/js/location.js>
</script>↵
48. ↵
49. <script type="text/javascript">↵
50.     // Fix for Firefox autofocus CSS bug // See:
    http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
    loading/18945951#18945951↵
51. </script>↵
52. ↵
53. ↵
54. ↵
55. <script src="//js.pusher.com/3.1/pusher.min.js"></script>↵
56. ↵
```

```

57. <script>↵
58.     let pusher = new Pusher('5aaef3148145a5edc935', {↵
59.         encrypted: true,↵
60.         cluster: 'eu'↵
61.     });↵
62. ↵
63.     // Subscribe to the channel we specified in our Laravel Event↵
64.     let channel = pusher.subscribe("notification-received-channel-
peterpeter");↵
65. ↵
66.     channel.bind('notification-received', function(data) {↵
67.         getNotifications(null, true);↵
68. ↵
69.     });↵
70.     window.addEventListener('load', getNotifications);↵
71. ↵
72. </script>↵
73.     <link href="http://localhost:8000/css/auth.css" rel="stylesheet">↵
74.     <script type="text/javascript" src="http://localhost:8000/js/auth.js
defer"></script>↵
75. ↵
76. </head>↵
77. ↵
78. <body class="min-vh-100 d-flex flex-column">↵
79. ↵
80.     <nav class="navbar navbar-expand-md navbar-light flex-wrap py-4 fixed-top
d-flex flex-collumn align-items-center"↵
81.         role="navigation" id="navbar">↵
82.         <div class="d-flex flex-grow-1 flex-wrap align-items-center w-100">↵
83.             <div class="d-flex flex-grow-1 align-items-center col-sm-12 col-md-
auto">↵
84.                 <a class="navbar-brand" href=" http://localhost:8000 ">↵
85.                     <h1><span class="highlight">B</span>right Events</h1>↵
86.                 </a>↵
87.                 <a class="nav-item nav-link"
href="http://localhost:8000/events">↵
88.                     <h2>Events</h2>↵
89.                 </a>↵
90.                 <a class="nav-item nav-link me-auto"
href="http://localhost:8000/users">↵
91.                     <h2>Users</h2>↵
92.                 </a>↵
93.                     <div class="me-4">↵
94.                         <div class="btn-group">↵
95.                             <a class="bi bi-bell-fill clickableIcon" id="notificationBell" data-bs-
toggle="dropdown" data-bs-auto-close="outside"↵
96.                                 onclick="readNotifications()" aria-expanded="false">↵
97.                                 <div id="notificationCounter" class="notification-count align-items-
center justify-content-center d-flex">0↵
98.                                 </div>↵
99.                             </a>↵
100.                             <ul class="dropdown-menu dropdown-menu-end notification-panel p-0"
style="width: 50vw">↵
101.                                 aria-labelledby="notificationBell">↵
102.                                 <div id="notifications" class="w-100">↵
103.                                     </div>↵
104.                                     <div class="w-100 d-flex justify-content-center my-2">↵
105.                                         <button id="getPastNotifications" class="btn btn-custom"
onclick="getPastNotifications();">↵
106.                                             Load more↵
107.                                         </button>↵
108.                                     </div>↵
109.                                 </ul>↵
110.                             </div>↵
111.                         </div>↵
112.                             <button class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-target="#collapsable"↵
113.                                 aria-controls="collapsable" aria-expanded="false" aria-
label="Toggle navigation">↵
114.                                 <span class="navbar-toggler-icon"></span>↵
115.                             </button>↵

```



```

116.         </div><
117.         <div id="collapsible" class="collapse navbar-collapse flex-grow-0
col-sm-12 col-md-auto"><
118.                                     <a class="nav-item
nav-link">
119.                                     href="http://localhost:8000/users/peterpeter"><
120.                                     <h2>Peter White</h2><
121.                                     </a><
122.                                     <form
action="http://localhost:8000/logout" method="post" style="margin: 0; padding:
0;"><
123.                                     <input type="hidden" name="_token"
value="jWUCc62wZJpOZsw7XgF7HfhVlFVca3SzD0gmchk8">                                     <a
class="nav-item nav-link" href="javascript;"
onclick="this.parentNode.submit();"><
124.                                     <h2>Logout</h2><
125.                                     </a><
126.                                     </form><
127.                                     </div><
128.         </div><
129.         <div class="d-flex align-items-center w-100"><
130.             <nav class="p-0" style="--bs-breadcrumb-divider: '>';" aria-
label="breadcrumb"><
131.                 <ol class="p-0 m-0 breadcrumb"><
132.                     <li class="breadcrumb-item"><a
href="http://localhost:8000">Home</a></li><
133.                     <li
class="breadcrumb-item"><a href="http://localhost:8000/users">Users</a></li><
134.                     <li
class="breadcrumb-item"><a
href="http://localhost:8000/users/peterpeter">peterpeter</a></li><
135.                     <li
class="breadcrumb-item active" aria-current="page"><a
href="http://localhost:8000/users/peterpeter/edit">Edit Profile</a></li><
136.                     </ol><
137.                 </nav><
138.             </div><
139.         </nav><
140.         <
141.         <
142.         <section class="w-100 position-relative wrapper flex-grow-1" id="main"><
143.             <div id="growls"><
144.             </div><
145.             <section id="content" class="w-100 min-vh-100"><
146.                 <
147.                 <div class="d-flex justify-content-center"><
148.                     <div id="thumbnail" class="d-none d-xl-block col-xl-6 bg-dark"><
149.                         <
150.                     </div><
151.                     <div class="col-6 d-flex flex-column justify-content-center align-
items-center m-4" id="login-col"><
152.                         <form class="d-flex flex-column col-lg-6 col-md-8 col-sm-10 gap-4"
method="POST" enctype="multipart/form-data"><
153.                             action="http://localhost:8000/users/peterpeter/edit"><
154.                             <input type="hidden" name="_token"
value="jWUCc62wZJpOZsw7XgF7HfhVlFVca3SzD0gmchk8"><
155.                             <h1>Edit User Profile</h1><
156.                             <
157.                             <input class="input" onchange="removeErrors('name');"
class="text-white mb-3" type="text" name="name">
158.                                 id="name" value="Peter White" placeholder="Name"><
159.                             <
160.                             <input class="input" onchange="removeErrors('username');"
class="text-white mb-3" type="text">
161.                                 name="username" id="username" value="peterpeter"
placeholder="Username"><
162.                             <
163.                             <textarea class="input" onchange="removeErrors('bio');"
class="text-white" type="text">
164.                                 name="bio" id="bio" value="" placeholder="Bio">
</textarea><

```

```

165.         ↵
166.         <input class="input" onchange="removeErrors('email');"
class="text-white mb-3" type="text"↵
167.             name="email" id="email" value="PeterLWhite@armyspy.com"
placeholder="Email">↵
168.         ↵
169.         <input class="input" onchange="removeErrors('birth_date');"
class="text-dark mb-3 d-block"↵
170.             type="date" name="birth_date" id="birth_date" value="2000-
01-09"↵
171.             placeholder="birth_date">↵
172.         ↵
173.         <select class="input" name="gender" name="gender" id="gender"
class="mb-3">↵
174.             <option value="Female" >Female</option>↵
175.             <option value="Male"                                selected↵
176.                 >Male</option>↵
177.             <option value="Other" >Other</option>↵
178.         </select>↵
179.     ↵
180.         <input class="input" onchange="removeErrors('password');"
class="text-white mb-3" type="password"↵
181.             name="password" id="password" placeholder="Password">↵
182.         ↵
183.         <input class="input"
onchange="removeErrors('confirm_password');" class="text-white mb-3"↵
184.             type="password" name="confirm_password"
id="confirm_password" placeholder="Confirm password">↵
185.     ↵
186.         <h4 class="m-0">Upload a new profile picture:</h4>↵
187.         <input class="input" class="text-white mb-3" type="file"
name="profile_picture"↵
188.             id="profile_picture" placeholder="Crisóstomo">↵
189.     ↵
190.         <input class="input" type="hidden" name="id" id="id"
value="109">↵
191.         <button type="submit" class="btn btn-custom">↵
192.             Submit↵
193.         </button>↵
194.     </form>↵
195. </div>↵
196. </div>↵
197. </section>↵
198. </section>↵
199. ↵
200. <footer class="footer mt-auto d-block" id="footer">↵
201. <div class="w-100 p-2 d-flex justify-content-between align-items-center">↵
202.     <div class="d-inline-flex align-items-center">↵
203.         @Bright Events 2021↵
204.     </div>↵
205.     <div class="p-0 d-inline-flex justify-content-end">↵
206.         <a class="btn" href="http://localhost:8000/contacts">↵
207.             <h2 class="d-flex flex-no-wrap">Contact Us</h2>↵
208.         </a>↵
209.         <a class="btn" href="http://localhost:8000/faq">↵
210.             <h2>FAQ</h2>↵
211.         </a>↵
212.         <a class="btn" href="http://localhost:8000/about">↵
213.             <h2>About</h2>↵
214.         </a>↵
215.     </div>↵
216. </div>↵
217. </footer>↵
218. ↵
219. </body>↵
220. ↵
221. </html>

```

Used the HTML parser.

Total execution time 48 milliseconds.

