

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="RoRyEJNW4Z8vWwsr70svnPjQBUIZrj0JPeUUno0C">

  <title>BrightEvents</title>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 37, column 1; to line 37, column 73](#)

```
</script>↵<script type="text/javascript" src=http://localhost:8000/js/app.js
defer></scri
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 38, column 1; to line 38, column 78](#)

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/comments.js defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 39, column 1; to line 39, column 79](#)

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/attendees.js defer></scri
```

4. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 40, column 1; to line 40, column 76](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/notification.js></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 41, column 1; to line 41, column 75](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/report.form.js></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 42, column 1; to line 42, column 69](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/polls.js></scri
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 43, column 1; to line 43, column 75](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/style.js defer></scri
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 47, column 1; to line 47, column 72](#)

```
</script><script type="text/javascript"
src=http://localhost:8000/js/location.js></scri
```

9. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 49, column 1; to line 49, column 31](#)

```
/script><script type="text/javascript"> /
```

10. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 66, column 9; to line 66, column 82](#)

```
><script type="text/javascript" src=http://localhost:8000/js/auth.js
defer></scri
```

11. **Warning** The `navigation` role is unnecessary for element `nav`.

[From line 72, column 5; to line 73, column 38](#)

```
mn"><nav class="navbar navbar-expand-md navbar-light flex-wrap py-4
fixed-top d-flex flex-collumn align-items-center" role="navigation"
id="navbar">
```

12. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 109, column 17; to line 109, column 20](#)

```
<h1>Login<
```

13. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 100, column 5; to line 100, column 75](#)

```
nav>< <section class="w-100 position-relative wrapper flex-grow-1"
id="main">
```

Document checking completed.

Source

```
1. <
2. <!DOCTYPE html>
3. <html lang="en">
4. <
5. <head>
6.   <meta charset="utf-8">
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge">
8.   <meta name="viewport" content="width=device-width, initial-scale=1">
9. <
10.   <!-- CSRF Token -->
11.   <meta name="csrf-token"
content="RoRyEJNW4Z8vWwsr70svnPjQBUIZrj0JPeUUno0C">
12. <
13.   <title>BrightEvents</title>
14. <
15. <
16.   <!-- Styles -->
17.   <link href="http://localhost:8000/css/milligram.min.css"
rel="stylesheet">
18.   <link href="http://localhost:8000/css/app.css" rel="stylesheet">
19.   <link href="http://localhost:8000/css/nav.css" rel="stylesheet">
20.   <link href="http://localhost:8000/css/breadcrumbs.css" rel="stylesheet">
21.   <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet"
22.     integrity="sha384-
1BmE4kWbQ78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
23.   <link rel="preconnect" href="https://fonts.googleapis.com">
24.   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
25.   <link href="https://fonts.googleapis.com/css2?family=Spartan&display=swap"
rel="stylesheet">
26.   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.7.2/font/bootstrap-icons.css">
27.   <link rel="stylesheet"
href="https://unpkg.com/leaflet@1.7.1/dist/leaflet.css"
28.     integrity="sha512-
xodZBNTC5n17Xt2atTPuE1HxjVMSvLVW9ocqUKLsCC5CXdbqCmblAshOMAS6/keqq/sMzMZ19scR4Ps
ZChSR7A=="
29.     crossorigin="" />
30. <
31.   <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js">
```

```

32. integrity="sha384-
   KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
   crossorigin="anonymous"></script><
33. <script
   src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js">
34. integrity="sha384-
   ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
   crossorigin="anonymous"></script><
35. <script
   src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.
   js">
36. integrity="sha384-
   ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENB00LRn5q+8nbTov4+1p"
   crossorigin="anonymous"></script><
37. <script type="text/javascript" src=http://localhost:8000/js/app.js defer>
   </script><
38. <script type="text/javascript" src=http://localhost:8000/js/comments.js defer>
   </script><
39. <script type="text/javascript" src=http://localhost:8000/js/attendees.js defer>
   </script><
40. <script type="text/javascript" src=http://localhost:8000/js/notification.js>
   </script><
41. <script type="text/javascript" src=http://localhost:8000/js/report.form.js>
   </script><
42. <script type="text/javascript" src=http://localhost:8000/js/polls.js>
   </script><
43. <script type="text/javascript" src=http://localhost:8000/js/style.js defer>
   </script><
44. <script src="https://unpkg.com/leaflet@1.7.1/dist/leaflet.js">
45. integrity="sha512-
   XQoYMqMTK8LvdxXYG3nZ448h0EQiglfqkJs1NOQV44cWnUrBc8PkAOcXy20w0vlaXaVUearIOBhiXZ5
   V3ynxwA==">
46. crossorigin=""></script><
47. <script type="text/javascript" src=http://localhost:8000/js/location.js>
   </script><
48. <
49. <script type="text/javascript"><
50. // Fix for Firefox autofocus CSS bug // See:
   http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
   loading/18945951#18945951<
51. </script><
52. <
53. <
54. <
55. <script src="//js.pusher.com/3.1/pusher.min.js"></script><
56. <
57. <script><
58.     let pusher = new Pusher('5aaef3148145a5edc935', {<
59.         encrypted: true,<
60.         cluster: 'eu'<
61.     });<
62. <
63.     // Subscribe to the channel we specified in our Laravel Event<
64. </script><
65.     <link href="http://localhost:8000/css/auth.css" rel="stylesheet"><
66.     <script type="text/javascript" src=http://localhost:8000/js/auth.js
   defer></script><
67. <
68. </head><
69. <
70. <body class="min-vh-100 d-flex flex-column"><
71. <
72.     <nav class="navbar navbar-expand-md navbar-light flex-wrap py-4 fixed-top
   d-flex flex-collumn align-items-center"><
73.         role="navigation" id="navbar"><
74.         <div class="d-flex flex-grow-1 flex-wrap align-items-center w-100"><
75.             <div class="d-flex flex-grow-1 align-items-center col-sm-12 col-md-
   auto"><
76.                 <a class="navbar-brand" href=" http://localhost:8000 "><
77.                     <h1><span class="highlight">B</span>right Events</h1><
78.                     </a><

```

```

79.         <a class="nav-item nav-link"
href="http://localhost:8000/events">↵
80.             <h2>Events</h2>↵
81.         </a>↵
82.         <a class="nav-item nav-link me-auto"
href="http://localhost:8000/users">↵
83.             <h2>Users</h2>↵
84.         </a>↵
85.             <button class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-target="#collapsible"↵
86.                 aria-controls="collapsible" aria-expanded="false" aria-
label="Toggle navigation">↵
87.                 <span class="navbar-toggler-icon"></span>↵
88.             </button>↵
89.         </div>↵
90.         <div id="collapsible" class="collapse navbar-collapse flex-grow-0
col-sm-12 col-md-auto">↵
91.             <a class="nav-item nav-link"
href="http://localhost:8000/login">↵
92.                 <h2>Login</h2>↵
93.             </a>↵
94.             </div>↵
95.         </div>↵
96.         <div class="d-flex align-items-center w-100">↵
97.             </div>↵
98.     </nav>↵
99. ↵
100.     <section class="w-100 position-relative wrapper flex-grow-1" id="main">↵
101.         <div id="grow1">↵
102.         </div>↵
103.         <section id="content" class="w-100 min-vh-100">↵
104.             <div class="d-flex justify-content-center">↵
105.                 <div class="col-6 d-flex flex-column justify-content-center align-
items-center" id="login-col">↵
106.                     <form method="POST" action="http://localhost:8000/login" class="d-
flex flex-column col-lg-6 col-md-8 col-sm-10 gap-4">↵
107.                         <input type="hidden" name="_token"
value="RoRyEJNW4Z8vWsr70svnPjQBUIZrj0JPeUUno0C">↵
108.                     ↵
109.                         <h1>Login</h1>↵
110.                     ↵
111.                         <input class="input" onchange="removeErrors('login');"
id="login" type="text" name="login"↵
112.                             value="" placeholder="Email or username" required
autofocus>↵
113.                     ↵
114.                         <input class="input" onchange="removeErrors('password');"
id="password" type="password"↵
115.                             name="password" placeholder="Password" required>↵
116.                     ↵
117.                         <label class="d-block">↵
118.                             <input type="checkbox" name="remember" > Remember Me↵
119.                         </label>↵
120.                     ↵
121.                         <button class="btn btn-custom" type="submit">↵
122.                             Login↵
123.                         </button>↵
124.                     ↵
125.                         <hr class="m-0">↵
126.                         <div class="not-registered">↵
127.                             Not registered yet?↵
128.                             <a class="register-link"
href="http://localhost:8000/register">Register now!</a>↵
129.                         </div>↵
130.                         <div class="lost-password">↵
131.                             Trouble remembering?↵
132.                             <a class="recover-link"
href="http://localhost:8000/recover">Recover your password</a>↵
133.                         </div>↵
134.                     </form>↵
135.                 </div>↵

```

```
136.         <div id="thumbnail" class="d-none d-xl-block col-xl-6 bg-dark">↵
137.             ↵
138.         </div>↵
139.     </div>↵
140.     </section>↵
141. </section>↵
142. ↵
143.     <footer class="footer mt-auto d-block" id="footer">↵
144.     <div class="w-100 p-2 d-flex justify-content-between align-items-center">↵
145.         <div class="d-inline-flex align-items-center">↵
146.             @Bright Events 2021↵
147.         </div>↵
148.         <div class="p-0 d-inline-flex justify-content-end">↵
149.             <a class="btn" href="http://localhost:8000/contacts">↵
150.                 <h2 class="d-flex flex-no-wrap">Contact Us</h2>↵
151.             </a>↵
152.             <a class="btn" href="http://localhost:8000/faq">↵
153.                 <h2>FAQ</h2>↵
154.             </a>↵
155.             <a class="btn" href="http://localhost:8000/about">↵
156.                 <h2>About</h2>↵
157.             </a>↵
158.         </div>↵
159.     </div>↵
160. </footer>↵
161. ↵
162. </body>↵
163. ↵
164. </html>
```

Used the HTML parser.

Total execution time 49 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.1.25