Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

Options…

Check by text input ▼   ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="RoRyEJNW4Z8vWwsr7OsvnPjQBuIZrj0JPeUUno0C">

    <title>BrightEvents</title>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.   **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

     From line 37, column 1; to line 37, column 73

     </script>↵<script type="text/javascript" src=http://localhost:8000/js/app.js defer></scri

2.   **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

     From line 38, column 1; to line 38, column 78

     </script>↵<script type="text/javascript" src=http://localhost:8000/js/comments.js defer></scri

3.   **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

     From line 39, column 1; to line 39, column 79

     </script>↵<script type="text/javascript" src=http://localhost:8000/js/attendees.js defer></scri

4. **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

From line 40, column 1; to line 40, column 76

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/notification.js></scri
```

5. **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

From line 41, column 1; to line 41, column 75

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/report.form.js></scri
```

6. **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

From line 42, column 1; to line 42, column 69

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/polls.js></scri
```

7. **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

From line 43, column 1; to line 43, column 75

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/style.js defer></scri
```

8. **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

From line 47, column 1; to line 47, column 72

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/location.js></scri
```

9. **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

From line 49, column 1; to line 49, column 31

```
/script>↵↵<script type="text/javascript">↵      /
```

10. **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

From line 66, column 9; to line 66, column 83

```
>↵        <script type="text/javascript"
src=http://localhost:8000/js/event.js defer></scri
```

11. **Warning**   The `type` **attribute is unnecessary for JavaScript resources.**

From line 125, column 5; to line 125, column 85

```
ipt>↵↵    <script type="text/javascript"
src=http://localhost:8000/js/report.form.js defer></scri
```

12. **Warning**   The `navigation` **role is unnecessary for element** `nav` .

From line 131, column 5; to line 132, column 38

```
mn">↵↵      <nav class="navbar navbar-expand-md navbar-light flex-wrap py-4
fixed-top d-flex flex-collumn align-items-center"↵       role="navigation"
id="navbar">↵
```

13. **Error** **An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 177, column 13; to line 177, column 61

```
        <img src="/storage/event103.jpg" class="w-100" />↵↵
```

14. **Warning** **Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).**

From line 184, column 25; to line 184, column 45

```
        <h1 id="event-title">Baking
```

15. **Error** **Element `div` not allowed as child of element `a` in this context. (Suppressing further errors from this subtree.)**

From line 201, column 5; to line 201, column 9

```
cap">↵      <div>↵
```

Contexts in which element `div` may be used:
    Where [flow content](#) is expected.

    As a child of a [dl](#) element.
Content model for element [a](#):
    [Transparent](#), but there must be no [interactive content](#) descendant, [a](#) element descendant, or descendant with the [tabindex](#) attribute specified.

16. **Error** **An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 226, column 17; to line 226, column 65

```
        <img src="/storage/event103.jpg" class="w-100" />↵
```

17. **Error** **Duplicate ID `polls`.**

From line 318, column 21; to line 318, column 104

```
        <div class="tab-pane fade" id="polls" role="tabpanel" aria-
labelledby="contact-tab">↵
```

18. **Warning** **The first occurrence of ID `polls` was here.**

From line 313, column 21; to line 313, column 104

```
            <div class="tab-pane fade" id="polls" role="tabpanel" aria-
labelledby="contact-tab">↵
```

19. **Error** **Duplicate ID** `poll_area`.

From line 319, column 49; to line 319, column 107

```
            <div class="accordion accordion-flush mt-2" id="poll_area">↵
```

20. **Warning** **The first occurrence of ID** `poll_area` **was here.**

From line 314, column 25; to line 314, column 83

```
            <div class="accordion accordion-flush mt-4" id="poll_area">↵
```

21. **Error** **Bad value**
`https://unpkg.com/@chartisan/chartjs@^2.1.0/dist/chartisan_chartjs.umd.js` **for attribute** `src` **on element** <u>script</u> **: Illegal character in path segment:** `^` **is not allowed.**

From line 349, column 1; to line 349, column 88

```
tisan -->↵<script
src="https://unpkg.com/@chartisan/chartjs@^2.1.0/dist/chartisan_chartjs.umd.js
"></scri
```

22. **Error** **Bad value**
`https://unpkg.com/@chartisan/chartjs@^2.1.0/dist/chartisan_chartjs.umd.js` **for attribute** `src` **on element** <u>script</u> **: Illegal character in path segment:** `^` **is not allowed.**

From line 367, column 1; to line 367, column 88

```
tisan -->↵<script
src="https://unpkg.com/@chartisan/chartjs@^2.1.0/dist/chartisan_chartjs.umd.js
"></scri
```

23. **Warning** **Section lacks heading. Consider using** `h2` - `h6` **elements to <u>add identifying headings to all sections</u>.**

From line 167, column 5; to line 167, column 75

```
nav>↵↵    <section class="w-100 position-relative wrapper flex-grow-1"
id="main">↵
```

24. **Error** **The** `aria-labelledby` **attribute must point to an element in the same document.**

From line 261, column 17; to line 261, column 115

```
            <div class="tab-pane fade show active" id="description"
role="tabpanel" aria-labelledby="home-tab">↵↵
```

25. **Error** **The** `aria-labelledby` **attribute must point to an element in the same document.**

From line 291, column 37; to line 291, column 120

```
            <div class="tab-pane fade" id="forum" role="tabpanel" aria-
labelledby="contact-tab">↵
```

26. **Error** **The** `aria-labelledby` **attribute must point to an element in the same document.**

From line 313, column 21; to line 313, column 104

```
            <div class="tab-pane fade" id="polls" role="tabpanel" aria-
labelledby="contact-tab">↵
```

27. **Error** **The** `aria-labelledby` **attribute must point to an element in the same document.**

From line 318, column 21; to line 318, column 104

```
            <div class="tab-pane fade" id="polls" role="tabpanel" aria-
labelledby="contact-tab">↵
```

28. **Error** **The** `aria-labelledby` **attribute must point to an element in the same document.**

From line 323, column 21; to line 323, column 108

```
            <div class="tab-pane fade" id="attendees" role="tabpanel" aria-
labelledby="contact-tab">↵↵
```

29. **Error** **The** `aria-labelledby` **attribute must point to an element in the same document.**

From line 340, column 21; to line 340, column 109

```
            <div class="tab-pane fade" id="statistics" role="tabpanel" aria-
labelledby="contact-tab">↵
```

Document checking completed.

Source

```
 1.  ↵
 2.  <!DOCTYPE html>↵
 3.  <html lang="en">↵
 4.  ↵
 5.  <head>↵
 6.      <meta charset="utf-8">↵
 7.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
 8.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
 9.  ↵
10.      <!-- CSRF Token -->↵
```

11.   `<meta name="csrf-token"`
        `content="RoRyEJNW4Z8vWwsr7OsvnPjQBuIZrj0JPeUUno0C">`↵
12.   ↵
13.   `<title>BrightEvents</title>`↵
14.   ↵
15.   ↵
16.   `<!-- Styles -->`↵
17.   `<link href="http://localhost:8000/css/milligram.min.css"`
        `rel="stylesheet">`↵
18.   `<link href="http://localhost:8000/css/app.css" rel="stylesheet">`↵
19.   `<link href="http://localhost:8000/css/nav.css" rel="stylesheet">`↵
20.   `<link href="http://localhost:8000/css/breadcrumbs.css" rel="stylesheet">`↵
21.   `<link`
        `href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"`
        `rel="stylesheet"`↵
22.   `integrity="sha384-`
        `1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"`
        `crossorigin="anonymous">`↵
23.   `<link rel="preconnect" href="https://fonts.googleapis.com">`↵
24.   `<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>`↵
25.   `<link href="https://fonts.googleapis.com/css2?family=Spartan&display=swap"`
        `rel="stylesheet">`↵
26.   `<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-`
        `icons@1.7.2/font/bootstrap-icons.css">`↵
27.   `<link rel="stylesheet"`
        `href="https://unpkg.com/leaflet@1.7.1/dist/leaflet.css"`↵
28.   `integrity="sha512-`
        `xodZBNTC5n17Xt2atTPuE1HxjVMSvLVW9ocqUKLsCC5CXdbqCmblAshOMAS6/keqq/sMZMZ19scR4Ps`
        `ZChSR7A=="`↵
29.   `crossorigin="" />`↵
30.   ↵
31.   `<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"`↵
32.   `integrity="sha384-`
        `KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"`
        `crossorigin="anonymous"></script>`↵
33.   `<script`
        `src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"`↵
34.   `integrity="sha384-`
        `ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"`
        `crossorigin="anonymous"></script>`↵
35.   `<script`
        `src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.`
        `js"`↵
36.   `integrity="sha384-`
        `ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"`
        `crossorigin="anonymous"></script>`↵
37.   **`<script type="text/javascript" src=http://localhost:8000/js/app.js defer>`**
        `</script>`↵
38.   **`<script type="text/javascript" src=http://localhost:8000/js/comments.js defer>`**
        `</script>`↵
39.   **`<script type="text/javascript" src=http://localhost:8000/js/attendees.js defer>`**
        `</script>`↵
40.   **`<script type="text/javascript" src=http://localhost:8000/js/notification.js>`**
        `</script>`↵
41.   **`<script type="text/javascript" src=http://localhost:8000/js/report.form.js>`**
        `</script>`↵
42.   **`<script type="text/javascript" src=http://localhost:8000/js/polls.js>`**
        `</script>`↵
43.   **`<script type="text/javascript" src=http://localhost:8000/js/style.js defer>`**
        `</script>`↵
44.   `<script src="https://unpkg.com/leaflet@1.7.1/dist/leaflet.js"`↵
45.   `integrity="sha512-`
        `XQoYMqMTK8LvdxXYG3nZ448hOEQiglfqkJs1NOQV44cWnUrBc8PkAOcXy20w0vlaXaVUearIOBhiXZ5`
        `V3ynxwA=="`↵
46.   `crossorigin=""></script>`↵
47.   **`<script type="text/javascript" src=http://localhost:8000/js/location.js>`**
        `</script>`↵
48.   ↵
49.   **`<script type="text/javascript">`**↵
50.   `// Fix for Firefox autofocus CSS bug // See:`
        `http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-`

```
      loading/18945951#18945951↵
51.  </script>↵
52.  ↵
53.  ↵
54.  ↵
55.  <script src="//js.pusher.com/3.1/pusher.min.js"></script>↵
56.  ↵
57.  <script>↵
58.      let pusher = new Pusher('5aaef3148145a5edc935', {↵
59.          encrypted: true,↵
60.          cluster: 'eu'↵
61.      });↵
62.  ↵
63.      // Subscribe to the channel we specified in our Laravel Event↵
64.      </script>↵
65.          <link href="http://localhost:8000/css/event.css" rel="stylesheet">↵
66.          <script type="text/javascript" src=http://localhost:8000/js/event.js
     defer></script>↵
67.  ↵
68.      <script>↵
69.        function inviteUser(eventId) {↵
70.            const username = document.getElementById("selectUser").value;↵
71.  ↵
72.            let xmlHTTP = new XMLHttpRequest();↵
73.            xmlHTTP.open("POST", "/api/events/" + eventId + "/invites",
     false);↵
74.            xmlHTTP.setRequestHeader(↵
75.                "Content-type",↵
76.                "application/x-www-form-urlencoded"↵
77.            );↵
78.  ↵
79.            xmlHTTP.onreadystatechange = function() {↵
80.                if (xmlHTTP.readyState == 4) {↵
81.                    if (xmlHTTP.status == 200) {↵
82.                        let html = JSON.parse(xmlHTTP.response).html;↵
83.                        let invitees = document.getElementById('invitees');↵
84.                        let div = document.createElement('id');↵
85.                        div.classList.add("border", "rounded", "d-flex", "p-
     1");↵
86.                        div.style.width = "250px";↵
87.                        div.innerHTML += html;↵
88.                        remove("joinRequest"+username);↵
89.                        invitees.appendChild(div);↵
90.                    } else {↵
91.                        alert(xmlHTTP.status + ': Something went wrong');↵
92.                    }↵
93.                }↵
94.            };↵
95.  ↵
96.            xmlHTTP.send("username=" + username);↵
97.        }↵
98.      </script>↵
99.  ↵
100.     <script>↵
101.       function redirectTab() {↵
102.           const hash = window.location.hash;↵
103.           switch (hash) {↵
104.               case "#forum":↵
105.                   document.getElementById('forum-tab').click();↵
106.                   break;↵
107.               case "#polls":↵
108.                   document.getElementById('polls-tab').click();↵
109.                   break;↵
110.               case "#attendees":↵
111.                   document.getElementById('attendees-tab').click();↵
112.                   break;↵
113.               case "#statistics":↵
114.                   document.getElementById('statistics-tab').click();↵
115.                   break;↵
116.               default:↵
117.                   break;↵
```

```
118.            }↵
119.          }↵
120.          window.addEventListener('load', () => {↵
121.              redirectTab();↵
122.          });↵
123.      </script>↵
124.  ↵
125.      <script type="text/javascript" src=http://localhost:8000/js/report.form.js
      defer></script>↵
126.  ↵
127.  </head>↵
128.  ↵
129.  <body class="min-vh-100 d-flex flex-column">↵
130.  ↵
131.      <nav class="navbar navbar-expand-md navbar-light flex-wrap py-4 fixed-top
      d-flex flex-collumn align-items-center"↵
132.          role="navigation" id="navbar">↵
133.        <div class="d-flex flex-grow-1 flex-wrap align-items-center w-100">↵
134.            <div class="d-flex flex-grow-1 align-items-center col-sm-12 col-md-
      auto">↵
135.                <a class="navbar-brand" href=" http://localhost:8000 ">↵
136.                  <h1><span class="highlight">B</span>right Events</h1>↵
137.                </a>↵
138.                <a class="nav-item nav-link"
      href="http://localhost:8000/events">↵
139.                  <h2>Events</h2>↵
140.                </a>↵
141.                <a class="nav-item nav-link me-auto"
      href="http://localhost:8000/users">↵
142.                  <h2>Users</h2>↵
143.                </a>↵
144.                        <button class="navbar-toggler" type="button"
      data-bs-toggle="collapse" data-bs-target="#collapsable"↵
145.                  aria-controls="collapsable" aria-expanded="false" aria-
      label="Toggle navigation">↵
146.                  <span class="navbar-toggler-icon"></span>↵
147.                </button>↵
148.            </div>↵
149.            <div id="collapsable" class="collapse navbar-collapse flex-grow-0
      col-sm-12 col-md-auto">↵
150.                        <a class="nav-item nav-link"
      href="http://localhost:8000/login">↵
151.                  <h2>Login</h2>↵
152.                </a>↵
153.                    </div>↵
154.        </div>↵
155.        <div class="d-flex align-items-center w-100">↵
156.            <nav class="p-0" style="--bs-breadcrumb-divider: '>';" aria-
      label="breadcrumb">↵
157.          <ol class="p-0 m-0 breadcrumb">↵
158.                        <li class="breadcrumb-item"><a
      href="http://localhost:8000">Home</a></li>↵
159.                        <li
      class="breadcrumb-item"><a href="http://localhost:8000/events">Events</a>
      </li>↵
160.                        <li
      class="breadcrumb-item active" aria-current="page"><a↵
161.                  href="http://localhost:8000/events/103">Baking from
      Scratch 101</a></li>↵
162.                    </ol>↵
163.      </nav>↵
164.        </div>↵
165.      </nav>↵
166.  ↵
167.      <section class="w-100 position-relative wrapper flex-grow-1" id="main">↵
168.      <div id="growls">↵
169.      </div>↵
170.      <section id="content" class="w-100 min-vh-100">↵
171.          <div id="banner" class="w-100 position-fixed">↵
172.      <img class="w-100" src="/storage/event103.jpg" alt="First slide">↵
173.      </div>↵
```

```
174.     ↵
175.        <div id="event-content" class="container w-75 border rounded p-4 bg-light
        my-4">↵
176.            <div class="event-image col-sm-12 col-md-12 d-flex d-lg-none d-xl-
        none">↵
177.                <img src="/storage/event103.jpg" class="w-100" />↵
178.     ↵
179.            </div>↵
180.            <div id="event-header" class="row mb-4">↵
181.                <div id="event-info" class="d-flex flex-column col-sm-12 col-md-12
        col-lg-6 col-xl-6 p-4 pb-0 gap-3 justify-content-between">↵
182.                    <div>↵
183.                        <div class="w-100">↵
184.                            <h1 id="event-title">Baking from Scratch 101</h1>↵
185.                                            </div>↵
186.      ↵
187.                        <div class="w-100 event-subtitle">↵
188.                            <label>Date: </label>↵
189.                            <span>18/03/2022 04:00</span>↵
190.                        </div>↵
191.      ↵
192.                        <div class="d-flex event-subtitle">↵
193.                            <div class="d-flex flex-wrap align-items-center gap-
        3">↵
194.                                <label> Organized by:</label>↵
195.                                <span class="border p-3 event-organizer">↵
196.                                    <a
        href="http://localhost:8000/users/peterpeter"↵
197.        class="small-card d-flex justify-content-start align-items-center gap-4
        text-dark" style="text-decoration: none;">↵
198.        <img class="rounded-circle" style="width:5ch; height:5ch; object-
        fit:cover;"↵
199.            src="/storage/user109.jpg"↵
200.            alt="Card image cap">↵
201.        <div>↵
202.            <div> Peter White </div>↵
203.            <small class="text-muted"> peterpeter </small>↵
204.        </div>↵
205. </a>↵
206.                                    </span>↵
207.                                </div>↵
208.                            </div>↵
209.                        <div class="d-flex w-100 event-subtitle">↵
210.                            <div class="d-flex flex-column gap-3">↵
211.                                <label> Tags: </label>↵
212.                                <span id="tags" class="d-flex flex-wrap gap-2">↵
213.                                    <span class="tag"> music</span>↵
214.                                    </span>↵
215.                            </div>↵
216.                        </div>↵
217.                    </div>↵
218.                        ↵
219.                    <div>↵
220.                        <div class="d-flex justify-content-start gap-2">↵
221.
        <button class="btn btn-custom" disabled>Login to attend event</button>↵
222.
        </div>↵
223.                    </div>↵
224.                </div>↵
225.                <div class="event-image d-none d-lg-flex col-lg-6 col-xl-6">↵
226.                    <img src="/storage/event103.jpg" class="w-100" />↵
227.                </div>↵
228.            </div>↵
229. ↵
230.            <div id="event-body">↵
231.                        <ul class="nav nav-tabs w-100 nav-fill" id="myTab"
        role="tablist">↵
232.                <li class="nav-item" role="presentation">↵
233.                    <button class="nav-link active" id="description-tab" data-
        bs-toggle="tab" data-bs-target="#description"↵
```

234.   type="button" role="tab" aria-controls="description"
     aria-selected="true"↵
235.   onclick="replaceHash('')">Description</button>↵
236.   ↵
237.   <li class="nav-item" role="presentation">↵
238.   <button class="nav-link" id="forum-tab" data-bs-
     toggle="tab" data-bs-target="#forum" type="button"↵
239.   role="tab" aria-controls="forum" aria-
     selected="false"↵
240.   onclick="replaceHash('#forum');
     getComments();">Forum</button>↵
241.   ↵
242.   <li class="nav-item" role="presentation">↵
243.   <button class="nav-link" id="polls-tab" data-bs-
     toggle="tab" data-bs-target="#polls" type="button"↵
244.   role="tab" aria-controls="polls" aria-
     selected="false"↵
245.   onclick="replaceHash('#polls');
     getPolls();">Polls</button>↵
246.   ↵
247.   <li class="nav-item" role="presentation">↵
248.   <button class="nav-link" id="attendees-tab" data-bs-
     toggle="tab" data-bs-target="#attendees"↵
249.   type="button" role="tab" aria-controls="attendees"
     aria-selected="false"↵
250.   onclick="replaceHash('#attendees');
     getAttendees();">Attendees</button>↵
251.   ↵
252.   <li class="nav-item" role="presentation">↵
253.   <button class="nav-link" id="statistics-tab" data-bs-
     toggle="tab" data-bs-target="#statistics"↵
254.   type="button" role="tab" aria-controls="statistics"
     aria-selected="false"↵
255.
     onclick="replaceHash('#statistics')">Statistics</button>↵
256.   ↵
257.   ↵
258.   ↵
259. ↵
260.   <div class="tab-content" id="myTabContent">↵
261.   **<div class="tab-pane fade show active" id="description"
     role="tabpanel" aria-labelledby="home-tab">**↵
262. ↵
263.   <div class="w-100 p-4">↵
264.   Formerly known as Puff Pastry 101, weve shifted to
     include fun baking projects of all kinds! Bring a friend and join us on
     Instagram Live!↵
265.   </div>↵
266.   <div class="w-100 p-4">↵
267.   <label>Location: </label>↵
268.   ↵
269.   93608 Grayhawk Drive↵
270.   ↵
271.   <div id="map" class="w-100"
     style="height:300px">↵
272.   </div>↵
273.   <script>↵
274.   let eventCoords = [-14.216667, -73.083333];↵
275.   let map = L.map('map').setView(eventCoords, 17);↵
276.
     L.tileLayer('https://api.mapbox.com/styles/v1/{id}/tiles/{z}/{x}/{y}?
     access_token={accessToken}', {↵
277.   attribution: 'Map data © <a
     href="https://www.openstreetmap.org/copyright">OpenStreetMap contributors,
     Imagery © Mapbox',↵
278.   maxZoom: 18,↵
279.   id: 'mapbox/streets-v11',↵
280.   tileSize: 512,↵
281.   zoomOffset: -1,↵
282.   accessToken:
     'pk.eyJ1IjoiYnJ1bm9nb21lczMwIiwiYSI6ImNreWxnbzltMzAwYTgyd0nBhaW81OGhha24ifQ.X-

```
       WsoAxJ_WcIlFoQpR4rFA'↵
283.                                   }).addTo(map);↵
284.                                   L.marker(eventCoords).addTo(map)↵
285.                             </script>↵
286.   ↵
287.                       </div>↵
288.   ↵
289.                 </div>↵
290.   ↵
291.                             <div class="tab-pane fade" id="forum"
       role="tabpanel" aria-labelledby="contact-tab">↵
292.                                         <script>↵
293.                     let eventChannel = pusher.subscribe("event-channel-
       103");↵
294.   ↵
295.                         eventChannel.bind('event', function(data) {↵
296.                             if (data.message === 'comment' && !data.child)
       {↵
297.                                 remove('comment_area:refreshIcon');↵
298.                                 prependComment(data.id);↵
299.                             } else if (data.message === 'poll') {↵
300.                                 updatePoll(data.id);↵
301.                             }↵
302.                         });↵
303.                       </script>↵
304.                       <div id="comment_area" class="gap-4 d-flex flex-
       column">↵
305.   ↵
306.                             </div>↵
307.                             <button id="view_more_comments" class="btn btn-custom
       mt-4" style="display: none;"↵
308.                             onclick="viewMoreComments();">↵
309.                             View more↵
310.                             </button>↵
311.                   </div>↵
312.   ↵
313.                   <div class="tab-pane fade" id="polls" role="tabpanel" aria-
       labelledby="contact-tab">↵
314.                             <div class="accordion accordion-flush mt-4"
       id="poll_area">↵
315.                             </div>↵
316.                                         </div>↵
317.   ↵
318.                   <div class="tab-pane fade" id="polls" role="tabpanel" aria-
       labelledby="contact-tab">↵
319.                                         <div class="accordion
       accordion-flush mt-2" id="poll_area">↵
320.                             </div>↵
321.                   </div>↵
322.   ↵
323.                   <div class="tab-pane fade" id="attendees" role="tabpanel"
       aria-labelledby="contact-tab">↵
324.   ↵
325.                       <div class="d-flex flex-column p-4 gap-4">↵
326.                           ↵
327.                           <div>↵
328.                               <h3>Attendees</h3>↵
329.                               <div class="d-flex gap-4 flex-wrap justify-
       content" id="attendees-list">↵
330.   ↵
331.                               </div>↵
332.                               <button id="view_more_attendees" class="btn
       btn-custom mt-4" style="display: none;"↵
333.                               onclick="viewMoreAttendees();">↵
334.                               View more↵
335.                               </button>↵
336.                           </div>↵
337.                       </div>↵
338.   ↵
339.                   </div>↵
```

```
340.                         <div class="tab-pane fade" id="statistics" role="tabpanel"
      aria-labelledby="contact-tab">↵
341.                            <div class="d-flex flex-column p-4 gap-4">↵
342.                                <h2 class="m-2">7 attendees</h2>↵
343.                                <div class="row h-100 d-flex align-items-center">↵
344.                                    <div class="col-12 col-sm-12 col-md-12 col-lg-6
      col-xl-6">↵
345.                                        <!-- Chart's container -->↵
346. <div id="age_chart"></div>↵
347. <script src="https://unpkg.com/chart.js@2.9.3/dist/Chart.min.js"></script>↵
348. <!-- Chartisan -->↵
349. <script
      src="https://unpkg.com/@chartisan/chartjs@^2.1.0/dist/chartisan_chartjs.umd.js"
      ></script>↵
350. ↵
351. <!-- Your application script -->↵
352. <script>↵
353.     const age_chart = new Chartisan({↵
354.         el: '#age_chart',↵
355.         url: "http://localhost:8000/api/chart/age_chart?
      age0=3&age1=4&age2=0&age3=0",↵
356.         hooks: new ChartisanHooks()↵
357.             .beginAtZero()↵
358.             .colors(),↵
359.     });↵
360. </script>↵
361.                                    </div>↵
362.                                    <div class="col-12 col-sm-12 col-md-12 col-lg-6
      col-xl-6">↵
363.                                        <!-- Chart's container -->↵
364. <div id="gender_chart"></div>↵
365. <script src="https://unpkg.com/chart.js@2.9.3/dist/Chart.min.js"></script>↵
366. <!-- Chartisan -->↵
367. <script
      src="https://unpkg.com/@chartisan/chartjs@^2.1.0/dist/chartisan_chartjs.umd.js"
      ></script>↵
368. <!-- Your application script -->↵
369. <script>↵
370.     const gender_chart = new Chartisan({↵
371.         el: '#gender_chart',↵
372.         url: "http://localhost:8000/api/chart/gender_chart?
      male=4&female=3&other=0",↵
373.         hooks: new ChartisanHooks()↵
374.             .datasets('doughnut')↵
375.             .pieColors(),↵
376.     });↵
377. </script>↵
378.                                    </div>↵
379.                                </div>↵
380.                            </div>↵
381.                        </div>↵
382.                        </div>↵
383.            </div>↵
384. ↵
385.     </div>↵
386.         </section>↵
387.     </section>↵
388. ↵
389.     <footer class="footer mt-auto d-block" id="footer">↵
390.     <div class="w-100 p-2 d-flex justify-content-between align-items-center">↵
391.         <div class="d-inline-flex align-items-center">↵
392.             @Bright   Events 2021↵
393.         </div>↵
394.         <div class="p-0 d-inline-flex justify-content-end">↵
395.             <a class="btn" href="http://localhost:8000/contacts">↵
396.                 <h2 class="d-flex flex-no-wrap">Contact Us</h2>↵
397.             </a>↵
398.             <a class="btn" href="http://localhost:8000/faq">↵
399.                 <h2>FAQ</h2>↵
400.             </a>↵
401.             <a class="btn" href="http://localhost:8000/about">↵
```

```
402.                    <h2>About</h2>↵
403.                </a>↵
404.            </div>↵
405.        </div>↵
406.    </footer>↵
407.    ↵
408.    </body>↵
409.    ↵
410.    </html>
```

Used the HTML parser.

Total execution time 32 milliseconds.

About this checker • Report an issue • Version: 22.1.25