## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning The type attribute is unnecessary for JavaScript resources.

From line 37, column 1; to line 37, column 73

</script>e<script type="text/javascript" src=http://localhost:8000/js/app.js

defer></scri

2. Warning The type attribute is unnecessary for JavaScript resources.

From line 38, column 1; to line 38, column 78

</script>e<script type="text/javascript"

src=http://localhost:8000/js/comments.js defer></scri

3. Warning The type attribute is unnecessary for JavaScript resources.

From line 39, column 1; to line 39, column 79
```

</script>

<script type="text/javascript"

src=http://localhost:8000/js/attendees.js defer></scri</pre>

```
Showing results for contents of text-input area - Nu Html Checker
    Warning | The | type | attribute is unnecessary for JavaScript resources.
4.
    From line 40, column 1; to line 40, column 76
    </script>

</script type="text/javascript"
    src=http://localhost:8000/js/notification.js></scri</pre>
5.
    Warning | The | type | attribute is unnecessary for JavaScript resources.
    From line 41, column 1; to line 41, column 75
    </script>

</script type="text/javascript"
    src=http://localhost:8000/js/report.form.js></scri</pre>
    Warning The type attribute is unnecessary for JavaScript resources.
6.
    From line 42, column 1; to line 42, column 69
    </script>

<script type="text/javascript"
    src=http://localhost:8000/js/polls.js></scri</pre>
7.
    Warning | The type attribute is unnecessary for JavaScript resources.
    From line 43, column 1; to line 43, column 75
    </script>

</script type="text/javascript"
    src=http://localhost:8000/js/style.js defer></scri</pre>
    Warning | The type attribute is unnecessary for JavaScript resources.
8.
    From line 47, column 1; to line 47, column 72
    </script>

</script type="text/javascript"
    src=http://localhost:8000/js/location.js></scri</pre>
```

Warning | The type attribute is unnecessary for JavaScript resources. From line 49, column 1; to line 49, column 31 /script>↔<script type="text/javascript">↔

10. Warning | The type attribute is unnecessary for JavaScript resources. From line 74, column 9; to line 74, column 89 <script type="text/javascript"</pre> src=http://localhost:8000/js/createEvent.js defer></scri</pre>

**Warning** The navigation role is unnecessary for element nav. 11. From line 80, column 5; to line 81, column 38 <nav class="navbar navbar-expand-md navbar-light flex-wrap py-4</pre> fixed-top d-flex flex-collumn align-items-center"↔ role="navigation" id="navbar">←

```
Error | Element | a | is missing one or more of the following attributes: | href
12.
      role:
     From line 95, column 5; to line 96, column 60
      oup">↩
                   <a class="bi bi-bell-fill clickableIcon" id="notificationBell"</pre>
     data-bs-toggle="dropdown" data-bs-auto-close="outside"←
     onclick="readNotifications()" aria-expanded="false">
     Attributes for element a:
         Global attributes
        href — Address of the hyperlink
        target — Browsing context for hyperlink navigation
         download — Whether to download the resource instead of navigating to it, and its filename if
         so
         ping — URLs to ping
        <u>rel</u> — Relationship between the location in the document containing the <u>hyperlink</u> and the
         destination resource
         <u>hreflang</u> — Language of the linked resource
         type — Hint for the type of the referenced resource
         <u>referrer policy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element
      Error | Element | div | not allowed as child of element | u1 | in this context.
13.
```

(Suppressing further errors from this subtree.) From line 102, column 9; to line 102, column 46 <div id="notifications" class="w-100">← Contexts in which element div may be used: Where <u>flow content</u> is expected. As a child of a dl element. Content model for element ul: Zero or more <u>li</u> and <u>script-supporting</u> elements.

Error | Element | div | not allowed as child of element | u1 | in this context. 14. (Suppressing further errors from this subtree.) From line 104, column 9; to line 104, column 62 <div class="w-100 d-flex justify-content-center my-2">← Contexts in which element <u>div</u> may be used: Where <u>flow content</u> is expected. As a child of a dl element. Content model for element ul: Zero or more 1i and script-supporting elements.

**Error** Duplicate ID eventCE. 15. From line 154, column 13; to line 155, column 60

```
<form id="eventCE" action="http://localhost:8000/events/105/edit"←</pre>
    enctype="multipart/form-data" method="post">↔
16.
     Warning The first occurrence of ID | eventCE | was here.
    From line 146, column 17; to line 147, column 94
              <form id="eventCE" action="http://localhost:8000/events/105/edit"
</pre>
    enctype="multipart/form-data" method="post" class="d-flex justify-content-
    start mb-0">←
17.
     Error Saw a form start tag, but there was already an active form element.
    Nested forms are not allowed. Ignoring the tag.
    From line 154, column 13; to line 155, column 60
               enctype="multipart/form-data" method="post">←
     Error Duplicate attribute class.
18.
    At line 162, column 34
               class="col-lg-8 col-
     Error Duplicate attribute class.
19.
    At line 200, column 85
     pe="text" class="transparent"↔
20.
     Error Duplicate attribute class.
    At line 206, column 91
     pe="text" class="transparent"↔
     Error Duplicate attribute class.
21.
    At line 214, column 34
               class="transparent"↔
22.
     Error Duplicate attribute class
    At line 220, column 93
     pe="text" class="transparent"↔
    Error Duplicate ID id.
23.
    From line 225, column 45; to line 225, column 111
               <input class="input" type="hidden" name="id" id="id" value="105"</pre>
    />↩
     Warning The first occurrence of ID | id | was here.
24.
```

```
From line 156, column 137; to line 156, column 189
              <input type="hidden" name="id" id="id" value="105" />←
25.
     Error Duplicate attribute class.
    At line 232, column 99
     pe="file" class="w-100"↔
26.
     Error Attribute autocomplete is only allowed when the input type is
     color, date, datetime-local, email, hidden, month, number,
     password, range, search, tel, text, time, url, or week.
    From line 239, column 29; to line 240, column 76
               <input type="radio" class="btn-check" name="restriction"</pre>
                                                      autocomplete="off"
    id="restriction1"↔
    value="public" checked >↔
27.
     Error Attribute autocomplete is only allowed when the input type is
     color, date, datetime-local, email, hidden, month, number,
     password, range, search, tel, text, time, url, or week.
    From line 243, column 29; to line 244, column 77
               <input type="radio" class="btn-check" name="restriction"</pre>
    id="restriction2"↔
                                                      autocomplete="off"
    value="private" checked >←
     Error Stray end tag label.
28.
    From line 289, column 29; to line 289, column 36
               </label>↩
     Error | Saw a | form | start tag, but there was already an active | form | element.
29.
    Nested forms are not allowed. Ignoring the tag.
    From line 367, column 9; to line 367, column 14
                <form>←
30.
     Error | End tag | section | seen, but there were open elements.
    From line 368, column 17; to line 368, column 26
               </section>←
     Error Unclosed element form.
31.
    From line 146, column 17; to line 147, column 94
               enctype="multipart/form-data" method="post" class="d-flex justify-content-
    start mb-0">↔
```

## 32. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections. From line 142, column 5; to line 142, column 75 nav>↔ <section class="w-100 position-relative wrapper flex-grow-1" id="main">←

Document checking completed.

## Source

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">↔
 4. ←
 5. <head>←
 6.
        <meta charset="utf-8">↔
        <meta http-equiv="X-UA-Compatible" content="IE=edge">\leftarrow
 7.
 8.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
9. ←
10.
        <!-- CSRF Token -->↔
11.
        <meta name="csrf-token"</pre>
    content="jWUCc62wZJpOZsw7XgF7HfhV1FVca3SzDOgmchk8">↔
12. ←
13.
        <title>BrightEvents</title>↔
14. ←
15. ←
16.
        <!-- Styles -->↔
        <link href="http://localhost:8000/css/milligram.min.css"</pre>
17.
    rel="stylesheet">↔
        <link href="http://localhost:8000/css/app.css" rel="stylesheet">←
18.
        <link href="http://localhost:8000/css/nav.css" rel="stylesheet">←
19.
20.
        <link href="http://localhost:8000/css/breadcrumbs.css" rel="stylesheet">←
21.
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
    rel="stylesheet"↔
            integrity="sha384-
22.
    1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
    crossorigin="anonymous">↔
        <link rel="preconnect" href="https://fonts.googleapis.com">←
23.
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>←
24.
        <link href="https://fonts.googleapis.com/css2?family=Spartan&display=swap"</pre>
25.
    rel="stylesheet">↔
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
26.
    icons@1.7.2/font/bootstrap-icons.css">←
27.
        <link rel="stylesheet"</pre>
    href="https://unpkg.com/leaflet@1.7.1/dist/leaflet.css"↔
28.
            integrity="sha512-
    xodZBNTC5n17Xt2atTPuE1HxjVMSvLVW9ocqUKLsCC5CXdbqCmblAshOMAS6/keqq/sMZMZ19scR4Ps
    ZChSR7A=="↔
29.
            crossorigin="" />↩
30. ←
31.
        <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"↔</pre>
32. integrity="sha384-
    KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
    crossorigin="anonymous"></script>↔
33. <script
    src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"

34. integrity="sha384-
    ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
    crossorigin="anonymous"></script>↔
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.
```

```
js"←
36. integrity="sha384-
   ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+I1RH9sENBO0LRn5q+8nbTov4+1p"
   crossorigin="anonymous"></script>↔
37. <script type="text/javascript" src=http://localhost:8000/js/app.js defer>
    </script>←
38. <script type="text/javascript" src=http://localhost:8000/js/comments.js defer>
    </script>←
39. <script type="text/javascript" src=http://localhost:8000/js/attendees.js defer>
    </script>←
40. <script type="text/javascript" src=http://localhost:8000/js/notification.js>
    </script>←
41. <script type="text/javascript" src=http://localhost:8000/js/report.form.js>
    </script>←
42. <script type="text/javascript" src=http://localhost:8000/js/polls.js>
43. <script type="text/javascript" src=http://localhost:8000/js/style.js defer>
   </script>↔
44. <script src="https://unpkg.com/leaflet@1.7.1/dist/leaflet.js"↔
45. integrity="sha512-
   XQoYMqMTK8LvdxXYG3nZ448h0EQiglfqkJs1N0QV44cWnUrBc8PkAOcXy20w0vlaXaVUearIOBhiXZ5
   V3ynxwA=="↔
46. crossorigin=""></script>↔
47. <script type="text/javascript" src=http://localhost:8000/js/location.js>
    </script>↔
48. ←
49. <script type="text/javascript">↔
        // Fix for Firefox autofocus CSS bug // See:
50.
   http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
   loading/18945951#18945951↔
51. </script>↔
52. ←
53. ←
54. ←
55. <script src="//js.pusher.com/3.1/pusher.min.js"></script>↔
56. ←
57. <script>↔
        let pusher = new Pusher('5aaef3148145a5edc935', {↔
58.
59.
            encrypted: true, ←
60.
            cluster: 'eu'↩
61
        });↩
62. ←
63.
        // Subscribe to the channel we specified in our Laravel Event↔
64.
                let channel = pusher.subscribe("notification-received-channel-
   peterpeter");←
65.
            channel.bind('notification-received', function(data) { ←
66.
67.
                getNotifications(null, true); ↔
68. ←
69.
            });↩
70.
            window.addEventListener('load', getNotifications);
71. ←
72.
        </script>↔
73.
            <link href="http://localhost:8000/css/createEvent.css"</pre>
   rel="stylesheet">↔
74.
            <script type="text/javascript"</pre>
   src=http://localhost:8000/js/createEvent.js defer></script>←
75. ←
76. </head>↔
77. ←
78. <body class="min-vh-100 d-flex flex-column">↔
79. ←
80.
        <nav class="navbar navbar-expand-md navbar-light flex-wrap py-4 fixed-top</pre>
   d-flex flex-collumn align-items-center"↔
81.
            role="navigation" id="navbar">↔
82.
            <div class="d-flex flex-grow-1 flex-wrap align-items-center w-100">←
83.
                <div class="d-flex flex-grow-1 align-items-center col-sm-12 col-md-</pre>
   auto">↔
                    <a class="navbar-brand" href=" http://localhost:8000 ">←
84.
85.
                        <h1><span class="highlight">B</span>right Events</h1>↔
86.
                    </a>←
```

```
87.
                     <a class="nav-item nav-link"</pre>
     href="http://localhost:8000/events">↔
 88.
                          <h2>Events</h2>↔
 89.
                     </a>←
 90.
                     <a class="nav-item nav-link me-auto"</pre>
     href="http://localhost:8000/users">↔
 91.
                          <h2>Users</h2>↔
 92.
                     </a>←
                                          <div class="me-4">↔
 93.
 94.
                              <div class="btn-group">←
 95.
         <a class="bi bi-bell-fill clickableIcon" id="notificationBell" data-bs-</pre>
     toggle="dropdown" data-bs-auto-close="outside"←
             onclick="readNotifications()" aria-expanded="false">←
    <div id="notificationCounter" class="notification-count align-items-</pre>
 96.
 97.
             justify-content-center d-flex">0↔
     center
 98.
 99.
         </a>←
100.
         style="width: 50vw"↔
101.
             aria-labelledby="notificationBell">↔
102.
             <div id="notifications" class="w-100">←
103.
104.
             <div class="w-100 d-flex justify-content-center my-2">←
105.
                 <button id="getPastNotifications" class="btn btn-custom"</pre>
     onclick="getPastNotifications();">↔
106.
                     Load more←
107.
                 </button>←
108.
             </div>←
         ←
109.
110. </div>←
111.
                          </div>←
112.
                                      <button class="navbar-toggler" type="button"</pre>
     data-bs-toggle="collapse" data-bs-target="#collapsable"↔
113.
                          aria-controls="collapsable" aria-expanded="false" aria-
     label="Toggle navigation">↔
114.
                          <span class="navbar-toggler-icon"></span>↔
115.
                     </button>←
116.
                 </div>←
                 <div id="collapsable" class="collapse navbar-collapse flex-grow-0</pre>
117
     col-sm-12 col-md-auto">←
118.
                                                                   <a class="nav-item</pre>
     nav-link"↔
119.
                                  href="http://localhost:8000/users/peterpeter">↔
120.
                                  <h2>Peter White</h2>↔
121.
                              </a>←
122.
                                               <form
     action="http://localhost:8000/logout" method="post" style="margin: 0; padding:
123.
                              <input type="hidden" name="_token"</pre>
     value="jWUCc62wZJpOZsw7XgF7HfhV1FVca3SzDOgmchk8">
                                                                                 <a
     class="nav-item nav-link" href="javascript:;"
     onclick="this.parentNode.submit();">↩
124.
                                  <h2>Logout</h2>↔
125.
                              </a>←
126.
                          </form>←
127.
                                  </div>←
128.
129.
             <div class="d-flex align-items-center w-100">←
130.
                     <nav class="p-0" style="--bs-breadcrumb-divider: '>';" aria-
     label="breadcrumb">←
131.

    class="p-0 m-0 breadcrumb">←

132.
                                                       <a</pre>
     href="http://localhost:8000">Home</a>↔
133.
     class="breadcrumb-item"><a href="http://localhost:8000/events">Events</a>
     ↔
134.
     class="breadcrumb-item"><a href="http://localhost:8000/events/105">Gentle yoga
     for terrible times</a>↔
135.
                                                                       <li
     class="breadcrumb-item active" aria-current="page"><a↔
```

```
136.
                                   href="http://localhost:8000/events/105/edit">Edit
     event</a>←
137.
                                            ↔
138.
         </nav>↔
139.
              </div>←
140.
         </nav>↔
141. ←
142.
         <section class="w-100 position-relative wrapper flex-grow-1" id="main">←
143.
              <div id="growls">↔
144.
              </div>←
145.
              <section id="content" class="w-100 min-vh-100">←
                      <form id="eventCE"</pre>
146.
     action="http://localhost:8000/events/105/edit"←
147.
              enctype="multipart/form-data" method="post" class="d-flex justify-
     content-start mb-0">↩
148.
              <input type="hidden" name=" token"</pre>
     value="jWUCc62wZJpOZsw7XgF7HfhV1FVca3SzDOgmchk8">↔
149.
              <div id="form-content" class="h-100 col-6 p-4 gap-4 d-flex flex-</pre>
     column">↩
150.
                  <div class="w-100 p-1">↔
151.
                                            <h2>Edit event</h2>↔
152.
                                    </div>←
153. ←
                  <form id="eventCE" action="http://localhost:8000/events/105/edit" \hookleftarrow enctype="multipart/form-data" method="post"> \hookleftarrow
154.
155.
                       <input type="hidden" name=" token'</pre>
156.
     value="jWUCc62wZJpOZsw7XgF7HfhV1FVca3SzD0gmchk8">
     <input type="hidden" name="id" id="id" value="105" />↩
157.
                                        <div class="event-form w-100 d-flex flex-column</pre>
     border rounded p-3 gap-3">↔
                           <h3>Event fundamentals. <span class="text-muted">What
158.
     everyone should know.</span></h3>↔
                           <div class="col-lg-6 col-12">↔
159.
160.
                               <h4>Event Title:</h4>←
161.
                               <input class="input" id="title" type="text"</pre>
     name="title" \! \leftarrow \!
162.
                                    class="col-lg-8 col-12↔
163.
164.
                                   onchange="removeErrors('title');"
     placeholder="Insert event title"↔
165.
                                   value="Gentle yoga for terrible times" />↩
166. ←
167.
                                                     </div>←
168.
                           <div class="col-lg-6 col-12">←
169.
                               <h4>Event Date:</h4>↔
                               <input class="input " type="datetime-local" name="date"</pre>
170.
     id="date"↔
171.
                                   onchange="removeErrors('date');"↔
                                   value="2022-02-27T08:00" />↔
172.
173. ←
174.
                                                     </div>←
175. ←
176.
                           <div class="col-lg-12 col-12">←
177.
                               <h4>Description:</h4>←
178.
                               <textarea id="description" name="description"
     placeholder="Insert description"↔
                                    class="input "↔
179.
180.
                                   onchange="removeErrors('description');">Human
     beings are not meant to be in constant fight, flight, or freeze mode. Chronic
     stress takes a devastating toll on our mental and physical well-being. If you
     are exhausted, stressed out, burnt out, or just looking to relax and nourish
     your mind, body, and spirit, please join me for 75 minutes of gentle
     yoga</textarea>←
181.
                                                     </div>←
182.
                      </div>←
183.
184.
                      <div class="event-form w-100 d-flex flex-column border rounded</pre>
     p-3 gap-3">↔
185.
                           <h3>Location.<span class="text-muted"> Where the action
     will unfold.</span></h3>↔
```

```
186.
                           <div class="d-flex gap-4 align-items-center justify-</pre>
     content-center">←
187.
                               <input class="input " type="text" id="mapGlobalFilter"</pre>
     name="body"←
188.
                                   placeholder="Introduce a location..."
     onchange="removeErrors('description');">↔
189.
                               <button id="submit_comment_button" class="btn btn-</pre>
     custom" type="button"↔
190.
                                   onclick="searchMap();">Submit</button>←
191.
                           </div>←
192.
                           <input class="input" id="lat" name="lat" type="hidden"←</pre>
193.
194.
                               value="38.9003669" />↩
                           <input class="input" id="long" name="long" type="hidden"←</pre>
195.
196.
                               value="-77.0351137" />↔
197. ←
                           <div class="d-flex flex-column">↔
198.
199.
                               <h4>City:</h4>↔
200.
                               <input class="input" id="city" name="city" type="text"</pre>
     class="transparent"↔
201.
                                   value="Washington" />↔
202.
                           </div>←
203. ←
204.
                           <div class="d-flex flex-column">←
205.
                               <h4>Country:</h4>←
                               <input class="input" id="country" name="country"</pre>
206.
     type="text" class="transparent"↔
207.
                                    readonly="readonly"↔
208.
                                   value="United States" />↩
209.
                           </div>←
210. ←
211.
                           <div class="d-flex flex-column">←
212.
                               <h4>Display name:</h4>↔
213.
                               <input class="input" id="display name"</pre>
     name="display name" type="text"↔
214.
                                    class="transparent"↔
                                    value="" />↩
215.
216.
                           </div>←
217. ←
                           <div class="d-flex flex-column">↔
218.
219.
                               <h4>Post-code:</h4>↔
220.
                               <input class="input" id="postcode" name="postcode"</pre>
     type="text" class="transparent"↔
                                   readonly="readonly"↔ value="" />↔
221.
222.
223.
                           </div>←
224.
                                                     <input class="input" type="hidden"</pre>
225.
     name="id" id="id" value="105" />↩
226.
                                            </div>←
227.
                      <div class="event-form w-100 d-flex flex-column border rounded</pre>
228.
     p-3 gap-3">↔
229.
                           <h3>Optionals. <span class="text-muted">For all the fine-
     tuning you need.</span></h3>↔
230.
                           <div class="col-lg-6 col-12">←
231.
                               <h4>Cover Image:</h4>↔
232.
                               <input class="input" id="cover_image"</pre>
     name="cover\_image" type="file" class="w-100" \leftrightarrow
233.
                                   onchange="remove('cover_imageError');" />↔
234.
                                                     </div>←
235. ←
236.
                           <div class="col-lg-6 col-12">←
237.
                               <h4>Event Restriction:</h4>↔
238.
                               <div class="btn-group gap-2" role="group">←
239.
                                    <input type="radio" class="btn-check"</pre>
     name="restriction" id="restriction1"↔
240.
                                        autocomplete="off" value="public" checked >↩
241.
                                    <label class="btn btn-outline-primary"</pre>
     for="restriction1">Public</label>↔
242.
```

```
243.
                                    <input type="radio" class="btn-check"</pre>
     name="restriction" id="restriction2"
244.
                                         autocomplete="off" value="private"
                                                                                 checked >←
245.
                                    <label class="btn btn-outline-primary"</pre>
     for="restriction2">Private</label>←
246.
                                </div>←
247.
                           </div>←
248.
                           <div class="">↔
249.
250.
                                <fieldset id="optionsSet" class="d-none">←
251.
                                                                        <input id="t100"</pre>
     type="checkbox" name="tags[]" value="100"↔
252.
253.
                                                                        <input id="t101"</pre>
     type="checkbox" name="tags[]" value="101"↔
254.
255.
                                                                        <input id="t102"</pre>
     type="checkbox" name="tags[]" value="102"↔
256.
257.
                                                                        <input id="t103"</pre>
     type="checkbox" name="tags[]" value="103"↔
258.
259.
                                                                        <input id="t104"</pre>
     type="checkbox" name="tags[]" value="104"↔
260.
261.
                                                                        <input id="t105"</pre>
     type="checkbox" name="tags[]" value="105"↔
262.
                                              checked >←
                                                                        <input id="t106"</pre>
263.
     type="checkbox" name="tags[]" value="106"↔
264.
265.
                                                                        <input id="t107"</pre>
     type="checkbox" name="tags[]" value="107"↔
266.
267.
                                                                        <input id="t108"</pre>
     type="checkbox" name="tags[]" value="108"↔
268.
                                                                        <input id="t109"</pre>
269.
     type="checkbox" name="tags[]" value="109"↔
270.
                                                                        <input id="t110"</pre>
271
     type="checkbox" name="tags[]" value="110"↔
272.
273.
                                                                        <input id="t111"</pre>
     type="checkbox" name="tags[]" value="111"↔
274.
275.
                                                               </fieldset>↔
276.
277.
                                <div class="col-lg-6 col-12">↔
278.
                                    <h4>Tags:</h4>↔
279.
                                    <div id="tagsDiv" class="w-100 d-flex justify-</pre>
     content-start flex-wrap">↔
280.
                                         <span id="tagEx" class="tag m-1 removable d-</pre>
     none" title="Click to remove"↔
281.
                                             onclick="removeTag(this);"> </span>↔
282.
     <span class="tag m-1 removable" title="Click to remove"</pre>
     onclick="removeTag(this);">↔
283.
                                                      influencer↩
284.
                                                  </span>←
285.
     </div>←
286.
                                </div>←
287.
                                <div class="col-lg-6 col-12">↔
288.
                                    <!-- Add tags -->↔
289.
                                    </label>←
290.
                                    <input type="search" list="tagOptions"</pre>
     autocomplete="off" id="selec"↔
291.
                                         placeholder="Search tag...">↔
292.
                                    <datalist id="tagOptions">↔
```

```
293.
                                                                             <option
     id="fun" data-id="t100"↔
294.
                                               value="fun">↔
295.
                                           </option>←
296.
                                                                             <option
     id="science" data-id="t101"↔
297.
                                               value="science">↔
298.
                                           </option>←
299.
                                                                             <option
     id="culture" data-id="t102"↔
300.
                                               value="culture">↔
301.
                                           </option>←
302.
                                                                             <option
     id="music" data-id="t103"↔
303.
                                               value="music">↔
304.
                                           </option>←
305.
                                                                             <option
     id="film" data-id="t104"↔
306.
                                               value="film">↔
307.
                                           </option>←
308.
                                                                             <option
     id="influencer" data-id="t105"↔
309.
                                               value="influencer">←
310.
                                           </option>←
311.
                                                                             <option
     id="academic" data-id="t106"↔
312.
                                               value="academic">↔
313.
                                           </option>←
314.
                                                                             <option
     id="talk" data-id="t107"↔
315.
                                               value="talk">↔
316.
                                           </option>←
317.
                                                                             <option
     id="masterclass" data-id="t108"↔
318.
                                               value="masterclass">←
319.
                                           </option>←
320.
                                                                             <option
     id="cars" data-id="t109"↔
321.
                                               value="cars">↔
322.
                                           </option>←
323.
                                                                             <option
     id="food" data-id="t110"↔
324.
                                               value="food">↔
325.
                                           </option>←
326.
                                                                             <option
     id="sports" data-id="t111"↔
327.
                                               value="sports">↔
328.
                                           </option>←
329.
                                                                    </datalist>←
330.
                                  <button type="button" class="btn btn-custom"</pre>
     onclick="addTag('selec', 'tagsDiv');">Add</button>↔
331.
                                  <label>←
332.
                                       <!-- Add tags -->↔
333.
                                   </label>↩
334.
                              </div>←
                          </div>←
335.
336.
                      </div>←
337. ←
                      <button type="submit" class="btn btn-custom"> Edit
338.
     </button>←
339.
             </div>↩
340.
             <div id="map-wrapper" class="col-6 position-fixed" style="right: 0">←
341.
                 <div id="map" class="w-100">↔
342. ←
343.
                 </div>←
344. ←
345.
346.
                       let navbar = document.getElementById("navbar"); ←
                      document.getElementById("map").style.height =
347.
     window.innerHeight - navbar.offsetHeight + "px"; ↔
```

```
348.
                                           let eventCoords = [38.9003669,
     -77.0351137];←
349.
                          giveBlack(); ←
350.
                                       let map = L.map('map').setView(eventCoords,
     17);↩
351.
     L.tileLayer('https://api.mapbox.com/styles/v1/{id}/tiles/{z}/{x}/{y}?
     access_token={accessToken}', {↔
352.
                          attribution: 'Map data © <a
     href="https://www.openstreetmap.org/copyright">OpenStreetMap</a> contributors,
     Imagery © <a href="https://www.mapbox.com/">Mapbox</a>', ↔
353.
                          maxZoom: 18, ←
                          id: 'mapbox/streets-v11',↔
354.
355.
                          tileSize: 512,↔
356.
                          zoomOffset: -1, ↔
357.
                          accessToken:
     pk.eyJ1IjoiYnJ1bm9nb21lczMwIiwiYSI6ImNreWxnbzltMzAwYTgydnBhaW810Ghha24ifQ.X-
     WsoAxJ WcIlFoQpR4rFA'↔
358.
                      }).addTo(map); ←
359.
                                           let mapMarker =
     L.marker(eventCoords).addTo(map); ↔
360.
361.
                      map.on('click', async function(ev) \{ \leftarrow \}
362.
                          clickMap(ev);↔
363.
                      });↩
364.
                  </script>↩
365.
             </div>←
366. ←
367.
             <form>←
                      </section>←
368.
369.
         </section>↩
370. ←
371.
         <footer class="footer mt-auto d-block" id="footer">←
372.
         <div class="w-100 p-2 d-flex justify-content-between align-items-center">↔
373.
             <div class="d-inline-flex align-items-center">←
374.
                 @Bright Events 2021↔
375.
             </div>←
376.
             <div class="p-0 d-inline-flex justify-content-end">←
                 <a class="btn" href="http://localhost:8000/contacts">←
377.
378.
                      <h2 class="d-flex flex-no-wrap">Contact Us</h2>↔
379.
                 </a>←
                 <a class="btn" href="http://localhost:8000/faq">↔
380.
381.
                      <h2>FAQ</h2>←
382.
                 </a>←
                 <a class="btn" href="http://localhost:8000/about">←
383.
384.
                      <h2>About</h2>↔
385.
                 </a>←
386.
             </div>←
         </div>←
387.
388. </footer>←
389. ←
390. </body>←
391. ←
392. </html>
```

Used the HTML parser.

Total execution time 46 milliseconds.

About this checker • Report an issue • Version: 22.1.25