# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

Options…

Check by text input ⌄ ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="RoRyEJNW4Z8vWwsr7OsvnPjQBuIZrj0JPeUUno0C">

    <title>BrightEvents</title>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` **attribute is unnecessary for JavaScript resources.**

   From line 37, column 1; to line 37, column 73

   ```
   </script>↵<script type="text/javascript" src=http://localhost:8000/js/app.js defer></scri
   ```

2. **Warning** The `type` **attribute is unnecessary for JavaScript resources.**

   From line 38, column 1; to line 38, column 78

   ```
   </script>↵<script type="text/javascript" src=http://localhost:8000/js/comments.js defer></scri
   ```

3. **Warning** The `type` **attribute is unnecessary for JavaScript resources.**

   From line 39, column 1; to line 39, column 79

   ```
   </script>↵<script type="text/javascript" src=http://localhost:8000/js/attendees.js defer></scri
   ```

4.   **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 40, column 1; to line 40, column 76

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/notification.js></scri
```

5.   **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 41, column 1; to line 41, column 75

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/report.form.js></scri
```

6.   **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 42, column 1; to line 42, column 69

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/polls.js></scri
```

7.   **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 43, column 1; to line 43, column 75

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/style.js defer></scri
```

8.   **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 47, column 1; to line 47, column 72

```
</script>↵<script type="text/javascript"
src=http://localhost:8000/js/location.js></scri
```

9.   **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 49, column 1; to line 49, column 31

```
/script>↵↵<script type="text/javascript">↵    /
```

10.   **Warning**   **The** `navigation` **role is unnecessary for element** `nav` **.**

From line 71, column 5; to line 72, column 38

```
mn">↵↵    <nav class="navbar navbar-expand-md navbar-light flex-wrap py-4
fixed-top d-flex flex-collumn align-items-center"↵        role="navigation"
id="navbar">↵
```

11.   **Warning**   **Consider using the** `h1` **element as a top-level heading only (all** `h1` **elements are treated as top-level headings by many screen readers and other tools).**

From line 111, column 9; to line 111, column 12

```
>↵        <h1>Browse
```

12.   **Error** **Duplicate attribute** `name` .

At line 114, column 82

```
lete="off" name="search"↵
```

13.   **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.**

From line 130, column 5; to line 130, column 102

```
em;">↵    <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user100.jpg">↵    <
```

14.   **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.**

From line 141, column 5; to line 141, column 102

```
em;">↵    <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user101.jpg">↵    <
```

15.   **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.**

From line 152, column 5; to line 152, column 102

```
em;">↵    <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user102.jpg">↵    <
```

16.   **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.**

From line 163, column 5; to line 163, column 102

```
em;">↵    <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user103.jpg">↵    <
```

17.   **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.**

From line 174, column 5; to line 174, column 102

```
em;">↵    <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user104.jpg">↵    <
```

18. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 185, column 5; to line 185, column 102

```
em;">↵      <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user105.jpg">↵      <
```

19. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 196, column 5; to line 196, column 102

```
em;">↵      <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user106.jpg">↵      <
```

20. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 207, column 5; to line 207, column 102

```
em;">↵      <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user107.jpg">↵      <
```

21. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 218, column 5; to line 218, column 102

```
em;">↵      <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user108.jpg">↵      <
```

22. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 229, column 5; to line 229, column 102

```
em;">↵      <img class="mt-2 rounded-circle" style="width:100%; object-
fit:cover;" src="/storage/user109.jpg">↵      <
```

23. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to **add identifying headings to all sections**.

From line 106, column 5; to line 106, column 75

```
nav>↵↵      <section class="w-100 position-relative wrapper flex-grow-1"
id="main">↵
```

Document checking completed.

Source

1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4. ↵
5. <head>↵
6.   <meta charset="utf-8">↵
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8.   <meta name="viewport" content="width=device-width, initial-scale=1">↵
9. ↵
10.   <!-- CSRF Token -->↵
11.   <meta name="csrf-token"
     content="RoRyEJNW4Z8vWwsr7OsvnPjQBuIZrj0JPeUUno0C">↵
12. ↵
13.   <title>BrightEvents</title>↵
14. ↵
15. ↵
16.   <!-- Styles -->↵
17.   <link href="http://localhost:8000/css/milligram.min.css"
     rel="stylesheet">↵
18.   <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
19.   <link href="http://localhost:8000/css/nav.css" rel="stylesheet">↵
20.   <link href="http://localhost:8000/css/breadcrumbs.css" rel="stylesheet">↵
21.   <link
     href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
     rel="stylesheet"↵
22.   integrity="sha384-
     1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
     crossorigin="anonymous">↵
23.   <link rel="preconnect" href="https://fonts.googleapis.com">↵
24.   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
25.   <link href="https://fonts.googleapis.com/css2?family=Spartan&display=swap"
     rel="stylesheet">↵
26.   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
     icons@1.7.2/font/bootstrap-icons.css">↵
27.   <link rel="stylesheet"
     href="https://unpkg.com/leaflet@1.7.1/dist/leaflet.css"↵
28.   integrity="sha512-
     xodZBNTC5n17Xt2atTPuE1HxjVMSvLVW9ocqUKLsCC5CXdbqCmblAshOMAS6/keqq/sMZMZ19scR4Ps
     ZChSR7A=="↵
29.   crossorigin="" />↵
30. ↵
31.   <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"↵
32. integrity="sha384-
     KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
     crossorigin="anonymous"></script>↵
33. <script
     src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"↵
34. integrity="sha384-
     ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
     crossorigin="anonymous"></script>↵
35. <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.
     js"↵
36. integrity="sha384-
     ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
     crossorigin="anonymous"></script>↵
37. **<script type="text/javascript" src=http://localhost:8000/js/app.js defer>**
     </script>↵
38. **<script type="text/javascript" src=http://localhost:8000/js/comments.js defer>**
     </script>↵
39. **<script type="text/javascript" src=http://localhost:8000/js/attendees.js defer>**
     </script>↵

40. **`<script type="text/javascript" src=http://localhost:8000/js/notification.js>`**
     `</script>`↩
41. **`<script type="text/javascript" src=http://localhost:8000/js/report.form.js>`**
     `</script>`↩
42. **`<script type="text/javascript" src=http://localhost:8000/js/polls.js>`**
     `</script>`↩
43. **`<script type="text/javascript" src=http://localhost:8000/js/style.js defer>`**
     `</script>`↩
44. `<script src="https://unpkg.com/leaflet@1.7.1/dist/leaflet.js"`↩
45. `integrity="sha512-`
     `XQoYMqMTK8LvdxXYG3nZ448hOEQiglfqkJs1NOQV44cWnUrBc8PkAOcXy20w0vlaXaVUearIOBhiXZ5`
     `V3ynxwA=="`↩
46. `crossorigin=""></script>`↩
47. **`<script type="text/javascript" src=http://localhost:8000/js/location.js>`**
     `</script>`↩
48. ↩
49. **`<script type="text/javascript">`**↩
50. `     // Fix for Firefox autofocus CSS bug // See:`
     `http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-`
     `loading/18945951#18945951`↩
51. `</script>`↩
52. ↩
53. ↩
54. ↩
55. `<script src="//js.pusher.com/3.1/pusher.min.js"></script>`↩
56. ↩
57. `<script>`↩
58. `    let pusher = new Pusher('5aaef3148145a5edc935', {`↩
59. `        encrypted: true,`↩
60. `        cluster: 'eu'`↩
61. `    });`↩
62. ↩
63. `    // Subscribe to the channel we specified in our Laravel Event`↩
64. `    </script>`↩
65. `        <link href="http://localhost:8000/css/users.css" rel="stylesheet">`↩
66. ↩
67. `</head>`↩
68. ↩
69. `<body class="min-vh-100 d-flex flex-column">`↩
70. ↩
71. **`    <nav class="navbar navbar-expand-md navbar-light flex-wrap py-4 fixed-top`**
     `d-flex flex-collumn align-items-center"`↩
72. **`        role="navigation" id="navbar">`**↩
73. `        <div class="d-flex flex-grow-1 flex-wrap align-items-center w-100">`↩
74. `            <div class="d-flex flex-grow-1 align-items-center col-sm-12 col-md-`
     `auto">`↩
75. `                <a class="navbar-brand" href=" http://localhost:8000 ">`↩
76. `                    <h1><span class="highlight">B</span>right Events</h1>`↩
77. `                </a>`↩
78. `                <a class="nav-item nav-link"`
     `href="http://localhost:8000/events">`↩
79. `                    <h2>Events</h2>`↩
80. `                </a>`↩
81. `                <a class="nav-item nav-link me-auto"`
     `href="http://localhost:8000/users">`↩
82. `                    <h2>Users</h2>`↩
83. `                </a>`↩
84. `                        <button class="navbar-toggler" type="button"`
     `data-bs-toggle="collapse" data-bs-target="#collapsable"`↩
85. `                    aria-controls="collapsable" aria-expanded="false" aria-`
     `label="Toggle navigation">`↩
86. `                    <span class="navbar-toggler-icon"></span>`↩
87. `                </button>`↩
88. `            </div>`↩
89. `            <div id="collapsable" class="collapse navbar-collapse flex-grow-0`
     `col-sm-12 col-md-auto">`↩
90. `                            <a class="nav-item nav-link"`
     `href="http://localhost:8000/login">`↩
91. `                    <h2>Login</h2>`↩
92. `                </a>`↩
93. `                    </div>`↩

```
 94.            </div>↵
 95.            <div class="d-flex align-items-center w-100">↵
 96.                    <nav class="p-0" style="--bs-breadcrumb-divider: '>';" aria-
     label="breadcrumb">↵
 97.                <ol class="p-0 m-0 breadcrumb">↵
 98.                                    <li class="breadcrumb-item"><a
     href="http://localhost:8000">Home</a></li>↵
 99.                                                    <li
     class="breadcrumb-item active" aria-current="page"><a↵
100.                            href="http://localhost:8000/users">Users</a></li>↵
101.                                    </ol>↵
102.        </nav>↵
103.            </div>↵
104.        </nav>↵
105.    ↵
106.        <section class="w-100 position-relative wrapper flex-grow-1" id="main">↵
107.            <div id="growls">↵
108.            </div>↵
109.            <section id="content" class="w-100 min-vh-100">↵
110.                    <div class="d-flex align-items-center justify-content-center w-
     100 gap-4 mt-4">↵
111.            <h1>Browse Users</h1>↵
112.            <form action="http://localhost:8000/users" method="GET" class="mb-0">↵
113.                <div class="d-flex flex-nowrap">↵
114.                    <input type="text" name="global" value="" autocomplete="off"
     name="search"↵
115.                        class="input w-75" placeholder="Enter a keyword">↵
116.                    <span>↵
117.                        <button class="btn btn-outline-light" style="border:none; "
     type="submit">↵
118.                            <i class="bi bi-search" style="color: black;"></i>↵
119.                        </button>↵
120.                    </span>↵
121.                </div>↵
122.            </form>↵
123.        </div>↵
124.        <div class="d-flex flex-column align-items-center p-4">↵
125.    ↵
126.            <div class="d-flex justify-content-center flex-wrap w-100 gap-4"
     id="users">↵
127.                                    <div class="col-4 col-sm-3 col-
     md-2 col-lg-2 col-xl-2 d-flex flex-column user-div">↵
128.                        <a href="http://localhost:8000/users/maddy_90"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
129.        style="text-decoration: none; width: 12em;">↵
130.        <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user100.jpg">↵
131.        <hr>↵
132.        <div class="card-body">↵
133.            <h2 class="card-title">Madison Clarck</h2>↵
134.            <h5 class="card-text text-muted"> maddy_90</h5>↵
135.        </div>↵
136. </a>↵
137.                    </div>↵
138.                                    <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
139.                        <a href="http://localhost:8000/users/ollie97"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
140.        style="text-decoration: none; width: 12em;">↵
141.        <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user101.jpg">↵
142.        <hr>↵
143.        <div class="card-body">↵
144.            <h2 class="card-title">Oliver Logan Williams</h2>↵
145.            <h5 class="card-text text-muted"> ollie97</h5>↵
146.        </div>↵
147. </a>↵
148.                    </div>↵
149.                                    <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
```

```
150.                        <a href="http://localhost:8000/users/lam_2002"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
151.        style="text-decoration: none; width: 12em;">↵
152.    <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user102.jpg">↵
153.        <hr>↵
154.        <div class="card-body">↵
155.            <h2 class="card-title">Ah Lam Lee</h2>↵
156.            <h5 class="card-text text-muted"> lam_2002</h5>↵
157.        </div>↵
158.    </a>↵
159.                            </div>↵
160.                                    <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
161.                        <a href="http://localhost:8000/users/alexaTheGreen"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
162.        style="text-decoration: none; width: 12em;">↵
163.    <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user103.jpg">↵
164.        <hr>↵
165.        <div class="card-body">↵
166.            <h2 class="card-title">Alexa Green</h2>↵
167.            <h5 class="card-text text-muted"> alexaTheGreen</h5>↵
168.        </div>↵
169.    </a>↵
170.                            </div>↵
171.                                    <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
172.                        <a
     href="http://localhost:8000/users/alex_oficcical_ken" class="card text-dark d-
     flex flex-column p-2 w-100 h-100"↵
173.        style="text-decoration: none; width: 12em;">↵
174.    <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user104.jpg">↵
175.        <hr>↵
176.        <div class="card-body">↵
177.            <h2 class="card-title">Alfred Kenneally</h2>↵
178.            <h5 class="card-text text-muted"> alex_oficcical_ken</h5>↵
179.        </div>↵
180.    </a>↵
181.                            </div>↵
182.                                    <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
183.                        <a href="http://localhost:8000/users/ali_1980"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
184.        style="text-decoration: none; width: 12em;">↵
185.    <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user105.jpg">↵
186.        <hr>↵
187.        <div class="card-body">↵
188.            <h2 class="card-title">Ali Kazal</h2>↵
189.            <h5 class="card-text text-muted"> ali_1980</h5>↵
190.        </div>↵
191.    </a>↵
192.                            </div>↵
193.                                    <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
194.                        <a href="http://localhost:8000/users/willking"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
195.        style="text-decoration: none; width: 12em;">↵
196.    <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user106.jpg">↵
197.        <hr>↵
198.        <div class="card-body">↵
199.            <h2 class="card-title">William King</h2>↵
200.            <h5 class="card-text text-muted"> willking</h5>↵
201.        </div>↵
202.    </a>↵
203.                            </div>↵
204.                                    <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
```

```
205.              <a href="http://localhost:8000/users/michaelbjones"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
206.        style="text-decoration: none; width: 12em;">↵
207.        <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user107.jpg">↵
208.        <hr>↵
209.        <div class="card-body">↵
210.          <h2 class="card-title">Michael Jones</h2>↵
211.          <h5 class="card-text text-muted"> michaelbjones</h5>↵
212.        </div>↵
213. </a>↵
214.                  </div>↵
215.                          <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
216.              <a href="http://localhost:8000/users/valricci61"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
217.        style="text-decoration: none; width: 12em;">↵
218.        <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user108.jpg">↵
219.        <hr>↵
220.        <div class="card-body">↵
221.          <h2 class="card-title">Valentina Ricci</h2>↵
222.          <h5 class="card-text text-muted"> valricci61</h5>↵
223.        </div>↵
224. </a>↵
225.                  </div>↵
226.                          <div class="col-4 col-sm-3 col-md-2 col-lg-
     2 col-xl-2 d-flex flex-column user-div">↵
227.              <a href="http://localhost:8000/users/peterpeter"
     class="card text-dark d-flex flex-column p-2 w-100 h-100"↵
228.        style="text-decoration: none; width: 12em;">↵
229.        <img class="mt-2 rounded-circle" style="width:100%; object-fit:cover;"
     src="/storage/user109.jpg">↵
230.        <hr>↵
231.        <div class="card-body">↵
232.          <h2 class="card-title">Peter White</h2>↵
233.          <h5 class="card-text text-muted"> peterpeter</h5>↵
234.        </div>↵
235. </a>↵
236.                  </div>↵
237.                              </div>↵
238. ↵
239.            </div>↵
240. ↵
241.        </section>↵
242.      </section>↵
243. ↵
244.      <footer class="footer mt-auto d-block" id="footer">↵
245.      <div class="w-100 p-2 d-flex justify-content-between align-items-center">↵
246.        <div class="d-inline-flex align-items-center">↵
247.          @Bright  Events 2021↵
248.        </div>↵
249.        <div class="p-0 d-inline-flex justify-content-end">↵
250.          <a class="btn" href="http://localhost:8000/contacts">↵
251.            <h2 class="d-flex flex-no-wrap">Contact Us</h2>↵
252.          </a>↵
253.          <a class="btn" href="http://localhost:8000/faq">↵
254.            <h2>FAQ</h2>↵
255.          </a>↵
256.          <a class="btn" href="http://localhost:8000/about">↵
257.            <h2>About</h2>↵
258.          </a>↵
259.        </div>↵
260.      </div>↵
261. </footer>↵
262. ↵
263. </body>↵
264. ↵
265. </html>
```

Used the HTML parser.

Total execution time 29 milliseconds.

About this checker • Report an issue • Version: 22.1.25