Comparison Operators

In this lecture we will be learning about Comparison Operators in Python. These operators will allow us to compare variables and output a Boolean value (True or False).

If you have any sort of background in Math, these operators should be very straight forward.

First we'll present a table of the comparison operators and then work through some examples:

Table of Comparison Operators

In the table below, a=3 and b=4.

Operator	Description	Example
==	If the values of two operands are equal, then the condition becomes true.	(a == b) is not true.
!=	If values of two operands are not equal, then condition becomes true.	(a != b) is true
>	If the value of left operand is greater than the value of right operand, then condition becomes true.	(a > b) is not true.

<	If the value of left operand is less than the value of right operand, then condition becomes true.	(a < b) is true.
>=	If the value of left operand is greater than or equal to the value of right operand, then condition becomes true.	(a >= b) is not true.
<=	If the value of left operand is less than or equal to the value of right operand, then condition becomes true.	(a <= b) is true.

Let's now work through quick examples of each of these.

Equal

```
2 == 2
```

True

```
1 == 0
```

False

Note that == is a *comparison* operator, while = is an *assignment* operator.

Not Equal

2 != 1

Out[3]:

True

In [4]:

2 != 2

Out[4]:

False

Greater Than

In [5]:

2 > 1

Out[5]:

True

In [6]:

2 > 4

Out[6]:

False

Less Than

In [7]:

2 < 4

Out[7]:

True

In [8]:

2 < 1

False

Greater Than or Equal to

In [9]:

2 >= 2

Out[9]:

True

In [10]:

2 >= 1

Out[10]:

True

Less than or Equal to

In [11]:

2 <= 2

Out[11]:

True

In [12]:

2 <= 4

Out[12]:

True

Chained Comparison Operators

An interesting feature of Python is the ability to *chain* multiple comparisons to perform a more complex test. You can use these chained comparisons as shorthand for larger Boolean Expressions.

In this lecture we will learn how to chain comparison operators and we will also introduce two other important statements in Python: **and** and **or**.

Let's look at a few examples of using chains:

```
1 < 2 < 3
```

True

The above statement checks if 1 was less than 2 **and** if 2 was less than 3. We could have written this using an **and** statement in Python:

```
1<2 and 2<3
```

True
The **and** is used to make sure two checks have to be true in order for the total check to be true. Let's see another example:

```
1 < 3 > 2
```

True
The above checks if 3 is larger than both of the other numbers, so you could use **and** to rewrite it as:

```
1<3 and 3>2
```

True

It's important to note that Python is checking both instances of the comparisons. We can also use **or** to write comparisons in Python. For example:

In [5]:

1==2 **or** 2<3

Out[5]:

True

Note how it was true; this is because with the **or** operator, we only need one *or* the other to be true. Let's see one more example to drive this home:

In [6]:

1==1 **or** 100==1

Out[6]:

True

Great! For an overview of this quick lesson: You should have a comfortable understanding of using **and** and **or** statements as well as reading chained comparison code.

```python
is_male = True
is_tall = True

if is_male and is_tall:
    print("You are a tall male")
else:
    print("You are either not male or not tall or both")
```

```python
is_male = True
is_tall = False

if is_male and is_tall:
    print("You are a tall male")
elif is_male and not(is_tall):
    print("You are a short male")
elif not(is_male) and is_tall:
    print("You are not a male but are tall")
else:
    print("You are either not male or not tall or both")
```