Bahok Courier Merchant API Integration Documentation

> For any kind of access to the Bahok Courier Merchant API, you need to issue an access token first. This token will be used to authenticate your API requests.

Merchant Credentials

Parameter	Value
Base URL	https://api.bahokcourier.com/
Client ID	bK8mepphokeMy
Client Secret	ZK21kv1S1yhHD5hjs1u7ltIjkXPFDPFTIonmRF7s

Issue Access Token

Authenticate and obtain an access token for API requests

> You need to obtain an access token before making any API requests. The token is valid for 24 hours.

Request Parameters

Parameter	Type	Description	Required
client_id	string	Client ID from merchant panel	Yes
client_secret	string	Client Secret from merchant panel	Yes
username	string	Merchant id BHKM4045	Yes
password	string	Merchant password	Yes

Endpoint

```
POST    /api/v1/baymax/issue-token
```

Example Request

cURL **Copy**

```
curl --location '{{base_url}}/api/v1/baymax/issue-token' \
                --header 'Content-Type: application/json' \
                --data-raw '{
                    "client_id": "CLIENT_ID",
                    "client_secret": "CLIENT_SECRET",
                    "username": "BHKM0",
                    "password": "password"
                }'
```

Example Response

JSON

```
{
                "success": true,
                "code": 200,
                "time": "2026-03-13 16:51:40",
                "message": "Token issued Successfully"
```

```
            "message": "Token issued Successfully",
            "data": {
                "access_token": "{{access_token}}",
                "token_type": "Bearer",
                "expires_in": 3600,
                "refresh_token": "{{refresh_token}}"
            }
        }
```


Issue Refresh Token

Obtain a new access token using a refresh token

> Use your refresh token to obtain a new access token when the current one expires.

Request Parameters

Parameter	Type	Description	Required
client_id	string	Client ID from merchant panel	Yes
client_secret	string	Client Secret from merchant panel	Yes
grant_type	string	refresh_token	Yes
refresh_token	string	The refresh token from issue token response	Yes

Endpoint

```
POST    /api/v1/baymax/refresh-token
```

Example Request

cURL **Copy**

```
curl --location '{{base_url}}/api/v1/baymax/refresh-token'                --header 'Content-Type: application/json'
--data '{
                    "client_id": "bK8mepphokeMy",
                    "client_secret" : "ZK21kv1S1yhHD5hjs1u7ltIjkXPFDPFTIonmRF7s",
                    "grant_type": "refresh_token",
                    "refresh_token": "n1EYz647Qu2cwL0XjGDBxhnylJQ3chV5FEmMw9u6pBSgTJiekzYsq3XRkuXq9kJl"
            }''
```

Example Response

JSON


```
{
                "success": true,
                "code": 200,
                "time": "2026-03-13 16:52:00",
                "message": "Refresh token issued Successfully",
                "data": {
                    "access_token": "{{access_token}}",
                    "token_type": "Bearer",
                    "expires_in": 3600,
                    "refresh_token": "{{refresh_token}}"
                }
            }
```

Create Store

Register a new store in the system

> Create a new store to start managing your deliveries. Requires valid authentication token.

Endpoint

`POST` `/api/v1/baymax/stores`

Request Body

JSON

```
curl --location '{{base_url}}/api/v1/baymax/stores'                --header 'Accept: application/json'
--header 'Content-Type: application/json'                --header 'Authorization: Bearer {{access_token}}'
--data '{
                "name": "Demo Store",
                "contact_name": "Test Merchant",
                "contact_number": "017XXXXXXXX",
                "secondary_contact": "015XXXXXXXX",
                "otp_number": "017XXXXXXXX",
                "address": "House 123, Road 4, Sector 10, Uttara, Dhaka-1230, Bangladesh",
                "pickup_instruction": "Pickup instruction is here",
                "district_id": {{district_id}},
                "thana_id": {{thana_id}},
                "area_id": {{area_id}}
                }'
```

Example Response

JSON

```
{
                "success": true,
                "code": 201,
                "time": "2026-03-15 05:20:17",
                "message": "Store Created Successfully. Please wait for approval"
            }
```

Create Order

Create a new delivery order

> Submit a new delivery order. Include all required parameters for successful processing.

Endpoint

`POST` `/api/v1/baymax/orders/store`

Request Body

JSON

```
{
                "merchant_order_id": "3305",
                "recipient_name": "shahed",
                "recipient_phone": "01710223322",
                "recipient_address": "Dhaka mirpur 20",
                "amount_to_collect": 1000,
                "special_instruction": "Product instruction",
```

```
                "item_description": "Product description",
                "is_exchange": 2
            }
```

CURL Request

cURL **Copy**

```
curl --location '{{base_url}}/api/v1/baymax/orders/store'             --header 'Accept: application/json'             --
header 'Content-Type: application/json'             --header 'Authorization: Bearer {{access_token}}'             --data
'{
                "merchant_order_id": "3309",
                "recipient_name": "shahed",
                "recipient_phone": "01710223322",
                "recipient_address": "Dhaka mirpur 20",
                "amount_to_collect": 1000,
                "special_instruction": "Product instruction",
                "item_description": "Product description",
                "is_exchange": 2
            }'
```

Request Parameters

Parameter	Type	Description	Required
store_id	string	store_id is provided by the merchant and not changeable.	No
merchant_order_id	string	Merchant order id or invoice id	No
recipient_name	string	Parcel receivers name. Name length should be between 3 to 100 characters.	Yes
recipient_phone	string	Parcel receivers contact number. Recipient phone length should be 11 characters.	Yes
recipient_secondary_phone	string	Parcel receivers secondary contact number. Recipient secondary phone length should be 11 characters. This field is optional.	No
recipient_address	string	Parcel receivers full address. Address length should be between 10 to 220 characters.	Yes
district_id	string	Parcel receivers district id	No
thana_id	string	Parcel receivers thana id	No
special_instruction	string	Any special instruction you may want to provide to us.	No
item_description	string	You can provide a description of your parcel	No
amount_to_collect	string	Recipient Payable Amount. Default should be 0 in case of NON Cash-On-Delivery(COD)The collectible amount from the customer.	Yes

Example Response

JSON

```
{
                "success": true,
                "code": 200,
                "time": "2026-03-13 21:19:03",
                "message": "Order Created Successfully",
                "data": {
                    "consignment_id": 482,
                    "merchant_order_id": "3309",
                    "tracking_link": "https://bahokcourier.com/482",
                    "order_status": "Pick Requested"
                }
            }
```

Create Bulk Order

Create multiple orders in a single request

> Create up to 100 orders in a single request. More efficient for batch processing.

Endpoint

`POST` `/api/v1/orders/bulk-store`

Request Body

JSON

```
{
                "orders": [
                    {
                        "store_id": "STORE123",
                        "merchant_order_id": "ORDER001",
                        "customer_name": "John Doe",
                        "customer_phone": "+8801234567890",
                        "customer_address": "House 45, Road 12, Banani",
                        "district": "Dhaka",
                        "thana": "Banani",
                        "product_name": "Product 1",
                        "product_price": 500,
                        "delivery_charge": 50,
                        "cod_amount": 550
                    },
                    {
                        "store_id": "STORE123",
                        "merchant_order_id": "ORDER002",
                        "customer_name": "Jane Smith",
                        "customer_phone": "+8801234567891",
                        "customer_address": "House 50, Road 15, Gulshan",
                        "district": "Dhaka",
                        "thana": "Gulshan",
                        "product_name": "Product 2",
                        "product_price": 750,
                        "delivery_charge": 50,
                        "cod_amount": 800
                    }
                ]
            }
```

CURL Request

cURL **Copy**

```
curl --location '{{base_url}}/api/v1/baymax/orders/bulk-store'             --header 'Accept: application/json'
--header 'Content-Type: application/json'             --header 'Authorization: Bearer {{access_token}}'             --
data '{
                "orders": [
                    {
                        "merchant_order_id": "3306",
                        "recipient_name": "shahed",
                        "recipient_phone": "01710223321",
                        "recipient_address": "Dhaka mirpur 21",
                        "amount_to_collect": 500,
                        "special_instruction": "Product instruction",
                        "item_description": "Product description",
                        "is_exchange": 2
                    },
                    {
                        "merchant_order_id": "3307",
                        "recipient_name": "shahed",
                        "recipient_phone": "01710223320",
                        "recipient_address": "Dhaka mirpur 24"
```

```
                    "recipient_address": "Dhaka Mirpur 24",
                    "amount_to_collect": 300,
                    "special_instruction": "Product instruction",
                    "item_description": "N/A",
                    "is_exchange": 2
                }
            ]
        }'
```

Request Parameters

Parameter	Type	Description	Required
orders	array of order object	An array of order objects is required to send within the request body.	Yes

Order Object

Parameter	Type	Description	Required
store_id	string	store_id is provided by the merchant and not changeable.	No
merchant_order_id	string	Merchant order id or invoice id	No
recipient_name	string	Parcel receivers name. Name length should be between 3 to 100 characters.	Yes
recipient_phone	string	Parcel receivers contact number. Recipient phone length should be 11 characters.	Yes
recipient_secondary_phone	string	Parcel receivers secondary contact number. Recipient secondary phone length should be 11 characters. This field is optional.	No
recipient_address	string	Parcel receivers full address. Address length should be between 10 to 220 characters.	Yes
district_id	string	Parcel receivers district id	No
thana_id	string	Parcel receivers thana id	No
special_instruction	string	Any special instruction you may want to provide to us.	No
item_description	string	You can provide a description of your parcel	No
amount_to_collect	string	Recipient Payable Amount. Default should be 0 in case of NON Cash-On-Delivery(COD)The collectible amount from the customer.	Yes

Example Response

JSON

```
{
    "success": true,
    "message": "Bulk orders created successfully",
    "data": {
        "total_orders": 2,
        "created": 2,
        "failed": 0,
        "orders": [
            {
                "consignment_id": 483,
                "merchant_order_id": "3306",
                "tracking_link": "https://bahokcourier.com/483",
                "order_status": "Pick Requested"
            },
            {
                "consignment_id": 484,
                "merchant_order_id": "3307",
                "tracking_link": "https://bahokcourier.com/484",
                "order_status": "Pick Requested"
            }
        ]
    }
}
```

Example Response (some orders failed)

> Each order is processed independently. Valid orders are created and invalid ones are listed in `errors` with their position (`index`, starting from 0) in your request. If every order fails, the HTTP status is 422. A maximum of 100 orders is allowed per request.

JSON


```
{
                "success": true,
                "message": "Bulk orders processed: 1 created, 1 failed",
                "data": {
                    "total_orders": 2,
                    "created": 1,
                    "failed": 1,
                    "orders": [
                        {
                            "index": 0,
                            "consignment_id": 483,
                            "merchant_order_id": "3306",
                            "tracking_link": "https://bahokcourier.com/483",
                            "order_status": "Pick Requested"
                        }
                    ],
                    "errors": [
                        {
                            "index": 1,
                            "merchant_order_id": "3307",
                            "errors": {
                                "recipient_phone": ["Recipient phone number must be exactly 11 digits."]
                            }
                        }
                    ]
                }
            }
```


Delete Order

Delete an existing order by its parcel ID

> Permanently deletes the order identified by the parcel ID passed in the URL.

Endpoint

`DELETE` `/api/v1/baymax/orders/delete/consignmentId`

URL Parameters

Parameter	Type	Description	Required
consignmentId	integer	ID of the consignment (order) to delete	Yes

Example Response

JSON


```
{
                "success": true,
                "code": 200,
                "time": "2026-10-10 23:37:17",
                "message": "Order deleted successfully",
                "data": []
            }
```

```
}
```

Get Order Short Info

Retrieve short information about an order

> Get a quick summary of an order by providing the Consignment ID.

Endpoint

```
GET  /api/v1/baymax/orders/short-info/consignmentId
```

Query Parameters

Parameter	Type	Description	Required
consignmentId	string	Order ID or tracking number	Yes

Example Response

JSON

```
{
                "success": true,
                "code": 200,
                "time": "2026-03-14 21:53:25",
                "message": "Data Successfully fetched",
                "data": {
                    "consignmentId": 478,
                    "merchant_order_id": null,
                    "recipient_name": "Jalal Hossain",
                    "recipient_phone": "01620506565",
                    "recipient_address": "Dhaka, Bangladesh",
                    "special_instruction": null,
                    "item_description": null,
                    "amount_to_collect": 2000,
                    "order_status": "Picked",
                    "invoice_id": null,
                    "updated_at": "2026-02-10T14:35:33.000000Z"
                }
            }
```

Get List of Districts

Retrieve all available districts for delivery

> Get list of all districts with their delivery zones and estimated times.

Endpoint

```
GET  /api/v1/baymax/districts
```

Example Response

JSON

```
{
```

```
{
    "success": true,
    "code": 200,
    "time": "2026-03-13 20:37:43",
    "message": "Data Successfully fetched",
    "data": {
        "current_page": 1,
        "data": [
            {
                "district_id": 1,
                "name": "Bagerhattt",
                "bn_name": "বাগেরহাট"
            },
            {
                "district_id": 2,
                "name": "Bandarban",
                "bn_name": "বান্দরবন"
            },
            {
                "district_id": 3,
                "name": "Barguna",
                "bn_name": "বরগুনা"
            },
            {
                "district_id": 4,
                "name": "Barisal",
                "bn_name": "বরিশাল"
            },
            {
                "district_id": 5,
                "name": "Bhola",
                "bn_name": "ভোলা"
            },
            {
                "district_id": 6,
                "name": "Bogra",
                "bn_name": "বগুড়া"
            },
            {
                "district_id": 7,
                "name": "Brahmanbaria",
                "bn_name": "ব্রাহ্মণবাড়িয়া"
            },
            {
                "district_id": 8,
                "name": "Chandpur",
                "bn_name": "চাঁদপুর"
            },
            {
                "district_id": 9,
                "name": "Chapainawabganj",
                "bn_name": "চাঁপাইনবাবগঞ্জ"
            },
            {
                "district_id": 10,
                "name": "Chittagong",
                "bn_name": "চট্টগ্রাম"
            },
            {
                "district_id": 11,
                "name": "Chuadanga",
                "bn_name": "চুয়াডাঙ্গা"
            },
            {
                "district_id": 12,
                "name": "Cumilla",
                "bn_name": "কুমিল্লা"
            },
            {
                "district_id": 13,
                "name": "Coxs Bazar",
                "bn_name": "কক্সবাজার"
            },
            {
                "district_id": 14,
                "name": "Dhaka",
                "bn_name": "ঢাকা"
            },
```

```
            {
                "district_id": 15,
                "name": "Dinajpur",
                "bn_name": "দিনাজপুর"
            },
            {
                "district_id": 16,
                "name": "Faridpur",
                "bn_name": "ফরিদপুর"
            },
            {
                "district_id": 17,
                "name": "Feni",
                "bn_name": "ফেনী"
            },
            {
                "district_id": 18,
                "name": "Gaibandha",
                "bn_name": "গাইবান্ধা"
            },
            {
                "district_id": 19,
                "name": "Gazipur",
                "bn_name": "গাজীপুর"
            },
            {
                "district_id": 20,
                "name": "Gopalganj",
                "bn_name": "গোপালগঞ্জ"
            }
        ],
        "first_page_url": "{{base_url}}/api/v1/baymax/districts?page=1",
        "from": 1,
        "last_page": 4,
        "last_page_url": "{{base_url}}/api/v1/baymax/districts?page=4",
        "links": [
            {
                "url": null,
                "label": "&laquo; Previous",
                "active": false
            },
            {
                "url": "{{base_url}}/api/v1/baymax/districts?page=1",
                "label": "1",
                "active": true
            },
            {
                "url": "{{base_url}}/api/v1/baymax/districts?page=2",
                "label": "2",
                "active": false
            },
            {
                "url": "{{base_url}}/api/v1/baymax/districts?page=3",
                "label": "3",
                "active": false
            },
            {
                "url": "{{base_url}}/api/v1/baymax/districts?page=4",
                "label": "4",
                "active": false
            },
            {
                "url": "{{base_url}}/api/v1/baymax/districts?page=2",
                "label": "Next &raquo;",
                "active": false
            }
        ],
        "next_page_url": "{{base_url}}/api/v1/baymax/districts?page=2",
        "path": "{{base_url}}/api/v1/baymax/districts",
        "per_page": 20,
        "prev_page_url": null,
        "to": 20,
        "total": 66
    }
}
```

Get Thanas Inside a District

Retrieve all thanas within a particular district

> Get list of all thanas available in a specific district for delivery.

Endpoint

```
GET     /api/v1/baymax/thanas?district_id=1
```

Query Parameters

Parameter	Type	Description	Required
district_id	integer	District ID obtained from districts list	No

Example Response

JSON


```
{
                "success": true,
                "code": 200,
                "time": "2026-03-14 21:55:44",
                "message": "Data Successfully fetched",
                "data": {
                    "current_page": 1,
                    "data": [
                        {
                            "thana_id": 1,
                            "district_id": 28,
                            "coverage_area_id": 2,
                            "name": "Aarongghata",
                            "bn_name": "আড়ংঘাটা",
                            "coverage_area": {
                                "id": 2,
                                "name": "Outside Dhaka",
                                "bn_name": "ঢাকার বাইরে"
                            },
                            "district": {
                                "id": 28,
                                "name": "Khulna",
                                "bn_name": "খুলনা"
                            }
                        },
                        {
                            "thana_id": 2,
                            "district_id": 24,
                            "coverage_area_id": 2,
                            "name": "Abhaynagar",
                            "bn_name": "অভয়নগর",
                            "coverage_area": {
                                "id": 2,
                                "name": "Outside Dhaka",
                                "bn_name": "ঢাকার বাইরে"
                            },
                            "district": {
                                "id": 24,
                                "name": "Jessore",
                                "bn_name": "যশোর"
                            }
                        }],
                "first_page_url": "{{base_url}}/api/v1/baymax/thanas?page=1",
                "from": 1,
                "last_page": 31,
                "last_page_url": "{{base_url}}/api/v1/baymax/thanas?page=31",
                "links": [
                    {
```

```
            "url": null,
            "label": "&laquo; Previous",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=1",
            "label": "1",
            "active": true
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=2",
            "label": "2",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=3",
            "label": "3",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=4",
            "label": "4",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=5",
            "label": "5",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=6",
            "label": "6",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=7",
            "label": "7",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=8",
            "label": "8",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=9",
            "label": "9",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=10",
            "label": "10",
            "active": false
        },
        {
            "url": null,
            "label": "...",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=30",
            "label": "30",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=31",
            "label": "31",
            "active": false
        },
        {
            "url": "{{base_url}}/api/v1/baymax/thanas?page=2",
            "label": "Next &raquo;",
            "active": false
        }
    ],
    "next_page_url": "{{base_url}}/api/v1/baymax/thanas?page=2",
    "path": "{{base_url}}/api/v1/baymax/thanas",
    "per_page": 20,
```

```
            "prev_page_url": null,
            "to": 20,
            "total": 612
        }
```


Get Areas Inside a Thana

Retrieve all areas within a particular thana

> Get list of all areas available in a specific thana for delivery.

Endpoint

```
GET    /api/v1/baymax/areas?thana_id=1
```

Query Parameters

Parameter	Type	Description	Required
thana_id	integer	Thana ID obtained from thanas list	No

Example Response

JSON


```
{
        "success": true,
        "code": 200,
        "time": "2026-03-14 21:57:03",
        "message": "Data Successfully fetched",
        "data": {
            "current_page": 1,
            "data": [
                {
                    "area_id": 1,
                    "name": "Aarongghata",
                    "district_id": 28,
                    "thana_id": 1,
                    "coverage_area_id": 2,
                    "thana": {
                        "id": 1,
                        "name": "Aarongghata",
                        "bn_name": "আড়ংঘাটা"
                    },
                    "district": {
                        "id": 28,
                        "name": "Khulna",
                        "bn_name": "খুলনা"
                    }
                },
                {
                    "area_id": 2,
                    "name": "Abaipur",
                    "district_id": 26,
                    "thana_id": 521,
                    "coverage_area_id": 2,
                    "thana": {
                        "id": 521,
                        "name": "Shailkupa",
                        "bn_name": "শৈলকুপা"
                    },
                    "district": {
                        "id": 26,
                        "name": "Jhenaidah",
                        "bn_name": "ঝিনাইদহ"
                    }
                }
```

```
    ],
"first_page_url": "{{base_url}}/api/v1/baymax/areas?page=1",
"from": 1,
"last_page": 283,
"last_page_url": "{{base_url}}/api/v1/baymax/areas?page=283",
"links": [
    {
        "url": null,
        "label": "&laquo; Previous",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=1",
        "label": "1",
        "active": true
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=2",
        "label": "2",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=3",
        "label": "3",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=4",
        "label": "4",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=5",
        "label": "5",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=6",
        "label": "6",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=7",
        "label": "7",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=8",
        "label": "8",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=9",
        "label": "9",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=10",
        "label": "10",
        "active": false
    },
    {
        "url": null,
        "label": "...",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=282",
        "label": "282",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=283",
        "label": "283",
        "active": false
    },
    {
        "url": "{{base_url}}/api/v1/baymax/areas?page=2",
```

```
                    "label": "Next &raquo;",
                    "active": false
                }
            ],
            "next_page_url": "{{base_url}}/api/v1/baymax/areas?page=2",
            "path": "{{base_url}}/api/v1/baymax/areas",
            "per_page": 20,
            "prev_page_url": null,
            "to": 20,
            "total": 5651
        }
    }
```


Get List of hubs

Retrieve all available hubs for delivery

> Get list of all hubs with their delivery zones and estimated times.

Endpoint

`GET` `/api/v1/baymax/hubs`

Example Response

JSON


```
{
            "success": true,
            "code": 200,
            "time": "2026-03-15 05:20:17",
            "message": "Data Successfully fetched",
            "data": {
                "current_page": 1,
                "data": [
                    {
                        "hub_id": 1,
                        "name": "Mirpur",
                        "mobile": "01889999716",
                        "address": "Mirpur 10"
                    },
                    {
                        "hub_id": 2,
                        "name": "Dhanmondi",
                        "mobile": "01889999717",
                        "address": "Virtual Hub (Mirpur)"
                    },
                    {
                        "hub_id": 3,
                        "name": "Badda",
                        "mobile": "01889999718",
                        "address": "Link Road, Badda"
                    },
                    {
                        "hub_id": 4,
                        "name": "Uttara",
                        "mobile": "01889999719",
                        "address": "Badshar Tek, Uttara"
                    },
                    {
                        "hub_id": 5,
                        "name": "Motijheel",
                        "mobile": "01889999720",
                        "address": "Ittefaq More, Dhaka"
                    },
                    {
                        "hub_id": 6,
```

```
            "name": "OSD",
            "mobile": "01889999722",
            "address": "OSD (Virtual HUB)"
        },
        {
            "hub_id": 7,
            "name": "Problematic orders",
            "mobile": "01889999728",
            "address": "HQ"
        },
        {
            "hub_id": 8,
            "name": "Chittagong  Hub",
            "mobile": "01920488375",
            "address": "Nurjahan Villa, 2 no supariwala para, Dewan Haat, chittagong"
        },
        {
            "hub_id": 9,
            "name": "Test",
            "mobile": "01889999716",
            "address": "barisal test"
        },
        {
            "hub_id": 10,
            "name": "Sylhet",
            "mobile": "01889999717",
            "address": "Sylhet"
        },
        {
            "hub_id": 11,
            "name": "Central Hub",
            "mobile": null,
            "address": "Mirpur HQ"
        }
    ],
    "first_page_url": "http://localhost:8000/api/v1/baymax/hubs?page=1",
    "from": 1,
    "last_page": 1,
    "last_page_url": "http://localhost:8000/api/v1/baymax/hubs?page=1",
    "links": [
        {
            "url": null,
            "label": "&laquo; Previous",
            "active": false
        },
        {
            "url": "http://localhost:8000/api/v1/baymax/hubs?page=1",
            "label": "1",
            "active": true
        },
        {
            "url": null,
            "label": "Next &raquo;",
            "active": false
        }
    ],
    "next_page_url": null,
    "path": "http://localhost:8000/api/v1/baymax/hubs",
    "per_page": 20,
    "prev_page_url": null,
    "to": 11,
    "total": 11
  }
}
```


Get List of Statuses

Retrieve all available statuses for orders

Get list of all statuses with their descriptions.

Endpoint

GET `/api/v1/baymax/statuses`

Example Response

JSON


```
{
                "success": true,
                "code": 200,
                "time": "2026-10-10 23:18:40",
                "message": "Data Successfully fetched",
                "data": [
                    {
                        "status_id": 1,
                        "name": "Pick Requested"
                    },
                    {
                        "status_id": 2,
                        "name": "Pick Request Cancel"
                    },
                    {
                        "status_id": 3,
                        "name": "Picked"
                    },
                    {
                        "status_id": 4,
                        "name": "At Sorting Hub"
                    },
                    {
                        "status_id": 5,
                        "name": "At Destination Hub"
                    },
                    {
                        "status_id": 6,
                        "name": "Hub transfer"
                    },
                    {
                        "status_id": 7,
                        "name": "Rider Assigned"
                    },
                    {
                        "status_id": 8,
                        "name": "Edited"
                    },
                    {
                        "status_id": 9,
                        "name": "Hold for Problem"
                    },
                    {
                        "status_id": 10,
                        "name": "In Transit"
                    },
                    {
                        "status_id": 11,
                        "name": "On Way"
                    },
                    {
                        "status_id": 12,
                        "name": "Cancel Request"
                    },
                    {
                        "status_id": 13,
                        "name": "Partial Request"
                    },
                    {
                        "status_id": 14,
                        "name": "Delivered"
                    },
                    {
                        "status_id": 15,
                        "name": "Partial Delivered"
                    },
```

```
                {
                    "status_id": 16,
                    "name": "Damage/Lost"
                },
                {
                    "status_id": 17,
                    "name": "Hold"
                },
                {
                    "status_id": 18,
                    "name": "Reschedule"
                },
                {
                    "status_id": 19,
                    "name": "Exchanged"
                },
                {
                    "status_id": 20,
                    "name": "Cancel"
                }
            ]
        }
```


Price Calculation API

Calculate delivery charges before placing an order

> Calculate the delivery charge based on district, thana, and package weight before creating an order.

Endpoint

`POST` `/api/v1/baymax/price-calculation`

Request Body

JSON


```
{
                "store_id": "{{merchant_store_id}}",
                "product_price": 500,
                "item_weight": 1,
                "delivery_type": "regular",
                "district_id": {{district_id}},
                "thana_id": {{thana_id}},
                "area_id": {{area_id}},
            }
```


Example Response

JSON


```
{
                "success": true,
                "code": 200,
                "time": "2026-03-15 05:20:17",
                "message": "Calculated price"
                "data": {
                    "delivery_charge": 50,
                    "cod_charge": 10,
                    "discount": 5,
                    "total_charge": 65,
                }
            }
```

Get Merchant Store Info

Retrieve information about your registered store

> Get detailed information about your merchant store including address, contact details, and status.

Endpoint

```
GET  /api/v1/baymax/stores
```

Headers

Parameter	Type	Description	Required
Authorization	string	Bearer token (access_token)	Yes

CURL Request

cUrl

```
{
                curl --location '{{base_url}}/api/v1/baymax/stores'                --header 'Accept: application/json'
--header 'Content-Type: application/json'                --header 'Authorization: Bearer {{access_token }}
            }
```

Example Response

JSON

```
{
                "success": true,
                "code": 200,
                "time": "2026-03-13 20:33:21",
                "message": "Data Successfully fetched",
                "data": {
                    "current_page": 1,
                    "data": [
                        {
                            "id": 7,
                            "name": "Mobile Shop",
                            "address": "East Kazipara, Mirpur - 1217",
                            "mobile": "01620506565",
                            "alt_mobile": null,
                            "hub_id": 1,
                            "is_active": 1,
                            "hub": {
                                "id": 1,
                                "name": "Mirpur"
                            }
                    }
                ],
                "first_page_url": "{{base_url}}/api/v1/baymax/stores?page=1",
                "from": 1,
                "last_page": 1,
                "last_page_url": "{{base_url}}/api/v1/baymax/stores?page=1",
                "links": [
                    {
                        "url": null,
                        "label": "&laquo; Previous",
                        "active": false
                    },
                    {
                        "url": "{{base_url}}/api/v1/baymax/stores?page=1",
                        "label": "1",
                        "active": true
                    },
                    {
```

```
                {
                    "url": null,
                    "label": "Next &raquo;",
                    "active": false
                }
            ],
            "next_page_url": null,
            "path": "{{base_url}}/api/v1/baymax/stores",
            "per_page": 20,
            "prev_page_url": null,
            "to": 1,
            "total": 1
        }
    }
```


Fraud Checker

Retrieve parcel summary of a fraud customer

> Fraud detect by mobile no

Endpoint

`GET` `/api/v1/baymax/fraud-check?mobile=01620xxxxxx`

Query Parameters

Parameter	Type	Description	Required
mobile	string	Customer mobile number to check fraud	Yes

CURL Request

cUrl

```
curl --location '{{base_url}}/api/v1/baymax/fraud-check?mobile=01620xxxxxx'                --header 'Accept:
application/json'                --header 'Content-Type: application/json'                --header 'Authorization:
Bearer {{access_token}}'
```

Example Response

JSON


```
{
                "success": true,
                "code": 200,
                "time": "2026-03-13 19:08:15",
                "message": "Data Successfully fetched",
                "data": {
                    "total_cancel": "20",
                    "total_success": "25",
                    "success_rate": "40.32%"
                }
            }
```


Webhook Integration

Configure your webhook URL, auth token and select which statuses will trigger a webhook call

Select statuses to receive webhook updates

- [x] **Select All**

- [x] Pick Requested `order.pick_requested`
- [x] Picked Up `order.picked`
- [x] At Sorting Hub `order.at_sorting_hub`
- [x] At Destination Hub `order.at_destination_hub`
- [x] Rider Assigned `order.rider_assigned`
- [x] In Transit `order.in_transit`
- [x] On Way `order.on_way`
- [x] Delivered `order.delivered`
- [x] Partial Delivered `order.partial_delivered`
- [x] Damage/Lost `order.damage_lost`
- [x] Hold `order.hold`
- [x] Reschedule `order.reschedule`
- [x] Exchanged `order.exchanged`
- [x] Cancel `order.cancel`
- [x] Return On way to Merchant `order.return_on_way_to_merchant`
- [x] Merchant Return Received `order.merchant_return_received`
- [x] Paid `order.paid`

Example Webhook Payload

The same payload structure below is POSTed to your Webhook URL every time a parcel reaches one of the statuses selected above — only `status_id`/`status` and the parcel fields change.

JSON

```
{
        "id": 1,
        "event": "order.paid",
        "ref_id": "REF-1001", // Merchant order id
        "name": "Rahim Uddin", // receipient name
        "mobile": "01712345678", // receipient mobile number
        "address": "House 12, Road 5, Dhanmondi, Dhaka", // receipient address
        "price": 850, // Total price of the order
        "collected": 850, // Amount collected from customer
        "amount": 790, // Amount to be paid to merchant
        "return_status": "N/A",
        "instruction": "Call before delivery",
        "reason": "N/A",
        "payment_status": "Paid",
        "status_id": 34,
        "status": "Paid"
    }
```