Adaptable Information Models in the Global Change Information System

Brian Duggan¹², Andrew Buddenberg³, Steve Aulenbach¹², Robert Wolfe¹⁴, Justin Goldstein¹²

> ¹US Global Change Research Program ²University Coporation for Atmospheric Research ³National Oceanic and Atmospheric Administration ⁴National Aeronautics and Space Administration

> > December 16, 2014

http://data.globalchange.gov http://github.com/USGCRP/gcis

- 1. Introduction and Functionality
 - Mission
 - Support NCA3 report production
 - Serve as the NCA3 website backend
 - Provide provenance of resources
 - Be a source of reliable information
 - Connect disparate sources of information
- 2. Information Model
 - Relational
 - Semantic
 - Examples
- 3. System Architecture
 - Diagram
 - Updating the Schema
 - · Updating the Ontology
 - Updating Content
- 4. Conclusion, Ongoing Work, Future Plans

- 1. Introduction and Functionality
 - Mission
 - Support NCA3 report production
 - · Serve as the NCA3 website backend
 - Provide provenance of resources
 - · Be a source of reliable information
 - Connect disparate sources of information
- 2. Information Mode
 - Relational
 - Semantic
 - Examples
- System Architecture
 - Diagram
 - Updating the Schema
 - Updating the Ontology
 - Updating Content
- 4. Conclusion, Ongoing Work, Future Plans

Mission

The US Global Change Research Program (USGCRP) has established the Global Change Information System (GCIS) to better coordinate and integrate the use of Federal information products on changes in the global environment and the implications of those changes for society.

Support NCA3 report production

In May, 2014, the US Global Change Research Program released the 2014 National Climate Assessment.

Production of this 829 page report and its web site involved collaboration between over 300 authors, numerous editors, graphics producers, scientists, data scientists, software developers, and web teams.

The content included 161 findings, 284 figures, 3,395 bibliographic references (journal articles, books, reports).

The GCIS facilitated the assembly of the report by providing common **identifiers** for resources and concepts, providing a common web interface for entering data, as well as an API for accepting data in a variety of formats.

Serve as the NCA3 website backend

A website, http://nca2014.globalchange.gov, was released concurrently with the report. The site received over 200,000 visits in the first two days after launch and continues to receive frequent main stream media attention.

GCIS serves as the backend: the website sends client side requests to http://data.globalchange.gov and receives JSON responses which it uses to populated elements of some pages dynamically.

todo insert picture here

Provide provenance of resources

The GCIS ensures compliance with the Information Quality Act by providing traceable identifiers for sources of information. Given a figure, find the datasets and instruments associated the data behind it.

todo sea level rise graphic

Be a source of reliable information

The inverse of provenance.

Sample questions:

Given a dataset, find reports with figures generated from the dataset.

Show figures associated with data generated by instruments funded by NASA.

Connect disparate sources of information

Identifiers for resources are curated by various organizations; find ways to link them together.

- 1. Introduction and Functionality
 - Mission
 - Support NCA3 report production
 - · Serve as the NCA3 website backend
 - Provide provenance of resources
 - · Be a source of reliable information
 - Connect disparate sources of information

2. Information Model

- Relational
- Semantic
- Examples
- System Architecture
 - Diagram
 - Updating the Schema
 - · Updating the Ontology
 - Updating Content
- 4. Conclusion, Ongoing Work, Future Plans

Relational

A relational model provides one/many to one/many relationships.

One report has many chapters.

One journal has many articles.

Many datasets support many articles.

Critical features: referential integrity, type checking, check constraints, cascading updates of primary keys (identifiers), high performance, well established scalable tools. Postgres also offers some useful features like hstores for looser information.

Closed world assumption for some contexts. A figure is related to a chapter if and only if it is in the chapter.

The canonical representation of GCIS data is in the Postgres database.

Semantic

The semantic representation has benefits such as

The ability to describe how two entities are related.

A figure was influenced by a report.

An article was cited by a report.

A dataset was derived from another dataset.

A GCIS ontology defines semantic relationships between entities.

The semantic representation allows GCIS data to be used with external data.

Open world assumption : a figure may be related to a dataset, but this is not in GCIS.

Examples

http://bit.ly/gcis-dbpedia

```
PREFIX bibo: <a href="http://purl.org/ontology/bibo/">http://purl.org/ontology/bibo/>
PREFIX gcis: <a href="http://data.globalchange.gov/gcis.owl">http://data.globalchange.gov/gcis.owl">http://data.globalchange.gov/gcis.owl</a>
PREFIX cito: <a href="http://purl.org/spar/cito/">http://purl.org/spar/cito/>
PREFIX dcterms: <a href="http://purl.org/dc/terms/">http://purl.org/dc/terms/>
PREFIX dbprop: <a href="http://dbpedia.org/property/">http://dbpedia.org/property/>
PREFIX dbpo: <a href="http://dbpedia.org/ontology/">http://dbpedia.org/ontology/>
SELECT DISTINCT ?dbpjournal ?gcisjournal ?issn
FROM <a href="from://data.globalchange.gov">http://data.globalchange.gov</a>
WHERE {
       SERVICE <a href="http://data.globalchange.gov/sparql">SERVICE <a href="http://data.globalchange.gov/sparql">SERVICE <a href="http://data.globalchange.gov/sparql">http://data.globalchange.gov/sparql</a> {
              ?gcisjournal a bibo: Journal .
              ?gcisjournal bibo:issn ?issn .
              ?gcisjournal dcterms:hasPart ?gcisarticle .
              ?gcisarticle a bibo:Article .
              ?gcisarticle dcterms:isPartOf ?gcisiournal .
              ?gcisarticle cito:isCitedBy <a href="http://data.globalchange.gov/report/nca3">http://data.globalchange.gov/report/nca3</a> .
        }
     SERVICE <a href="http://dbpedia.org/sparql">http://dbpedia.org/sparql</a> {
       ?dbpjournal dbprop:frequency "Monthly"@en .
       ?dbpjournal dbpo:issn ?issnd .
   FILTER(?issnd = ?issn)
```

- 1. Introduction and Functionality
 - Mission
 - · Support NCA3 report production
 - · Serve as the NCA3 website backend
 - Provide provenance of resources
 - Be a source of reliable information
 - Connect disparate sources of information

2. Information Model

- Relational
- Semantic
- Examples

3. System Architecture

- Diagram
- · Updating the Schema
- · Updating the Ontology
- Updating Content
- 4. Conclusion, Ongoing Work, Future Plans

Diagram

todo

Updating the Schema

todo

Updating the Ontology

todo

Updating Content

todo lexicons here

- 1. Introduction and Functionality
 - Mission
 - · Support NCA3 report production
 - Serve as the NCA3 website backend
 - Provide provenance of resources
 - Be a source of reliable information
 - Connect disparate sources of information
- 2. Information Model
 - Relational
 - Semantic
 - Examples
- System Architecture
 - Diagram
 - · Updating the Schema
 - Updating the Ontology
 - Updating Content
- 4. Conclusion, Ongoing Work, Future Plans