
Free VEGF-A: sensitivity to Free VEGF half-life

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Single dose: initial clearance 2/day, degrader half-life 3 days; 25% co-degradation




Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.

Free PlGF: sensitivity to Free VEGF half-life

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Single dose: initial clearance 2/day, degrader half-life 3 days; 25% co-degradation




Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.

Total sFLT1: sensitivity to Free VEGF half-life

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Single dose: initial clearance 2/day, degrader half-life 3 days; 25% co-degradation




Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.

Free VEGF-A: sensitivity to Degrader half-life

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Single dose: initial clearance 2/day, exponentially decaying; 25% co-degradation




Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.

Free PlGF: sensitivity to Degrader half-life

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Single dose: initial clearance 2/day, exponentially decaying; 25% co-degradation




Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.

Total sFLT1: sensitivity to Degrader half-life

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Single dose: initial clearance 2/day, exponentially decaying; 25% co-degradation




Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.

Free VEGF-A: sensitivity to Ligand co-degradation

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Same fraction for VEGF and PlGF; single dose, initial clearance 2/day, half-life 3 days




Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.

Free PlGF: sensitivity to Ligand co-degradation

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Same fraction for VEGF and PlGF; single dose, initial clearance 2/day, half-life 3 days




Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.

Total sFLT1: sensitivity to Ligand co-degradation

Baseline parameter	Default	Baseline parameter	Default
Dose / duration	Single dose day 0 / 14 days	Initial free VEGF / PlGF	6.48 / 33.73 pg/mL
Initial degrader clearance	2/day	All-pools VEGF / PlGF	100 / 100 pg/mL
Degrader half-life	3 days	sFLT1 / complex half-life	34 / 34 h
Co-degradation: VEGF / PlGF	25% / 25%	Kd: VEGF / PlGF (all pools)	20 / 150 pM
Free VEGF / PlGF half-life	34 min / 16.64 h	Other-bound / platelet loss half-life	34 / 168 h
Initial total sFLT1	10 ng/mL	Production	Recalibrate untreated steady state

Same fraction for VEGF and PlGF; single dose, initial clearance 2/day, half-life 3 days



Production recalibrated to initial untreated steady state for each scenario; all other parameters held at current defaults.
Vertical scales differ across plots. Model predictions; storage pools are exploratory assumptions.