

COVID-19 Immunogenicity Analysis Report  
mock Study

USG COVID-19 Response Biostatistics Team

April 09, 2021



# Contents

<b>1</b>	<b>Tabular Description of Immunogenicity Data</b>	<b>15</b>
<b>2</b>	<b>Graphical Description of Immunogenicity Data</b>	<b>411</b>
2.1	Pairs plots of antibody markers for overall per-protocol cohort . . . . .	411
2.2	RCDF plots of antibody markers for overall per-protocol cohort . . . . .	428
2.3	Scatter plots of antibody markers versus age for overall per-protocol cohort . . . . .	444
2.4	Box plots of antibody markers for overall per-protocol cohort . . . . .	448
2.5	Spaghetti plots of antibody markers over time for the overall per-protocol cohort . . . . .	464
2.6	RCDF plots of antibody markers by demographics for per-protocol cohort . . . . .	466
2.7	Boxplots of antibody markers by demographics for per-protocol cohort . . . . .	538



# List of Tables

1.1	Table 1. Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Negative Per-Protocol Cohort . . . . .	15
1.2	Table 2. Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Positive Per-Protocol Cohort . . . . .	17
1.3	Table 3a. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by All participants . . . . .	18
1.4	Table 3b. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Age . . . . .	20
1.5	Table 3c. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Risk for Severe Covid-19 . . . . .	24
1.6	Table 3d. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Age, Risk for Severe Covid-19 . . . . .	28
1.7	Table 3e. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Sex . . . . .	37
1.8	Table 3f. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Age, sex . . . . .	41
1.9	Table 3g. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Hispanic or Latino ethnicity . . . . .	49
1.10	Table 3h. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Race . . . . .	56
1.11	Table 3i. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Underrepresented minority status . . . . .	74
1.12	Table 3j. Percentage of responders, and participants with concentrations $\geq 2\times$ LLOD or $\geq 4\times$ LLOD for binding antibody markers by Age, Underrepresented minority status . . . . .	79
1.13	Table 4a. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by All participants	90
1.14	Table 4b. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Age . . . . .	91
1.15	Table 4c. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Risk for Severe Covid-19 . . . . .	93
1.16	Table 4d. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Age, Risk for Severe Covid-19 . . . . .	95

1.17 Table 4e. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Sex . . . . .	98
1.18 Table 4f. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Age, sex . . . . .	100
1.19 Table 4g. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Hispanic or Latino ethnicity . . . . .	103
1.20 Table 4h. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Race . . . . .	106
1.21 Table 4i. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Underrepresented minority status . . . . .	112
1.22 Table 4j. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Age, Underrepresented minority status . . . . .	114
1.23 Table 5a. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by All participants . . . . .	118
1.24 Table 5b. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Age	122
1.25 Table 5c. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Risk for Severe Covid-19 . . . . .	130
1.26 Table 5d. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Age, Risk for Severe Covid-19 . . . . .	138
1.27 Table 5e. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Sex	154
1.28 Table 5f. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Age, sex . . . . .	162
1.29 Table 5g. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Hispanic or Latino ethnicity . . . . .	178
1.30 Table 5h. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Race	190
1.31 Table 5i. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Underrepresented minority status . . . . .	222
1.32 Table 5j. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Age, Underrepresented minority status . . . . .	230
1.33 Table 6a. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by All participants . . . . .	246
1.34 Table 6b. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Age . . . . .	249
1.35 Table 6c. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Risk for Severe Covid-19 . . . . .	255
1.36 Table 6d. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Age, Risk for Severe Covid-19 . . . . .	261
1.37 Table 6e. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Sex . . . . .	272
1.38 Table 6f. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Age, sex . . . . .	278

1.39 Table 6g. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Hispanic or Latino ethnicity . . . . .	289
1.40 Table 6h. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Race . . . . .	298
1.41 Table 6i. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Underrepresented minority status . .	322
1.42 Table 6j. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Age, Underrepresented minority status	328
1.43 Table 7a. The ratios of GMTs/GMCs between groups by Age . . . . .	342
1.44 Table 7b. The ratios of GMTs/GMCs between groups by Risk for Severe Covid-19 . . . . .	346
1.45 Table 7c. The ratios of GMTs/GMCs between groups by Age < 65, Risk for Severe Covid-19	350
1.46 Table 7d. The ratios of GMTs/GMCs between groups by Age >= 65, Risk for Severe Covid-19	356
1.47 Table 7e. The ratios of GMTs/GMCs between groups by Sex . . . . .	362
1.48 Table 7f. The ratios of GMTs/GMCs between groups by Hispanic or Latino ethnicity . . . . .	366
1.49 Table 7g. The ratios of GMTs/GMCs between groups by Underrepresented minority status .	372
1.50 Table 8a. Differences in the responder rates, 2FRs, 4FRs between the groups by Arm . . . . .	378
1.51 Table 8b. Differences in the responder rates, 2FRs, 4FRs between the groups by Baseline SARS-CoV-2 . . . . .	380
1.52 Table 8c. Differences in the responder rates, 2FRs, 4FRs between the groups by Age . . . . .	382
1.53 Table 8d. Differences in the responder rates, 2FRs, 4FRs between the groups by Risk for Severe Covid-19 . . . . .	385
1.54 Table 8e. Differences in the responder rates, 2FRs, 4FRs between the groups by Age < 65, Risk for Severe Covid-19 . . . . .	388
1.55 Table 8f. Differences in the responder rates, 2FRs, 4FRs between the groups by Age >= 65, Risk for Severe Covid-19 . . . . .	392
1.56 Table 8g. Differences in the responder rates, 2FRs, 4FRs between the groups by Sex . . . . .	396
1.57 Table 8h. Differences in the responder rates, 2FRs, 4FRs between the groups by Hispanic or Latino ethnicity . . . . .	399
1.58 Table 8i. Differences in the responder rates, 2FRs, 4FRs between the groups by Underrepresented minority status . . . . .	403
1.59 Table 9. Antibody levels in the baseline SARS-CoV-2 negative per-protocol cohort (vaccine vs. placebo) . . . . .	407
1.60 Table 10. Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (vaccine vs. placebo) . . . . .	408
1.61 Table 11. Antibody levels in the per-protocol cohort (vaccine recipients) . . . . .	409
1.62 Table 12. Antibody levels in the per-protocol cohort (placebo recipients) . . . . .	410



# List of Figures

2.1	Pair plots of D29 Ab markers: baseline negative vaccine arm . . . . .	412
2.2	Pair plots of D57 Ab markers: baseline negative vaccine arm . . . . .	413
2.3	Pair plots of D29 fold-rise over D1 Ab markers: baseline negative vaccine arm . . . . .	414
2.4	Pair plots of D57 fold-rise over D1 Ab markers: baseline negative vaccine arm . . . . .	415
2.5	Pair plots of D1, D29 and D57 Binding Antibody to Spike: baseline negative vaccine arm . .	416
2.6	Pair plots of D1, D29 and D57 Binding Antibody to RBD: baseline negative vaccine arm . .	417
2.7	Pair plots of D1, D29 and D57 PsV Neutralization 50% Titer: baseline negative vaccine arm	418
2.8	Pair plots of D1, D29 and D57 PsV Neutralization 80% Titer: Baseline negative vaccine arm	419
2.9	Pair plots of D29 Ab markers: baseline positive vaccine arm . . . . .	420
2.10	Pair plots of D57 Ab markers: baseline positive vaccine arm . . . . .	421
2.11	Pair plots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm . . . . .	422
2.12	Pair plots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm . . . . .	423
2.13	Pair plots of D1, D29 and D57 Binding Antibody to Spike: baseline positive vaccine arm . .	424
2.14	Pair plots of D1, D29 and D57 Binding Antibody to RBD: baseline positive vaccine arm . .	425
2.15	Pair plots of D1, D29 and D57 PsV Neutralization 50% Titer: baseline positive vaccine arm	426
2.16	Pair plots of D1, D29 and D57 PsV Neutralization 80% Titer: Baseline positive vaccine arm	427
2.17	RCDF plots for D29 Ab markers: by baseline status x randomization arm . . . . .	428
2.18	RCDF plots for D57 Ab markers: by baseline status x randomization arm . . . . .	429
2.19	RCDF plots for D29 fold-rise over D1 Ab markers: by baseline status x randomization arm .	430
2.20	RCDF plots for D57 fold-rise over D1 Ab markers: by baseline status x randomization arm .	431
2.21	RCDF plots for D29 Ab markers: by baseline status for the vaccine arm . . . . .	432
2.22	RCDF plots for D57 Ab markers: by baseline status for the vaccine arm . . . . .	433
2.23	RCDF plots for D29 over D1 fold-rise Ab markers: by baseline status for the vaccine arm .	434
2.24	RCDF plots for D57 fold-rise over D1 Ab markers: by baseline status for the vaccine arm .	435
2.25	RCDF plots for D29 Ab markers: baseline negative vaccine arm . . . . .	436
2.26	RCDF plots for D57 Ab markers: baseline negative vaccine arm . . . . .	437
2.27	RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm . . . . .	438
2.28	RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm . . . . .	439

2.29 RCDF plots for D29 Ab markers: baseline positive vaccine arm . . . . .	440
2.30 RCDF plots for D57 Ab markers: baseline positive vaccine arm . . . . .	441
2.31 RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm . . . . .	442
2.32 RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm . . . . .	443
2.33 Scatter plots for D29 Ab markers vs. age: baseline negative vaccine arm . . . . .	444
2.34 Scatter plots for D57 Ab markers vs. age: baseline negative vaccine arm . . . . .	445
2.35 Scatter plots for D29 Ab markers vs. age: baseline positive vaccine arm . . . . .	446
2.36 Scatter plots for D57 Ab markers vs. age: baseline positive vaccine arm . . . . .	447
2.37 Boxplots of D29 Ab markers: baseline negative vaccine + placebo arms . . . . .	448
2.38 Boxplots of D57 Ab markers: baseline negative vaccine + placebo arms . . . . .	449
2.39 Boxplots of D29 fold-rise over D1 Ab markers: baseline negative vaccine + placebo arms . . .	450
2.40 Boxplots of D57 fold-rise over D1 Ab markers: baseline negative vaccine + placebo arms . .	451
2.41 Boxplots of D29 Ab markers: baseline positive vaccine + placebo arms . . . . .	452
2.42 Boxplots of D57 Ab markers: baseline positive vaccine + placebo arms . . . . .	453
2.43 Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine + placebo arms . .	454
2.44 Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine + placebo arms . .	455
2.45 Boxplots of D29 Ab markers: baseline positive + negative vaccine arm . . . . .	456
2.46 Boxplots of D57 Ab markers: baseline positive + negative vaccine arm . . . . .	457
2.47 Boxplots of D29 fold-rise over D1 Ab markers: baseline positive + negative vaccine arm . .	458
2.48 Boxplots of D57 fold-rise over D1 Ab markers: baseline positive + negative vaccine arm . .	459
2.49 Boxplots of D29 Ab markers: baseline positive + negative placebo arm . . . . .	460
2.50 Boxplots of D57 Ab markers: baseline positive + negative placebo arm . . . . .	461
2.51 Boxplots of D29 fold-rise over D1 Ab markers: baseline positive + negative placebo arm . .	462
2.52 Boxplots of D57 fold-rise over D1 Ab markers: baseline positive + negative placebo arm . .	463
2.53 Spaghetti plots of Ab markers over time: baseline negative vaccine + placebo arm . . . . .	464
2.54 Spaghetti plots of Ab markers over time: baseline positive vaccine + placebo arm . . . . .	465
2.55 RCDF plots for D29 Ab markers: baseline negative vaccine arm by age groups. . . . .	466
2.56 RCDF plots for D57 Ab markers: baseline negative vaccine arm by age groups. . . . .	467
2.57 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by age groups.	468
2.58 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by age groups.	469
2.59 RCDF plots for D29 Ab markers: baseline negative vaccine arm by high-risk condition. . . .	470
2.60 RCDF plots for D57 Ab markers: baseline negative vaccine arm by high-risk condition. . . .	471
2.61 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by high-risk condition. . . . .	472
2.62 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by high-risk condition. . . . .	473
2.63 RCDF plots for D29 Ab markers: baseline negative vaccine arm by age and high-risk condition.	474

2.64 RCDF plots for D57 Ab markers: baseline negative vaccine arm by age and high-risk condition.	475
2.65 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and high-risk condition. . . . .	476
2.66 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and high-risk condition. . . . .	477
2.67 RCDF plots for D29 Ab markers: baseline negative vaccine arm by sex assigned at birth. . . . .	478
2.68 RCDF plots for D57 Ab markers: baseline negative vaccine arm by sex assigned at birth. . . . .	479
2.69 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by sex assigned at birth. . . . .	480
2.70 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by sex assigned at birth. . . . .	481
2.71 RCDF plots for D29 Ab markers: baseline negative vaccine arm by age and sex assigned at birth. . . . .	482
2.72 RCDF plots for D57 Ab markers: baseline negative vaccine arm by age and sex assigned at birth. . . . .	483
2.73 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and sex assigned at birth. . . . .	484
2.74 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and sex at birth. . . . .	485
2.75 RCDF plots for D29 Ab markers: baseline negative vaccine arm by ethnicity. . . . .	486
2.76 RCDF plots for D57 Ab markers: baseline negative vaccine arm by ethnicity. . . . .	487
2.77 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by ethnicity. .	488
2.78 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by ethnicity. .	489
2.79 RCDF plots for D29 Ab markers: baseline negative vaccine arm by race. . . . .	490
2.80 RCDF plots for D57 Ab markers: baseline negative vaccine arm by race. . . . .	491
2.81 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by race. .	492
2.82 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by race. .	493
2.83 RCDF plots for D29 Ab markers: baseline negative vaccine arm by dichotomous classification of race and ethnic group. . . . .	494
2.84 RCDF plots for D57 Ab markers: baseline negative vaccine arm by dichotomous classification of race and ethnic group. . . . .	495
2.85 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by dichotomous classification of race and ethnic group. . . . .	496
2.86 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by dichotomous classification of race and ethnic group. . . . .	497
2.87 RCDF plots for D29 Ab markers: baseline negative vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	498
2.88 RCDF plots for D57 Ab markers: baseline negative vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	499
2.89 RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	500

2.90 RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	501
2.91 RCDF plots for D29 Ab markers: baseline positive vaccine arm by age groups. . . . .	502
2.92 RCDF plots for D57 Ab markers: baseline positive vaccine arm by age groups. . . . .	503
2.93 RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age groups. . . . .	504
2.94 RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age groups. . . . .	505
2.95 RCDF plots for D29 Ab markers: baseline positive vaccine arm by high-risk condition. . . . .	506
2.96 RCDF plots for D57 Ab markers: baseline positive vaccine arm by high-risk condition. . . . .	507
2.97 RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by high-risk condition. . . . .	508
2.98 RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by high-risk condition. . . . .	509
2.99 RCDF plots for D29 Ab markers: baseline positive vaccine arm by age and high-risk condition. . . . .	510
2.100RCDF plots for D57 Ab markers: baseline positive vaccine arm by age and high-risk condition. . . . .	511
2.101RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and high-risk condition. . . . .	512
2.102RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and high-risk condition. . . . .	513
2.103RCDF plots for D29 Ab markers: baseline positive vaccine arm by sex assigned at birth. . . . .	514
2.104RCDF plots for D57 Ab markers: baseline positive vaccine arm by sex assigned at birth. . . . .	515
2.105RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by sex assigned at birth. . . . .	516
2.106RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by sex assigned at birth. . . . .	517
2.107RCDF plots for D29 Ab markers: baseline positive vaccine arm by age and sex assigned at birth. . . . .	518
2.108RCDF plots for D57 Ab markers: baseline positive vaccine arm by age and sex assigned at birth. . . . .	519
2.109RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and sex assigned at birth. . . . .	520
2.110RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and sex assigned at birth. . . . .	521
2.111RCDF plots for D29 Ab markers: baseline positive vaccine arm by ethnicity. . . . .	522
2.112RCDF plots for D57 Ab markers: baseline positive vaccine arm by ethnicity. . . . .	523
2.113RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by ethnicity. . . . .	524
2.114RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by ethnicity. . . . .	525
2.115RCDF plots for D29 Ab markers: baseline positive vaccine arm by race. . . . .	526
2.116RCDF plots for D57 Ab markers: baseline positive vaccine arm by race. . . . .	527
2.117RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by race. . . . .	528
2.118RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by race. . . . .	529

2.119RCDF plots for D29 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group. . . . .	530
2.120RCDF plots for D57 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group. . . . .	531
2.121RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group. . . . .	532
2.122RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group. . . . .	533
2.123RCDF plots for D29 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	534
2.124RCDF plots for D57 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	535
2.125RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	536
2.126RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	537
2.127Boxplots of D29 Ab markers: Baseline negative vaccine arm by age group. . . . .	538
2.128Boxplots of D57 Ab markers: Baseline negative vaccine arm by age group. . . . .	539
2.129Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by age and sex assigned at birth. . . . .	540
2.130Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by age and sex assigned at birth. . . . .	541
2.131Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by ethnicity. . .	542
2.132Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by ethnicity. .	543
2.133Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by race. . . .	544
2.134Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by race. . . .	545
2.135Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by dichotomous classification of race and ethnic group. . . . .	546
2.136Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by dichotomous classification of race and ethnic group. . . . .	547
2.137Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	548
2.138Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	549
2.139Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age group. .	551
2.140Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age group. .	552
2.141Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by high-risk condition. . . . .	553
2.142Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by high-risk condition. . . . .	554
2.143Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and high-risk condition. . . . .	555

2.144Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and high-risk condition. . . . .	556
2.145Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by sex assigned at birth. . . . .	557
2.146Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by sex assigned at birth. . . . .	558
2.147Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and sex assigned at birth. . . . .	559
2.148Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and sex assigned at birth. . . . .	560
2.149Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by ethnicity. .	561
2.150Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by ethnicity. .	562
2.151Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by race. . . . .	563
2.152Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by race. . . . .	564
2.153Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group. . . . .	565
2.154Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group. . . . .	566
2.155Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	567
2.156Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group. . . . .	568

# Chapter 1

## Tabular Description of Immunogenicity Data

Table 1. Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Negative Per-Protocol Cohort

Characteristics	Vaccine (N = 914)	Placebo (N = 163)	Total (N = 1077)
<b>Age</b>			
Age < 65	432 (47.3%)	80 (49.1%)	512 (47.5%)
Age ≥ 65	482 (52.7%)	83 (50.9%)	565 (52.5%)
Mean (Range)	58.6 (18.0, 85.0)	59.0 (18.0, 85.0)	58.7 (18.0, 85.0)
<b>BMI</b>			
Mean ± SD	30.1 ± 7.0	29.6 ± 7.2	30.0 ± 7.0
<b>Risk for Severe Covid-19</b>			
At-risk	469 (51.3%)	84 (51.5%)	553 (51.3%)
Not at-risk	445 (48.7%)	79 (48.5%)	524 (48.7%)
<b>Age, Risk for Severe Covid-19</b>			
Age < 65 At-risk	214 (23.4%)	40 (24.5%)	254 (23.6%)
Age < 65 Not at-risk	218 (23.9%)	40 (24.5%)	258 (24.0%)
Age ≥ 65	482 (52.7%)	83 (50.9%)	565 (52.5%)
<b>Sex</b>			
Female	519 (56.8%)	87 (53.4%)	606 (56.3%)
Male	395 (43.2%)	76 (46.6%)	471 (43.7%)
<b>Hispanic or Latino ethnicity</b>			
Hispanic or Latino	136 (14.9%)	20 (12.3%)	156 (14.5%)
Not Hispanic or Latino	690 (75.5%)	130 (79.8%)	820 (76.1%)
Not reported and unknown	88 (9.6%)	13 (8.0%)	101 (9.4%)
<b>Race</b>			
White Non-Hispanic	362 (39.6%)	67 (41.1%)	429 (39.8%)
Black or African American	195 (21.3%)	39 (23.9%)	234 (21.7%)
Asian	67 (7.3%)	12 (7.4%)	79 (7.3%)
American Indian or Alaska Native	13 (1.4%)	5 (3.1%)	18 (1.7%)
Native Hawaiian or Other Pacific Islander	17 (1.9%)	1 (0.6%)	18 (1.7%)
Multiracial	52 (5.7%)	8 (4.9%)	60 (5.6%)
Other	34 (3.7%)	4 (2.5%)	38 (3.5%)

(continued)

Characteristics	Vaccine (N = 914)	Placebo (N = 163)	Total (N = 1077)
Not reported and unknown	87 (9.5%)	14 (8.6%)	101 (9.4%)

This table summarizes the random subcohort, which was randomly sampled from the per-protocol cohort, and excludes individuals with a COVID failure event < 7 days post Day 57. The sampling was stratified by 24 strata defined by enrollment characteristics: Assigned treatment arm × Baseline SARS-CoV-2 naïve vs. non-naïve status (defined by serostatus and NAAT testing) × Randomization strata (Age < 65 and at-risk, Age < 65 and not at-risk, Age ≥ 65) × Communities of color (Yes/No) defined by White Non-Hispanic vs. all others (following the primary COVE trial paper).

MOCH

Table 2. Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Positive Per-Protocol Cohort

Characteristics	Vaccine (N = 274)	Placebo (N = 270)	Total (N = 544)
<b>Age</b>			
Age < 65	146 (53.3%)	147 (54.4%)	293 (53.9%)
Age ≥ 65	128 (46.7%)	123 (45.6%)	251 (46.1%)
Mean (Range)	56.0 (18.0, 85.0)	55.8 (18.0, 85.0)	55.9 (18.0, 85.0)
<b>BMI</b>			
Mean ± SD	30.7 ± 6.8	30.1 ± 7.2	30.4 ± 7.0
<b>Risk for Severe Covid-19</b>			
At-risk	125 (45.6%)	123 (45.6%)	248 (45.6%)
Not at-risk	149 (54.4%)	147 (54.4%)	296 (54.4%)
<b>Age, Risk for Severe Covid-19</b>			
Age < 65 At-risk	73 (26.6%)	75 (27.8%)	148 (27.2%)
Age < 65 Not at-risk	73 (26.6%)	72 (26.7%)	145 (26.7%)
Age ≥ 65	128 (46.7%)	123 (45.6%)	251 (46.1%)
<b>Sex</b>			
Female	153 (55.8%)	155 (57.4%)	308 (56.6%)
Male	121 (44.2%)	115 (42.6%)	236 (43.4%)
<b>Hispanic or Latino ethnicity</b>			
Hispanic or Latino	35 (12.8%)	38 (14.1%)	73 (13.4%)
Not Hispanic or Latino	217 (79.2%)	214 (79.3%)	431 (79.2%)
Not reported and unknown	22 (8.0%)	18 (6.7%)	40 (7.4%)
<b>Race</b>			
White Non-Hispanic	125 (45.6%)	121 (44.8%)	246 (45.2%)
Black or African American	52 (19.0%)	60 (22.2%)	112 (20.6%)
Asian	24 (8.8%)	13 (4.8%)	37 (6.8%)
American Indian or Alaska Native	6 (2.2%)	4 (1.5%)	10 (1.8%)
Native Hawaiian or Other Pacific Islander	5 (1.8%)	1 (0.4%)	6 (1.1%)
Multiracial	12 (4.4%)	19 (7.0%)	31 (5.7%)
Other	7 (2.6%)	5 (1.9%)	12 (2.2%)
Not reported and unknown	20 (7.3%)	24 (8.9%)	44 (8.1%)

This table summarizes the random subcohort, which was randomly sampled from the per-protocol cohort, and excludes individuals with a COVID failure event < 7 days post Day 57. The sampling was stratified by 24 strata defined by enrollment characteristics: Assigned treatment arm × Baseline SARS-CoV-2 naïve vs. non-naïve status (defined by serostatus and NAAT testing) × Randomization strata (Age < 65 and at-risk, Age < 65 and not at-risk, Age ≥ 65) × Communities of color (Yes/No) defined by White Non-Hispanic vs. all others (following the primary COVE trial paper).

Table 3a. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by All participants

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>All participants</b>								
	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	914	13295/13295 = 100.0% (100.0%, 100.0%)	13268.1/13295 = 99.8% (98.6%, 100.0%)	13268.1/13295 = 99.8% (98.6%, 100.0%)
	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	914	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)
	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	914	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)
	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)
	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)
	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)
	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	163	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)
	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	163	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)
	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	163	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)
	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)	1354.5/1357 = 99.8% (98.7%, 100.0%)
	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)
	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)
	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	914	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)
	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	914	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)
	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	914	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)	13295/13295 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)
	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)
	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)
	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	163	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)
	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	163	76.3/13359 = 0.6% (0.1%, 4.0%)	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)
	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	163	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)	0/13359 = 0.0% (0.0%, 0.0%)
	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)
	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)
	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)	1357/1357 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration. Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 3b. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Age

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Age</b>								
Age < 65	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	432	10518/10518 = 100.0% (100.0%, 100.0%)	10491.1/10518 = 99.7% (98.2%, 100.0%)	10491.1/10518 = 99.7% (98.2%, 100.0%)
Age < 65	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	432	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)
Age < 65	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	432	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)
Age < 65	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	146	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)
Age < 65	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	146	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)
Age < 65	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	146	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)
Age < 65	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	80	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)
Age < 65	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	80	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)
Age < 65	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	80	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)
Age < 65	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	147	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)	1095.5/1098 = 99.8% (98.4%, 100.0%)
Age < 65	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	147	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)
Age < 65	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	147	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	432	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	432	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	432	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)	10518/10518 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	146	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	146	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	146	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	80	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)
Age < 65	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	80	76.3/10234 = 0.7% (0.1%, 5.3%)	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)
Age < 65	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	80	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)	0/10234 = 0.0% (0.0%, 0.0%)
Age < 65	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	147	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	147	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	147	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)	1098/1098 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	482	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	482	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	482	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	128	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	128	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	128	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	83	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)
Age ≥ 65	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	83	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)
Age ≥ 65	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	83	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)
Age ≥ 65	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	123	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	123	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	123	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	482	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	482	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	482	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)	2777/2777 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	128	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	128	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	128	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	83	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)
Age ≥ 65	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	83	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)
Age ≥ 65	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	83	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)	0/3125 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	123	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	123	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	123	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 3c. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Risk for Severe Covid-19

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Risk for Severe Covid-19</b>								
At-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	469	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)
At-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	469	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)
At-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	469	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)
At-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	125	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)
At-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)
At-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)
At-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	84	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)
At-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	84	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)
At-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	84	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)
At-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	123	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)	328.8/331.2 = 99.3% (94.8%, 99.9%)
At-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	123	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)
At-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	123	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	469	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	469	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	469	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)	3736.6/3736.6 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
At-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	125	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	84	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)
At-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	84	76.3/4096.4 = 1.9% (0.2%, 12.6%)	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)
At-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	84	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)
At-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	123	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	123	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	123	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)	331.2/331.2 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	445	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9531.4/9558.4 = 99.7% (98.0%, 100.0%)	9531.4/9558.4 = 99.7% (98.0%, 100.0%)
Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	445	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	445	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	149	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	149	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	149	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	79	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)
Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	79	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)
Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	79	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)
Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	147	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	147	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	147	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	445	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	445	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	445	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)	9558.4/9558.4 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	149	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	149	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	149	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	79	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)
Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	79	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)
Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	79	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	147	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	147	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)
Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	147	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)	1025.8/1025.8 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 3d. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Age, Risk for Severe Covid-19

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Age, Risk for Severe Covid-19</b>								
Age < 65 At-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	214	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	214	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	214	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	73	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	40	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)
Age < 65 At-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	40	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)
Age < 65 At-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	40	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)
Age < 65 At-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	75	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)	223.5/226 = 98.9% (92.4%, 99.9%)
Age < 65 At-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	75	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 At-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	75	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	214	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	214	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	214	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)	2279/2279 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	73	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	40	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)
Age < 65 At-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	40	76.3/2454 = 3.1% (0.4%, 20.6%)	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)
Age < 65 At-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	40	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)	0/2454 = 0.0% (0.0%, 0.0%)
Age < 65 At-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	75	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	75	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 At-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	75	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)	226/226 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	218	8239/8239 = 100.0% (100.0%, 100.0%)	8212.1/8239 = 99.7% (97.7%, 100.0%)	8212.1/8239 = 99.7% (97.7%, 100.0%)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	218	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	218	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	73	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	40	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)
Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	40	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)
Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	40	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)
Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	72	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	72	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	72	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	218	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	218	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	218	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)	8239/8239 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	73	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	40	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	40	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	40	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)
Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	72	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	72	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	72	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)	872/872 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	255	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	255	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	255	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	52	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	44	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 At-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	44	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 At-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	44	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 At-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	48	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	48	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 At-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	48	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	255	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	255	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	255	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)	1457.6/1457.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	52	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	44	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 At-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	44	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 At-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	44	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 At-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	48	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	48	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 At-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	48	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	227	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	227	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	227	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	76	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	76	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	76	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	39	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	39	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	39	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	75	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	75	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	75	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	227	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	227	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	227	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	76	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	76	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	76	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	39	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	39	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	39	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	75	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	75	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	75	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 3e. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Sex

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Sex</b>								
Male	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	395	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)
Male	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	395	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)
Male	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	395	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)
Male	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	121	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)
Male	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	121	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)
Male	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	121	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)
Male	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	76	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)
Male	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	76	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)
Male	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	76	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)
Male	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	115	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)	526.8/529.2 = 99.5% (96.7%, 99.9%)
Male	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	115	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)
Male	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	115	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)
Male	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	395	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)
Male	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	395	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)
Male	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	395	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)	5298.6/5298.6 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Male	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	121	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)
Male	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	121	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)
Male	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	121	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)
Male	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	76	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)
Male	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	76	76.3/4771.7 = 1.6% (0.2%, 10.9%)	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)
Male	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	76	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)	0/4771.7 = 0.0% (0.0%, 0.0%)
Male	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	115	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)
Male	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	115	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)
Male	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	115	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)	529.2/529.2 = 100.0% (100.0%, 100.0%)
Female	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	519	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7969.4/7996.4 = 99.7% (97.6%, 100.0%)	7969.4/7996.4 = 99.7% (97.6%, 100.0%)
Female	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	519	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)
Female	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	519	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)
Female	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	153	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)
Female	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	153	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)
Female	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	153	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Female	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	87	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)
Female	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	87	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)
Female	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	87	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)
Female	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	155	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)
Female	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	155	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)
Female	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	155	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)
Female	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	519	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)
Female	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	519	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)
Female	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	519	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)	7996.4/7996.4 = 100.0% (100.0%, 100.0%)
Female	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	153	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)
Female	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	153	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)
Female	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	153	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)
Female	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	87	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)
Female	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	87	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)
Female	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	87	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)	0/8587.3 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Female	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	155	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)
Female	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	155	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)
Female	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	155	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)	827.8/827.8 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 3f. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Age, sex

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Age, sex</b>								
Age < 65 Female	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	269	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6497.4/6524.4 = 99.6% (97.1%, 99.9%)	6497.4/6524.4 = 99.6% (97.1%, 99.9%)
Age < 65 Female	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	269	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	269	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	79	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	79	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	79	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	52	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)
Age < 65 Female	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	52	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)
Age < 65 Female	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	52	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)
Age < 65 Female	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	83	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	83	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 Female	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	83	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	269	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	269	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	269	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)	6524.4/6524.4 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	79	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	79	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	79	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	52	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)
Age < 65 Female	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	52	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)
Age < 65 Female	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	52	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)
Age < 65 Female	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	83	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	83	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 Female	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	83	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)	673.1/673.1 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	163	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	163	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	163	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	67	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	67	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	67	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	28	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)
Age < 65 Male	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	28	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)
Age < 65 Male	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	28	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)
Age < 65 Male	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	64	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)	422.4/424.9 = 99.4% (95.8%, 99.9%)
Age < 65 Male	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	64	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	64	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	163	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	163	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 Male	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	163	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)	3993.6/3993.6 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	67	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	67	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	67	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	28	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)
Age < 65 Male	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	28	76.3/3045.2 = 2.5% (0.3%, 17.7%)	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)
Age < 65 Male	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	28	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)
Age < 65 Male	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	64	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	64	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	64	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)	424.9/424.9 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	232	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	232	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	232	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	54	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	54	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Male	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	54	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	48	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Male	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	48	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Male	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	48	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Male	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	51	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	51	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	51	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	232	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	232	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	232	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)	1305/1305 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	54	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	54	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	54	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	48	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Male	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	48	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Male	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	48	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Male	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	51	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	51	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	51	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	250	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	250	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	250	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	74	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	74	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	74	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	35	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Female	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	35	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Female	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	35	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Female	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	72	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	72	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	72	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	250	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	250	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	250	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)	1472/1472 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	74	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	74	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	74	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	35	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Female	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	35	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Female	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	35	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)	0/1398.4 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Female	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	72	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	72	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	72	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 3g. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Hispanic or Latino ethnicity

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Hispanic or Latino ethnicity</b>								
Hispanic or Latino	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	136	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	136	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	136	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	35	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	35	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	35	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	20	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)
Hispanic or Latino	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	20	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)
Hispanic or Latino	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	20	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)
Hispanic or Latino	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	38	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	38	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Hispanic or Latino	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	38	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	136	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	136	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	136	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)	1363.4/1363.4 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	35	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	35	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	35	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	20	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)
Hispanic or Latino	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	20	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)
Hispanic or Latino	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	20	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)
Hispanic or Latino	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	38	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	38	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Hispanic or Latino	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	38	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	690	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10454.2/10481.2 = 99.7% (98.2%, 100.0%)	10454.2/10481.2 = 99.7% (98.2%, 100.0%)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	690	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	690	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	217	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	217	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	217	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	130	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)
Not Hispanic or Latino	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	130	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)
Not Hispanic or Latino	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	130	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)
Not Hispanic or Latino	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	214	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1119.3/1121.8 = 99.8% (98.4%, 100.0%)
Not Hispanic or Latino	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	214	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Not Hispanic or Latino	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	214	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	690	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	690	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	690	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)	10481.2/10481.2 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	217	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	217	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	217	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	130	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)
Not Hispanic or Latino	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	130	76.3/10828.8 = 0.7% (0.1%, 4.9%)	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)
Not Hispanic or Latino	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	130	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)	0/10828.8 = 0.0% (0.0%, 0.0%)
Not Hispanic or Latino	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	214	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	214	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Not Hispanic or Latino	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	214	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)	1121.8/1121.8 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	88	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	88	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	88	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	22	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	22	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	22	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	13	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	13	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	13	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	18	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	18	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Not reported and unknown	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	18	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	88	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	88	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	88	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	22	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	22	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	22	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	13	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	13	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	13	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	18	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	18	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Not reported and unknown	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	18	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)	101.5/101.5 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.



Table 3h. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Race

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Race</b>								
White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	67	76.3/6586.8 = 1.2% (0.2%, 8.1%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)
Black or African American	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	195	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	1985.2/2012.2 = 98.7% (91.0%, 99.8%)	1985.2/2012.2 = 98.7% (91.0%, 99.8%)
Black or African American	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	195	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)
Black or African American	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	195	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)
Black or African American	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	52	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)
Black or African American	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)
Black or African American	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)
Black or African American	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	39	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)
Black or African American	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	39	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Black or African American	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	39	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)
Black or African American	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	60	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)	262.6/265.1 = 99.1% (93.4%, 99.9%)
Black or African American	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	60	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)
Black or African American	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	60	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	195	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	195	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	195	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)	2012.2/2012.2 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	52	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Black or African American	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	39	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)
Black or African American	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	39	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)
Black or African American	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	39	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)
Black or African American	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	60	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	60	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	60	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)	265.1/265.1 = 100.0% (100.0%, 100.0%)
Asian	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	67	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)
Asian	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	67	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)
Asian	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	67	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Asian	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	24	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)
Asian	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	24	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)
Asian	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	24	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)
Asian	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	12	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)
Asian	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	12	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)
Asian	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	12	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)
Asian	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	13	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)
Asian	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	13	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)
Asian	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	13	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	67	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	67	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	67	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)	673.6/673.6 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	24	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	24	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	24	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Asian	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	12	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)
Asian	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	12	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)
Asian	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	12	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)
Asian	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	13	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	13	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	13	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)	48.4/48.4 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	13	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	13	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	13	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	6	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	6	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
American Indian or Alaska Native	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	6	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	5	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)
American Indian or Alaska Native	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	5	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)
American Indian or Alaska Native	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	5	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)
American Indian or Alaska Native	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	4	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%
American Indian or Alaska Native	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	4	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%
American Indian or Alaska Native	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	4	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%
American Indian or Alaska Native	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	13	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	13	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
American Indian or Alaska Native	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	13	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	6	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	6	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	6	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	5	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)
American Indian or Alaska Native	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	5	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)
American Indian or Alaska Native	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	5	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)
American Indian or Alaska Native	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	4	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%
American Indian or Alaska Native	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	4	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
American Indian or Alaska Native	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	4	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	17	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	17	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	17	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	5	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	5	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	5	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	1	0/28.8 = 0.0%	0/28.8 = 0.0%	0/28.8 = 0.0%
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	1	0/28.8 = 0.0%	0/28.8 = 0.0%	0/28.8 = 0.0%
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	1	0/28.8 = 0.0%	0/28.8 = 0.0%	0/28.8 = 0.0%
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	1	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	1	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	1	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	17	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	17	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	17	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	5	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	5	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	5	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	1	0/28.8 = 0.0%	0/28.8 = 0.0%	0/28.8 = 0.0%
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	1	0/28.8 = 0.0%	0/28.8 = 0.0%	0/28.8 = 0.0%

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	1	0/28.8 = 0.0%	0/28.8 = 0.0%	0/28.8 = 0.0%
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	1	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	1	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	1	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%
Multiracial	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	52	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	52	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	52	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	12	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	12	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	12	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	8	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Multiracial	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	8	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)
Multiracial	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	8	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)
Multiracial	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	19	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	19	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	19	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	52	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	52	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	52	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)	498.5/498.5 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	12	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	12	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	12	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	8	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)
Multiracial	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	8	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)
Multiracial	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	8	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)
Multiracial	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	19	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Multiracial	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	19	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	19	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)
Other	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	34	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)
Other	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	34	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)
Other	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	34	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)
Other	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	7	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)
Other	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	7	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)
Other	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	7	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)
Other	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	4	0/232.6 = 0.0%	0/232.6 = 0.0%	0/232.6 = 0.0%
Other	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	4	0/232.6 = 0.0%	0/232.6 = 0.0%	0/232.6 = 0.0%
Other	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	4	0/232.6 = 0.0%	0/232.6 = 0.0%	0/232.6 = 0.0%
Other	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	5	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)
Other	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	5	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)
Other	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	5	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)
Other	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	34	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)
Other	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	34	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)
Other	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	34	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Other	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	7	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)
Other	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	7	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)
Other	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	7	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)
Other	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	4	0/232.6 = 0.0%	0/232.6 = 0.0%	0/232.6 = 0.0%
Other	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	4	0/232.6 = 0.0%	0/232.6 = 0.0%	0/232.6 = 0.0%
Other	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	4	0/232.6 = 0.0%	0/232.6 = 0.0%	0/232.6 = 0.0%
Other	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	5	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)
Other	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	5	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)
Other	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	5	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	87	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	87	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	87	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	20	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	20	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	20	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Not reported and unknown	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	14	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	14	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	14	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	24	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	24	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	24	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	87	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	87	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	87	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	20	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	20	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	20	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Not reported and unknown	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	14	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	14	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	14	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)	0/1337.6 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	24	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	24	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	24	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)	165.4/165.4 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 3i. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Underrepresented minority status

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Underrepresented minority status</b>								
Communities of Color	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	420	4289/4289 = 100.0% (100.0%, 100.0%)	4262.1/4289 = 99.4% (95.6%, 99.9%)	4262.1/4289 = 99.4% (95.6%, 99.9%)
Communities of Color	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	420	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0%	4289/4289 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	420	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	120	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	120	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	120	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	73	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)
Communities of Color	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	73	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)
Communities of Color	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	73	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)
Communities of Color	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	111	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)	436.5/439 = 99.4% (96.0%, 99.9%)
Communities of Color	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	111	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Communities of Color	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	111	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	420	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	420	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	420	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0% (100.0%, 100.0%)	4289/4289 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	120	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	120	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	120	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	73	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)
Communities of Color	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	73	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)
Communities of Color	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	73	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)	0/4319 = 0.0% (0.0%, 0.0%)
Communities of Color	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	111	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	111	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Communities of Color	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	111	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)	439/439 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)	6597/6597 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	67	76.3/6586.8 = 1.2% (0.2%, 8.1%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	121	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)	666.4/666.4 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 3j. Percentage of responders, and participants with concentrations  $\geq 2 \times$  LLOD or  $\geq 4 \times$  LLOD for binding antibody markers by Age, Underrepresented minority status

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than $2 \times$ LLOD	% Greater than $4 \times$ LLOD
<b>Age, Underrepresented minority status</b>								
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	192	3386/3386 = 100.0% (100.0%, 100.0%)	3359.1/3386 = 99.2% (94.5%, 99.9%)	3359.1/3386 = 99.2% (94.5%, 99.9%)
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	192	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	192	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	69	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	69	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	69	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	37	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)
Age < 65 Communities of Color	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	37	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 Communities of Color	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	37	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	61	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)	358.5/361 = 99.3% (95.1%, 99.9%)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	61	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	61	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	192	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	192	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	192	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)	3386/3386 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	69	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	69	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	69	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	37	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	37	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	37	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	61	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	61	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	61	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)	361/361 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	175	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	175	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	175	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	59	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	59	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	59	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	31	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	31	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	31	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	61	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	61	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	61	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	175	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	175	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	175	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)	5217.3/5217.3 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	59	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	59	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	59	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	31	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	31	76.3/4988.2 = 1.5% (0.2%, 11.1%)	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	31	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	61	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	61	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	61	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)	517.6/517.6 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	228	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	228	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	228	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	51	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	51	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Communities of Color	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	51	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	36	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Communities of Color	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	36	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Communities of Color	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	36	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Communities of Color	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	50	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	50	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	50	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	228	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	228	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Communities of Color	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	228	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)	903/903 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	51	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	51	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	51	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	36	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Communities of Color	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	36	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Communities of Color	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	36	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Communities of Color	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	50	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	50	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 Communities of Color	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	50	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	187	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0%	1379.7/1379.7 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	187	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0%	1379.7/1379.7 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	187	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0%	1379.7/1379.7 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	66	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	66	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	66	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	36	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	36	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	36	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	60	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	60	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	60	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	187	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	187	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	187	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0% (100.0%, 100.0%)	1379.7/1379.7 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	66	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	66	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% Greater than 2 × LLOD	% Greater than 4 × LLOD
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	66	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	36	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	36	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	36	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	60	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	60	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	60	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)

Binding Antibody Responders are defined as participants who had baseline values below the LLOD with detectable antibody concentration above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in antibody concentration.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4a. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by All participants

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>All participants</b>								
	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	914	11733.1/13295 = 88.3% (84.7%, 91.0%)	11787.2/13295 = 88.7% (85.2%, 91.4%)	10870.9/13295 = 81.8% (77.9%, 85.1%)
	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	274	1383.1/1432 = 96.6% (91.6%, 98.7%)	1383.1/1432 = 96.6% (91.6%, 98.7%)	1287.8/1432 = 89.9% (83.3%, 94.1%)
	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	163	149.5/13359 = 1.1% (0.3%, 3.8%)	149.5/13359 = 1.1% (0.3%, 3.8%)	0/13359 = 0.0% (0.0%, 0.0%)
	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	270	1139.8/1357 = 84.0% (76.8%, 89.3%)	1143.2/1357 = 84.2% (77.0%, 89.5%)	906/1357 = 66.8% (58.6%, 74.1%)
	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	914	13159.4/13295 = 99.0% (98.0%, 99.5%)	13159.4/13295 = 99.0% (98.0%, 99.5%)	12955/13295 = 97.4% (95.6%, 98.5%)
	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	274	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)	1432/1432 = 100.0% (100.0%, 100.0%)
	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	163	131.9/13359 = 1.0% (0.3%, 3.0%)	131.9/13359 = 1.0% (0.3%, 3.0%)	0/13359 = 0.0% (0.0%, 0.0%)
	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	270	1301.8/1357 = 95.9% (90.6%, 98.3%)	1301.8/1357 = 95.9% (90.6%, 98.3%)	1253.1/1357 = 92.3% (86.0%, 95.9%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4b. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Age

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Age</b>								
Age < 65	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	432	9050.2/10518 = 86.0% (81.6%, 89.5%)	9096.9/10518 = 86.5% (82.1%, 89.9%)	8317.2/10518 = 79.1% (74.2%, 83.2%)
Age < 65	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	146	1103/1145 = 96.3% (89.7%, 98.7%)	1103/1145 = 96.3% (89.7%, 98.7%)	1010.3/1145 = 88.2% (80.0%, 93.4%)
Age < 65	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	80	76.3/10234 = 0.7% (0.1%, 5.3%)	76.3/10234 = 0.7% (0.1%, 5.3%)	0/10234 = 0.0% (0.0%, 0.0%)
Age < 65	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	147	896.3/1098 = 81.6% (72.8%, 88.1%)	899.7/1098 = 81.9% (73.1%, 88.4%)	682.7/1098 = 62.2% (52.3%, 71.1%)
Age < 65	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	432	10405/10518 = 98.9% (97.6%, 99.5%)	10405/10518 = 98.9% (97.6%, 99.5%)	10226.7/10518 = 97.2% (94.8%, 98.5%)
Age < 65	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	146	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)	1145/1145 = 100.0% (100.0%, 100.0%)
Age < 65	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	80	43.1/10234 = 0.4% (0.1%, 3.0%)	43.1/10234 = 0.4% (0.1%, 3.0%)	0/10234 = 0.0% (0.0%, 0.0%)
Age < 65	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	147	1042.8/1098 = 95.0% (88.5%, 97.9%)	1042.8/1098 = 95.0% (88.5%, 97.9%)	995.7/1098 = 90.7% (82.9%, 95.1%)
Age ≥ 65	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	482	2682.9/2777 = 96.6% (94.4%, 98.0%)	2690.3/2777 = 96.9% (94.8%, 98.2%)	2553.6/2777 = 92.0% (89.1%, 94.1%)
Age ≥ 65	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	128	280.1/287 = 97.6% (92.6%, 99.2%)	280.1/287 = 97.6% (92.6%, 99.2%)	277.5/287 = 96.7% (91.3%, 98.8%)
Age ≥ 65	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	83	73.2/3125 = 2.3% (0.5%, 9.5%)	73.2/3125 = 2.3% (0.5%, 9.5%)	0/3125 = 0.0% (0.0%, 0.0%)
Age ≥ 65	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	123	243.5/259 = 94.0% (87.7%, 97.2%)	243.5/259 = 94.0% (87.7%, 97.2%)	223.3/259 = 86.2% (78.6%, 91.4%)
Age ≥ 65	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	482	2754.3/2777 = 99.2% (97.7%, 99.7%)	2754.3/2777 = 99.2% (97.7%, 99.7%)	2728.2/2777 = 98.2% (96.4%, 99.1%)
Age ≥ 65	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	128	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)	287/287 = 100.0% (100.0%, 100.0%)
Age ≥ 65	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	83	88.8/3125 = 2.8% (0.7%, 10.9%)	88.8/3125 = 2.8% (0.7%, 10.9%)	0/3125 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Age ≥ 65	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	123	259/259 = 100.0% (100.0%, 100.0%)	259/259 = 100.0% (100.0%, 100.0%)	257.4/259 = 99.4% (95.8%, 99.9%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4c. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Risk for Severe Covid-19

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Risk for Severe Covid-19</b>								
At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	469	3353.3/3736.6 = 89.7% (86.3%, 92.4%)	3360.6/3736.6 = 89.9% (86.6%, 92.5%)	3035.3/3736.6 = 81.2% (77.1%, 84.8%)
At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	125	355.1/368.8 = 96.3% (90.0%, 98.7%)	355.1/368.8 = 96.3% (90.0%, 98.7%)	332.9/368.8 = 90.3% (82.5%, 94.8%)
At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	84	149.5/4096.4 = 3.6% (1.0%, 12.0%)	149.5/4096.4 = 3.6% (1.0%, 12.0%)	0/4096.4 = 0.0% (0.0%, 0.0%)
At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	123	284.5/331.2 = 85.9% (78.3%, 91.1%)	287.9/331.2 = 86.9% (79.6%, 91.9%)	248.5/331.2 = 75.0% (66.4%, 82.1%)
At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	469	3654.9/3736.6 = 97.8% (95.6%, 98.9%)	3654.9/3736.6 = 97.8% (95.6%, 98.9%)	3597.8/3736.6 = 96.3% (93.7%, 97.8%)
At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	125	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)	368.8/368.8 = 100.0% (100.0%, 100.0%)
At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	84	43.1/4096.4 = 1.1% (0.1%, 7.4%)	43.1/4096.4 = 1.1% (0.1%, 7.4%)	0/4096.4 = 0.0% (0.0%, 0.0%)
At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	123	322.9/331.2 = 97.5% (92.2%, 99.2%)	322.9/331.2 = 97.5% (92.2%, 99.2%)	317/331.2 = 95.7% (89.9%, 98.2%)
Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	445	8379.9/9558.4 = 87.7% (82.8%, 91.3%)	8426.5/9558.4 = 88.2% (83.4%, 91.7%)	7835.6/9558.4 = 82.0% (76.7%, 86.3%)
Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	149	1028/1063.2 = 96.7% (89.2%, 99.0%)	1028/1063.2 = 96.7% (89.2%, 99.0%)	954.9/1063.2 = 89.8% (80.7%, 94.9%)
Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	79	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)	0/9262.6 = 0.0% (0.0%, 0.0%)
Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	147	855.3/1025.8 = 83.4% (73.8%, 89.9%)	855.3/1025.8 = 83.4% (73.8%, 89.9%)	657.5/1025.8 = 64.1% (53.6%, 73.4%)
Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	445	9504.5/9558.4 = 99.4% (97.8%, 99.9%)	9504.5/9558.4 = 99.4% (97.8%, 99.9%)	9357.2/9558.4 = 97.9% (95.0%, 99.1%)
Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	149	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)	1063.2/1063.2 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	79	88.8/9262.6 = 1.0% (0.2%, 3.8%)	88.8/9262.6 = 1.0% (0.2%, 3.8%)	0/9262.6 = 0.0% (0.0%, 0.0%)
Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	147	978.9/1025.8 = 95.4% (88.1%, 98.3%)	978.9/1025.8 = 95.4% (88.1%, 98.3%)	936.2/1025.8 = 91.3% (82.8%, 95.8%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4d. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Age, Risk for Severe Covid-19

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Age, Risk for Severe Covid-19</b>								
Age < 65 At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	214	1967.1/2279 = 86.3% (81.1%, 90.3%)	1967.1/2279 = 86.3% (81.1%, 90.3%)	1729.6/2279 = 75.9% (69.6%, 81.2%)
Age < 65 At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	73	236.9/248 = 95.5% (86.2%, 98.6%)	236.9/248 = 95.5% (86.2%, 98.6%)	214.7/248 = 86.6% (75.4%, 93.1%)
Age < 65 At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	40	76.3/2454 = 3.1% (0.4%, 20.6%)	76.3/2454 = 3.1% (0.4%, 20.6%)	0/2454 = 0.0% (0.0%, 0.0%)
Age < 65 At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	75	186.7/226 = 82.6% (72.4%, 89.6%)	190.1/226 = 84.1% (74.2%, 90.7%)	160.7/226 = 71.1% (59.8%, 80.2%)
Age < 65 At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	214	2219.9/2279 = 97.4% (93.8%, 98.9%)	2219.9/2279 = 97.4% (93.8%, 98.9%)	2181.6/2279 = 95.7% (91.6%, 97.9%)
Age < 65 At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	73	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)	248/248 = 100.0% (100.0%, 100.0%)
Age < 65 At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	40	43.1/2454 = 1.8% (0.2%, 12.3%)	43.1/2454 = 1.8% (0.2%, 12.3%)	0/2454 = 0.0% (0.0%, 0.0%)
Age < 65 At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	75	217.6/226 = 96.3% (88.7%, 98.9%)	217.6/226 = 96.3% (88.7%, 98.9%)	211.8/226 = 93.7% (85.3%, 97.4%)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	218	7083.2/8239 = 86.0% (80.3%, 90.2%)	7129.8/8239 = 86.5% (81.0%, 90.7%)	6587.7/8239 = 80.0% (73.8%, 85.0%)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	73	866.1/897 = 96.6% (86.9%, 99.2%)	866.1/897 = 96.6% (86.9%, 99.2%)	795.6/897 = 88.7% (77.8%, 94.6%)
Age < 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	40	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Age < 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	72	709.6/872 = 81.4% (70.1%, 89.1%)	709.6/872 = 81.4% (70.1%, 89.1%)	522.1/872 = 59.9% (47.7%, 70.9%)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	218	8185.1/8239 = 99.3% (97.4%, 99.8%)	8185.1/8239 = 99.3% (97.4%, 99.8%)	8045.2/8239 = 97.6% (94.3%, 99.1%)
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	73	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)	897/897 = 100.0% (100.0%, 100.0%)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	40	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)	0/7780 = 0.0% (0.0%, 0.0%)
Age < 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	72	825.1/872 = 94.6% (86.0%, 98.1%)	825.1/872 = 94.6% (86.0%, 98.1%)	783.9/872 = 89.9% (79.8%, 95.2%)
Age ≥ 65 At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	255	1386.2/1457.6 = 95.1% (91.4%, 97.3%)	1393.5/1457.6 = 95.6% (92.0%, 97.6%)	1305.7/1457.6 = 89.6% (85.0%, 92.9%)
Age ≥ 65 At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	52	118.2/120.8 = 97.8% (85.6%, 99.7%)	118.2/120.8 = 97.8% (85.6%, 99.7%)	118.2/120.8 = 97.8% (85.6%, 99.7%)
Age ≥ 65 At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	44	73.2/1642.4 = 4.5% (1.0%, 17.4%)	73.2/1642.4 = 4.5% (1.0%, 17.4%)	0/1642.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	48	97.8/105.2 = 92.9% (79.8%, 97.8%)	97.8/105.2 = 92.9% (79.8%, 97.8%)	87.9/105.2 = 83.5% (68.9%, 92.0%)
Age ≥ 65 At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	255	1434.9/1457.6 = 98.4% (95.7%, 99.4%)	1434.9/1457.6 = 98.4% (95.7%, 99.4%)	1416.2/1457.6 = 97.2% (94.0%, 98.7%)
Age ≥ 65 At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	52	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)	120.8/120.8 = 100.0% (100.0%, 100.0%)
Age ≥ 65 At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	44	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)	0/1642.4 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Age ≥ 65 At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	48	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)	105.2/105.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	227	1296.7/1319.4 = 98.3% (95.3%, 99.4%)	1296.7/1319.4 = 98.3% (95.3%, 99.4%)	1247.9/1319.4 = 94.6% (90.5%, 97.0%)
Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	76	161.9/166.2 = 97.4% (89.7%, 99.4%)	161.9/166.2 = 97.4% (89.7%, 99.4%)	159.3/166.2 = 95.8% (87.4%, 98.7%)
Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	39	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)	0/1482.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	75	145.7/153.8 = 94.7% (86.3%, 98.1%)	145.7/153.8 = 94.7% (86.3%, 98.1%)	135.4/153.8 = 88.1% (78.7%, 93.7%)
Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	227	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1319.4/1319.4 = 100.0% (100.0%, 100.0%)	1312/1319.4 = 99.4% (96.1%, 99.9%)
Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	76	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)	166.2/166.2 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	39	88.8/1482.6 = 6.0% (1.4%, 21.9%)	88.8/1482.6 = 6.0% (1.4%, 21.9%)	0/1482.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	75	153.8/153.8 = 100.0% (100.0%, 100.0%)	153.8/153.8 = 100.0% (100.0%, 100.0%)	152.2/153.8 = 99.0% (92.9%, 99.9%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4e. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Sex

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Sex</b>								
Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	395	4737.9/5298.6 = 89.4% (83.8%, 93.2%)	4745.3/5298.6 = 89.6% (84.0%, 93.4%)	4439.5/5298.6 = 83.8% (77.7%, 88.5%)
Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	121	557.7/564.7 = 98.8% (94.8%, 99.7%)	557.7/564.7 = 98.8% (94.8%, 99.7%)	522.3/564.7 = 92.5% (83.4%, 96.8%)
Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	76	105.1/4771.7 = 2.2% (0.5%, 9.9%)	105.1/4771.7 = 2.2% (0.5%, 9.9%)	0/4771.7 = 0.0% (0.0%, 0.0%)
Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	115	433.2/529.2 = 81.9% (69.4%, 90.0%)	433.2/529.2 = 81.9% (69.4%, 90.0%)	328.3/529.2 = 62.0% (49.3%, 73.3%)
Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	395	5254.4/5298.6 = 99.2% (97.9%, 99.7%)	5254.4/5298.6 = 99.2% (97.9%, 99.7%)	5101.6/5298.6 = 96.3% (91.7%, 98.4%)
Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	121	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)	564.7/564.7 = 100.0% (100.0%, 100.0%)
Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	76	44.4/4771.7 = 0.9% (0.1%, 6.6%)	44.4/4771.7 = 0.9% (0.1%, 6.6%)	0/4771.7 = 0.0% (0.0%, 0.0%)
Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	115	517/529.2 = 97.7% (89.0%, 99.6%)	517/529.2 = 97.7% (89.0%, 99.6%)	483.7/529.2 = 91.4% (79.5%, 96.7%)
Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	519	6995.2/7996.4 = 87.5% (82.6%, 91.1%)	7041.9/7996.4 = 88.1% (83.3%, 91.6%)	6431.3/7996.4 = 80.4% (75.1%, 84.8%)
Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	153	825.4/867.3 = 95.2% (86.8%, 98.3%)	825.4/867.3 = 95.2% (86.8%, 98.3%)	765.4/867.3 = 88.3% (78.1%, 94.1%)
Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	87	44.4/8587.3 = 0.5% (0.1%, 3.7%)	44.4/8587.3 = 0.5% (0.1%, 3.7%)	0/8587.3 = 0.0% (0.0%, 0.0%)
Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	155	706.6/827.8 = 85.4% (75.6%, 91.7%)	710/827.8 = 85.8% (76.0%, 92.0%)	577.7/827.8 = 69.8% (58.8%, 78.9%)
Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	519	7905/7996.4 = 98.9% (97.2%, 99.5%)	7905/7996.4 = 98.9% (97.2%, 99.5%)	7853.4/7996.4 = 98.2% (96.5%, 99.1%)
Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	153	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)	867.3/867.3 = 100.0% (100.0%, 100.0%)
Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	87	87.5/8587.3 = 1.0% (0.2%, 4.1%)	87.5/8587.3 = 1.0% (0.2%, 4.1%)	0/8587.3 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	155	784.7/827.8 = 94.8% (86.5%, 98.1%)	784.7/827.8 = 94.8% (86.5%, 98.1%)	769.4/827.8 = 93.0% (84.1%, 97.1%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4f. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Age, sex

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Age, sex</b>								
Age < 65 Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	269	5560.6/6524.4 = 85.2% (79.3%, 89.7%)	5607.3/6524.4 = 85.9% (80.1%, 90.3%)	5076.7/6524.4 = 77.8% (71.3%, 83.2%)
Age < 65 Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	79	664.2/701.8 = 94.6% (83.8%, 98.4%)	664.2/701.8 = 94.6% (83.8%, 98.4%)	606.9/701.8 = 86.5% (73.9%, 93.5%)
Age < 65 Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	52	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)	0/7188.8 = 0.0% (0.0%, 0.0%)
Age < 65 Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	83	561/673.1 = 83.3% (71.3%, 91.0%)	564.4/673.1 = 83.8% (71.8%, 91.4%)	437.7/673.1 = 65.0% (51.9%, 76.2%)
Age < 65 Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	269	6437/6524.4 = 98.7% (96.5%, 99.5%)	6437/6524.4 = 98.7% (96.5%, 99.5%)	6411.4/6524.4 = 98.3% (96.2%, 99.2%)
Age < 65 Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	79	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)	701.8/701.8 = 100.0% (100.0%, 100.0%)
Age < 65 Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	52	43.1/7188.8 = 0.6% (0.1%, 4.4%)	43.1/7188.8 = 0.6% (0.1%, 4.4%)	0/7188.8 = 0.0% (0.0%, 0.0%)
Age < 65 Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	83	630.1/673.1 = 93.6% (83.4%, 97.7%)	630.1/673.1 = 93.6% (83.4%, 97.7%)	616.4/673.1 = 91.6% (80.6%, 96.6%)
Age < 65 Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	163	3489.6/3993.6 = 87.4% (79.9%, 92.3%)	3489.6/3993.6 = 87.4% (79.9%, 92.3%)	3240.5/3993.6 = 81.1% (73.1%, 87.2%)
Age < 65 Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	67	438.8/443.2 = 99.0% (93.0%, 99.9%)	438.8/443.2 = 99.0% (93.0%, 99.9%)	403.4/443.2 = 91.0% (79.4%, 96.4%)
Age < 65 Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	28	76.3/3045.2 = 2.5% (0.3%, 17.7%)	76.3/3045.2 = 2.5% (0.3%, 17.7%)	0/3045.2 = 0.0% (0.0%, 0.0%)
Age < 65 Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	64	335.3/424.9 = 78.9% (63.7%, 88.9%)	335.3/424.9 = 78.9% (63.7%, 88.9%)	245/424.9 = 57.7% (42.4%, 71.6%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Age < 65 Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	163	3968.1/3993.6 = 99.4% (97.4%, 99.8%)	3968.1/3993.6 = 99.4% (97.4%, 99.8%)	3815.3/3993.6 = 95.5% (89.3%, 98.2%)
Age < 65 Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	67	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)	443.2/443.2 = 100.0% (100.0%, 100.0%)
Age < 65 Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	28	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)	0/3045.2 = 0.0% (0.0%, 0.0%)
Age < 65 Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	64	412.7/424.9 = 97.1% (86.3%, 99.5%)	412.7/424.9 = 97.1% (86.3%, 99.5%)	379.3/424.9 = 89.3% (74.7%, 95.9%)
Age ≥ 65 Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	232	1248.3/1305 = 95.7% (91.9%, 97.7%)	1255.7/1305 = 96.2% (92.7%, 98.1%)	1199/1305 = 91.9% (87.3%, 94.9%)
Age ≥ 65 Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	54	118.9/121.5 = 97.9% (85.7%, 99.7%)	118.9/121.5 = 97.9% (85.7%, 99.7%)	118.9/121.5 = 97.9% (85.7%, 99.7%)
Age ≥ 65 Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	48	28.8/1726.6 = 1.7% (0.2%, 11.6%)	28.8/1726.6 = 1.7% (0.2%, 11.6%)	0/1726.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	51	97.9/104.4 = 93.8% (81.5%, 98.1%)	97.9/104.4 = 93.8% (81.5%, 98.1%)	83.3/104.4 = 79.8% (65.6%, 89.1%)
Age ≥ 65 Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	232	1286.3/1305 = 98.6% (95.5%, 99.6%)	1286.3/1305 = 98.6% (95.5%, 99.6%)	1286.3/1305 = 98.6% (95.5%, 99.6%)
Age ≥ 65 Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	54	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)	121.5/121.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	48	44.4/1726.6 = 2.6% (0.3%, 17.0%)	44.4/1726.6 = 2.6% (0.3%, 17.0%)	0/1726.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	51	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)	104.4/104.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	250	1434.6/1472 = 97.5% (94.3%, 98.9%)	1434.6/1472 = 97.5% (94.3%, 98.9%)	1354.6/1472 = 92.0% (87.8%, 94.9%)
Age ≥ 65 Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	74	161.2/165.5 = 97.4% (89.6%, 99.4%)	161.2/165.5 = 97.4% (89.6%, 99.4%)	158.6/165.5 = 95.8% (87.4%, 98.7%)
Age ≥ 65 Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	35	44.4/1398.4 = 3.2% (0.4%, 20.9%)	44.4/1398.4 = 3.2% (0.4%, 20.9%)	0/1398.4 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Age ≥ 65 Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	72	145.6/154.6 = 94.2% (85.0%, 97.9%)	145.6/154.6 = 94.2% (85.0%, 97.9%)	140/154.6 = 90.6% (80.9%, 95.6%)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	250	1468/1472 = 99.7% (98.1%, 100.0%)	1468/1472 = 99.7% (98.1%, 100.0%)	1441.9/1472 = 98.0% (95.0%, 99.2%)
Age ≥ 65 Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	74	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)	165.5/165.5 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	35	44.4/1398.4 = 3.2% (0.4%, 20.9%)	44.4/1398.4 = 3.2% (0.4%, 20.9%)	0/1398.4 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	72	154.6/154.6 = 100.0% (100.0%, 100.0%)	154.6/154.6 = 100.0% (100.0%, 100.0%)	153.1/154.6 = 99.0% (92.9%, 99.9%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4g. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Hispanic or Latino ethnicity

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Hispanic or Latino ethnicity</b>								
Hispanic or Latino	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	136	1226.3/1363.4 = 89.9% (81.7%, 94.7%)	1226.3/1363.4 = 89.9% (81.7%, 94.7%)	1109.8/1363.4 = 81.4% (71.0%, 88.7%)
Hispanic or Latino	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	35	144/145.7 = 98.8% (91.3%, 99.9%)	144/145.7 = 98.8% (91.3%, 99.9%)	141.7/145.7 = 97.2% (88.6%, 99.4%)
Hispanic or Latino	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	20	28.8/1237.6 = 2.3% (0.3%, 17.5%)	28.8/1237.6 = 2.3% (0.3%, 17.5%)	0/1237.6 = 0.0% (0.0%, 0.0%)
Hispanic or Latino	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	38	125.7/133.7 = 94.0% (83.5%, 98.0%)	125.7/133.7 = 94.0% (83.5%, 98.0%)	90/133.7 = 67.3% (43.2%, 84.8%)
Hispanic or Latino	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	136	1328.6/1363.4 = 97.4% (88.6%, 99.5%)	1328.6/1363.4 = 97.4% (88.6%, 99.5%)	1328.6/1363.4 = 97.4% (88.6%, 99.5%)
Hispanic or Latino	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	35	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)	145.7/145.7 = 100.0% (100.0%, 100.0%)
Hispanic or Latino	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	20	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)	0/1237.6 = 0.0% (0.0%, 0.0%)
Hispanic or Latino	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	38	133.7/133.7 = 100.0% (100.0%, 100.0%)	133.7/133.7 = 100.0% (100.0%, 100.0%)	129.7/133.7 = 97.0% (87.4%, 99.3%)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	690	9218.1/10481.2 = 87.9% (83.8%, 91.2%)	9272.1/10481.2 = 88.5% (84.4%, 91.6%)	8529.4/10481.2 = 81.4% (76.8%, 85.2%)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	217	1119.5/1162.3 = 96.3% (90.0%, 98.7%)	1119.5/1162.3 = 96.3% (90.0%, 98.7%)	1030.9/1162.3 = 88.7% (80.6%, 93.7%)
Not Hispanic or Latino	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	130	120.7/10828.8 = 1.1% (0.3%, 4.6%)	120.7/10828.8 = 1.1% (0.3%, 4.6%)	0/10828.8 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Not Hispanic or Latino	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	214	941.9/1121.8 = 84.0% (75.7%, 89.8%)	945.4/1121.8 = 84.3% (76.0%, 90.1%)	743.9/1121.8 = 66.3% (57.1%, 74.4%)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	690	10380.4/10481.2 = 99.0% (97.9%, 99.6%)	10380.4/10481.2 = 99.0% (97.9%, 99.6%)	10269.3/10481.2 = 98.0% (96.3%, 98.9%)
Not Hispanic or Latino	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	217	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)	1162.3/1162.3 = 100.0% (100.0%, 100.0%)
Not Hispanic or Latino	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	130	87.5/10828.8 = 0.8% (0.2%, 3.2%)	87.5/10828.8 = 0.8% (0.2%, 3.2%)	0/10828.8 = 0.0% (0.0%, 0.0%)
Not Hispanic or Latino	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	214	1076.3/1121.8 = 95.9% (89.8%, 98.5%)	1076.3/1121.8 = 95.9% (89.8%, 98.5%)	1048.8/1121.8 = 93.5% (86.3%, 97.0%)
Not reported and unknown	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	88	1288.7/1450.4 = 88.9% (75.1%, 95.5%)	1288.7/1450.4 = 88.9% (75.1%, 95.5%)	1231.7/1450.4 = 84.9% (72.0%, 92.5%)
Not reported and unknown	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	22	119.6/124 = 96.5% (75.1%, 99.6%)	119.6/124 = 96.5% (75.1%, 99.6%)	115.2/124 = 92.9% (72.6%, 98.5%)
Not reported and unknown	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	13	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)	0/1292.7 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	18	72.2/101.5 = 71.1% (35.4%, 91.7%)	72.2/101.5 = 71.1% (35.4%, 91.7%)	72.2/101.5 = 71.1% (35.4%, 91.7%)
Not reported and unknown	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	88	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1450.4/1450.4 = 100.0% (100.0%, 100.0%)	1357.1/1450.4 = 93.6% (77.5%, 98.4%)
Not reported and unknown	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	22	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)	124/124 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	13	44.4/1292.7 = 3.4% (0.3%, 29.2%)	44.4/1292.7 = 3.4% (0.3%, 29.2%)	0/1292.7 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Not reported and unknown	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	18	91.8/101.5 = 90.4% (49.6%, 98.9%)	91.8/101.5 = 90.4% (49.6%, 98.9%)	74.6/101.5 = 73.5% (36.4%, 93.1%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4h. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Race

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Race</b>								
White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	362	5915.2/6597 = 89.7% (84.2%, 93.4%)	5922.6/6597 = 89.8% (84.3%, 93.5%)	5515.3/6597 = 83.6% (77.6%, 88.3%)
White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	125	733.3/773.8 = 94.8% (85.2%, 98.3%)	733.3/773.8 = 94.8% (85.2%, 98.3%)	671.1/773.8 = 86.7% (75.7%, 93.2%)
White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	67	44.4/6586.8 = 0.7% (0.1%, 4.8%)	44.4/6586.8 = 0.7% (0.1%, 4.8%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	121	546.7/666.4 = 82.0% (70.0%, 89.9%)	550.2/666.4 = 82.6% (70.5%, 90.4%)	458.9/666.4 = 68.9% (56.3%, 79.1%)
White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	362	6531.1/6597 = 99.0% (97.8%, 99.6%)	6531.1/6597 = 99.0% (97.8%, 99.6%)	6436.8/6597 = 97.6% (95.1%, 98.8%)
White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	121	652.7/666.4 = 97.9% (86.4%, 99.7%)	652.7/666.4 = 97.9% (86.4%, 99.7%)	625.2/666.4 = 93.8% (82.4%, 98.0%)
Black or African American	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	195	1743.5/2012.2 = 86.6% (78.6%, 92.0%)	1743.5/2012.2 = 86.6% (78.6%, 92.0%)	1549.3/2012.2 = 77.0% (67.8%, 84.2%)
Black or African American	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	52	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)	187/195.6 = 95.6% (73.3%, 99.4%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Black or African American	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	39	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)	0/2311.6 = 0.0% (0.0%, 0.0%)
Black or African American	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	60	220.4/265.1 = 83.2% (66.9%, 92.4%)	220.4/265.1 = 83.2% (66.9%, 92.4%)	154/265.1 = 58.1% (40.9%, 73.6%)
Black or African American	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	195	1977.3/2012.2 = 98.3% (91.9%, 99.6%)	1977.3/2012.2 = 98.3% (91.9%, 99.6%)	1977.3/2012.2 = 98.3% (91.9%, 99.6%)
Black or African American	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	52	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)	195.6/195.6 = 100.0% (100.0%, 100.0%)
Black or African American	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	39	43.1/2311.6 = 1.9% (0.2%, 13.1%)	43.1/2311.6 = 1.9% (0.2%, 13.1%)	0/2311.6 = 0.0% (0.0%, 0.0%)
Black or African American	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	60	243.2/265.1 = 91.7% (74.4%, 97.7%)	243.2/265.1 = 91.7% (74.4%, 97.7%)	241.6/265.1 = 91.1% (74.4%, 97.3%)
Asian	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	67	653.8/673.6 = 97.1% (91.6%, 99.0%)	653.8/673.6 = 97.1% (91.6%, 99.0%)	630/673.6 = 93.5% (86.9%, 96.9%)
Asian	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	24	78.8/81.1 = 97.1% (79.8%, 99.7%)	78.8/81.1 = 97.1% (79.8%, 99.7%)	76.5/81.1 = 94.3% (77.6%, 98.8%)
Asian	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	12	28.8/609.1 = 4.7% (0.4%, 35.8%)	28.8/609.1 = 4.7% (0.4%, 35.8%)	0/609.1 = 0.0% (0.0%, 0.0%)
Asian	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	13	45.9/48.4 = 94.9% (63.1%, 99.5%)	45.9/48.4 = 94.9% (63.1%, 99.5%)	31.3/48.4 = 64.6% (24.2%, 91.3%)
Asian	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	67	669.7/673.6 = 99.4% (95.7%, 99.9%)	669.7/673.6 = 99.4% (95.7%, 99.9%)	665.7/673.6 = 98.8% (95.2%, 99.7%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Asian	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	24	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)	81.1/81.1 = 100.0% (100.0%, 100.0%)
Asian	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	12	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)	0/609.1 = 0.0% (0.0%, 0.0%)
Asian	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	13	45.9/48.4 = 94.9% (63.1%, 99.5%)	45.9/48.4 = 94.9% (63.1%, 99.5%)	45.9/48.4 = 94.9% (63.1%, 99.5%)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	13	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)	139.5/151.4 = 92.1% (64.2%, 98.7%)
American Indian or Alaska Native	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	6	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)
American Indian or Alaska Native	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	4	5.6/15.3 = 36.5%	5.6/15.3 = 36.5%	3.1/15.3 = 20.4%
American Indian or Alaska Native	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	13	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)	151.4/151.4 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	6	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)	31.1/31.1 = 100.0% (100.0%, 100.0%)
American Indian or Alaska Native	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)	0/247.2 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
American Indian or Alaska Native	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	4	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%	15.3/15.3 = 100.0%
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	17	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)	94.3/98.2 = 96.0% (71.1%, 99.6%)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	5	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	1	0/28.8 = 0.0%	0/28.8 = 0.0%	0/28.8 = 0.0%
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	1	0/2.5 = 0.0%	0/2.5 = 0.0%	0/2.5 = 0.0%
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	17	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)	98.2/98.2 = 100.0% (100.0%, 100.0%)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	5	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)	23/23 = 100.0% (100.0%, 100.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	1	0/28.8 = 0.0%	0/28.8 = 0.0%	0/28.8 = 0.0%
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	1	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%	2.5/2.5 = 100.0%
Multiracial	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	52	416.8/498.5 = 83.6% (63.2%, 93.8%)	416.8/498.5 = 83.6% (63.2%, 93.8%)	382/498.5 = 76.6% (55.8%, 89.5%)
Multiracial	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	12	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	8	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)
Multiracial	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	19	56.5/61.4 = 92.0% (68.9%, 98.3%)	56.5/61.4 = 92.0% (68.9%, 98.3%)	45.2/61.4 = 73.6% (36.7%, 93.1%)
Multiracial	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	52	494.5/498.5 = 99.2% (94.2%, 99.9%)	494.5/498.5 = 99.2% (94.2%, 99.9%)	494.5/498.5 = 99.2% (94.2%, 99.9%)
Multiracial	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	12	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)	56.4/56.4 = 100.0% (100.0%, 100.0%)
Multiracial	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	8	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)	0/554 = 0.0% (0.0%, 0.0%)
Multiracial	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	19	61.4/61.4 = 100.0% (100.0%, 100.0%)	61.4/61.4 = 100.0% (100.0%, 100.0%)	58.9/61.4 = 96.0% (72.0%, 99.6%)
Other	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	34	426.4/469.2 = 90.9% (69.6%, 97.7%)	426.4/469.2 = 90.9% (69.6%, 97.7%)	383.6/469.2 = 81.8% (59.8%, 93.1%)
Other	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	7	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)	11.5/13.8 = 83.2% (23.3%, 98.8%)
Other	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	4	0/232.6 = 0.0%	0/232.6 = 0.0%	0/232.6 = 0.0%
Other	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	5	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)	22.6/24.1 = 93.5% (25.8%, 99.8%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Other	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	34	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)	469.2/469.2 = 100.0% (100.0%, 100.0%)
Other	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	7	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)	13.8/13.8 = 100.0% (100.0%, 100.0%)
Other	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	4	0/232.6 = 0.0%	0/232.6 = 0.0%	0/232.6 = 0.0%
Other	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	5	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)	24.1/24.1 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	87	1107.8/1413.2 = 78.4% (61.7%, 89.1%)	1154.4/1413.2 = 81.7% (65.1%, 91.4%)	1014/1413.2 = 71.8% (55.4%, 83.8%)
Not reported and unknown	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	20	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)	139.5/155 = 90.0% (48.9%, 98.8%)
Not reported and unknown	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	14	76.3/1337.6 = 5.7% (0.6%, 38.7%)	76.3/1337.6 = 5.7% (0.6%, 38.7%)	0/1337.6 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	24	149.2/165.4 = 90.2% (57.9%, 98.4%)	149.2/165.4 = 90.2% (57.9%, 98.4%)	103.1/165.4 = 62.3% (34.4%, 83.9%)
Not reported and unknown	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	87	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1413.2/1413.2 = 100.0% (100.0%, 100.0%)	1400.5/1413.2 = 99.1% (93.6%, 99.9%)
Not reported and unknown	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	20	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)	155/155 = 100.0% (100.0%, 100.0%)
Not reported and unknown	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	14	44.4/1337.6 = 3.3% (0.3%, 26.2%)	44.4/1337.6 = 3.3% (0.3%, 26.2%)	0/1337.6 = 0.0% (0.0%, 0.0%)
Not reported and unknown	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	24	148.3/165.4 = 89.6% (58.1%, 98.2%)	148.3/165.4 = 89.6% (58.1%, 98.2%)	148.3/165.4 = 89.6% (58.1%, 98.2%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4i. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Underrepresented minority status

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Underrepresented minority status</b>								
Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	420	3833.3/4289 = 89.4% (84.6%, 92.8%)	3833.3/4289 = 89.4% (84.6%, 92.8%)	3490.9/4289 = 81.4% (75.8%, 86.0%)
Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	120	458/462 = 99.1% (96.5%, 99.8%)	458/462 = 99.1% (96.5%, 99.8%)	444.7/462 = 96.3% (89.1%, 98.8%)
Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	73	28.8/4319 = 0.7% (0.1%, 4.8%)	28.8/4319 = 0.7% (0.1%, 4.8%)	0/4319 = 0.0% (0.0%, 0.0%)
Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	111	374.8/439 = 85.4% (74.2%, 92.2%)	374.8/439 = 85.4% (74.2%, 92.2%)	276.8/439 = 63.1% (50.1%, 74.4%)
Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	420	4219.3/4289 = 98.4% (95.2%, 99.5%)	4219.3/4289 = 98.4% (95.2%, 99.5%)	4215.3/4289 = 98.3% (95.2%, 99.4%)
Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	120	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)	462/462 = 100.0% (100.0%, 100.0%)
Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	73	43.1/4319 = 1.0% (0.1%, 7.0%)	43.1/4319 = 1.0% (0.1%, 7.0%)	0/4319 = 0.0% (0.0%, 0.0%)
Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	111	414.6/439 = 94.4% (83.7%, 98.3%)	414.6/439 = 94.4% (83.7%, 98.3%)	410.6/439 = 93.5% (83.4%, 97.7%)
White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	362	5915.2/6597 = 89.7% (84.2%, 93.4%)	5922.6/6597 = 89.8% (84.3%, 93.5%)	5515.3/6597 = 83.6% (77.6%, 88.3%)
White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	125	733.3/773.8 = 94.8% (85.2%, 98.3%)	733.3/773.8 = 94.8% (85.2%, 98.3%)	671.1/773.8 = 86.7% (75.7%, 93.2%)
White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	67	44.4/6586.8 = 0.7% (0.1%, 4.8%)	44.4/6586.8 = 0.7% (0.1%, 4.8%)	0/6586.8 = 0.0% (0.0%, 0.0%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	121	546.7/666.4 = 82.0% (70.0%, 89.9%)	550.2/666.4 = 82.6% (70.5%, 90.4%)	458.9/666.4 = 68.9% (56.3%, 79.1%)
White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	362	6531.1/6597 = 99.0% (97.8%, 99.6%)	6531.1/6597 = 99.0% (97.8%, 99.6%)	6436.8/6597 = 97.6% (95.1%, 98.8%)
White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	125	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)	773.8/773.8 = 100.0% (100.0%, 100.0%)
White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	67	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)	0/6586.8 = 0.0% (0.0%, 0.0%)
White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	121	652.7/666.4 = 97.9% (86.4%, 99.7%)	652.7/666.4 = 97.9% (86.4%, 99.7%)	625.2/666.4 = 93.8% (82.4%, 98.0%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 4j. Percentage of responders, and participants participants with 2-fold rise, and participants with 4-fold rise for ID50 pseudo-virus neutralization antibody markers by Age, Underrepresented minority status

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
<b>Age, Underrepresented minority status</b>								
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	192	2958/3386 = 87.4% (81.4%, 91.6%)	2958/3386 = 87.4% (81.4%, 91.6%)	2671.1/3386 = 78.9% (71.8%, 84.6%)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	69	372.7/375 = 99.4% (95.6%, 99.9%)	372.7/375 = 99.4% (95.6%, 99.9%)	359.4/375 = 95.8% (86.7%, 98.8%)
Age < 65 Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	37	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)	0/3281 = 0.0% (0.0%, 0.0%)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	61	299.9/361 = 83.1% (69.5%, 91.3%)	299.9/361 = 83.1% (69.5%, 91.3%)	209.7/361 = 58.1% (42.8%, 72.0%)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	192	3324.2/3386 = 98.2% (93.9%, 99.5%)	3324.2/3386 = 98.2% (93.9%, 99.5%)	3324.2/3386 = 98.2% (93.9%, 99.5%)
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	69	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)	375/375 = 100.0% (100.0%, 100.0%)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	37	43.1/3281 = 1.3% (0.2%, 9.4%)	43.1/3281 = 1.3% (0.2%, 9.4%)	0/3281 = 0.0% (0.0%, 0.0%)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	61	336.6/361 = 93.2% (80.2%, 97.9%)	336.6/361 = 93.2% (80.2%, 97.9%)	334.1/361 = 92.6% (80.0%, 97.5%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	175	4601.9/5217.3 = 88.2% (81.3%, 92.8%)	4601.9/5217.3 = 88.2% (81.3%, 92.8%)	4253.6/5217.3 = 81.5% (73.9%, 87.3%)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	59	567/602.4 = 94.1% (81.2%, 98.4%)	567/602.4 = 94.1% (81.2%, 98.4%)	507.5/602.4 = 84.2% (70.0%, 92.5%)
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	31	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	61	407.9/517.6 = 78.8% (63.5%, 88.8%)	411.3/517.6 = 79.5% (64.1%, 89.4%)	332.4/517.6 = 64.2% (48.6%, 77.3%)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	175	5166.2/5217.3 = 99.0% (97.4%, 99.6%)	5166.2/5217.3 = 99.0% (97.4%, 99.6%)	5094/5217.3 = 97.6% (94.3%, 99.0%)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	59	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)	602.4/602.4 = 100.0% (100.0%, 100.0%)
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	31	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)	0/4988.2 = 0.0% (0.0%, 0.0%)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	61	503.9/517.6 = 97.3% (82.6%, 99.6%)	503.9/517.6 = 97.3% (82.6%, 99.6%)	476.4/517.6 = 92.0% (77.6%, 97.5%)
Age ≥ 65 Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	228	875.3/903 = 96.9% (93.7%, 98.5%)	875.3/903 = 96.9% (93.7%, 98.5%)	819.8/903 = 90.8% (86.2%, 93.9%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Age ≥ 65 Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	51	85.3/87 = 98.0% (86.7%, 99.7%)	85.3/87 = 98.0% (86.7%, 99.7%)	85.3/87 = 98.0% (86.7%, 99.7%)
Age ≥ 65 Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	36	28.8/1038 = 2.8% (0.4%, 18.7%)	28.8/1038 = 2.8% (0.4%, 18.7%)	0/1038 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	50	74.9/78 = 96.0% (84.8%, 99.0%)	74.9/78 = 96.0% (84.8%, 99.0%)	67.1/78 = 86.0% (73.0%, 93.3%)
Age ≥ 65 Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	228	895.1/903 = 99.1% (96.5%, 99.8%)	895.1/903 = 99.1% (96.5%, 99.8%)	891.1/903 = 98.7% (96.0%, 99.6%)
Age ≥ 65 Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	51	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)	87/87 = 100.0% (100.0%, 100.0%)
Age ≥ 65 Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	36	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)	0/1038 = 0.0% (0.0%, 0.0%)
Age ≥ 65 Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	50	78/78 = 100.0% (100.0%, 100.0%)	78/78 = 100.0% (100.0%, 100.0%)	76.4/78 = 98.0% (86.5%, 99.7%)
Age ≥ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	187	1313.3/1379.7 = 95.2% (91.0%, 97.5%)	1320.7/1379.7 = 95.7% (91.6%, 97.9%)	1261.6/1379.7 = 91.4% (86.4%, 94.7%)
Age ≥ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	66	166.2/171.4 = 97.0% (88.3%, 99.3%)	166.2/171.4 = 97.0% (88.3%, 99.3%)	163.6/171.4 = 95.5% (86.5%, 98.6%)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Responder	% 2-Fold Rise	% 4-Fold Rise
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	36	44.4/1598.6 = 2.8% (0.4%, 18.6%)	44.4/1598.6 = 2.8% (0.4%, 18.6%)	0/1598.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	60	138.8/148.8 = 93.3% (83.2%, 97.5%)	138.8/148.8 = 93.3% (83.2%, 97.5%)	126.5/148.8 = 85.0% (73.3%, 92.1%)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	187	1364.9/1379.7 = 98.9% (95.8%, 99.7%)	1364.9/1379.7 = 98.9% (95.8%, 99.7%)	1342.8/1379.7 = 97.3% (93.7%, 98.9%)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	66	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)	171.4/171.4 = 100.0% (100.0%, 100.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	36	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)	0/1598.6 = 0.0% (0.0%, 0.0%)
Age ≥ 65 White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	60	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)	148.8/148.8 = 100.0% (100.0%, 100.0%)

Neutralization Responders are defined as participants who had baseline values below the lower limit of detection (LLOD) with detectable ID50 neutralization titer above the assay LLOD, or as participants with baseline values above the LLOD with a 4-fold increase in ID50.

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 5a. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by All participants

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>All participants</b>						
	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	914	10 (10, 10)
	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	914	10 (10, 10)
	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	914	10 (10, 10)
	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	914	5 (5, 5)
	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	914	5 (5, 5)
	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	274	10 (10, 10)
	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	274	10 (10, 10)
	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	274	10 (10, 10)
	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	274	5 (5, 5)
	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	274	5 (5, 5)
	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	163	10 (10, 10)
	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	163	10 (10, 11)
	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	163	10 (10, 10)
	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	163	5 (5, 5)
	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	163	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	270	10 (10, 10)
	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	270	10 (10, 10)
	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	270	10 (10, 10)
	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	270	5 (5, 5)
	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	270	5 (5, 5)
	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	914	23543 (19941, 27795)
	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	914	22926 (19858, 26468)
	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	914	40963 (36728, 45687)
	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	914	104 (89, 122)
	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	914	163 (141, 188)
	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	274	43010 (33085, 55913)
	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	274	36133 (28098, 46466)
	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	274	79981 (64904, 98560)
	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	274	179 (138, 231)
	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	274	302 (241, 378)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	163	10 (10, 10)
	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	163	10 (10, 10)
	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	163	10 (10, 10)
	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	163	5 (5, 5)
	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	163	5 (5, 5)
	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	270	12518 (9448, 16584)
	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	270	12861 (10130, 16328)
	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	270	18191 (15115, 21892)
	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	270	51 (40, 66)
	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	270	116 (91, 149)
	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	914	325136 (267198, 395636)
	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	914	966160 (823231, 1133905)
	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	914	2087965 (1830649, 2381449)
	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	914	910 (784, 1056)
	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	914	659 (591, 735)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	274	980579 (696907, 1379717)
	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	274	2298869 (1782123, 2965450)
	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	274	5346334 (4334333, 6594622)
	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	274	1930 (1566, 2378)
	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	274	1008 (894, 1136)
	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	163	10 (10, 10)
	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	163	10 (10, 10)
	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	163	10 (10, 10)
	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	163	5 (5, 5)
	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	163	5 (5, 5)
	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	270	130008 (92473, 182781)
	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	270	382614 (298961, 489673)
	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	270	676872 (530026, 864403)
	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	270	465 (344, 628)
	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	270	528 (429, 651)

Table 5b. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Age

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Age</b>						
Age < 65	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	432	10 (10, 10)
Age < 65	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	432	10 (10, 10)
Age < 65	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	432	10 (10, 10)
Age < 65	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	432	5 (5, 5)
Age < 65	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	432	5 (5, 5)
Age < 65	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	146	10 (10, 10)
Age < 65	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	146	10 (10, 10)
Age < 65	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	146	10 (10, 10)
Age < 65	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	146	5 (5, 5)
Age < 65	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	146	5 (5, 5)
Age < 65	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	80	10 (10, 11)
Age < 65	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	80	10 (10, 11)
Age < 65	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	80	10 (10, 10)
Age < 65	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	80	5 (5, 5)
Age < 65	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	80	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	147	10 (10, 10)
Age < 65	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	147	10 (10, 10)
Age < 65	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	147	10 (10, 10)
Age < 65	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	147	5 (5, 5)
Age < 65	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	147	5 (5, 5)
Age < 65	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	432	18416 (15002, 22607)
Age < 65	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	432	17393 (14565, 20769)
Age < 65	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	432	31397 (27475, 35879)
Age < 65	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	432	84 (69, 101)
Age < 65	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	432	139 (117, 167)
Age < 65	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	146	32567 (23739, 44678)
Age < 65	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	146	24939 (18392, 33816)
Age < 65	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	146	59400 (46127, 76492)
Age < 65	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	146	141 (103, 192)
Age < 65	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	146	257 (195, 338)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	80	10 (10, 10)
Age < 65	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	80	10 (10, 10)
Age < 65	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	80	10 (10, 10)
Age < 65	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	80	5 (5, 5)
Age < 65	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	80	5 (5, 5)
Age < 65	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	147	9820 (7013, 13750)
Age < 65	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	147	9737 (7317, 12958)
Age < 65	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	147	13380 (10754, 16647)
Age < 65	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	147	39 (29, 53)
Age < 65	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	147	98 (72, 133)
Age < 65	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	432	253319 (198852, 322705)
Age < 65	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	432	737116 (604472, 898869)
Age < 65	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	432	1643373 (1397174, 1932956)
Age < 65	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	432	771 (641, 927)
Age < 65	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	432	598 (522, 685)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	146	739998 (487371, 1123572)
Age < 65	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	146	1708031 (1250174, 2333572)
Age < 65	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	146	4266733 (3292896, 5528570)
Age < 65	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	146	1667 (1287, 2159)
Age < 65	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	146	973 (838, 1130)
Age < 65	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	80	10 (10, 10)
Age < 65	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	80	10 (10, 10)
Age < 65	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	80	10 (10, 10)
Age < 65	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	80	5 (5, 5)
Age < 65	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	80	5 (5, 5)
Age < 65	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	147	93772 (62214, 141339)
Age < 65	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	147	270061 (201198, 362494)
Age < 65	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	147	484596 (361249, 650060)
Age < 65	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	147	358 (249, 516)
Age < 65	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	147	469 (364, 605)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	482	10 (10, 10)
Age $\geq$ 65	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	482	10 (10, 10)
Age $\geq$ 65	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	482	10 (10, 10)
Age $\geq$ 65	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	482	5 (5, 5)
Age $\geq$ 65	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	482	5 (5, 5)
Age $\geq$ 65	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	128	10 (10, 10)
Age $\geq$ 65	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	128	10 (10, 10)
Age $\geq$ 65	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	128	10 (10, 10)
Age $\geq$ 65	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	128	5 (5, 5)
Age $\geq$ 65	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	128	5 (5, 5)
Age $\geq$ 65	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	83	5 (5, 5)
Age $\geq$ 65	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	83	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	123	10 (10, 10)
Age $\geq$ 65	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	123	10 (10, 10)
Age $\geq$ 65	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	123	10 (10, 10)
Age $\geq$ 65	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	123	5 (5, 5)
Age $\geq$ 65	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	123	5 (5, 5)
Age $\geq$ 65	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	482	59687 (50611, 70391)
Age $\geq$ 65	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	482	65260 (56737, 75065)
Age $\geq$ 65	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	482	112166 (98906, 127204)
Age $\geq$ 65	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	482	243 (207, 285)
Age $\geq$ 65	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	482	291 (255, 333)
Age $\geq$ 65	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	128	130450 (94795, 179517)
Age $\geq$ 65	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	128	158619 (123584, 203585)
Age $\geq$ 65	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	128	262073 (212134, 323767)
Age $\geq$ 65	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	128	468 (345, 634)
Age $\geq$ 65	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	128	578 (473, 707)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	83	5 (5, 5)
Age $\geq$ 65	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	83	5 (5, 5)
Age $\geq$ 65	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	123	35028 (24909, 49257)
Age $\geq$ 65	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	123	41836 (32039, 54629)
Age $\geq$ 65	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	123	66891 (53129, 84219)
Age $\geq$ 65	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	123	153 (111, 211)
Age $\geq$ 65	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	123	240 (186, 309)
Age $\geq$ 65	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	482	836805 (684312, 1023281)
Age $\geq$ 65	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	482	2692372 (2329251, 3112103)
Age $\geq$ 65	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	482	5171042 (4536295, 5894606)
Age $\geq$ 65	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	482	1700 (1485, 1946)
Age $\geq$ 65	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	482	951 (889, 1017)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	128	3014476 (2176245, 4175569)
Age $\geq$ 65	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	128	7520373 (6150499, 9195352)
Age $\geq$ 65	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	128	13148461 (11664499, 14821213)
Age $\geq$ 65	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	128	3465 (3066, 3916)
Age $\geq$ 65	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	128	1157 (1082, 1237)
Age $\geq$ 65	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	83	10 (10, 10)
Age $\geq$ 65	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	83	5 (5, 5)
Age $\geq$ 65	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	83	5 (5, 5)
Age $\geq$ 65	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	123	519433 (364460, 740302)
Age $\geq$ 65	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	123	1675605 (1277411, 2197922)
Age $\geq$ 65	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	123	2790960 (2211288, 3522590)
Age $\geq$ 65	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	123	1406 (1101, 1795)
Age $\geq$ 65	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	123	872 (749, 1016)

Table 5c. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Risk for Severe Covid-19

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Risk for Severe Covid-19</b>						
At-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	469	10 (10, 10)
At-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	469	10 (10, 10)
At-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	469	10 (10, 10)
At-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	469	5 (5, 5)
At-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	469	5 (5, 5)
At-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)
At-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)
At-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)
At-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)
At-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)
At-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	84	10 (10, 10)
At-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	84	10 (10, 10)
At-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	84	10 (10, 11)
At-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	84	5 (5, 5)
At-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	84	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
At-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	123	10 (10, 10)
At-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	123	10 (10, 10)
At-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	123	10 (10, 10)
At-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	123	5 (5, 5)
At-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	123	5 (5, 5)
At-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	469	23746 (19890, 28348)
At-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	469	26276 (22549, 30618)
At-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	469	45842 (39981, 52561)
At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	469	101 (86, 119)
At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	469	184 (157, 215)
At-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	125	55180 (40058, 76009)
At-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	55528 (42705, 72202)
At-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	103862 (81118, 132982)
At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	125	215 (157, 294)
At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	125	320 (246, 417)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
At-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	84	10 (10, 10)
At-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	84	10 (10, 10)
At-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	84	10 (10, 10)
At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	84	5 (5, 5)
At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	84	5 (5, 5)
At-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	123	16553 (12110, 22625)
At-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	123	16713 (12461, 22416)
At-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	123	26705 (20898, 34126)
At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	123	69 (51, 93)
At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	123	158 (120, 209)
At-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	469	335374 (269738, 416981)
At-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	469	1142597 (960017, 1359902)
At-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	469	2144439 (1837643, 2502456)
At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	469	998 (842, 1182)
At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	469	777 (706, 855)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
At-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	125	1327591 (930289, 1894571)
At-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	2930270 (2189955, 3920848)
At-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	6396516 (5170277, 7913583)
At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	125	2243 (1781, 2825)
At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	125	1098 (986, 1224)
At-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	84	10 (10, 10)
At-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	84	10 (10, 10)
At-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	84	10 (10, 10)
At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	84	5 (5, 5)
At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	84	5 (5, 5)
At-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	123	197242 (136637, 284729)
At-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	123	663561 (486704, 904683)
At-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	123	1012116 (777775, 1317064)
At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	123	701 (510, 963)
At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	123	657 (526, 822)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not at-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	445	10 (10, 10)
Not at-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	445	10 (10, 10)
Not at-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	445	10 (10, 10)
Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	445	5 (5, 5)
Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	445	5 (5, 5)
Not at-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	149	10 (10, 10)
Not at-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	149	10 (10, 10)
Not at-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	149	10 (10, 10)
Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	149	5 (5, 5)
Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	149	5 (5, 5)
Not at-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	79	10 (10, 11)
Not at-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	79	10 (10, 11)
Not at-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	79	10 (10, 10)
Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	79	5 (5, 5)
Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	79	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not at-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	147	10 (10, 11)
Not at-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	147	10 (10, 10)
Not at-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	147	10 (10, 10)
Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	147	5 (5, 5)
Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	147	5 (5, 5)
Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	445	23464 (18814, 29264)
Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	445	21736 (17948, 26322)
Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	445	39200 (33975, 45229)
Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	445	106 (86, 130)
Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	445	155 (128, 188)
Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	149	39449 (28182, 55221)
Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	149	31130 (22431, 43203)
Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	149	73051 (55813, 95613)
Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	149	168 (121, 233)
Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	149	296 (222, 395)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	79	10 (10, 10)
Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	79	10 (10, 10)
Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	79	10 (10, 10)
Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	79	5 (5, 5)
Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	79	5 (5, 5)
Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	147	11438 (7990, 16373)
Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	147	11818 (8737, 15984)
Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	147	16070 (12731, 20284)
Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	147	46 (34, 64)
Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	147	105 (77, 145)
Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	445	321219 (247712, 416539)
Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	445	904842 (731464, 1119314)
Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	445	2066294 (1737472, 2457347)
Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	445	877 (721, 1068)
Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	445	618 (533, 715)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	149	882754 (566411, 1375775)
Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	149	2113273 (1521183, 2935822)
Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	149	5023873 (3821349, 6604815)
Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	149	1832 (1399, 2400)
Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	149	978 (836, 1144)
Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	79	10 (10, 10)
Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	79	10 (10, 10)
Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	79	10 (10, 10)
Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	79	5 (5, 5)
Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	79	5 (5, 5)
Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	147	113637 (73522, 175638)
Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	147	320294 (234601, 437288)
Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	147	594413 (434588, 813016)
Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	147	407 (277, 598)
Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	147	492 (377, 642)

Table 5d. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Age, Risk for Severe Covid-19

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Age, Risk for Severe Covid-19</b>						
Age < 65 At-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	214	10 (10, 10)
Age < 65 At-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	214	10 (10, 10)
Age < 65 At-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	214	10 (10, 10)
Age < 65 At-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	214	5 (5, 5)
Age < 65 At-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	214	5 (5, 5)
Age < 65 At-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	73	10 (10, 10)
Age < 65 At-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	10 (10, 10)
Age < 65 At-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	10 (10, 10)
Age < 65 At-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	73	5 (5, 5)
Age < 65 At-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	73	5 (5, 5)
Age < 65 At-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 10)
Age < 65 At-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 10)
Age < 65 At-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 11)
Age < 65 At-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)
Age < 65 At-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 At-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	75	10 (10, 10)
Age < 65 At-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	75	10 (10, 10)
Age < 65 At-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	75	10 (10, 10)
Age < 65 At-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	75	5 (5, 5)
Age < 65 At-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	75	5 (5, 5)
Age < 65 At-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	214	15066 (11800, 19236)
Age < 65 At-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	214	16530 (13368, 20440)
Age < 65 At-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	214	31028 (25724, 37424)
Age < 65 At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	214	68 (54, 85)
Age < 65 At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	214	142 (113, 179)
Age < 65 At-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	73	35719 (23773, 53667)
Age < 65 At-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	30603 (22522, 41584)
Age < 65 At-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	62641 (46308, 84734)
Age < 65 At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	73	141 (95, 210)
Age < 65 At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	73	230 (161, 329)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 At-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 10)
Age < 65 At-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 10)
Age < 65 At-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 10)
Age < 65 At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 6)
Age < 65 At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 5)
Age < 65 At-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	75	11526 (8005, 16596)
Age < 65 At-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	75	10221 (7229, 14450)
Age < 65 At-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	75	16112 (12313, 21083)
Age < 65 At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	75	48 (34, 67)
Age < 65 At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	75	120 (84, 171)
Age < 65 At-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	214	227691 (168871, 306998)
Age < 65 At-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	214	761200 (595115, 973635)
Age < 65 At-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	214	1498825 (1211357, 1854513)
Age < 65 At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	214	813 (637, 1037)
Age < 65 At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	214	727 (631, 838)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 At-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	73	848831 (533654, 1350151)
Age < 65 At-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	1815884 (1230281, 2680228)
Age < 65 At-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	4547755 (3408849, 6067172)
Age < 65 At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	73	1675 (1203, 2333)
Age < 65 At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	73	1046 (895, 1224)
Age < 65 At-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 10)
Age < 65 At-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 11)
Age < 65 At-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 10)
Age < 65 At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)
Age < 65 At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 5)
Age < 65 At-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	75	115913 (73022, 183995)
Age < 65 At-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	75	417627 (286845, 608038)
Age < 65 At-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	75	575539 (424191, 780885)
Age < 65 At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	75	475 (314, 718)
Age < 65 At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	75	577 (427, 782)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Not at-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	218	10 (10, 10)
Age < 65 Not at-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	218	10 (10, 10)
Age < 65 Not at-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	218	10 (10, 10)
Age < 65 Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	218	5 (5, 5)
Age < 65 Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	218	5 (5, 5)
Age < 65 Not at-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	73	10 (10, 10)
Age < 65 Not at-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	10 (10, 10)
Age < 65 Not at-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	10 (10, 10)
Age < 65 Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	73	5 (5, 5)
Age < 65 Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	73	5 (5, 5)
Age < 65 Not at-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 11)
Age < 65 Not at-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 11)
Age < 65 Not at-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 10)
Age < 65 Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)
Age < 65 Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 6)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Not at-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	72	10 (10, 11)
Age < 65 Not at-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	72	10 (10, 10)
Age < 65 Not at-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	72	10 (10, 10)
Age < 65 Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	72	5 (5, 5)
Age < 65 Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	72	5 (5, 5)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	218	19467 (15118, 25069)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	218	17639 (14174, 21952)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	218	31500 (26782, 37049)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	218	89 (70, 112)
Age < 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	218	139 (111, 173)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	73	31746 (21547, 46775)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	23567 (16128, 34436)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	58534 (42854, 79952)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	73	140 (96, 205)
Age < 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	73	265 (189, 371)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 10)
Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 10)
Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 10)
Age < 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)
Age < 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 5)
Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	72	9421 (6232, 14240)
Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	72	9616 (6787, 13623)
Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	72	12751 (9773, 16637)
Age < 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	72	37 (26, 54)
Age < 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	72	93 (64, 134)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	218	260904 (193710, 351406)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	218	730590 (572440, 932433)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	218	1685764 (1382064, 2056199)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	218	760 (607, 953)
Age < 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	218	566 (478, 671)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	73	712451 (424677, 1195230)
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	1679359 (1144426, 2464334)
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	4192147 (3041219, 5778636)
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	73	1664 (1212, 2286)
Age < 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	73	954 (793, 1148)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 10)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 10)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 10)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)
Age < 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 5)
Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	72	88760 (53701, 146705)
Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	72	241209 (168749, 344783)
Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	72	463469 (322941, 665148)
Age < 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	72	333 (213, 520)
Age < 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	72	445 (326, 607)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 At-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	255	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	255	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	255	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	255	5 (5, 5)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	255	5 (5, 5)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	52	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	52	5 (5, 6)
Age $\geq$ 65 At-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	52	5 (5, 5)
Age $\geq$ 65 At-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	44	5 (5, 5)
Age $\geq$ 65 At-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	44	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 At-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	48	10 (10, 11)
Age $\geq$ 65 At-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 At-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	48	5 (5, 5)
Age $\geq$ 65 At-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	48	5 (5, 5)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	255	48363 (38238, 61168)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	255	54232 (44632, 65898)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	255	84391 (70350, 101234)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	255	190 (152, 239)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	255	275 (227, 332)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	52	134756 (86334, 210339)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	188670 (130105, 273598)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	293282 (211706, 406291)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	52	512 (328, 800)
Age $\geq$ 65 At-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	52	631 (470, 847)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 At-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	44	5 (5, 5)
Age $\geq$ 65 At-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	44	5 (5, 5)
Age $\geq$ 65 At-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	48	36017 (20615, 62924)
Age $\geq$ 65 At-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	48	48060 (30183, 76524)
Age $\geq$ 65 At-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	48	79058 (52327, 119443)
Age $\geq$ 65 At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	48	152 (88, 262)
Age $\geq$ 65 At-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	48	287 (197, 420)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	255	614449 (455774, 828367)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	255	2156196 (1737100, 2676403)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	255	3754377 (3054674, 4614355)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	255	1375 (1120, 1689)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	255	861 (775, 958)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 At-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	52	3325369 (2100058, 5265606)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	7826271 (5875584, 10424584)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	12884976 (10659103, 15575665)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	52	4080 (3740, 4452)
Age $\geq$ 65 At-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	52	1213 (1133, 1300)
Age $\geq$ 65 At-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	44	10 (10, 10)
Age $\geq$ 65 At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	44	5 (5, 5)
Age $\geq$ 65 At-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	44	5 (5, 6)
Age $\geq$ 65 At-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	48	617829 (374440, 1019423)
Age $\geq$ 65 At-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	48	1793880 (1116560, 2882074)
Age $\geq$ 65 At-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	48	3402410 (2336678, 4954210)
Age $\geq$ 65 At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	48	1617 (1087, 2405)
Age $\geq$ 65 At-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	48	868 (670, 1125)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	227	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	227	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	227	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	227	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	227	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	76	10 (10, 11)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	76	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	76	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	76	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	76	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	75	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	75	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	75	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	75	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	75	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	227	75305 (60119, 94327)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	227	80069 (65740, 97522)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	227	153593 (130717, 180473)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	227	318 (255, 396)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	227	311 (257, 376)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	76	127407 (81563, 199019)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	76	139826 (100144, 195231)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	76	241494 (183346, 318084)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	76	438 (291, 661)
Age $\geq$ 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	76	543 (413, 714)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	75	34367 (22427, 52663)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	75	38048 (27717, 52231)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	75	59664 (45863, 77618)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	75	154 (105, 228)
Age $\geq$ 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	75	212 (150, 298)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	227	1177109 (909711, 1523105)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	227	3441017 (2862067, 4137080)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	227	7365218 (6409952, 8462846)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	227	2148 (1820, 2536)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	227	1061 (984, 1143)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	76	2806906 (1785997, 4411386)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	76	7305563 (5535066, 9642388)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	76	13343347 (11436169, 15568581)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	76	3077 (2527, 3745)
Age $\geq$ 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	76	1118 (1008, 1240)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 6)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	75	461295 (283308, 751102)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	75	1599200 (1158806, 2206962)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	75	2437171 (1820478, 3262772)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	75	1278 (940, 1739)
Age $\geq$ 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	75	875 (726, 1055)

Table 5e. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Sex

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Sex</b>						
Male	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	395	10 (10, 10)
Male	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	395	10 (10, 10)
Male	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	395	10 (10, 10)
Male	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	395	5 (5, 5)
Male	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	395	5 (5, 5)
Male	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)
Male	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)
Male	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)
Male	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)
Male	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)
Male	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	76	10 (10, 11)
Male	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	76	11 (10, 12)
Male	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	76	10 (10, 10)
Male	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	76	5 (5, 5)
Male	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	76	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Male	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	115	10 (10, 10)
Male	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	115	10 (10, 10)
Male	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	115	10 (10, 10)
Male	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	115	5 (5, 5)
Male	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	115	5 (5, 5)
Male	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	395	27118 (20802, 35352)
Male	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	395	25738 (20083, 32986)
Male	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	395	40290 (34242, 47406)
Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	395	117 (91, 150)
Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	395	175 (138, 222)
Male	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	121	52664 (37074, 74810)
Male	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	121	43301 (30553, 61367)
Male	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	121	83762 (65211, 107590)
Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	121	216 (155, 302)
Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	121	330 (242, 450)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Male	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	76	10 (10, 10)
Male	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	76	10 (10, 10)
Male	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	76	10 (10, 10)
Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	76	5 (5, 5)
Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	76	5 (5, 5)
Male	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	115	11707 (7658, 17895)
Male	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	115	12838 (8706, 18931)
Male	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	115	16359 (11877, 22533)
Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	115	42 (29, 62)
Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	115	92 (63, 136)
Male	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	395	358185 (259713, 493993)
Male	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	395	1032572 (802430, 1328720)
Male	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	395	2448348 (1991000, 3010751)
Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	395	1077 (855, 1357)
Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	395	697 (578, 839)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Male	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	121	1379076 (901508, 2109633)
Male	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	121	2628794 (1852206, 3730989)
Male	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	121	5518909 (4214953, 7226262)
Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	121	1991 (1545, 2566)
Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	121	1086 (964, 1223)
Male	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	76	10 (10, 10)
Male	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	76	10 (10, 10)
Male	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	76	10 (10, 10)
Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	76	5 (5, 5)
Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	76	5 (5, 5)
Male	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	115	120405 (69229, 209414)
Male	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	115	361345 (240033, 543968)
Male	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	115	578439 (398381, 839879)
Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	115	463 (296, 725)
Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	115	439 (300, 642)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Female	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	519	10 (10, 10)
Female	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	519	10 (10, 10)
Female	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	519	10 (10, 10)
Female	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	519	5 (5, 5)
Female	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	519	5 (5, 5)
Female	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	153	10 (10, 10)
Female	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	153	10 (10, 10)
Female	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	153	10 (10, 10)
Female	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	153	5 (5, 5)
Female	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	153	5 (5, 5)
Female	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	87	10 (10, 10)
Female	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	87	10 (10, 10)
Female	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	87	10 (10, 10)
Female	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	87	5 (5, 5)
Female	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	87	5 (5, 6)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Female	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	155	10 (10, 11)
Female	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	155	10 (10, 10)
Female	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	155	10 (10, 10)
Female	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	155	5 (5, 5)
Female	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	155	5 (5, 5)
Female	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	519	21438 (17308, 26553)
Female	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	519	21234 (17806, 25322)
Female	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	519	41415 (35658, 48102)
Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	519	97 (79, 119)
Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	519	155 (129, 186)
Female	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	153	37697 (26070, 54510)
Female	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	153	32117 (22487, 45872)
Female	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	153	77611 (56957, 105756)
Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	153	158 (110, 228)
Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	153	285 (209, 390)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Female	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	87	10 (10, 10)
Female	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	87	10 (10, 10)
Female	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	87	10 (10, 10)
Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	87	5 (5, 5)
Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	87	5 (5, 5)
Female	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	155	13066 (8978, 19014)
Female	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	155	12876 (9439, 17564)
Female	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	155	19468 (15420, 24578)
Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	155	58 (41, 80)
Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	155	135 (97, 186)
Female	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	519	304934 (237697, 391191)
Female	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	519	924524 (749270, 1140771)
Female	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	519	1878895 (1583514, 2229374)
Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	519	814 (670, 988)
Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	519	635 (555, 726)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Female	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	153	785331 (484285, 1273516)
Female	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	153	2106655 (1476988, 3004761)
Female	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	153	5236885 (3870817, 7085058)
Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	153	1891 (1393, 2569)
Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	153	960 (801, 1151)
Female	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	87	10 (10, 10)
Female	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	87	10 (10, 10)
Female	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	87	10 (10, 10)
Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	87	5 (5, 5)
Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	87	5 (5, 5)
Female	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	155	136546 (88388, 210943)
Female	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	155	396863 (288514, 545903)
Female	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	155	748414 (538988, 1039213)
Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	155	466 (311, 698)
Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	155	595 (471, 752)

Table 5f. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Age, sex

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Age, sex</b>						
Age < 65 Female	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	269	10 (10, 10)
Age < 65 Female	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	269	10 (10, 10)
Age < 65 Female	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	269	10 (10, 10)
Age < 65 Female	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	269	5 (5, 5)
Age < 65 Female	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	269	5 (5, 5)
Age < 65 Female	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	79	10 (10, 10)
Age < 65 Female	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	79	10 (10, 10)
Age < 65 Female	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	79	10 (10, 10)
Age < 65 Female	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	79	5 (5, 5)
Age < 65 Female	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	79	5 (5, 5)
Age < 65 Female	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	52	5 (5, 5)
Age < 65 Female	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	52	5 (5, 6)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Female	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	83	10 (10, 11)
Age < 65 Female	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	83	10 (10, 10)
Age < 65 Female	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	83	10 (10, 10)
Age < 65 Female	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	83	5 (5, 6)
Age < 65 Female	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	83	5 (5, 5)
Age < 65 Female	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	269	17005 (13164, 21967)
Age < 65 Female	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	269	16543 (13423, 20387)
Age < 65 Female	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	269	32705 (27407, 39027)
Age < 65 Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	269	79 (62, 101)
Age < 65 Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	269	136 (109, 169)
Age < 65 Female	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	79	27788 (17936, 43051)
Age < 65 Female	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	79	21789 (14260, 33294)
Age < 65 Female	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	79	56962 (39369, 82418)
Age < 65 Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	79	120 (78, 186)
Age < 65 Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	79	240 (164, 350)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Female	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	52	5 (5, 5)
Age < 65 Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	52	5 (5, 5)
Age < 65 Female	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	83	10603 (6776, 16591)
Age < 65 Female	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	83	10100 (6973, 14631)
Age < 65 Female	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	83	14961 (11395, 19642)
Age < 65 Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	83	45 (31, 67)
Age < 65 Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	83	119 (80, 175)
Age < 65 Female	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	269	240348 (178474, 323672)
Age < 65 Female	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	269	725439 (564037, 933026)
Age < 65 Female	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	269	1494002 (1218767, 1831393)
Age < 65 Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	269	690 (546, 871)
Age < 65 Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	269	575 (489, 677)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Female	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	79	582852 (324862, 1045726)
Age < 65 Female	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	79	1557246 (1013176, 2393478)
Age < 65 Female	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	79	4234642 (2930691, 6118760)
Age < 65 Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	79	1645 (1131, 2394)
Age < 65 Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	79	924 (740, 1154)
Age < 65 Female	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	52	10 (10, 10)
Age < 65 Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	52	5 (5, 5)
Age < 65 Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	52	5 (5, 5)
Age < 65 Female	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	83	100999 (60054, 169861)
Age < 65 Female	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	83	293632 (201462, 427970)
Age < 65 Female	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	83	571578 (386055, 846256)
Age < 65 Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	83	367 (226, 599)
Age < 65 Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	83	542 (408, 720)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Male	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	163	10 (10, 10)
Age < 65 Male	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	163	10 (10, 10)
Age < 65 Male	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	163	10 (10, 10)
Age < 65 Male	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	163	5 (5, 5)
Age < 65 Male	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	163	5 (5, 5)
Age < 65 Male	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	67	10 (10, 10)
Age < 65 Male	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	67	10 (10, 10)
Age < 65 Male	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	67	10 (10, 10)
Age < 65 Male	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	67	5 (5, 5)
Age < 65 Male	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	67	5 (5, 5)
Age < 65 Male	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	28	11 (9, 12)
Age < 65 Male	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	28	11 (9, 13)
Age < 65 Male	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	28	10 (10, 10)
Age < 65 Male	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	28	5 (5, 5)
Age < 65 Male	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	28	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Male	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	64	10 (10, 10)
Age < 65 Male	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	64	10 (10, 10)
Age < 65 Male	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	64	10 (10, 10)
Age < 65 Male	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	64	5 (5, 5)
Age < 65 Male	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	64	5 (5, 5)
Age < 65 Male	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	163	20977 (14923, 29486)
Age < 65 Male	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	163	18877 (13736, 25942)
Age < 65 Male	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	163	29372 (24063, 35851)
Age < 65 Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	163	91 (66, 125)
Age < 65 Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	163	146 (107, 198)
Age < 65 Male	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	67	41875 (27396, 64006)
Age < 65 Male	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	67	30884 (20473, 46591)
Age < 65 Male	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	67	63477 (47411, 84987)
Age < 65 Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	67	179 (120, 269)
Age < 65 Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	67	287 (195, 420)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Male	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	28	10 (10, 10)
Age < 65 Male	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	28	10 (10, 10)
Age < 65 Male	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	28	10 (10, 10)
Age < 65 Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	28	5 (5, 5)
Age < 65 Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	28	5 (5, 5)
Age < 65 Male	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	64	8697 (5276, 14335)
Age < 65 Male	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	64	9188 (5842, 14453)
Age < 65 Male	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	64	11210 (7836, 16035)
Age < 65 Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	64	31 (20, 49)
Age < 65 Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	64	72 (46, 114)
Age < 65 Male	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	163	276033 (182787, 416846)
Age < 65 Male	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	163	756600 (548082, 1044449)
Age < 65 Male	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	163	1920202 (1474259, 2501037)
Age < 65 Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	163	926 (688, 1247)
Age < 65 Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	163	637 (500, 813)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Male	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	67	1079995 (640374, 1821419)
Age < 65 Male	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	67	1977267 (1288704, 3033735)
Age < 65 Male	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	67	4318054 (3106438, 6002240)
Age < 65 Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	67	1701 (1245, 2325)
Age < 65 Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	67	1057 (909, 1229)
Age < 65 Male	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	28	10 (10, 10)
Age < 65 Male	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	28	10 (10, 11)
Age < 65 Male	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	28	10 (10, 10)
Age < 65 Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	28	5 (5, 5)
Age < 65 Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	28	5 (5, 5)
Age < 65 Male	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	64	83366 (43020, 161550)
Age < 65 Male	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	64	236528 (147963, 378106)
Age < 65 Male	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	64	373064 (244867, 568375)
Age < 65 Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	64	344 (200, 590)
Age < 65 Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	64	374 (235, 594)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Male	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	232	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	232	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	232	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	232	5 (5, 5)
Age $\geq$ 65 Male	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	232	5 (5, 5)
Age $\geq$ 65 Male	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	54	10 (10, 11)
Age $\geq$ 65 Male	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	54	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	54	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	54	5 (5, 6)
Age $\geq$ 65 Male	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	54	5 (5, 5)
Age $\geq$ 65 Male	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	48	5 (5, 5)
Age $\geq$ 65 Male	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	48	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Male	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	51	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	51	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	51	10 (10, 10)
Age $\geq$ 65 Male	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	51	5 (5, 6)
Age $\geq$ 65 Male	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	51	5 (5, 5)
Age $\geq$ 65 Male	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	232	59503 (46483, 76170)
Age $\geq$ 65 Male	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	232	66467 (53961, 81871)
Age $\geq$ 65 Male	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	232	105989 (87979, 127686)
Age $\geq$ 65 Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	232	250 (198, 315)
Age $\geq$ 65 Male	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	232	303 (250, 367)
Age $\geq$ 65 Male	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	54	121492 (77530, 190384)
Age $\geq$ 65 Male	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	54	148457 (98505, 223741)
Age $\geq$ 65 Male	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	54	230231 (167946, 315614)
Age $\geq$ 65 Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	54	424 (270, 666)
Age $\geq$ 65 Male	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	54	553 (394, 775)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Male	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	48	5 (5, 5)
Age $\geq$ 65 Male	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	48	5 (5, 5)
Age $\geq$ 65 Male	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	51	39245 (22282, 69122)
Age $\geq$ 65 Male	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	51	50082 (30678, 81759)
Age $\geq$ 65 Male	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	51	76189 (49350, 117623)
Age $\geq$ 65 Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	51	142 (81, 248)
Age $\geq$ 65 Male	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	51	249 (160, 388)
Age $\geq$ 65 Male	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	232	794988 (585822, 1078834)
Age $\geq$ 65 Male	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	232	2674328 (2153708, 3320799)
Age $\geq$ 65 Male	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	232	5149990 (4232561, 6266277)
Age $\geq$ 65 Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	232	1709 (1392, 2098)
Age $\geq$ 65 Male	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	232	915 (824, 1015)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Male	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	54	3362752 (2063132, 5481037)
Age $\geq$ 65 Male	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	54	7426127 (5309224, 10387085)
Age $\geq$ 65 Male	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	54	13502491 (11615886, 15695512)
Age $\geq$ 65 Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	54	3532 (2864, 4356)
Age $\geq$ 65 Male	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	54	1197 (1109, 1291)
Age $\geq$ 65 Male	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	48	10 (10, 10)
Age $\geq$ 65 Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	48	5 (5, 5)
Age $\geq$ 65 Male	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	48	5 (5, 5)
Age $\geq$ 65 Male	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	51	537607 (293069, 986189)
Age $\geq$ 65 Male	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	51	2027539 (1269214, 3238946)
Age $\geq$ 65 Male	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	51	3447429 (2336304, 5086995)
Age $\geq$ 65 Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	51	1562 (1088, 2242)
Age $\geq$ 65 Male	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	51	844 (644, 1106)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Female	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	250	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	250	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	250	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	250	5 (5, 5)
Age $\geq$ 65 Female	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	250	5 (5, 5)
Age $\geq$ 65 Female	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	74	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	74	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	74	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	74	5 (5, 6)
Age $\geq$ 65 Female	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	74	5 (5, 5)
Age $\geq$ 65 Female	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	35	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	35	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	35	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	35	5 (5, 5)
Age $\geq$ 65 Female	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	35	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Female	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	72	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	72	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	72	10 (10, 10)
Age $\geq$ 65 Female	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	72	5 (5, 5)
Age $\geq$ 65 Female	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	72	5 (5, 5)
Age $\geq$ 65 Female	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	250	59851 (47976, 74666)
Age $\geq$ 65 Female	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	250	64209 (53172, 77536)
Age $\geq$ 65 Female	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	250	117943 (99482, 139828)
Age $\geq$ 65 Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	250	237 (190, 295)
Age $\geq$ 65 Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	250	281 (233, 339)
Age $\geq$ 65 Female	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	74	137448 (88132, 214360)
Age $\geq$ 65 Female	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	74	166523 (122005, 227286)
Age $\geq$ 65 Female	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	74	288235 (217381, 382182)
Age $\geq$ 65 Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	74	503 (334, 756)
Age $\geq$ 65 Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	74	598 (468, 765)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age ≥ 65 Female	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	35	10 (10, 10)
Age ≥ 65 Female	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	35	10 (10, 10)
Age ≥ 65 Female	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	35	10 (10, 10)
Age ≥ 65 Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	35	5 (5, 5)
Age ≥ 65 Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	35	5 (5, 5)
Age ≥ 65 Female	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	72	32440 (21237, 49552)
Age ≥ 65 Female	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	72	37051 (27477, 49960)
Age ≥ 65 Female	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	72	61265 (47718, 78656)
Age ≥ 65 Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	72	162 (110, 237)
Age ≥ 65 Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	72	233 (172, 317)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	250	875715 (671177, 1142587)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	250	2708471 (2229800, 3289897)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	250	5189777 (4356168, 6182907)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	250	1692 (1415, 2023)
Age ≥ 65 Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	250	984 (903, 1072)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Female	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	74	2781850 (1801530, 4295622)
Age $\geq$ 65 Female	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	74	7590360 (5933261, 9710270)
Age $\geq$ 65 Female	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	74	12894340 (10816144, 15371837)
Age $\geq$ 65 Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	74	3416 (2952, 3954)
Age $\geq$ 65 Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	74	1129 (1019, 1250)
Age $\geq$ 65 Female	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	35	10 (10, 10)
Age $\geq$ 65 Female	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	35	10 (10, 10)
Age $\geq$ 65 Female	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	35	10 (10, 10)
Age $\geq$ 65 Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	35	5 (5, 5)
Age $\geq$ 65 Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	35	5 (5, 6)
Age $\geq$ 65 Female	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	72	507512 (330012, 780481)
Age $\geq$ 65 Female	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	72	1473236 (1067125, 2033898)
Age $\geq$ 65 Female	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	72	2420004 (1824045, 3210677)
Age $\geq$ 65 Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	72	1310 (944, 1818)
Age $\geq$ 65 Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	72	892 (745, 1067)

Table 5g. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Hispanic or Latino ethnicity

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Hispanic or Latino ethnicity</b>						
Hispanic or Latino	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	136	10 (10, 10)
Hispanic or Latino	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	136	10 (10, 10)
Hispanic or Latino	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	136	10 (10, 10)
Hispanic or Latino	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	136	5 (5, 5)
Hispanic or Latino	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	136	5 (5, 6)
Hispanic or Latino	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	35	10 (10, 10)
Hispanic or Latino	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	35	10 (10, 10)
Hispanic or Latino	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	35	10 (10, 10)
Hispanic or Latino	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	35	5 (5, 5)
Hispanic or Latino	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	35	5 (5, 5)
Hispanic or Latino	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	20	5 (5, 5)
Hispanic or Latino	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	20	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Hispanic or Latino	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	38	10 (10, 10)
Hispanic or Latino	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	38	10 (10, 10)
Hispanic or Latino	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	38	10 (10, 10)
Hispanic or Latino	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	38	6 (5, 7)
Hispanic or Latino	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	38	5 (5, 5)
Hispanic or Latino	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	136	22074 (14113, 34526)
Hispanic or Latino	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	136	22266 (15770, 31438)
Hispanic or Latino	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	136	41773 (31457, 55474)
Hispanic or Latino	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	136	100 (66, 150)
Hispanic or Latino	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	136	160 (115, 221)
Hispanic or Latino	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	35	66150 (38172, 114634)
Hispanic or Latino	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	35	57339 (31215, 105326)
Hispanic or Latino	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	35	90332 (51126, 159600)
Hispanic or Latino	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	35	254 (158, 410)
Hispanic or Latino	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	35	370 (203, 674)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Hispanic or Latino	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	20	5 (5, 5)
Hispanic or Latino	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	20	6 (4, 8)
Hispanic or Latino	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	38	26345 (10286, 67478)
Hispanic or Latino	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	38	34815 (16331, 74222)
Hispanic or Latino	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	38	26708 (12935, 55147)
Hispanic or Latino	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	38	111 (44, 280)
Hispanic or Latino	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	38	263 (142, 491)
Hispanic or Latino	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	136	332872 (193887, 571487)
Hispanic or Latino	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	136	1087406 (734173, 1610590)
Hispanic or Latino	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	136	2082654 (1556646, 2786407)
Hispanic or Latino	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	136	983 (673, 1436)
Hispanic or Latino	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	136	639 (480, 850)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Hispanic or Latino	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	35	1420449 (574357, 3512931)
Hispanic or Latino	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	35	2735111 (1390317, 5380667)
Hispanic or Latino	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	35	7578287 (5099157, 11262730)
Hispanic or Latino	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	35	2392 (1566, 3654)
Hispanic or Latino	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	35	1049 (784, 1403)
Hispanic or Latino	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	20	10 (10, 10)
Hispanic or Latino	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	20	5 (5, 5)
Hispanic or Latino	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	20	5 (5, 5)
Hispanic or Latino	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	38	452690 (163686, 1251963)
Hispanic or Latino	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	38	747435 (398770, 1400955)
Hispanic or Latino	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	38	1403460 (629858, 3127216)
Hispanic or Latino	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	38	856 (423, 1732)
Hispanic or Latino	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	38	689 (439, 1080)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not Hispanic or Latino	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	690	10 (10, 10)
Not Hispanic or Latino	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	690	10 (10, 10)
Not Hispanic or Latino	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	690	10 (10, 10)
Not Hispanic or Latino	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	690	5 (5, 5)
Not Hispanic or Latino	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	690	5 (5, 5)
Not Hispanic or Latino	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	217	10 (10, 10)
Not Hispanic or Latino	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	217	10 (10, 10)
Not Hispanic or Latino	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	217	10 (10, 10)
Not Hispanic or Latino	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	217	5 (5, 5)
Not Hispanic or Latino	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	217	5 (5, 5)
Not Hispanic or Latino	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	130	10 (10, 11)
Not Hispanic or Latino	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	130	10 (10, 10)
Not Hispanic or Latino	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	130	10 (10, 10)
Not Hispanic or Latino	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	130	5 (5, 5)
Not Hispanic or Latino	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	130	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not Hispanic or Latino	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	214	10 (10, 10)
Not Hispanic or Latino	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	214	10 (10, 10)
Not Hispanic or Latino	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	214	10 (10, 10)
Not Hispanic or Latino	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	214	5 (5, 5)
Not Hispanic or Latino	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	214	5 (5, 5)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	690	23655 (19511, 28679)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	690	23020 (19412, 27299)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	690	39694 (35013, 45000)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	690	102 (85, 122)
Not Hispanic or Latino	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	690	163 (138, 192)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	217	41747 (30650, 56861)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	217	35344 (26276, 47543)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	217	83383 (65362, 106374)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	217	175 (129, 237)
Not Hispanic or Latino	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	217	292 (226, 379)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not Hispanic or Latino	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	130	10 (10, 10)
Not Hispanic or Latino	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	130	10 (10, 10)
Not Hispanic or Latino	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	130	10 (10, 10)
Not Hispanic or Latino	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	130	5 (5, 5)
Not Hispanic or Latino	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	130	5 (5, 5)
Not Hispanic or Latino	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	214	12063 (8972, 16221)
Not Hispanic or Latino	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	214	11608 (9021, 14937)
Not Hispanic or Latino	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	214	18056 (14835, 21975)
Not Hispanic or Latino	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	214	48 (37, 63)
Not Hispanic or Latino	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	214	113 (86, 148)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	690	334364 (266541, 419443)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	690	987977 (821750, 1187828)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	690	2063432 (1774918, 2398843)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	690	892 (752, 1057)
Not Hispanic or Latino	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	690	663 (584, 754)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	217	968852 (653531, 1436313)
Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	217	2315554 (1726765, 3105106)
Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	217	5301268 (4145119, 6779888)
Not Hispanic or Latino	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	217	1813 (1417, 2319)
Not Hispanic or Latino	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	217	998 (867, 1150)
Not Hispanic or Latino	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	130	10 (10, 10)
Not Hispanic or Latino	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	130	10 (10, 10)
Not Hispanic or Latino	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	130	10 (10, 10)
Not Hispanic or Latino	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	130	5 (5, 5)
Not Hispanic or Latino	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	130	5 (5, 5)
Not Hispanic or Latino	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	214	129424 (89570, 187012)
Not Hispanic or Latino	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	214	381696 (291729, 499407)
Not Hispanic or Latino	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	214	648311 (503439, 834871)
Not Hispanic or Latino	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	214	474 (341, 659)
Not Hispanic or Latino	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	214	553 (447, 685)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not reported and unknown	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	88	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	88	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	88	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	88	5 (5, 5)
Not reported and unknown	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	88	5 (5, 5)
Not reported and unknown	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	22	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	22	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	22	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	22	6 (5, 7)
Not reported and unknown	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	22	5 (5, 5)
Not reported and unknown	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	13	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	13	12 (9, 17)
Not reported and unknown	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	13	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	13	5 (5, 5)
Not reported and unknown	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	13	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not reported and unknown	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	18	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	18	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	18	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	18	5 (5, 5)
Not reported and unknown	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	18	5 (5, 5)
Not reported and unknown	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	88	24172 (15215, 38402)
Not reported and unknown	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	88	22876 (15941, 32829)
Not reported and unknown	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	88	50488 (35763, 71276)
Not reported and unknown	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	88	133 (84, 211)
Not reported and unknown	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	88	166 (101, 275)
Not reported and unknown	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	22	34292 (18016, 65269)
Not reported and unknown	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	22	25827 (15722, 42426)
Not reported and unknown	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	22	46903 (31549, 69730)
Not reported and unknown	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	22	149 (87, 255)
Not reported and unknown	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	22	325 (185, 571)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not reported and unknown	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	13	10 (10, 10)
Not reported and unknown	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	13	10 (10, 10)
Not reported and unknown	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	13	10 (10, 10)
Not reported and unknown	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	13	5 (5, 5)
Not reported and unknown	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	13	5 (5, 5)
Not reported and unknown	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	18	7067 (2128, 23471)
Not reported and unknown	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	18	10750 (3969, 29114)
Not reported and unknown	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	18	11909 (5900, 24036)
Not reported and unknown	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	18	37 (16, 86)
Not reported and unknown	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	18	57 (21, 156)
Not reported and unknown	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	88	259797 (149099, 452681)
Not reported and unknown	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	88	735710 (444094, 1218818)
Not reported and unknown	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	88	2279592 (1441733, 3604371)
Not reported and unknown	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	88	977 (601, 1589)
Not reported and unknown	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	88	644 (482, 861)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not reported and unknown	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	22	710026 (291616, 1728767)
Not reported and unknown	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	22	1751283 (814184, 3766952)
Not reported and unknown	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	22	3840709 (2233828, 6603485)
Not reported and unknown	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	22	2701 (1873, 3895)
Not reported and unknown	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	22	1050 (819, 1348)
Not reported and unknown	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	13	10 (10, 10)
Not reported and unknown	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	13	10 (10, 10)
Not reported and unknown	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	13	10 (10, 10)
Not reported and unknown	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	13	5 (5, 5)
Not reported and unknown	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	13	5 (5, 5)
Not reported and unknown	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	18	26411 (10381, 67196)
Not reported and unknown	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	18	162620 (56382, 469034)
Not reported and unknown	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	18	417076 (123078, 1413357)
Not reported and unknown	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	18	168 (47, 599)
Not reported and unknown	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	18	224 (67, 748)

Table 5h. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Race

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Race</b>						
White Non-Hispanic	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	362	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	362	5 (5, 5)
White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	362	5 (5, 5)
White Non-Hispanic	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)
White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)
White Non-Hispanic	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 11)
White Non-Hispanic	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)
White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 6)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
White Non-Hispanic	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)
White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	362	26952 (20879, 34791)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	23438 (18652, 29451)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	40376 (34291, 47540)
White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	362	112 (88, 143)
White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	362	164 (132, 205)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	125	33909 (23857, 48196)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	30985 (21213, 45260)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	72481 (52760, 99575)
White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	125	144 (100, 205)
White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	125	257 (181, 364)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)
White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 5)
White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	121	12594 (8343, 19013)
White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	121	10931 (7523, 15882)
White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	121	18868 (14654, 24295)
White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	121	52 (37, 74)
White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	121	100 (71, 141)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	362	328428 (241885, 445935)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	1035293 (809058, 1324789)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	2145772 (1769345, 2602284)
White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	362	853 (680, 1071)
White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	362	637 (536, 758)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	125	855574 (516251, 1417930)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	1943813 (1341551, 2816449)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	4608987 (3326910, 6385133)
White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	125	1560 (1107, 2198)
White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	125	959 (783, 1174)
White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)
White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 5)
White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	121	105260 (65329, 169598)
White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	121	393045 (283452, 545009)
White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	121	674526 (481218, 945489)
White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	121	482 (316, 735)
White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	121	633 (482, 831)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Black or African American	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	195	10 (10, 10)
Black or African American	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	195	10 (10, 11)
Black or African American	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	195	10 (10, 10)
Black or African American	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	195	5 (5, 5)
Black or African American	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	195	5 (5, 5)
Black or African American	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	52	10 (10, 10)
Black or African American	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	10 (10, 10)
Black or African American	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	10 (10, 10)
Black or African American	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	52	5 (5, 5)
Black or African American	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	52	5 (5, 5)
Black or African American	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)
Black or African American	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Black or African American	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	60	10 (10, 10)
Black or African American	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	60	10 (10, 10)
Black or African American	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	60	10 (10, 10)
Black or African American	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	60	5 (5, 6)
Black or African American	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	60	5 (5, 5)
Black or African American	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	195	16417 (11415, 23612)
Black or African American	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	195	18966 (14255, 25234)
Black or African American	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	195	33478 (26755, 41889)
Black or African American	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	195	78 (56, 108)
Black or African American	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	195	139 (102, 190)
Black or African American	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	52	70405 (39882, 124288)
Black or African American	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	49806 (31929, 77692)
Black or African American	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	92510 (62506, 136917)
Black or African American	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	52	233 (125, 434)
Black or African American	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	52	349 (209, 583)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Black or African American	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)
Black or African American	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)
Black or African American	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	60	9803 (5461, 17595)
Black or African American	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	60	13142 (8871, 19471)
Black or African American	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	60	17281 (10917, 27356)
Black or African American	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	60	43 (24, 76)
Black or African American	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	60	141 (80, 250)
Black or African American	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	195	270892 (186900, 392630)
Black or African American	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	195	700976 (481741, 1019981)
Black or African American	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	195	1698222 (1261499, 2286136)
Black or African American	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	195	932 (678, 1281)
Black or African American	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	195	656 (526, 817)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Black or African American	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	52	1211651 (545733, 2690142)
Black or African American	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	3863173 (2493150, 5986044)
Black or African American	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	5233980 (3282618, 8345333)
Black or African American	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	52	2995 (2486, 3608)
Black or African American	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	52	1104 (883, 1380)
Black or African American	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)
Black or African American	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)
Black or African American	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)
Black or African American	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	60	162243 (80552, 326779)
Black or African American	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	60	304404 (167129, 554434)
Black or African American	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	60	604842 (356295, 1026772)
Black or African American	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	60	476 (238, 954)
Black or African American	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	60	503 (317, 798)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Asian	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	67	10 (10, 10)
Asian	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)
Asian	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)
Asian	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)
Asian	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	67	5 (5, 6)
Asian	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	24	10 (10, 11)
Asian	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	24	10 (10, 10)
Asian	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	24	10 (10, 10)
Asian	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	24	5 (5, 5)
Asian	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	24	6 (5, 7)
Asian	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	12	10 (10, 10)
Asian	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	12	10 (10, 10)
Asian	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	12	10 (10, 10)
Asian	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	12	5 (5, 5)
Asian	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	12	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Asian	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	13	10 (10, 10)
Asian	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	13	10 (10, 10)
Asian	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	13	10 (10, 10)
Asian	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	13	5 (5, 5)
Asian	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	13	5 (5, 5)
Asian	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	67	30141 (17609, 51593)
Asian	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	67	33349 (22375, 49704)
Asian	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	67	63758 (46143, 88098)
Asian	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	67	142 (92, 220)
Asian	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	67	263 (175, 396)
Asian	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	24	33316 (16988, 65339)
Asian	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	24	24553 (12396, 48632)
Asian	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	24	49522 (25574, 95896)
Asian	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	24	168 (93, 305)
Asian	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	24	301 (169, 535)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Asian	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	12	10 (10, 10)
Asian	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	12	10 (10, 10)
Asian	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	12	10 (10, 10)
Asian	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	12	5 (5, 6)
Asian	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	12	5 (5, 5)
Asian	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	13	17273 (7176, 41578)
Asian	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	13	27396 (7030, 106752)
Asian	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	13	12500 (5123, 30501)
Asian	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	13	65 (20, 204)
Asian	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	13	103 (29, 368)
Asian	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	67	759619 (433314, 1331648)
Asian	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	67	1685637 (1174971, 2418248)
Asian	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	67	2633046 (1877669, 3692307)
Asian	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	67	1492 (1005, 2214)
Asian	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	67	796 (596, 1063)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Asian	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	24	639026 (166611, 2450946)
Asian	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	24	2094481 (798635, 5492936)
Asian	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	24	4848443 (2582417, 9102870)
Asian	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	24	2197 (1429, 3378)
Asian	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	24	1124 (977, 1293)
Asian	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	12	10 (10, 10)
Asian	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	12	10 (10, 10)
Asian	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	12	10 (10, 10)
Asian	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	12	5 (5, 5)
Asian	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	12	5 (5, 5)
Asian	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	13	275834 (38032, 2000553)
Asian	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	13	750472 (221281, 2545218)
Asian	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	13	859200 (214237, 3445831)
Asian	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	13	405 (204, 803)
Asian	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	13	491 (196, 1235)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
American Indian or Alaska Native	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	13	10 (10, 10)
American Indian or Alaska Native	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	13	10 (10, 10)
American Indian or Alaska Native	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	13	10 (10, 10)
American Indian or Alaska Native	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	13	5 (5, 5)
American Indian or Alaska Native	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	13	5 (5, 5)
American Indian or Alaska Native	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	6	10 (10, 10)
American Indian or Alaska Native	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	6	10 (10, 10)
American Indian or Alaska Native	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	6	10 (10, 10)
American Indian or Alaska Native	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	6	5 (5, 5)
American Indian or Alaska Native	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	6	7 (4, 12)
American Indian or Alaska Native	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	5	5 (5, 5)
American Indian or Alaska Native	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	5	5 (5, 6)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
American Indian or Alaska Native	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	4	10 (10, 10)
American Indian or Alaska Native	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	4	10 (10, 10)
American Indian or Alaska Native	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	4	10 (10, 10)
American Indian or Alaska Native	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	4	5 (5, 5)
American Indian or Alaska Native	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	4	5 (5, 5)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	13	45133 (17526, 116231)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	13	42283 (18553, 96361)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	13	30785 (14002, 67681)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	13	186 (69, 500)
American Indian or Alaska Native	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	13	194 (91, 413)
American Indian or Alaska Native	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	6	42543 (12599, 143651)
American Indian or Alaska Native	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	6	22761 (9104, 56904)
American Indian or Alaska Native	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	6	85898 (61408, 120155)
American Indian or Alaska Native	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	6	244 (190, 314)
American Indian or Alaska Native	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	6	1016 (682, 1513)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
American Indian or Alaska Native	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5	5 (5, 5)
American Indian or Alaska Native	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	5	5 (5, 5)
American Indian or Alaska Native	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	4	3080 (903, 10500)
American Indian or Alaska Native	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	4	7559 (3135, 18228)
American Indian or Alaska Native	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	4	5348 (1448, 19751)
American Indian or Alaska Native	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	4	13 (3, 59)
American Indian or Alaska Native	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	4	79 (30, 204)
American Indian or Alaska Native	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	13	982833 (265724, 3635201)
American Indian or Alaska Native	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	13	836025 (309146, 2260867)
American Indian or Alaska Native	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	13	4760602 (2394927, 9463058)
American Indian or Alaska Native	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	13	1495 (689, 3244)
American Indian or Alaska Native	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	13	1060 (823, 1367)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
American Indian or Alaska Native	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	6	2398314 (564683, 10186076)
American Indian or Alaska Native	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	6	2320038 (637964, 8437115)
American Indian or Alaska Native	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	6	7507181 (3753423, 15015033)
American Indian or Alaska Native	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	6	2732 (1450, 5146)
American Indian or Alaska Native	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	6	1230 (1130, 1339)
American Indian or Alaska Native	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	5	10 (10, 10)
American Indian or Alaska Native	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5	5 (5, 5)
American Indian or Alaska Native	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	5	5 (5, 5)
American Indian or Alaska Native	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	4	36102 (4186, 311392)
American Indian or Alaska Native	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	4	272152 (53544, 1383275)
American Indian or Alaska Native	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	4	677711 (179814, 2554268)
American Indian or Alaska Native	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	4	111 (19, 633)
American Indian or Alaska Native	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	4	273 (75, 996)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	17	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	17	11 (9, 14)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	17	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	17	6 (4, 7)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	17	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	5	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	5	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	5	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	5	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	5	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	1	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	17	114600 (48837, 268918)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	17	114776 (51258, 257008)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	17	116196 (61392, 219924)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	17	372 (196, 706)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	17	587 (327, 1052)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	5	55095 (14886, 203910)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	5	44998 (5810, 348524)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	5	107953 (53087, 219523)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	5	227 (34, 1502)
Native Hawaiian or Other Pacific Islander	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	5	376 (254, 556)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	1	734 (734, 734)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	1	6237 (6237, 6237)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	1	10844 (10844, 10844)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	17	2236794 (653655, 7654268)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	17	5533419 (2411519, 12696861)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	17	7662810 (3513241, 16713531)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	17	2379 (1363, 4154)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	17	1070 (845, 1354)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	5	513962 (104677, 2523545)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	5	1828480 (624445, 5354097)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	5	5139344 (1063287, 24840758)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	5	1533 (324, 7252)
Native Hawaiian or Other Pacific Islander	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	5	619 (209, 1836)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	1	10 (10, 10)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	1	5 (5, 5)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	1	969 (969, 969)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	1	4780 (4780, 4780)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	1	61376 (61376, 61376)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	1	44 (44, 44)
Native Hawaiian or Other Pacific Islander	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	1	144 (144, 144)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Multiracial	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	52	10 (10, 10)
Multiracial	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	52	10 (10, 10)
Multiracial	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	52	10 (10, 10)
Multiracial	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	52	5 (5, 5)
Multiracial	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	52	5 (5, 5)
Multiracial	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	12	10 (10, 10)
Multiracial	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	12	10 (10, 10)
Multiracial	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	12	10 (10, 10)
Multiracial	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	12	5 (5, 5)
Multiracial	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	12	5 (5, 5)
Multiracial	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	8	5 (5, 5)
Multiracial	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	8	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Multiracial	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	19	10 (10, 10)
Multiracial	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	19	10 (10, 10)
Multiracial	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	19	10 (10, 10)
Multiracial	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	19	5 (5, 5)
Multiracial	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	19	5 (5, 5)
Multiracial	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	52	20542 (10385, 40633)
Multiracial	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	52	21505 (13280, 34826)
Multiracial	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	52	45067 (27324, 74332)
Multiracial	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	52	70 (38, 128)
Multiracial	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	52	127 (79, 206)
Multiracial	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	12	70589 (28460, 175084)
Multiracial	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	12	55196 (17605, 173056)
Multiracial	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	12	155885 (72852, 333555)
Multiracial	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	12	396 (207, 757)
Multiracial	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	12	257 (153, 430)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Multiracial	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	8	5 (5, 5)
Multiracial	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	8	5 (5, 5)
Multiracial	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	19	15871 (7940, 31722)
Multiracial	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	19	24792 (13805, 44522)
Multiracial	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	19	25261 (12238, 52142)
Multiracial	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	19	51 (29, 92)
Multiracial	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	19	180 (68, 476)
Multiracial	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	52	214922 (107235, 430749)
Multiracial	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	52	1262157 (722732, 2204191)
Multiracial	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	52	2195866 (1450385, 3324515)
Multiracial	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	52	968 (523, 1789)
Multiracial	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	52	586 (341, 1008)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Multiracial	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	12	1276135 (589049, 2764663)
Multiracial	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	12	3777504 (1884728, 7571138)
Multiracial	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	12	8118223 (3469088, 18997943)
Multiracial	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	12	1409 (661, 3007)
Multiracial	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	12	1295 (1295, 1295)
Multiracial	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	8	10 (10, 10)
Multiracial	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	8	5 (5, 5)
Multiracial	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	8	5 (5, 5)
Multiracial	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	19	235861 (111256, 500021)
Multiracial	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	19	693982 (316894, 1519783)
Multiracial	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	19	791515 (354932, 1765111)
Multiracial	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	19	782 (248, 2467)
Multiracial	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	19	741 (431, 1274)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Other	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	34	10 (10, 10)
Other	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	34	10 (10, 10)
Other	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	34	10 (10, 10)
Other	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	34	5 (5, 5)
Other	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	34	6 (5, 7)
Other	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	7	10 (10, 10)
Other	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	7	10 (10, 10)
Other	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	7	10 (10, 10)
Other	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	7	5 (5, 5)
Other	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	7	5 (5, 5)
Other	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	4	10 (10, 10)
Other	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	4	10 (10, 10)
Other	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	4	10 (10, 10)
Other	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	4	5 (5, 5)
Other	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	4	6 (4, 8)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Other	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	5	10 (10, 10)
Other	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	5	10 (10, 10)
Other	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	5	10 (10, 10)
Other	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	5	5 (5, 5)
Other	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	5	5 (5, 5)
Other	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	34	21653 (9361, 50086)
Other	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	34	22295 (11772, 42226)
Other	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	34	38007 (21501, 67187)
Other	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	34	117 (55, 253)
Other	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	34	208 (96, 453)
Other	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	7	18596 (6477, 53394)
Other	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	7	18039 (8532, 38139)
Other	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	7	75844 (35549, 161814)
Other	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	7	63 (21, 187)
Other	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	7	257 (100, 659)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Other	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	4	10 (10, 10)
Other	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	4	10 (10, 10)
Other	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	4	10 (10, 10)
Other	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	4	5 (5, 5)
Other	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	4	5 (5, 5)
Other	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	5	44670 (1872, 1065667)
Other	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	5	49870 (2917, 852533)
Other	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	5	40496 (4409, 371979)
Other	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	5	221 (26, 1859)
Other	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	5	295 (53, 1652)
Other	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	34	460615 (158188, 1341230)
Other	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	34	959325 (475252, 1936456)
Other	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	34	2238776 (1244112, 4028672)
Other	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	34	1004 (517, 1952)
Other	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	34	701 (377, 1301)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Other	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	7	506707 (127532, 2013236)
Other	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	7	4612046 (1780648, 11945635)
Other	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	7	5745695 (3255119, 10141875)
Other	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	7	1804 (599, 5428)
Other	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	7	1220 (1091, 1364)
Other	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	4	10 (10, 10)
Other	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	4	10 (10, 10)
Other	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	4	10 (10, 10)
Other	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	4	5 (5, 5)
Other	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	4	5 (5, 5)
Other	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	5	635834 (53800, 7514571)
Other	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	5	390164 (28931, 5261702)
Other	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	5	1950467 (164373, 23144505)
Other	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	5	1257 (226, 6982)
Other	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	5	516 (138, 1936)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not reported and unknown	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	87	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	87	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	87	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	87	5 (5, 5)
Not reported and unknown	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	87	5 (5, 5)
Not reported and unknown	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	20	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	20	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	20	10 (10, 10)
Not reported and unknown	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	20	6 (5, 7)
Not reported and unknown	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	20	5 (5, 5)
Not reported and unknown	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	14	5 (5, 5)
Not reported and unknown	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	14	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not reported and unknown	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	24	11 (9, 14)
Not reported and unknown	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	24	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	24	10 (10, 10)
Not reported and unknown	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	24	6 (5, 7)
Not reported and unknown	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	24	5 (5, 6)
Not reported and unknown	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	87	19313 (11472, 32516)
Not reported and unknown	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	87	19972 (11876, 33588)
Not reported and unknown	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	87	41499 (26987, 63814)
Not reported and unknown	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	87	84 (49, 145)
Not reported and unknown	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	87	146 (97, 218)
Not reported and unknown	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	20	67460 (19699, 231017)
Not reported and unknown	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	20	57668 (24574, 135330)
Not reported and unknown	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	20	112437 (54974, 229962)
Not reported and unknown	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	20	304 (103, 898)
Not reported and unknown	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	20	390 (198, 769)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not reported and unknown	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	14	5 (5, 6)
Not reported and unknown	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	14	5 (5, 5)
Not reported and unknown	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	24	15732 (6487, 38157)
Not reported and unknown	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	24	11890 (6590, 21451)
Not reported and unknown	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	24	17779 (10713, 29504)
Not reported and unknown	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	24	46 (19, 108)
Not reported and unknown	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	24	143 (61, 333)
Not reported and unknown	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	87	313760 (164473, 598549)
Not reported and unknown	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	87	958206 (582610, 1575941)
Not reported and unknown	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	87	1898203 (1184567, 3041766)
Not reported and unknown	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	87	872 (551, 1381)
Not reported and unknown	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	87	657 (450, 961)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Not reported and unknown	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	20	1890562 (694266, 5148205)
Not reported and unknown	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	20	3239260 (1260301, 8325636)
Not reported and unknown	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	20	9280577 (5923070, 14541295)
Not reported and unknown	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	20	2582 (1688, 3951)
Not reported and unknown	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	20	895 (680, 1176)
Not reported and unknown	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	14	10 (10, 10)
Not reported and unknown	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	14	5 (5, 5)
Not reported and unknown	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	14	5 (5, 5)
Not reported and unknown	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	24	212439 (61455, 734360)
Not reported and unknown	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	24	401782 (159718, 1010714)
Not reported and unknown	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	24	645039 (300920, 1382676)
Not reported and unknown	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	24	459 (159, 1325)
Not reported and unknown	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	24	396 (222, 706)

Table 5i. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Underrepresented minority status

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Underrepresented minority status</b>						
Communities of Color	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	420	10 (10, 10)
Communities of Color	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	420	10 (10, 10)
Communities of Color	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	420	10 (10, 10)
Communities of Color	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	420	5 (5, 5)
Communities of Color	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	420	5 (5, 5)
Communities of Color	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	120	10 (10, 10)
Communities of Color	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	120	10 (10, 10)
Communities of Color	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	120	10 (10, 10)
Communities of Color	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	120	5 (5, 5)
Communities of Color	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	120	5 (5, 6)
Communities of Color	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	73	5 (5, 5)
Communities of Color	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	73	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Communities of Color	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	111	10 (10, 10)
Communities of Color	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	111	10 (10, 10)
Communities of Color	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	111	10 (10, 10)
Communities of Color	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	111	5 (5, 6)
Communities of Color	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	111	5 (5, 5)
Communities of Color	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	420	21539 (16815, 27590)
Communities of Color	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	420	23355 (19229, 28366)
Communities of Color	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	420	40216 (34293, 47162)
Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	420	98 (78, 122)
Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	420	170 (139, 209)
Communities of Color	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	120	59825 (42543, 84127)
Communities of Color	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	120	44605 (32032, 62112)
Communities of Color	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	120	90964 (70362, 117598)
Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	120	233 (168, 324)
Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	120	375 (282, 498)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Communities of Color	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	73	5 (5, 5)
Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	73	5 (5, 6)
Communities of Color	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	111	12076 (7749, 18818)
Communities of Color	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	111	17596 (12294, 25185)
Communities of Color	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	111	18884 (13265, 26883)
Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	111	53 (34, 81)
Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	111	150 (99, 229)
Communities of Color	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	420	358864 (270698, 475746)
Communities of Color	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	420	977894 (775098, 1233750)
Communities of Color	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	420	2083276 (1731530, 2506476)
Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	420	1041 (844, 1285)
Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	420	697 (600, 810)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Communities of Color	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	120	1149410 (701808, 1882486)
Communities of Color	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	120	3146770 (2268204, 4365640)
Communities of Color	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	120	5991417 (4521908, 7938481)
Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	120	2436 (1982, 2994)
Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	120	1113 (985, 1257)
Communities of Color	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	73	10 (10, 10)
Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	73	5 (5, 5)
Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	73	5 (5, 5)
Communities of Color	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	111	193321 (112330, 332707)
Communities of Color	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	111	397884 (255298, 620105)
Communities of Color	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	111	734879 (488135, 1106348)
Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	111	511 (315, 827)
Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	111	516 (373, 715)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
White Non-Hispanic	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	362	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	362	5 (5, 5)
White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	362	5 (5, 5)
White Non-Hispanic	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)
White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)
White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)
White Non-Hispanic	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 11)
White Non-Hispanic	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)
White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 6)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
White Non-Hispanic	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)
White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)
White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	362	26952 (20879, 34791)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	23438 (18652, 29451)
White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	40376 (34291, 47540)
White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	362	112 (88, 143)
White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	362	164 (132, 205)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	125	33909 (23857, 48196)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	30985 (21213, 45260)
White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	72481 (52760, 99575)
White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	125	144 (100, 205)
White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	125	257 (181, 364)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)
White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 5)
White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	121	12594 (8343, 19013)
White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	121	10931 (7523, 15882)
White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	121	18868 (14654, 24295)
White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	121	52 (37, 74)
White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	121	100 (71, 141)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	362	328428 (241885, 445935)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	1035293 (809058, 1324789)
White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	2145772 (1769345, 2602284)
White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	362	853 (680, 1071)
White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	362	637 (536, 758)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	125	855574 (516251, 1417930)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	1943813 (1341551, 2816449)
White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	4608987 (3326910, 6385133)
White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	125	1560 (1107, 2198)
White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	125	959 (783, 1174)
White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)
White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)
White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 5)
White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	121	105260 (65329, 169598)
White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	121	393045 (283452, 545009)
White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	121	674526 (481218, 945489)
White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	121	482 (316, 735)
White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	121	633 (482, 831)

Table 5j. Geometric mean titers (GMTs) and geometric mean concentrations (GMCs) by Age, Underrepresented minority status

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
<b>Age, Underrepresented minority status</b>						
Age < 65 Communities of Color	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	192	10 (10, 10)
Age < 65 Communities of Color	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	192	10 (10, 10)
Age < 65 Communities of Color	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	192	10 (10, 10)
Age < 65 Communities of Color	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	192	5 (5, 5)
Age < 65 Communities of Color	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	192	5 (5, 5)
Age < 65 Communities of Color	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	69	10 (10, 10)
Age < 65 Communities of Color	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	69	10 (10, 10)
Age < 65 Communities of Color	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	69	10 (10, 10)
Age < 65 Communities of Color	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	69	5 (5, 5)
Age < 65 Communities of Color	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	69	5 (5, 6)
Age < 65 Communities of Color	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	37	5 (5, 5)
Age < 65 Communities of Color	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	37	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Communities of Color	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	61	10 (10, 10)
Age < 65 Communities of Color	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	61	10 (10, 10)
Age < 65 Communities of Color	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	61	10 (10, 10)
Age < 65 Communities of Color	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	61	5 (5, 6)
Age < 65 Communities of Color	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	61	5 (5, 5)
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	192	16236 (11950, 22059)
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	192	17593 (13852, 22344)
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	192	30531 (25113, 37118)
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	192	76 (57, 100)
Age < 65 Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	192	146 (113, 187)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	69	50828 (34018, 75943)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	69	34937 (23630, 51653)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	69	70998 (52456, 96095)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	69	208 (141, 308)
Age < 65 Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	69	347 (247, 489)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Communities of Color	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	37	5 (5, 5)
Age < 65 Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	37	5 (5, 6)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	61	9484 (5622, 16000)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	61	13618 (8930, 20767)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	61	13717 (9072, 20741)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	61	41 (25, 69)
Age < 65 Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	61	131 (79, 216)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	192	292558 (206178, 415126)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	192	741900 (555636, 990606)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	192	1629402 (1297091, 2046851)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	192	887 (682, 1152)
Age < 65 Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	192	639 (529, 772)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	69	930919 (514131, 1685580)
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	69	2542683 (1712680, 3774922)
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	69	5081700 (3613166, 7147104)
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	69	2281 (1781, 2920)
Age < 65 Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	69	1106 (954, 1283)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	37	10 (10, 10)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	37	5 (5, 5)
Age < 65 Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	37	5 (5, 5)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	61	145989 (76495, 278616)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	61	277278 (164097, 468523)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	61	543679 (334324, 884132)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	61	387 (217, 690)
Age < 65 Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	61	457 (309, 677)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 White Non-Hispanic	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	175	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	175	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	175	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	175	5 (5, 5)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	175	5 (5, 5)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	59	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	59	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	59	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	59	5 (5, 5)
Age < 65 White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	59	5 (5, 5)
Age < 65 White Non-Hispanic	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	31	10 (10, 11)
Age < 65 White Non-Hispanic	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	31	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	31	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	31	5 (5, 5)
Age < 65 White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	31	5 (5, 6)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 White Non-Hispanic	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	61	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	61	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	61	10 (10, 10)
Age < 65 White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	61	5 (5, 5)
Age < 65 White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	61	5 (5, 5)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	175	22546 (16452, 30897)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	175	18239 (13763, 24171)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	175	31442 (25800, 38318)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	175	96 (71, 129)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	175	147 (112, 194)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	59	22816 (14942, 34840)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	59	19045 (11989, 30254)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	59	50450 (34139, 74554)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	59	100 (65, 154)
Age < 65 White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	59	201 (130, 311)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	31	10 (10, 10)
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	31	10 (10, 10)
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	31	10 (10, 10)
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	31	5 (5, 5)
Age < 65 White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	31	5 (5, 5)
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	61	9218 (5571, 15252)
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	61	7844 (4954, 12419)
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	61	13337 (9905, 17959)
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	61	38 (25, 58)
Age < 65 White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	61	77 (50, 116)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	175	264562 (181456, 385729)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	175	821667 (606114, 1113878)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	175	1724310 (1360950, 2184685)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	175	736 (556, 975)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	175	582 (469, 722)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	59	596002 (317291, 1119537)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	59	1330657 (839954, 2108031)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	59	3419951 (2269217, 5154230)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	59	1219 (789, 1885)
Age < 65 White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	59	906 (700, 1173)
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	31	10 (10, 10)
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	31	10 (10, 10)
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	31	10 (10, 10)
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	31	5 (5, 5)
Age < 65 White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	31	5 (5, 5)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	61	69600 (38730, 125074)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	61	264698 (179209, 390968)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	61	451492 (299720, 680117)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	61	363 (214, 617)
Age < 65 White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	61	569 (403, 802)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	228	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	228	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	228	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	228	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	228	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	51	10 (10, 11)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	51	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	51	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	51	5 (5, 6)
Age $\geq$ 65 Communities of Color	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	51	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	50	10 (10, 11)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	50	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	50	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	50	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	50	5 (5, 6)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	228	62158 (49081, 78719)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	228	67566 (54935, 83102)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	228	113000 (94977, 134444)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	228	253 (202, 317)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	228	307 (255, 371)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	51	120781 (72911, 200082)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	51	127850 (82611, 197861)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	51	264698 (194312, 360580)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	51	378 (245, 582)
Age $\geq$ 65 Communities of Color	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	51	524 (384, 715)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	50	36935 (21325, 63969)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	50	57615 (37949, 87471)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	50	82913 (55673, 123482)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	50	162 (100, 262)
Age $\geq$ 65 Communities of Color	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	50	287 (198, 414)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	228	771969 (594183, 1002951)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	228	2754587 (2268872, 3344283)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	228	5234940 (4335801, 6320538)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	228	1902 (1592, 2272)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	228	965 (885, 1054)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	51	2851970 (1696232, 4795178)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	51	7886529 (5992121, 10379852)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	51	12184499 (9870720, 15040647)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	51	3237 (2532, 4138)
Age $\geq$ 65 Communities of Color	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	51	1142 (1029, 1268)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	50	709142 (414598, 1212941)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	50	2116643 (1392238, 3217970)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	50	2964324 (2094066, 4196246)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	50	1841 (1287, 2635)
Age $\geq$ 65 Communities of Color	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	50	907 (726, 1133)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	187	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	187	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	187	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	187	5 (5, 5)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	187	5 (5, 5)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	66	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	66	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	66	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	66	5 (5, 6)
Age $\geq$ 65 White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	66	5 (5, 5)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	60	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	60	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	60	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	60	5 (5, 5)
Age $\geq$ 65 White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	60	5 (5, 5)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	187	52931 (40936, 68439)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	187	60501 (48791, 75021)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	187	103956 (85935, 125756)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	187	205 (159, 264)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	187	250 (203, 309)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	66	136437 (87620, 212452)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	66	171330 (122252, 240109)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	66	258922 (193862, 345818)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	66	513 (331, 795)
Age $\geq$ 65 White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	66	611 (474, 787)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	60	37306 (22959, 60618)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	60	34684 (23721, 50713)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	60	63090 (45948, 86628)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	60	158 (99, 253)
Age ≥ 65 White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	60	255 (179, 363)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	187	744013 (544053, 1017467)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	187	2480906 (1963740, 3134273)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	187	4905828 (4010708, 6000723)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	187	1493 (1201, 1857)
Age ≥ 65 White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	187	898 (802, 1006)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	GMT/GMC
Age $\geq$ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	66	3047576 (1946474, 4771560)
Age $\geq$ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	66	7361735 (5501532, 9850918)
Age $\geq$ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	66	13150407 (11185318, 15460732)
Age $\geq$ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	66	3704 (3281, 4182)
Age $\geq$ 65 White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	66	1169 (1068, 1279)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 6)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	60	443960 (270782, 727893)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	60	1555275 (1071853, 2256728)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	60	2726537 (1934165, 3843522)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	60	1287 (922, 1798)
Age $\geq$ 65 White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	60	920 (753, 1124)

Table 6a. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by All participants

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>All participants</b>								
	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	914	10 (10, 10)	23543 (19941, 27795)	2348.16 (1988.98, 2772.19)
	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	914	10 (10, 10)	22926 (19858, 26468)	2279.09 (1974.55, 2630.61)
	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	914	10 (10, 10)	40963 (36728, 45687)	4091.68 (3668.78, 4563.32)
	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	914	5 (5, 5)	104 (89, 122)	20.63 (17.64, 24.13)
	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	914	5 (5, 5)	163 (141, 188)	32.10 (27.78, 37.08)
	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	274	10 (10, 10)	43010 (33085, 55913)	4284.83 (3296.73, 5569.08)
	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	274	10 (10, 10)	36133 (28098, 46466)	3613.33 (2809.81, 4646.63)
	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	274	10 (10, 10)	79981 (64904, 98560)	7998.08 (6490.40, 9856.00)
	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	274	5 (5, 5)	179 (138, 231)	35.10 (27.15, 45.38)
	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	274	5 (5, 5)	302 (241, 378)	59.49 (47.51, 74.51)
	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	163	10 (10, 10)	10 (10, 10)	0.98 (0.95, 1.02)
	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	163	10 (10, 11)	10 (10, 10)	0.98 (0.95, 1.02)
	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	163	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	163	5 (5, 5)	5 (5, 5)	1.01 (0.99, 1.02)
	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	163	5 (5, 5)	5 (5, 5)	0.99 (0.95, 1.04)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	270	10 (10, 10)	12518 (9448, 16584)	1232.97 (936.69, 1622.95)
	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	270	10 (10, 10)	12861 (10130, 16328)	1284.22 (1011.61, 1630.29)
	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	270	10 (10, 10)	18191 (15115, 21892)	1819.07 (1511.50, 2189.23)
	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	270	5 (5, 5)	51 (40, 66)	9.92 (7.79, 12.62)
	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	270	5 (5, 5)	116 (91, 149)	22.93 (17.92, 29.34)
	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	914	10 (10, 10)	325136 (267198, 395636)	32428.78 (26652.06, 39457.57)
	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	914	10 (10, 10)	966160 (823231, 1133905)	96047.59 (81845.66, 112713.85)
	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	914	10 (10, 10)	2087965 (1830649, 2381449)	208560.44 (182858.34, 237875.17)
	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	914	5 (5, 5)	910 (784, 1056)	179.70 (154.91, 208.46)
	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	914	5 (5, 5)	659 (591, 735)	129.98 (116.54, 144.97)
	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	274	10 (10, 10)	980579 (696907, 1379717)	97689.42 (69435.75, 137439.61)
	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	274	10 (10, 10)	2298869 (1782123, 2965450)	229886.89 (178212.34, 296545.02)
	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	274	10 (10, 10)	5346334 (4334333, 6594622)	534633.43 (433433.32, 659462.24)
	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	274	5 (5, 5)	1930 (1566, 2378)	378.72 (307.77, 466.02)
	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	274	5 (5, 5)	1008 (894, 1136)	198.36 (175.73, 223.89)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	163	10 (10, 10)	10 (10, 10)	0.98 (0.95, 1.02)
	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	163	10 (10, 11)	10 (10, 10)	0.99 (0.95, 1.02)
	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	163	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	163	5 (5, 5)	5 (5, 5)	1.00 (0.99, 1.02)
	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	163	5 (5, 5)	5 (5, 5)	0.99 (0.95, 1.03)
	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	270	10 (10, 10)	130008 (92473, 182781)	12805.53 (9171.14, 17880.17)
	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	270	10 (10, 10)	382614 (298961, 489673)	38205.28 (29853.16, 48894.11)
	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	270	10 (10, 10)	676872 (530026, 864403)	67687.19 (53002.57, 86440.25)
	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	270	5 (5, 5)	465 (344, 628)	90.26 (67.09, 121.43)
	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	270	5 (5, 5)	528 (429, 651)	104.22 (84.70, 128.23)

Table 6b. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Age

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Age</b>								
Age < 65	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	432	10 (10, 10)	18416 (15002, 22607)	1838.80 (1497.95, 2257.19)
Age < 65	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	432	10 (10, 10)	17393 (14565, 20769)	1728.59 (1447.99, 2063.57)
Age < 65	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	432	10 (10, 10)	31397 (27475, 35879)	3139.72 (2747.55, 3587.87)
Age < 65	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	432	5 (5, 5)	84 (69, 101)	16.53 (13.62, 20.06)
Age < 65	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	432	5 (5, 5)	139 (117, 167)	27.60 (23.08, 33.01)
Age < 65	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	146	10 (10, 10)	32567 (23739, 44678)	3251.72 (2370.29, 4460.94)
Age < 65	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	146	10 (10, 10)	24939 (18392, 33816)	2493.88 (1839.19, 3381.62)
Age < 65	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	146	10 (10, 10)	59400 (46127, 76492)	5940.04 (4612.75, 7649.25)
Age < 65	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	146	5 (5, 5)	141 (103, 192)	27.74 (20.33, 37.85)
Age < 65	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	146	5 (5, 5)	257 (195, 338)	50.36 (38.22, 66.37)
Age < 65	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	80	10 (10, 11)	10 (10, 10)	0.98 (0.94, 1.02)
Age < 65	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	80	10 (10, 11)	10 (10, 10)	0.98 (0.93, 1.02)
Age < 65	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	80	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
Age < 65	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	80	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.03)
Age < 65	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	80	5 (5, 5)	5 (5, 5)	0.99 (0.93, 1.06)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	147	10 (10, 10)	9820 (7013, 13750)	966.54 (696.04, 1342.18)
Age < 65	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	147	10 (10, 10)	9737 (7317, 12958)	973.73 (731.73, 1295.76)
Age < 65	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	147	10 (10, 10)	13380 (10754, 16647)	1337.99 (1075.43, 1664.66)
Age < 65	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	147	5 (5, 5)	39 (29, 53)	7.65 (5.75, 10.19)
Age < 65	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	147	5 (5, 5)	98 (72, 133)	19.36 (14.37, 26.07)
Age < 65	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	432	10 (10, 10)	253319 (198852, 322705)	25293.56 (19856.83, 32218.84)
Age < 65	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	432	10 (10, 10)	737116 (604472, 898869)	73258.07 (60080.83, 89325.40)
Age < 65	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	432	10 (10, 10)	1643373 (1397174, 1932956)	164337.35 (139717.43, 193295.59)
Age < 65	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	432	5 (5, 5)	771 (641, 927)	152.54 (126.89, 183.37)
Age < 65	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	432	5 (5, 5)	598 (522, 685)	118.29 (103.17, 135.63)
Age < 65	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	146	10 (10, 10)	739998 (487371, 1123572)	73885.65 (48662.98, 112181.57)
Age < 65	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	146	10 (10, 10)	1708031 (1250174, 2333572)	170803.11 (125017.37, 233357.19)
Age < 65	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	146	10 (10, 10)	4266733 (3292896, 5528570)	426673.25 (329289.62, 552856.97)
Age < 65	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	146	5 (5, 5)	1667 (1287, 2159)	328.89 (254.39, 425.20)
Age < 65	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	146	5 (5, 5)	973 (838, 1130)	190.84 (164.19, 221.82)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	80	10 (10, 11)	10 (10, 10)	0.98 (0.94, 1.02)
Age < 65	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	80	10 (10, 11)	10 (10, 10)	0.98 (0.93, 1.03)
Age < 65	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	80	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
Age < 65	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	80	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.01)
Age < 65	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	80	5 (5, 5)	5 (5, 5)	0.98 (0.93, 1.03)
Age < 65	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	147	10 (10, 10)	93772 (62214, 141339)	9229.59 (6176.87, 13791.00)
Age < 65	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	147	10 (10, 10)	270061 (201198, 362494)	27006.13 (20119.80, 36249.41)
Age < 65	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	147	10 (10, 10)	484596 (361249, 650060)	48459.60 (36124.88, 65005.98)
Age < 65	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	147	5 (5, 5)	358 (249, 516)	69.51 (48.48, 99.68)
Age < 65	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	147	5 (5, 5)	469 (364, 605)	92.71 (71.97, 119.42)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	482	10 (10, 10)	59687 (50611, 70391)	5928.46 (5026.70, 6991.99)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	482	10 (10, 10)	65260 (56737, 75065)	6494.31 (5646.43, 7469.52)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	482	10 (10, 10)	112166 (98906, 127204)	11156.00 (9843.98, 12642.88)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	482	5 (5, 5)	243 (207, 285)	47.76 (40.69, 56.06)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	482	5 (5, 5)	291 (255, 333)	56.88 (49.73, 65.07)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	128	10 (10, 10)	130450 (94795, 179517)	12881.38 (9396.75, 17658.23)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	128	10 (10, 10)	158619 (123584, 203585)	15861.86 (12358.38, 20358.53)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	128	10 (10, 10)	262073 (212134, 323767)	26207.29 (21213.44, 32376.73)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	128	5 (5, 5)	468 (345, 634)	89.76 (66.59, 121.01)
Age ≥ 65	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	128	5 (5, 5)	578 (473, 707)	115.66 (94.56, 141.47)
Age ≥ 65	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	83	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	83	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	83	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	83	5 (5, 5)	5 (5, 5)	1.02 (0.99, 1.04)
Age ≥ 65	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	83	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.03)
Age ≥ 65	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	123	10 (10, 10)	35028 (24909, 49257)	3460.86 (2460.34, 4868.27)
Age ≥ 65	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	123	10 (10, 10)	41836 (32039, 54629)	4151.56 (3183.46, 5414.08)
Age ≥ 65	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	123	10 (10, 10)	66891 (53129, 84219)	6689.12 (5312.89, 8421.86)
Age ≥ 65	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	123	5 (5, 5)	153 (111, 211)	29.78 (21.65, 40.95)
Age ≥ 65	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	123	5 (5, 5)	240 (186, 309)	47.03 (36.48, 60.63)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	482	10 (10, 10)	836805 (684312, 1023281)	83115.94 (67974.10, 101630.74)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	482	10 (10, 10)	2692372 (2329251, 3112103)	267928.32 (231866.20, 309599.18)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	482	10 (10, 10)	5171042 (4536295, 5894606)	514311.17 (451178.34, 586278.10)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	482	5 (5, 5)	1700 (1485, 1946)	334.27 (292.07, 382.57)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	482	5 (5, 5)	951 (889, 1017)	185.73 (173.41, 198.93)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	128	10 (10, 10)	3014476 (2176245, 4175569)	297666.07 (215253.29, 411631.74)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	128	10 (10, 10)	7520373 (6150499, 9195352)	752037.26 (615049.90, 919535.23)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	128	10 (10, 10)	13148461 (11664499, 14821213)	1314846.07 (1166449.85, 1482121.32)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	128	5 (5, 5)	3465 (3066, 3916)	664.87 (585.59, 754.89)
Age ≥ 65	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	128	5 (5, 5)	1157 (1082, 1237)	231.40 (216.36, 247.49)
Age ≥ 65	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	83	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	83	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	83	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	83	5 (5, 5)	5 (5, 5)	1.02 (0.99, 1.05)
Age ≥ 65	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	83	5 (5, 5)	5 (5, 5)	1.01 (0.97, 1.05)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	123	10 (10, 10)	519433 (364460, 740302)	51321.85 (36039.16, 73085.28)
Age ≥ 65	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	123	10 (10, 10)	1675605 (1277411, 2197922)	166277.45 (126776.94, 218085.33)
Age ≥ 65	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	123	10 (10, 10)	2790960 (2211288, 3522590)	279096.04 (221128.76, 352259.01)
Age ≥ 65	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	123	5 (5, 5)	1406 (1101, 1795)	273.14 (214.42, 347.93)
Age ≥ 65	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	123	5 (5, 5)	872 (749, 1016)	171.18 (146.84, 199.57)

Table 6c. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Risk for Severe Covid-19

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Risk for Severe Covid-19</b>								
At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	469	10 (10, 10)	23746 (19890, 28348)	2359.08 (1976.71, 2815.43)
At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	469	10 (10, 10)	26276 (22549, 30618)	2615.50 (2244.91, 3047.26)
At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	469	10 (10, 10)	45842 (39981, 52561)	4565.75 (3983.95, 5232.51)
At-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	469	5 (5, 5)	101 (86, 119)	19.70 (16.70, 23.23)
At-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	469	5 (5, 5)	184 (157, 215)	36.34 (31.01, 42.58)
At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)	55180 (40058, 76009)	5491.58 (3986.33, 7565.22)
At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)	55528 (42705, 72202)	5552.80 (4270.49, 7220.16)
At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)	103862 (81118, 132982)	10386.18 (8111.82, 13298.22)
At-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)	215 (157, 294)	42.01 (30.78, 57.34)
At-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)	320 (246, 417)	63.43 (48.55, 82.87)
At-risk	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	84	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	84	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	84	10 (10, 11)	10 (10, 10)	0.98 (0.94, 1.02)
At-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	84	5 (5, 5)	5 (5, 5)	1.02 (0.96, 1.08)
At-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	84	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.02)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
At-risk	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	123	10 (10, 10)	16553 (12110, 22625)	1648.35 (1205.82, 2253.28)
At-risk	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	123	10 (10, 10)	16713 (12461, 22416)	1661.32 (1239.92, 2225.92)
At-risk	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	123	10 (10, 10)	26705 (20898, 34126)	2670.50 (2089.79, 3412.59)
At-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	123	5 (5, 5)	69 (51, 93)	13.48 (10.03, 18.12)
At-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	123	5 (5, 5)	158 (120, 209)	31.26 (23.66, 41.30)
At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	469	10 (10, 10)	335374 (269738, 416981)	33318.69 (26818.38, 41394.55)
At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	469	10 (10, 10)	1142597 (960017, 1359902)	113734.61 (95586.24, 135328.70)
At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	469	10 (10, 10)	2144439 (1837643, 2502456)	213582.55 (183046.93, 249212.07)
At-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	469	5 (5, 5)	998 (842, 1182)	194.03 (163.86, 229.75)
At-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	469	5 (5, 5)	777 (706, 855)	153.65 (139.53, 169.21)
At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)	1327591 (930289, 1894571)	132124.36 (92595.45, 188528.13)
At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)	2930270 (2189955, 3920848)	293027.00 (218995.53, 392084.81)
At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)	6396516 (5170277, 7913583)	639651.59 (517027.71, 791358.28)
At-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)	2243 (1781, 2825)	438.17 (347.73, 552.11)
At-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)	1098 (986, 1224)	217.56 (195.03, 242.70)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
At-risk	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	84	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	84	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.04)
At-risk	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	84	10 (10, 11)	10 (10, 10)	0.98 (0.94, 1.02)
At-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	84	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.03)
At-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	84	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.07)
At-risk	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	123	10 (10, 10)	197242 (136637, 284729)	19641.88 (13608.81, 28349.53)
At-risk	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	123	10 (10, 10)	663561 (486704, 904683)	65958.42 (48396.36, 89893.39)
At-risk	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	123	10 (10, 10)	1012116 (777775, 1317064)	101211.63 (77777.48, 131706.42)
At-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	123	5 (5, 5)	701 (510, 963)	137.12 (99.88, 188.26)
At-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	123	5 (5, 5)	657 (526, 822)	129.97 (103.97, 162.48)
Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	445	10 (10, 10)	23464 (18814, 29264)	2343.90 (1879.40, 2923.21)
Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	445	10 (10, 10)	21736 (17948, 26322)	2159.67 (1783.87, 2614.65)
Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	445	10 (10, 10)	39200 (33975, 45229)	3920.03 (3397.52, 4522.90)
Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	445	5 (5, 5)	106 (86, 130)	21.01 (17.05, 25.89)
Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	445	5 (5, 5)	155 (128, 188)	30.58 (25.26, 37.02)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	149	10 (10, 10)	39449 (28182, 55221)	3931.45 (2809.49, 5501.46)
Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	149	10 (10, 10)	31130 (22431, 43203)	3113.00 (2243.06, 4320.33)
Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	149	10 (10, 10)	73051 (55813, 95613)	7305.09 (5581.27, 9561.33)
Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	149	5 (5, 5)	168 (121, 233)	32.98 (23.72, 45.85)
Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	149	5 (5, 5)	296 (222, 395)	58.19 (43.58, 77.69)
Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	79	10 (10, 11)	10 (10, 10)	0.98 (0.93, 1.02)
Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	79	10 (10, 11)	10 (10, 10)	0.97 (0.92, 1.03)
Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	79	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not at-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	79	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Not at-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	79	5 (5, 5)	5 (5, 5)	0.99 (0.92, 1.06)
Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	147	10 (10, 11)	11438 (7990, 16373)	1122.63 (791.27, 1592.73)
Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	147	10 (10, 10)	11818 (8737, 15984)	1181.77 (873.73, 1598.42)
Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	147	10 (10, 10)	16070 (12731, 20284)	1606.98 (1273.08, 2028.44)
Not at-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	147	5 (5, 5)	46 (34, 64)	8.98 (6.62, 12.18)
Not at-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	147	5 (5, 5)	105 (77, 145)	20.75 (15.16, 28.38)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	445	10 (10, 10)	321219 (247712, 416539)	32087.38 (24744.83, 41608.70)
Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	445	10 (10, 10)	904842 (731464, 1119314)	89906.29 (72685.74, 111206.70)
Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	445	10 (10, 10)	2066294 (1737472, 2457347)	206629.43 (173747.24, 245734.67)
Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	445	5 (5, 5)	877 (721, 1068)	174.39 (143.37, 212.13)
Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	445	5 (5, 5)	618 (533, 715)	121.75 (105.08, 141.06)
Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	149	10 (10, 10)	882754 (566411, 1375775)	87975.05 (56456.24, 137090.41)
Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	149	10 (10, 10)	2113273 (1521183, 2935822)	211327.27 (152118.26, 293582.20)
Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	149	10 (10, 10)	5023873 (3821349, 6604815)	502387.34 (382134.91, 660481.49)
Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	149	5 (5, 5)	1832 (1399, 2400)	360.04 (275.42, 470.65)
Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	149	5 (5, 5)	978 (836, 1144)	192.10 (163.92, 225.12)
Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	79	10 (10, 11)	10 (10, 10)	0.98 (0.93, 1.02)
Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	79	10 (10, 11)	10 (10, 10)	0.97 (0.92, 1.03)
Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	79	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not at-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	79	5 (5, 5)	5 (5, 5)	1.01 (1.00, 1.02)
Not at-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	79	5 (5, 5)	5 (5, 5)	0.97 (0.92, 1.03)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	147	10 (10, 11) (73522, 175638)	113637 (7284.48, 17077.22)	11153.41
Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	147	10 (10, 10) (234601, 437288)	320294 (23460.15, 43728.80)	32029.42
Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	147	10 (10, 10) (434588, 813016)	594413 (43458.82, 81301.57)	59441.32
Not at-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	147	5 (5, 5) (277, 598)	407 (53.98, 115.22)	78.86
Not at-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	147	5 (5, 5) (377, 642)	492 (74.48, 126.46)	97.05

Table 6d. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Age, Risk for Severe Covid-19

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Age, Risk for Severe Covid-19</b>								
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	214	10 (10, 10)	15066 (11800, 19236)	1496.11 (1172.51, 1909.00)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	214	10 (10, 10)	16530 (13368, 20440)	1647.12 (1332.26, 2036.39)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	214	10 (10, 10)	31028 (25724, 37424)	3102.75 (2572.40, 3742.45)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	214	5 (5, 5)	68 (54, 85)	13.04 (10.42, 16.33)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	214	5 (5, 5)	142 (113, 179)	28.26 (22.49, 35.52)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	73	10 (10, 10)	35719 (23773, 53667)	3546.51 (2360.48, 5328.46)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	10 (10, 10)	30603 (22522, 41584)	3060.34 (2252.24, 4158.38)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	10 (10, 10)	62641 (46308, 84734)	6264.08 (4630.80, 8473.42)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	73	5 (5, 5)	141 (95, 210)	28.19 (18.96, 41.92)
Age < 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	73	5 (5, 5)	230 (161, 329)	45.36 (31.65, 65.01)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 11)	10 (10, 10)	0.97 (0.91, 1.03)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)	5 (5, 6)	1.01 (0.92, 1.11)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.01)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	75	10 (10, 10)	11526 (8005, 16596)	1152.57 (800.46, 1659.56)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	75	10 (10, 10)	10221 (7229, 14450)	1022.09 (722.93, 1445.04)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	75	10 (10, 10)	16112 (12313, 21083)	1611.16 (1231.27, 2108.26)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	75	5 (5, 5)	48 (34, 67)	9.40 (6.70, 13.18)
Age < 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	75	5 (5, 5)	120 (84, 171)	23.68 (16.52, 33.96)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	214	10 (10, 10)	227691 (168871, 306998)	22610.51 (16794.90, 30439.92)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	214	10 (10, 10)	761200 (595115, 973635)	75848.48 (59309.09, 97000.17)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	214	10 (10, 10)	1498825 (1211357, 1854513)	149882.51 (121135.66, 185451.31)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	214	5 (5, 5)	813 (637, 1037)	156.68 (122.88, 199.77)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	214	5 (5, 5)	727 (631, 838)	144.69 (125.55, 166.74)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	73	10 (10, 10)	848831 (533654, 1350151)	84280.25 (53005.97, 134006.78)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	10 (10, 10)	1815884 (1230281, 2680228)	181588.39 (123028.14, 268022.79)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	10 (10, 10)	4547755 (3408849, 6067172)	454775.50 (340884.94, 606717.20)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	73	5 (5, 5)	1675 (1203, 2333)	335.10 (240.63, 466.64)
Age < 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	73	5 (5, 5)	1046 (895, 1224)	206.28 (176.06, 241.69)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 10)	10 (10, 11)	1.02 (0.98, 1.07)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 11)	10 (10, 10)	0.97 (0.91, 1.03)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)	5 (5, 5)	0.99 (0.93, 1.05)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 5)	5 (5, 5)	1.01 (0.96, 1.07)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	75	10 (10, 10)	115913 (73022, 183995)	11591.25 (7302.21, 18399.52)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	75	10 (10, 10)	417627 (286845, 608038)	41762.73 (28684.49, 60803.79)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	75	10 (10, 10)	575539 (424191, 780885)	57553.86 (42419.14, 78088.49)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	75	5 (5, 5)	475 (314, 718)	93.54 (61.86, 141.44)
Age < 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	75	5 (5, 5)	577 (427, 782)	114.22 (84.45, 154.48)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	218	10 (10, 10)	19467 (15118, 25069)	1946.75 (1511.78, 2506.87)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	218	10 (10, 10)	17639 (14174, 21952)	1751.83 (1408.16, 2179.38)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	218	10 (10, 10)	31500 (26782, 37049)	3150.02 (2678.25, 3704.91)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	218	5 (5, 5)	89 (70, 112)	17.65 (13.90, 22.42)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	218	5 (5, 5)	139 (111, 173)	27.42 (22.01, 34.15)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	73	10 (10, 10)	31746 (21547, 46775)	3174.64 (2154.66, 4677.46)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	10 (10, 10)	23567 (16128, 34436)	2356.67 (1612.81, 3443.59)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	10 (10, 10)	58534 (42854, 79952)	5853.44 (4285.42, 7995.20)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	73	5 (5, 5)	140 (96, 205)	27.62 (18.86, 40.44)
Age < 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	73	5 (5, 5)	265 (189, 371)	51.84 (36.97, 72.69)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 11)	10 (10, 10)	0.97 (0.92, 1.03)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 11)	10 (10, 10)	0.97 (0.91, 1.03)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 6)	5 (5, 5)	0.99 (0.91, 1.08)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	72	10 (10, 11)	9421 (6232, 14240)	923.44 (617.50, 1380.95)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	72	10 (10, 10)	9616 (6787, 13623)	961.58 (678.70, 1362.35)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	72	10 (10, 10)	12751 (9773, 16637)	1275.09 (977.28, 1663.66)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	72	5 (5, 5)	37 (26, 54)	7.25 (5.11, 10.29)
Age < 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	72	5 (5, 5)	93 (64, 134)	18.37 (12.78, 26.41)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	218	10 (10, 10)	260904 (193710, 351406)	26090.40 (19371.03, 35140.58)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	218	10 (10, 10)	730590 (572440, 932433)	72557.28 (56857.20, 92592.65)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	218	10 (10, 10)	1685764 (1382064, 2056199)	168576.35 (138206.37, 205619.95)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	218	5 (5, 5)	760 (607, 953)	151.41 (120.88, 189.66)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	218	5 (5, 5)	566 (478, 671)	111.88 (94.38, 132.62)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	73	10 (10, 10)	712451 (424677, 1195230)	71245.12 (42467.71, 119522.98)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	73	10 (10, 10)	1679359 (1144426, 2464334)	167935.92 (114442.58, 246433.39)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	73	10 (10, 10)	4192147 (3041219, 5778636)	419214.74 (304121.93, 577863.62)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	73	5 (5, 5)	1664 (1212, 2286)	327.19 (238.83, 448.25)
Age < 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	73	5 (5, 5)	954 (793, 1148)	186.78 (154.93, 225.17)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	40	10 (10, 11)	10 (10, 10)	0.97 (0.92, 1.03)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	40	10 (10, 11)	10 (10, 10)	0.97 (0.91, 1.03)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	40	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	40	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	40	5 (5, 6)	5 (5, 5)	0.97 (0.90, 1.03)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	72	10 (10, 11)	88760 (53701, 146705)	8700.37 (5323.54, 14219.17)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	72	10 (10, 10)	241209 (168749, 344783)	24120.91 (16874.89, 34478.35)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	72	10 (10, 10)	463469 (322941, 665148)	46346.93 (32294.13, 66514.80)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	72	5 (5, 5)	333 (213, 520)	64.37 (41.42, 100.03)
Age < 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	72	5 (5, 5)	445 (326, 607)	87.83 (64.48, 119.62)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	255	10 (10, 10)	48363 (38238, 61168)	4808.12 (3801.85, 6080.74)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	255	10 (10, 10)	54232 (44632, 65898)	5389.56 (4436.69, 6547.06)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	255	10 (10, 10)	84391 (70350, 101234)	8352.45 (6977.33, 9998.57)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	255	5 (5, 5)	190 (152, 239)	37.53 (29.92, 47.08)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	255	5 (5, 5)	275 (227, 332)	53.83 (44.55, 65.05)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	52	10 (10, 10)	134756 (86334, 210339)	13475.64 (8633.35, 21033.87)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	10 (10, 10)	188670 (130105, 273598)	18867.03 (13010.51, 27359.80)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	10 (10, 10)	293282 (211706, 406291)	29328.19 (21170.59, 40629.13)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	52	5 (5, 6)	512 (328, 800)	95.31 (61.74, 147.13)
Age ≥ 65 At-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	52	5 (5, 5)	631 (470, 847)	126.21 (94.08, 169.31)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	44	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	44	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	44	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	44	5 (5, 5)	5 (5, 5)	1.03 (0.99, 1.08)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	44	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.06)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	48	10 (10, 10)	36017 (20615, 62924)	3554.56 (2032.05, 6217.79)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	48	10 (10, 11)	48060 (30183, 76524)	4715.92 (2973.62, 7479.08)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	48	10 (10, 10)	79058 (52327, 119443)	7905.78 (5232.74, 11944.30)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	48	5 (5, 5)	152 (88, 262)	29.28 (17.05, 50.31)
Age ≥ 65 At-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	48	5 (5, 5)	287 (197, 420)	56.75 (38.86, 82.88)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	255	10 (10, 10)	614449 (455774, 828367)	61086.86 (45312.63, 82352.42)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	255	10 (10, 10)	2156196 (1737100, 2676403)	214282.06 (172785.65, 265744.30)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	255	10 (10, 10)	3754377 (3054674, 4614355)	371583.87 (302432.86, 456546.20)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	255	5 (5, 5)	1375 (1120, 1689)	271.04 (220.67, 332.91)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	255	5 (5, 5)	861 (775, 958)	168.80 (151.41, 188.19)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	52	10 (10, 10)	3325369 (2100058, 5265606)	332536.90 (210005.84, 526560.56)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	10 (10, 10)	7826271 (5875584, 10424584)	782627.11 (587558.37, 1042458.45)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	10 (10, 10)	12884976 (10659103, 15575665)	1288497.62 (1065910.30, 1557566.46)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	52	5 (5, 6)	4080 (3740, 4452)	759.88 (675.68, 854.57)
Age ≥ 65 At-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	52	5 (5, 5)	1213 (1133, 1300)	242.68 (226.51, 260.01)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	44	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	44	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	44	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	44	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	44	5 (5, 5)	5 (5, 6)	1.04 (0.97, 1.11)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	48	10 (10, 10)	617829 (374440, 1019423)	60974.99 (36951.38, 100617.32)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	48	10 (10, 11)	1793880 (1116560, 2882074)	176025.95 (109575.93, 282773.20)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	48	10 (10, 10)	3402410 (2336678, 4954210)	340240.98 (233667.76, 495421.04)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	48	5 (5, 5)	1617 (1087, 2405)	311.84 (210.26, 462.48)
Age ≥ 65 At-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	48	5 (5, 5)	868 (670, 1125)	171.55 (132.40, 222.28)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	227	10 (10, 10)	75305 (60119, 94327)	7472.04 (5963.05, 9362.89)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	227	10 (10, 10)	80069 (65740, 97522)	7979.90 (6551.61, 9719.57)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	227	10 (10, 10)	153593 (130717, 180473)	15359.34 (13071.72, 18047.31)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	227	5 (5, 5)	318 (255, 396)	62.33 (50.05, 77.62)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	227	5 (5, 5)	311 (257, 376)	60.45 (49.98, 73.12)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	76	10 (10, 11)	127407 (81563, 199019)	12465.97 (8047.38, 19310.67)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	76	10 (10, 10)	139826 (100144, 195231)	13982.56 (10014.42, 19523.05)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	76	10 (10, 10)	241494 (183346, 318084)	24149.39 (18334.57, 31808.40)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	76	5 (5, 5)	438 (291, 661)	85.93 (57.14, 129.25)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	76	5 (5, 5)	543 (413, 714)	108.55 (82.53, 142.77)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.01)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	75	10 (10, 10)	34367 (22427, 52663)	3398.18 (2217.32, 5207.92)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	75	10 (10, 10)	38048 (27717, 52231)	3804.83 (2771.70, 5223.05)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	75	10 (10, 10)	59664 (45863, 77618)	5966.37 (4586.25, 7761.78)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	75	5 (5, 5)	154 (105, 228)	30.12 (20.45, 44.35)
Age ≥ 65 Not at-risk	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	75	5 (5, 5)	212 (150, 298)	41.35 (29.49, 57.99)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	227	10 (10, 10)	1177109 (909711, 1523105)	116797.25 (90274.54, 151112.34)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	227	10 (10, 10)	3441017 (2862067, 4137080)	342939.68 (285228.58, 412327.62)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	227	10 (10, 10)	7365218 (6409952, 8462846)	736521.80 (640995.16, 846284.63)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	227	5 (5, 5)	2148 (1820, 2536)	421.42 (357.19, 497.20)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	227	5 (5, 5)	1061 (984, 1143)	206.42 (191.15, 222.91)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	76	10 (10, 11)	2806906 (1785997, 4411386)	274637.99 (175403.55, 430014.24)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	76	10 (10, 10)	7305563 (5535066, 9642388)	730556.35 (553506.64, 964238.80)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	76	10 (10, 10)	13343347 (11436169, 15568581)	1334334.72 (1143616.86, 1556858.09)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	76	5 (5, 5)	3077 (2527, 3745)	603.36 (494.52, 736.16)
Age ≥ 65 Not at-risk	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	76	5 (5, 5)	1118 (1008, 1240)	223.53 (201.53, 247.93)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)	5 (5, 6)	1.05 (0.98, 1.11)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.01)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	75	10 (10, 10)	461295 (283308, 751102)	45612.82 (28063.58, 74136.28)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	75	10 (10, 10)	1599200 (1158806, 2206962)	159920.02 (115880.64, 220696.19)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	75	10 (10, 10)	2437171 (1820478, 3262772)	243717.12 (182047.75, 326277.23)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	75	5 (5, 5)	1278 (940, 1739)	249.46 (183.93, 338.35)
Age $\geq$ 65 Not at-risk	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	75	5 (5, 5)	875 (726, 1055)	170.93 (141.66, 206.25)



Table 6e. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Sex

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Sex</b>								
Male	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	395	10 (10, 10)	27118 (20802, 35352)	2707.97 (2077.22, 3530.25)
Male	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	395	10 (10, 10)	25738 (20083, 32986)	2547.65 (1989.84, 3261.84)
Male	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	395	10 (10, 10)	40290 (34242, 47406)	4021.73 (3418.51, 4731.39)
Male	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	395	5 (5, 5)	117 (91, 150)	23.18 (18.09, 29.71)
Male	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	395	5 (5, 5)	175 (138, 222)	34.71 (27.36, 44.05)
Male	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)	52664 (37074, 74810)	5247.05 (3696.76, 7447.48)
Male	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)	43301 (30553, 61367)	4330.07 (3055.31, 6136.70)
Male	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)	83762 (65211, 107590)	8376.20 (6521.10, 10759.02)
Male	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)	216 (155, 302)	42.87 (30.72, 59.84)
Male	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)	330 (242, 450)	64.78 (47.62, 88.13)
Male	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	76	10 (10, 11)	10 (10, 10)	0.96 (0.88, 1.04)
Male	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	76	11 (10, 12)	10 (10, 10)	0.95 (0.86, 1.05)
Male	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	76	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	76	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.07)
Male	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	76	5 (5, 5)	5 (5, 5)	1.00 (0.99, 1.00)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Male	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	115	10 (10, 10)	11707 (7658, 17895)	1170.65 (765.81, 1789.52)
Male	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	115	10 (10, 10)	12838 (8706, 18931)	1283.80 (870.59, 1893.12)
Male	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	115	10 (10, 10)	16359 (11877, 22533)	1635.88 (1187.67, 2253.25)
Male	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	115	5 (5, 5)	42 (29, 62)	8.39 (5.71, 12.31)
Male	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	115	5 (5, 5)	92 (63, 136)	18.32 (12.45, 26.95)
Male	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	395	10 (10, 10)	358185 (259713, 493993)	35767.67 (25934.73, 49328.69)
Male	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	395	10 (10, 10)	1032572 (802430, 1328720)	102207.86 (79459.41, 131468.96)
Male	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	395	10 (10, 10)	2448348 (1991000, 3010751)	244392.84 (198743.21, 300527.81)
Male	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	395	5 (5, 5)	1077 (855, 1357)	213.46 (169.35, 269.05)
Male	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	395	5 (5, 5)	697 (578, 839)	138.42 (114.94, 166.69)
Male	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)	1379076 (901508, 2109633)	137399.94 (89845.93, 210123.52)
Male	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)	2628794 (1852206, 3730989)	262879.40 (185220.57, 373098.85)
Male	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)	5518909 (4214953, 7226262)	551890.89 (421495.30, 722626.22)
Male	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)	1991 (1545, 2566)	395.21 (306.61, 509.41)
Male	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)	1086 (964, 1223)	213.03 (188.30, 241.00)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Male	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	76	10 (10, 11)	10 (10, 10)	0.96 (0.88, 1.04)
Male	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	76	11 (10, 12)	10 (10, 10)	0.96 (0.86, 1.06)
Male	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	76	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	76	5 (5, 5)	5 (5, 5)	1.01 (0.99, 1.02)
Male	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	76	5 (5, 5)	5 (5, 5)	1.00 (0.99, 1.00)
Male	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	115	10 (10, 10)	120405 (69229, 209414)	12040.55 (6922.87, 20941.42)
Male	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	115	10 (10, 10)	361345 (240033, 543968)	36134.52 (24003.30, 54396.83)
Male	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	115	10 (10, 10)	578439 (398381, 839879)	57843.93 (39838.12, 83987.89)
Male	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	115	5 (5, 5)	463 (296, 725)	91.81 (58.68, 143.63)
Male	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	115	5 (5, 5)	439 (300, 642)	86.90 (59.38, 127.17)
Female	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	519	10 (10, 10)	21438 (17308, 26553)	2136.48 (1725.03, 2646.07)
Female	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	519	10 (10, 10)	21234 (17806, 25322)	2116.93 (1775.00, 2524.72)
Female	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	519	10 (10, 10)	41415 (35658, 48102)	4138.70 (3563.58, 4806.63)
Female	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	519	5 (5, 5)	97 (79, 119)	19.10 (15.58, 23.40)
Female	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	519	5 (5, 5)	155 (129, 186)	30.48 (25.40, 36.57)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Female	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	153	10 (10, 10)	37697 (26070, 54510)	3755.35 (2597.52, 5429.28)
Female	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	153	10 (10, 10)	32117 (22487, 45872)	3211.74 (2248.71, 4587.20)
Female	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	153	10 (10, 10)	77611 (56957, 105756)	7761.12 (5695.66, 10575.59)
Female	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	153	5 (5, 5)	158 (110, 228)	30.82 (21.39, 44.40)
Female	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	153	5 (5, 5)	285 (209, 390)	56.29 (41.14, 77.02)
Female	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	87	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Female	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	87	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Female	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	87	10 (10, 10)	10 (10, 10)	0.99 (0.97, 1.01)
Female	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	87	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.01)
Female	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	87	5 (5, 6)	5 (5, 5)	0.99 (0.92, 1.07)
Female	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	155	10 (10, 11)	13066 (8978, 19014)	1274.54 (887.23, 1830.92)
Female	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	155	10 (10, 10)	12876 (9439, 17564)	1284.49 (941.84, 1751.80)
Female	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	155	10 (10, 10)	19468 (15420, 24578)	1946.81 (1542.03, 2457.85)
Female	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	155	5 (5, 5)	58 (41, 80)	11.04 (8.07, 15.10)
Female	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	155	5 (5, 5)	135 (97, 186)	26.47 (19.23, 36.43)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Female	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	519	10 (10, 10)	304934 (237697, 391191)	30389.88 (23693.04, 38979.57)
Female	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	519	10 (10, 10)	924524 (749270, 1140771)	92171.55 (74700.31, 113729.03)
Female	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	519	10 (10, 10)	1878895 (1583514, 2229374)	187761.05 (158246.98, 222779.67)
Female	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	519	5 (5, 5)	814 (670, 988)	160.33 (132.13, 194.54)
Female	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	519	5 (5, 5)	635 (555, 726)	124.67 (109.00, 142.60)
Female	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	153	10 (10, 10)	785331 (484285, 1273516)	78234.14 (48249.66, 126852.31)
Female	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	153	10 (10, 10)	2106655 (1476988, 3004761)	210665.51 (147698.79, 300476.10)
Female	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	153	10 (10, 10)	5236885 (3870817, 7085058)	523688.47 (387081.69, 708505.77)
Female	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	153	5 (5, 5)	1891 (1393, 2569)	368.35 (271.92, 498.99)
Female	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	153	5 (5, 5)	960 (801, 1151)	189.35 (157.87, 227.11)
Female	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	87	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Female	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	87	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Female	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	87	10 (10, 10)	10 (10, 10)	0.99 (0.97, 1.01)
Female	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	87	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.02)
Female	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	87	5 (5, 6)	5 (5, 5)	0.98 (0.92, 1.04)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Female	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	155	10 (10, 11)	136546 (88388, 210943)	13319.90 (8747.57, 20282.20)
Female	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	155	10 (10, 10)	396863 (288514, 545903)	39591.01 (28785.61, 54452.47)
Female	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	155	10 (10, 10)	748414 (538988, 1039213)	74841.37 (53898.79, 103921.26)
Female	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	155	5 (5, 5)	466 (311, 698)	89.29 (60.00, 132.87)
Female	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	155	5 (5, 5)	595 (471, 752)	117.06 (92.82, 147.63)

Table 6f. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Age, sex

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Age, sex</b>								
Age < 65 Female	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	269	10 (10, 10)	17005 (13164, 21967)	1696.36 (1313.28, 2191.18)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	269	10 (10, 10)	16543 (13423, 20387)	1649.23 (1338.07, 2032.75)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	269	10 (10, 10)	32705 (27407, 39027)	3270.52 (2740.72, 3902.75)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	269	5 (5, 5)	79 (62, 101)	15.62 (12.25, 19.91)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	269	5 (5, 5)	136 (109, 169)	26.72 (21.47, 33.25)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	79	10 (10, 10)	27788 (17936, 43051)	2771.79 (1789.13, 4294.15)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	79	10 (10, 10)	21789 (14260, 33294)	2178.91 (1426.00, 3329.37)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	79	10 (10, 10)	56962 (39369, 82418)	5696.22 (3936.90, 8241.76)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	79	5 (5, 5)	120 (78, 186)	23.57 (15.23, 36.48)
Age < 65 Female	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	79	5 (5, 5)	240 (164, 350)	47.12 (32.19, 69.00)
Age < 65 Female	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	52	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Female	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	52	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Female	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	52	10 (10, 10)	10 (10, 10)	0.99 (0.97, 1.01)
Age < 65 Female	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	52	5 (5, 5)	5 (5, 5)	0.99 (0.97, 1.01)
Age < 65 Female	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	52	5 (5, 6)	5 (5, 5)	0.99 (0.90, 1.08)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Female	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	83	10 (10, 11)	10603 (6776, 16591)	1033.17 (671.28, 1590.17)
Age < 65 Female	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	83	10 (10, 10)	10100 (6973, 14631)	1010.05 (697.27, 1463.12)
Age < 65 Female	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	83	10 (10, 10)	14961 (11395, 19642)	1496.11 (1139.55, 1964.25)
Age < 65 Female	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	83	5 (5, 6)	45 (31, 67)	8.66 (5.98, 12.53)
Age < 65 Female	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	83	5 (5, 5)	119 (80, 175)	23.32 (15.87, 34.26)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	269	10 (10, 10)	240348 (178474, 323672)	23976.19 (17807.14, 32282.42)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	269	10 (10, 10)	725439 (564037, 933026)	72323.27 (56233.07, 93017.42)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	269	10 (10, 10)	1494002 (1218767, 1831393)	149400.21 (121876.74, 183139.32)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	269	5 (5, 5)	690 (546, 871)	135.99 (107.78, 171.58)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	269	5 (5, 5)	575 (489, 677)	113.22 (96.21, 133.24)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	79	10 (10, 10)	582852 (324862, 1045726)	58138.58 (32405.92, 104304.85)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	79	10 (10, 10)	1557246 (1013176, 2393478)	155724.56 (101317.55, 239347.84)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	79	10 (10, 10)	4234642 (2930691, 6118760)	423464.24 (293069.14, 611875.96)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	79	5 (5, 5)	1645 (1131, 2394)	321.91 (221.92, 466.95)
Age < 65 Female	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	79	5 (5, 5)	924 (740, 1154)	181.66 (145.32, 227.08)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Female	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	52	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Female	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	52	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Female	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	52	10 (10, 10)	10 (10, 10)	0.99 (0.97, 1.01)
Age < 65 Female	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	52	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.02)
Age < 65 Female	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	52	5 (5, 6)	5 (5, 5)	0.97 (0.90, 1.04)
Age < 65 Female	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	83	10 (10, 11)	100999 (60054, 169861)	9841.83 (5959.90, 16252.20)
Age < 65 Female	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	83	10 (10, 10)	293632 (201462, 427970)	29363.18 (20146.18, 42797.01)
Age < 65 Female	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	83	10 (10, 10)	571578 (386055, 846256)	57157.76 (38605.47, 84625.58)
Age < 65 Female	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	83	5 (5, 6)	367 (226, 599)	70.01 (43.38, 112.98)
Age < 65 Female	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	83	5 (5, 5)	542 (408, 720)	106.64 (80.49, 141.30)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	163	10 (10, 10)	20977 (14923, 29486)	2097.68 (1492.33, 2948.58)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	163	10 (10, 10)	18877 (13736, 25942)	1866.53 (1359.93, 2561.85)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	163	10 (10, 10)	29372 (24063, 35851)	2937.19 (2406.35, 3585.13)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	163	5 (5, 5)	91 (66, 125)	18.14 (13.19, 24.95)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	163	5 (5, 5)	146 (107, 198)	29.10 (21.40, 39.57)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Male	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	67	10 (10, 10)	41875 (27396, 64006)	4187.48 (2739.57, 6400.63)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	67	10 (10, 10)	30884 (20473, 46591)	3088.44 (2047.26, 4659.12)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	67	10 (10, 10)	63477 (47411, 84987)	6347.70 (4741.12, 8498.70)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	67	5 (5, 5)	179 (120, 269)	35.89 (23.99, 53.72)
Age < 65 Male	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	67	5 (5, 5)	287 (195, 420)	55.96 (38.31, 81.74)
Age < 65 Male	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	28	11 (9, 12)	10 (10, 10)	0.93 (0.82, 1.06)
Age < 65 Male	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	28	11 (9, 13)	10 (10, 10)	0.92 (0.79, 1.08)
Age < 65 Male	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	28	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Male	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	28	5 (5, 5)	5 (5, 5)	1.03 (0.97, 1.10)
Age < 65 Male	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	28	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age < 65 Male	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	64	10 (10, 10)	8697 (5276, 14335)	869.66 (527.59, 1433.50)
Age < 65 Male	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	64	10 (10, 10)	9188 (5842, 14453)	918.85 (584.17, 1445.26)
Age < 65 Male	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	64	10 (10, 10)	11210 (7836, 16035)	1120.96 (783.63, 1603.51)
Age < 65 Male	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	64	5 (5, 5)	31 (20, 49)	6.29 (4.03, 9.82)
Age < 65 Male	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	64	5 (5, 5)	72 (46, 114)	14.41 (9.15, 22.72)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Male	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	163	10 (10, 10)	276033 (182787, 416846)	27603.26 (18278.72, 41684.56)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	163	10 (10, 10)	756600 (548082, 1044449)	74811.32 (54216.72, 103228.91)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	163	10 (10, 10)	1920202 (1474259, 2501037)	192020.23 (147425.91, 250103.71)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	163	5 (5, 5)	926 (688, 1247)	184.02 (136.56, 247.96)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	163	5 (5, 5)	637 (500, 813)	127.06 (99.62, 162.06)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	67	10 (10, 10)	1079995 (640374, 1821419)	107999.49 (64037.38, 182141.90)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	67	10 (10, 10)	1977267 (1288704, 3033735)	197726.73 (128870.40, 303373.49)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	67	10 (10, 10)	4318054 (3106438, 6002240)	431805.36 (310643.81, 600223.99)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	67	5 (5, 5)	1701 (1245, 2325)	340.25 (248.94, 465.06)
Age < 65 Male	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	67	5 (5, 5)	1057 (909, 1229)	206.34 (176.56, 241.15)
Age < 65 Male	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	28	11 (9, 12)	10 (10, 10)	0.93 (0.82, 1.06)
Age < 65 Male	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	28	11 (9, 13)	10 (10, 11)	0.94 (0.80, 1.10)
Age < 65 Male	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	28	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Male	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	28	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age < 65 Male	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	28	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Male	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	64	10 (10, 10)	83366 (43020, 161550)	8336.56 (4301.98, 16154.95)
Age < 65 Male	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	64	10 (10, 10)	236528 (147963, 378106)	23652.81 (14796.26, 37810.57)
Age < 65 Male	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	64	10 (10, 10)	373064 (244867, 568375)	37306.38 (24486.73, 56837.54)
Age < 65 Male	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	64	5 (5, 5)	344 (200, 590)	68.73 (40.01, 118.07)
Age < 65 Male	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	64	5 (5, 5)	374 (235, 594)	74.26 (46.68, 118.15)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	232	10 (10, 10)	59503 (46483, 76170)	5916.13 (4619.71, 7576.37)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	232	10 (10, 10)	66467 (53961, 81871)	6600.68 (5359.67, 8129.04)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	232	10 (10, 10)	105989 (87979, 127686)	10521.42 (8742.39, 12662.47)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	232	5 (5, 5)	250 (198, 315)	49.10 (38.84, 62.07)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	232	5 (5, 5)	303 (250, 367)	59.56 (49.18, 72.14)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	54	10 (10, 11)	121492 (77530, 190384)	11942.84 (7706.05, 18509.03)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	54	10 (10, 10)	148457 (98505, 223741)	14845.72 (9850.48, 22374.06)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	54	10 (10, 10)	230231 (167946, 315614)	23023.06 (16794.60, 31561.42)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	54	5 (5, 6)	424 (270, 666)	81.93 (52.70, 127.37)
Age ≥ 65 Male	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	54	5 (5, 5)	553 (394, 775)	110.50 (78.82, 154.93)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	48	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	48	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	48	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	48	5 (5, 5)	5 (5, 5)	1.01 (0.99, 1.04)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	48	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.01)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	51	10 (10, 10)	39245 (22282, 69122)	3924.48 (2228.16, 6912.22)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	51	10 (10, 10)	50082 (30678, 81759)	5008.22 (3067.82, 8175.92)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	51	10 (10, 10)	76189 (49350, 117623)	7618.89 (4935.03, 11762.33)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	51	5 (5, 6)	142 (81, 248)	27.06 (15.62, 46.87)
Age ≥ 65 Male	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	51	5 (5, 5)	249 (160, 388)	48.63 (31.32, 75.49)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	232	10 (10, 10)	794988 (585822, 1078834)	79042.03 (58239.71, 107274.61)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	232	10 (10, 10)	2674328 (2153708, 3320799)	265580.56 (214087.79, 329458.44)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	232	10 (10, 10)	5149990 (4232561, 6266277)	511235.06 (419993.27, 622298.75)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	232	5 (5, 5)	1709 (1392, 2098)	336.15 (273.60, 413.01)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	232	5 (5, 5)	915 (824, 1015)	179.87 (161.97, 199.73)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	54	10 (10, 11)	3362752 (2063132, 5481037)	330562.39 (203570.38, 536775.03)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	54	10 (10, 10)	7426127 (5309224, 10387085)	742612.73 (530922.44, 1038708.53)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	54	10 (10, 10)	13502491 (11615886, 15695512)	1350249.15 (1161588.58, 1569551.20)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	54	5 (5, 6)	3532 (2864, 4356)	682.21 (548.78, 848.06)
Age ≥ 65 Male	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	54	5 (5, 5)	1197 (1109, 1291)	239.31 (221.87, 258.13)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	48	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	48	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	48	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	48	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.06)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	48	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.01)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	51	10 (10, 10)	537607 (293069, 986189)	53760.68 (29306.86, 98618.89)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	51	10 (10, 10)	2027539 (1269214, 3238946)	202753.90 (126921.37, 323894.57)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	51	10 (10, 10)	3447429 (2336304, 5086995)	344742.86 (233630.37, 508699.47)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	51	5 (5, 6)	1562 (1088, 2242)	298.15 (209.22, 424.87)
Age ≥ 65 Male	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	51	5 (5, 5)	844 (644, 1106)	164.74 (125.72, 215.87)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	250	10 (10, 10)	59851 (47976, 74666)	5939.41 (4762.01, 7407.91)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	250	10 (10, 10)	64209 (53172, 77536)	6401.45 (5301.18, 7730.07)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	250	10 (10, 10)	117943 (99482, 139828)	11750.53 (9921.10, 13917.30)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	250	5 (5, 5)	237 (190, 295)	46.60 (37.42, 58.03)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	250	5 (5, 5)	281 (233, 339)	54.61 (45.24, 65.91)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	74	10 (10, 10)	137448 (88132, 214360)	13617.44 (8752.72, 21185.95)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	74	10 (10, 10)	166523 (122005, 227286)	16652.29 (12200.46, 22728.55)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	74	10 (10, 10)	288235 (217381, 382182)	28823.47 (21738.11, 38218.24)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	74	5 (5, 6)	503 (334, 756)	95.99 (64.10, 143.75)
Age ≥ 65 Female	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	74	5 (5, 5)	598 (468, 765)	119.60 (93.53, 152.94)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	35	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	35	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	35	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	35	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.07)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	35	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.07)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	72	10 (10, 10)	32440 (21237, 49552)	3179.25 (2080.26, 4858.83)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	72	10 (10, 10)	37051 (27477, 49960)	3657.70 (2722.07, 4914.92)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	72	10 (10, 10)	61265 (47718, 78656)	6126.46 (4771.83, 7865.63)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	72	5 (5, 5)	162 (110, 237)	31.77 (21.68, 46.55)
Age ≥ 65 Female	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	72	5 (5, 5)	233 (172, 317)	45.98 (33.90, 62.37)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	250	10 (10, 10)	875715 (671177, 1142587)	86902.97 (66622.74, 113356.58)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	250	10 (10, 10)	2708471 (2229800, 3289897)	270027.12 (222307.77, 327989.63)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	250	10 (10, 10)	5189777 (4356168, 6182907)	517053.81 (434161.84, 615771.87)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	250	5 (5, 5)	1692 (1415, 2023)	332.62 (278.47, 397.29)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	250	5 (5, 5)	984 (903, 1072)	191.09 (174.68, 209.04)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	74	10 (10, 10)	2781850 (1801530, 4295622)	275607.01 (178706.08, 425051.14)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	74	10 (10, 10)	7590360 (5933261, 9710270)	759036.03 (593326.14, 971026.99)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	74	10 (10, 10)	12894340 (10816144, 15371837)	1289433.98 (1081614.35, 1537183.74)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	74	5 (5, 6)	3416 (2952, 3954)	652.42 (560.72, 759.11)
Age ≥ 65 Female	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	74	5 (5, 5)	1129 (1019, 1250)	225.76 (203.86, 250.01)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	35	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	35	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	35	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	35	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.07)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	35	5 (5, 5)	5 (5, 6)	1.04 (0.96, 1.13)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	72	10 (10, 10)	507512 (330012, 780481)	49738.19 (32405.20, 76342.32)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	72	10 (10, 10)	1473236 (1067125, 2033898)	145438.84 (105409.67, 200669.03)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	72	10 (10, 10)	2420004 (1824045, 3210677)	242000.40 (182404.49, 321067.73)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	72	5 (5, 5)	1310 (944, 1818)	257.45 (185.58, 357.14)
Age ≥ 65 Female	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	72	5 (5, 5)	892 (745, 1067)	175.67 (146.63, 210.48)

Table 6g. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Hispanic or Latino ethnicity

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Hispanic or Latino ethnicity</b>								
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	136	10 (10, 10)	22074 (14113, 34526)	2207.38 (1411.28, 3452.57)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	136	10 (10, 10)	22266 (15770, 31438)	2226.58 (1576.96, 3143.80)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	136	10 (10, 10)	41773 (31457, 55474)	4177.34 (3145.66, 5547.38)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	136	5 (5, 5)	100 (66, 150)	19.87 (13.18, 29.96)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	136	5 (5, 6)	160 (115, 221)	30.23 (22.05, 41.44)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	35	10 (10, 10)	66150 (38172, 114634)	6614.98 (3817.17, 11463.44)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	35	10 (10, 10)	57339 (31215, 105326)	5733.92 (3121.54, 10532.55)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	35	10 (10, 10)	90332 (51126, 159600)	9033.16 (5112.65, 15960.05)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	35	5 (5, 5)	254 (158, 410)	50.85 (31.54, 81.99)
Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	35	5 (5, 5)	370 (203, 674)	72.18 (39.38, 132.31)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	20	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	20	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	20	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	20	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.05)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	20	5 (5, 5)	6 (4, 8)	1.21 (0.89, 1.64)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	38	10 (10, 10)	26345 (10286, 67478)	2607.33 (1017.44, 6681.66)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	38	10 (10, 10)	34815 (16331, 74222)	3481.54 (1633.09, 7422.19)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	38	10 (10, 10)	26708 (12935, 55147)	2670.83 (1293.50, 5514.74)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	38	6 (5, 7)	111 (44, 280)	19.74 (8.62, 45.22)
Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	38	5 (5, 5)	263 (142, 491)	52.70 (28.31, 98.10)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	136	10 (10, 10)	332872 (193887, 571487)	33287.22 (19388.70, 57148.71)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	136	10 (10, 10)	1087406 (734173, 1610590)	108740.60 (73417.33, 161058.96)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	136	10 (10, 10)	2082654 (1556646, 2786407)	208265.41 (155664.58, 278640.66)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	136	5 (5, 5)	983 (673, 1436)	196.16 (134.26, 286.61)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	136	5 (5, 6)	639 (480, 850)	120.73 (90.45, 161.14)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	35	10 (10, 10)	1420449 (574357, 3512931)	142044.90 (57435.66, 351293.14)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	35	10 (10, 10)	2735111 (1390317, 5380667)	273511.13 (139031.73, 538066.68)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	35	10 (10, 10)	7578287 (5099157, 11262730)	757828.67 (509915.69, 1126273.02)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	35	5 (5, 5)	2392 (1566, 3654)	478.44 (313.26, 730.72)
Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	35	5 (5, 5)	1049 (784, 1403)	204.70 (152.56, 274.66)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	20	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	20	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	20	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	20	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	20	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	38	10 (10, 10)	452690 (163686, 1251963)	44802.56 (16196.05, 123935.73)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	38	10 (10, 10)	747435 (398770, 1400955)	74743.46 (39876.97, 140095.53)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	38	10 (10, 10)	1403460 (629858, 3127216)	140346.03 (62985.77, 312721.58)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	38	6 (5, 7)	856 (423, 1732)	152.62 (79.39, 293.39)
Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	38	5 (5, 5)	689 (439, 1080)	137.72 (87.82, 215.96)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	690	10 (10, 10)	23655 (19511, 28679)	2361.23 (1947.58, 2862.74)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	690	10 (10, 10)	23020 (19412, 27299)	2286.61 (1928.73, 2710.89)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	690	10 (10, 10)	39694 (35013, 45000)	3963.68 (3496.54, 4493.24)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	690	5 (5, 5)	102 (85, 122)	20.11 (16.78, 24.11)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	690	5 (5, 5)	163 (138, 192)	32.30 (27.38, 38.10)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	217	10 (10, 10)	41747 (30650, 56861)	4155.34 (3051.68, 5658.16)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	217	10 (10, 10)	35344 (26276, 47543)	3534.42 (2627.56, 4754.26)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	217	10 (10, 10)	83383 (65362, 106374)	8338.33 (6536.16, 10637.38)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	217	5 (5, 5)	175 (129, 237)	34.55 (25.46, 46.89)
Not Hispanic or Latino	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	217	5 (5, 5)	292 (226, 379)	57.52 (44.38, 74.55)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	130	10 (10, 11)	10 (10, 10)	0.98 (0.94, 1.02)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	130	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	130	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	130	5 (5, 5)	5 (5, 5)	1.01 (0.98, 1.03)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	130	5 (5, 5)	5 (5, 5)	0.97 (0.93, 1.02)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	214	10 (10, 10)	12063 (8972, 16221)	1185.92 (889.98, 1580.26)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	214	10 (10, 10)	11608 (9021, 14937)	1158.76 (900.63, 1490.88)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	214	10 (10, 10)	18056 (14835, 21975)	1805.57 (1483.52, 2197.53)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	214	5 (5, 5)	48 (37, 63)	9.38 (7.24, 12.15)
Not Hispanic or Latino	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	214	5 (5, 5)	113 (86, 148)	22.18 (16.97, 29.00)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	690	10 (10, 10) 10 (10, 10) 10 (10, 10) 5 (5, 5) 5 (5, 5) 10 (10, 10) 10 (10, 10) 10 (10, 10) 5 (5, 5) 5 (5, 5) 10 (10, 10) 10 (10, 10) 10 (10, 10) 5 (5, 5) 5 (5, 5)	334364 (266541, 419443) 987977 (821750, 1187828) 2063432 (1774918, 2398843) 892 (752, 1057) 663 (584, 754) 968852 (653531, 1436313) 2315554 (1726765, 3105106) 5301268 (4145119, 6779888) 1813 (1417, 2319) 998 (867, 1150) 10 (10, 10) 10 (10, 10) 10 (10, 10) 5 (5, 5) 5 (5, 5)	33376.43 (26606.68, 41868.67) 98137.11 (81637.48, 117971.46) 206047.30 (177238.81, 239538.34) 176.51 (148.96, 209.16) 131.84 (116.05, 149.78) 96436.92 (65060.04, 142946.09) 231555.38 (172676.53, 310510.60) 530126.82 (414511.91, 677988.83) 358.83 (280.51, 459.03) 196.37 (170.30, 226.44) 0.98 (0.94, 1.02) 1.01 (1.00, 1.02) 0.99 (0.98, 1.01) 1.00 (0.99, 1.02) 0.98 (0.93, 1.03)
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	690			
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	690			
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	690			
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	690			
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	217			
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	217			
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	217			
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	217			
Not Hispanic or Latino	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	217			
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	130			
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	130			
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	130			
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	130			
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	130			

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	214	10 (10, 10)	129424 (89570, 187012)	12723.27 (8885.53, 18218.55)
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	214	10 (10, 10)	381696 (291729, 499407)	38101.89 (29122.78, 49849.43)
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	214	10 (10, 10)	648311 (503439, 834871)	64831.06 (50343.89, 83487.12)
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	214	5 (5, 5)	474 (341, 659)	92.72 (66.84, 128.62)
Not Hispanic or Latino	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	214	5 (5, 5)	553 (447, 685)	109.07 (88.20, 134.87)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	88	10 (10, 10)	24172 (15215, 38402)	2390.80 (1506.15, 3795.05)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	88	10 (10, 10)	22876 (15941, 32829)	2274.83 (1585.71, 3263.44)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	88	10 (10, 10)	50488 (35763, 71276)	5048.79 (3576.28, 7127.59)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	88	5 (5, 5)	133 (84, 211)	25.71 (16.29, 40.55)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	88	5 (5, 5)	166 (101, 275)	32.50 (19.70, 53.62)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	22	10 (10, 10)	34292 (18016, 65269)	3429.17 (1801.64, 6526.95)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	22	10 (10, 10)	25827 (15722, 42426)	2582.70 (1572.23, 4242.62)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	22	10 (10, 10)	46903 (31549, 69730)	4690.32 (3154.91, 6972.96)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	22	6 (5, 7)	149 (87, 255)	26.33 (14.50, 47.79)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	22	5 (5, 5)	325 (185, 571)	65.06 (37.04, 114.29)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	13	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	13	12 (9, 17)	10 (10, 10)	0.82 (0.58, 1.15)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	13	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	13	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	13	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	18	10 (10, 10)	7067 (2128, 23471)	706.66 (212.76, 2347.09)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	18	10 (10, 10)	10750 (3969, 29114)	1075.02 (396.94, 2911.44)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	18	10 (10, 10)	11909 (5900, 24036)	1190.89 (590.04, 2403.57)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	18	5 (5, 5)	37 (16, 86)	7.39 (3.18, 17.19)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	18	5 (5, 5)	57 (21, 156)	11.04 (4.00, 30.51)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	88	10 (10, 10)	259797 (149099, 452681)	25696.00 (14780.80, 44671.74)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	88	10 (10, 10)	735710 (444094, 1218818)	73159.15 (44181.60, 121142.32)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	88	10 (10, 10)	2279592 (1441733, 3604371)	227959.19 (144173.25, 360437.11)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	88	5 (5, 5)	977 (601, 1589)	188.32 (116.16, 305.31)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	88	5 (5, 5)	644 (482, 861)	125.73 (94.19, 167.83)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	22	10 (10, 10)	710026 (291616, 1728767)	71002.57 (29161.62, 172876.68)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	22	10 (10, 10)	1751283 (814184, 3766952)	175128.31 (81418.41, 376695.21)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	22	10 (10, 10)	3840709 (2233828, 6603485)	384070.92 (223382.78, 660348.46)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	22	6 (5, 7)	2701 (1873, 3895)	477.10 (328.97, 691.94)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	22	5 (5, 5)	1050 (819, 1348)	210.05 (163.70, 269.52)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	13	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	13	12 (9, 17)	10 (10, 10)	0.82 (0.58, 1.15)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	13	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	13	5 (5, 5)	5 (5, 5)	1.03 (0.97, 1.08)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	13	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	18	10 (10, 10)	26411 (10381, 67196)	2641.13 (1038.08, 6719.65)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	18	10 (10, 10)	162620 (56382, 469034)	16262.02 (5638.25, 46903.45)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	18	10 (10, 10)	417076 (123078, 1413357)	41707.62 (12307.75, 141335.75)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	18	5 (5, 5)	168 (47, 599)	33.58 (9.41, 119.86)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	18	5 (5, 5)	224 (67, 748)	43.69 (13.16, 145.00)

Table 6h. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Race

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Race</b>								
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	362	10 (10, 10)	26952 (20879, 34791)	2692.55 (2085.86, 3475.70)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	10 (10, 10)	23438 (18652, 29451)	2343.79 (1865.22, 2945.14)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	10 (10, 10)	40376 (34291, 47540)	4031.72 (3424.39, 4746.77)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	362	5 (5, 5)	112 (88, 143)	22.29 (17.54, 28.33)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	362	5 (5, 5)	164 (132, 205)	32.75 (26.22, 40.91)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)	33909 (23857, 48196)	3381.77 (2380.32, 4804.54)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)	30985 (21213, 45260)	3098.50 (2121.25, 4525.98)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)	72481 (52760, 99575)	7248.12 (5275.96, 9957.47)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)	144 (100, 205)	28.39 (19.88, 40.52)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)	257 (181, 364)	51.37 (36.26, 72.78)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 11)	10 (10, 10)	0.97 (0.91, 1.03)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)	10 (10, 10)	0.99 (0.96, 1.01)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)	5 (5, 5)	1.01 (1.00, 1.02)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 6)	5 (5, 5)	0.96 (0.89, 1.04)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)	12594 (8343, 19013)	1256.17 (832.18, 1896.19)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)	10931 (7523, 15882)	1089.81 (750.27, 1583.01)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)	18868 (14654, 24295)	1886.83 (1465.38, 2429.51)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)	52 (37, 74)	10.35 (7.26, 14.75)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)	100 (71, 141)	20.04 (14.26, 28.15)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	362	10 (10, 10)	328428 (241885, 445935)	32810.77 (24165.04, 44549.75)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	10 (10, 10)	1035293 (809058, 1324789)	103529.30 (80905.85, 132478.89)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	10 (10, 10)	2145772 (1769345, 2602284)	214266.04 (176677.69, 259851.36)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	362	5 (5, 5)	853 (680, 1071)	169.37 (134.89, 212.66)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	362	5 (5, 5)	637 (536, 758)	127.05 (106.88, 151.02)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)	855574 (516251, 1417930)	85327.48 (51494.66, 141388.99)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)	1943813 (1341551, 2816449)	194381.34 (134155.13, 281644.89)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)	4608987 (3326910, 6385133)	460898.73 (332691.01, 638513.31)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)	1560 (1107, 2198)	308.49 (218.90, 434.75)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)	959 (783, 1174)	191.79 (156.69, 234.75)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 11)	10 (10, 10)	0.97 (0.91, 1.03)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.03)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)	10 (10, 10)	0.99 (0.96, 1.01)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 6)	5 (5, 5)	0.98 (0.90, 1.06)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)	105260 (65329, 169598)	10498.69 (6517.19, 16912.57)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)	393045 (283452, 545009)	39187.22 (28265.76, 54328.59)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)	674526 (481218, 945489)	67452.65 (48121.78, 94548.86)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)	482 (316, 735)	95.51 (62.58, 145.75)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)	633 (482, 831)	126.65 (96.47, 166.28)
Black or African American	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	195	10 (10, 10)	16417 (11415, 23612)	1634.81 (1136.81, 2350.96)
Black or African American	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	195	10 (10, 11)	18966 (14255, 25234)	1843.84 (1393.71, 2439.35)
Black or African American	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	195	10 (10, 10)	33478 (26755, 41889)	3347.79 (2675.54, 4188.95)
Black or African American	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	195	5 (5, 5)	78 (56, 108)	15.54 (11.25, 21.47)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Black or African American	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	195	5 (5, 5)	139 (102, 190)	27.63 (20.22, 37.75)
Black or African American	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	52	10 (10, 10)	70405 (39882, 124288)	6985.30 (3963.85, 12309.84)
Black or African American	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	10 (10, 10)	49806 (31929, 77692)	4980.58 (3192.90, 7769.16)
Black or African American	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	10 (10, 10)	92510 (62506, 136917)	9251.02 (6250.62, 13691.68)
Black or African American	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	52	5 (5, 5)	233 (125, 434)	45.84 (24.66, 85.19)
Black or African American	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	52	5 (5, 5)	349 (209, 583)	68.51 (40.85, 114.87)
Black or African American	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Black or African American	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Black or African American	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Black or African American	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)	5 (5, 5)	0.97 (0.92, 1.03)
Black or African American	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Black or African American	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	60	10 (10, 10)	9803 (5461, 17595)	975.15 (543.32, 1750.22)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Black or African American	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	60	10 (10, 10)	13142 (8871, 19471)	1314.25 (887.09, 1947.10)
Black or African American	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	60	10 (10, 10)	17281 (10917, 27356)	1728.13 (1091.68, 2735.62)
Black or African American	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	60	5 (5, 6)	43 (24, 76)	8.11 (4.87, 13.50)
Black or African American	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	60	5 (5, 5)	141 (80, 250)	27.77 (15.73, 49.03)
Black or African American	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	195	10 (10, 10)	270892 (186900, 392630)	26974.76 (18612.44, 39094.17)
Black or African American	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	195	10 (10, 11)	700976 (481741, 1019981)	68147.28 (46959.59, 98894.63)
Black or African American	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	195	10 (10, 10)	1698222 (1261499, 2286136)	169822.23 (126149.93, 228613.58)
Black or African American	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	195	5 (5, 5)	932 (678, 1281)	185.58 (134.94, 255.23)
Black or African American	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	195	5 (5, 5)	656 (526, 817)	130.21 (104.50, 162.25)
Black or African American	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	52	10 (10, 10)	1211651 (545733, 2690142)	120214.66 (54192.99, 266668.53)
Black or African American	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	52	10 (10, 10)	3863173 (2493150, 5986044)	386317.31 (249315.02, 598604.38)
Black or African American	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	52	10 (10, 10)	5233980 (3282618, 8345333)	523397.96 (328261.85, 834533.25)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Black or African American	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	52	5 (5, 5)	2995 (2486, 3608)	589.03 (487.97, 711.04)
Black or African American	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	52	5 (5, 5)	1104 (883, 1380)	216.80 (173.08, 271.56)
Black or African American	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Black or African American	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Black or African American	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	39	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Black or African American	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	39	5 (5, 5)	5 (5, 5)	0.99 (0.92, 1.06)
Black or African American	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	39	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Black or African American	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	60	10 (10, 10)	162243 (80552, 326779)	16139.73 (8015.23, 32499.46)
Black or African American	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	60	10 (10, 10)	304404 (167129, 554434)	30440.40 (16712.86, 55443.43)
Black or African American	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	60	10 (10, 10)	604842 (356295, 1026772)	60484.17 (35629.47, 102677.22)
Black or African American	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	60	5 (5, 6)	476 (238, 954)	89.40 (45.53, 175.55)
Black or African American	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	60	5 (5, 5)	503 (317, 798)	98.71 (62.18, 156.69)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Asian	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	67	10 (10, 10)	30141 (17609, 51593)	2996.97 (1751.48, 5128.15)
Asian	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)	33349 (22375, 49704)	3334.89 (2237.52, 4970.44)
Asian	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)	63758 (46143, 88098)	6375.81 (4614.28, 8809.82)
Asian	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)	142 (92, 220)	28.01 (18.10, 43.34)
Asian	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	67	5 (5, 6)	263 (175, 396)	49.51 (32.88, 74.56)
Asian	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	24	10 (10, 11)	33316 (16988, 65339)	3259.82 (1666.79, 6375.36)
Asian	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	24	10 (10, 10)	24553 (12396, 48632)	2455.34 (1239.65, 4863.23)
Asian	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	24	10 (10, 10)	49522 (25574, 95896)	4952.19 (2557.38, 9589.60)
Asian	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	24	5 (5, 5)	168 (93, 305)	33.61 (18.50, 61.06)
Asian	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	24	6 (5, 7)	301 (169, 535)	54.23 (28.52, 103.14)
Asian	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	12	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Asian	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	12	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Asian	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	12	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Asian	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	12	5 (5, 5)	5 (5, 6)	1.03 (0.97, 1.11)
Asian	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	12	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Asian	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	13	10 (10, 10) 10 (10, 10) 10 (10, 10) 5 (5, 5) 5 (5, 5) 10 (10, 10) 10 (10, 10) 10 (10, 10) 5 (5, 5) 5 (5, 6) 10 (10, 11) 10 (10, 10) 10 (10, 10) 5 (5, 5) 6 (5, 7)	17273 (7176, 41578) 27396 (7030, 106752) 12500 (5123, 30501) 65 (20, 204) 103 (29, 368) 759619 (433314, 1331648) 1685637 (1174971, 2418248) 2633046 (1877669, 3692307) 1492 (1005, 2214) 796 (596, 1063) 639026 (166611, 2450946) 2094481 (798635, 5492936) 4848443 (2582417, 9102870) 2197 (1429, 3378) 1124 (977, 1293)	1727.30 (717.59, 4157.78) 2739.55 (703.04, 10675.22) 1250.02 (512.28, 3050.14) 12.91 (4.08, 40.84) 20.64 (5.79, 73.55) 75529.70 (43112.67, 132321.56) 168563.68 (117497.09, 241824.84) 263304.56 (187766.87, 369230.70) 294.24 (198.42, 436.33) 149.58 (112.19, 199.43) 62525.33 (16340.41, 239248.44) 209448.13 (79863.51, 549293.61) 484844.34 (258241.66, 910287.04) 439.40 (285.81, 675.53) 202.75 (161.46, 254.61)
Asian	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	13			
Asian	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	13			
Asian	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	13			
Asian	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	13			
Asian	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	67			
Asian	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	67			
Asian	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	67			
Asian	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	67			
Asian	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	67			
Asian	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	24			
Asian	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	24			
Asian	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	24			
Asian	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	24			
Asian	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	24			

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Asian	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	12	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Asian	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	12	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Asian	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	12	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Asian	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	12	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Asian	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	12	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Asian	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	13	10 (10, 10)	275834 (38032, 2000553)	27583.39 (3803.17, 200055.32)
Asian	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	13	10 (10, 10)	750472 (221281, 2545218)	75047.23 (22128.11, 254521.84)
Asian	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	13	10 (10, 10)	859200 (214237, 3445831)	85919.98 (21423.70, 344583.08)
Asian	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	13	5 (5, 5)	405 (204, 803)	81.00 (40.87, 160.56)
Asian	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	13	5 (5, 5)	491 (196, 1235)	98.29 (39.11, 246.98)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	13	10 (10, 10)	45133 (17526, 116231)	4513.35 (1752.58, 11623.06)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	13	10 (10, 10)	42283 (18553, 96361)	4228.26 (1855.32, 9636.14)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	13	10 (10, 10)	30785 (14002, 67681)	3078.46 (1400.24, 6768.05)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	13	5 (5, 5)	186 (69, 500)	37.27 (13.88, 100.09)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	13	5 (5, 5)	194 (91, 413)	38.81 (18.25, 82.54)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	6	10 (10, 10)	42543 (12599, 143651)	4254.32 (1259.95, 14365.06)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	6	10 (10, 10)	22761 (9104, 56904)	2276.11 (910.42, 5690.42)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	6	10 (10, 10)	85898 (61408, 120155)	8589.81 (6140.81, 12015.51)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	6	5 (5, 5)	244 (190, 314)	48.86 (37.99, 62.83)
American Indian or Alaska Native	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	6	7 (4, 12)	1016 (682, 1513)	143.74 (85.31, 242.20)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	5	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	5	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	5	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	5	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	5	5 (5, 6)	5 (5, 5)	0.92 (0.77, 1.09)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	4	10 (10, 10)	3080 (903, 10500)	307.99 (90.35, 1049.96)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	4	10 (10, 10)	7559 (3135, 18228)	755.89 (313.45, 1822.85)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	4	10 (10, 10)	5348 (1448, 19751)	534.82 (144.81, 1975.15)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	4	5 (5, 5)	13 (3, 59)	2.68 (0.61, 11.73)
American Indian or Alaska Native	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	4	5 (5, 5)	79 (30, 204)	15.71 (6.04, 40.85)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	13	10 (10, 10)	982833 (265724, 3635201)	98283.35 (26572.44, 363520.12)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	13	10 (10, 10)	836025 (309146, 2260867)	83602.47 (30914.58, 226086.67)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	13	10 (10, 10)	4760602 (2394927, 9463058)	476060.17 (239492.65, 946305.81)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	13	5 (5, 5)	1495 (689, 3244)	299.05 (137.86, 648.73)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	13	5 (5, 5)	1060 (823, 1367)	212.10 (164.57, 273.35)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	6	10 (10, 10)	2398314 (564683, 10186076)	239831.36 (56468.34, 1018607.64)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	6	10 (10, 10)	2320038 (637964, 8437115)	232003.84 (63796.43, 843711.50)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	6	10 (10, 10)	7507181 (3753423, 15015033)	750718.10 (375342.28, 1501503.30)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	6	5 (5, 5)	2732 (1450, 5146)	546.30 (290.00, 1029.13)
American Indian or Alaska Native	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	6	7 (4, 12)	1230 (1130, 1339)	174.00 (101.97, 296.90)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	5	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	5	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	5	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	5	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	5	5 (5, 6)	5 (5, 5)	0.92 (0.77, 1.09)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	4	10 (10, 10)	36102 (4186, 311392)	3610.19 (418.56, 31139.17)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	4	10 (10, 10)	272152 (53544, 1383275)	27215.15 (5354.43, 138327.52)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	4	10 (10, 10)	677711 (179814, 2554268)	67771.11 (17981.37, 255426.84)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	4	5 (5, 5)	111 (19, 633)	22.12 (3.86, 126.68)
American Indian or Alaska Native	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	4	5 (5, 5)	273 (75, 996)	54.60 (14.97, 199.11)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	17	10 (10, 10)	114600 (48837, 268918)	11460.05 (4883.75, 26891.78)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	17	11 (9, 14)	114776 (51258, 257008)	10095.55 (4203.21, 24248.12)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	17	10 (10, 10)	116196 (61392, 219924)	11619.59 (6139.17, 21992.37)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	17	6 (4, 7)	372 (196, 706)	64.68 (31.87, 131.27)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	17	5 (5, 5)	587 (327, 1052)	117.34 (65.46, 210.35)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	5	10 (10, 10)	55095 (14886, 203910)	5509.47 (1488.61, 20391.02)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	5	10 (10, 10)	44998 (5810, 348524)	4499.84 (580.98, 34852.37)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	5	10 (10, 10)	107953 (53087, 219523)	10795.26 (5308.67, 21952.34)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	5	5 (5, 5)	227 (34, 1502)	45.50 (6.89, 300.36)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	5	5 (5, 5)	376 (254, 556)	75.13 (50.77, 111.20)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	1	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	1	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	1	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	1	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	1	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	1	10 (10, 10)	734 (734, 734)	73.38 (73.38, 73.38)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	1	10 (10, 10)	6237 (6237, 6237)	623.73 (623.73, 623.73)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	1	10 (10, 10)	10844 (10844, 10844)	1084.43 (1084.43, 1084.43)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	1	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	1	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	17	10 (10, 10)	2236794 (653655, 7654268)	223679.40 (65365.46, 765426.78)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	17	11 (9, 14)	5533419 (2411519, 12696861)	486710.15 (193693.73, 1222996.58)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	17	10 (10, 10)	7662810 (3513241, 16713531)	766281.01 (351324.08, 1671353.05)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	17	6 (4, 7)	2379 (1363, 4154)	414.26 (222.55, 771.12)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	17	5 (5, 5)	1070 (845, 1354)	213.94 (169.06, 270.74)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	5	10 (10, 10)	513962 (104677, 2523545)	51396.21 (10467.70, 252354.46)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	5	10 (10, 10)	1828480 (624445, 5354097)	182848.03 (62444.52, 535409.69)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	5	10 (10, 10)	5139344 (1063287, 24840758)	513934.43 (106328.72, 2484075.79)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	5	5 (5, 5)	1533 (324, 7252)	306.53 (64.78, 1450.49)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	5	5 (5, 5)	619 (209, 1836)	123.75 (41.71, 367.18)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	1	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	1	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	1	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	1	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	1	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	1	10 (10, 10)	969 (969, 969)	96.94 (96.94, 96.94)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	1	10 (10, 10)	4780 (4780, 4780)	477.97 (477.97, 477.97)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	1	10 (10, 10)	61376 (61376, 61376)	6137.62 (6137.62, 6137.62)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	1	5 (5, 5)	44 (44, 44)	8.78 (8.78, 8.78)
Native Hawaiian or Other Pacific Islander	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	1	5 (5, 5)	144 (144, 144)	28.88 (28.88, 28.88)
Multiracial	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	52	10 (10, 10)	20542 (10385, 40633)	2054.15 (1038.45, 4063.31)
Multiracial	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	52	10 (10, 10)	21505 (13280, 34826)	2150.54 (1327.97, 3482.62)
Multiracial	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	52	10 (10, 10)	45067 (27324, 74332)	4506.67 (2732.36, 7433.18)
Multiracial	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	52	5 (5, 5)	70 (38, 128)	13.93 (7.59, 25.58)
Multiracial	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	52	5 (5, 5)	127 (79, 206)	25.47 (15.76, 41.17)
Multiracial	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	12	10 (10, 10)	70589 (28460, 175084)	7058.93 (2845.98, 17508.37)
Multiracial	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	12	10 (10, 10)	55196 (17605, 173056)	5519.61 (1760.47, 17305.63)
Multiracial	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	12	10 (10, 10)	155885 (72852, 333555)	15588.50 (7285.19, 33355.49)
Multiracial	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	12	5 (5, 5)	396 (207, 757)	79.22 (41.44, 151.45)
Multiracial	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	12	5 (5, 5)	257 (153, 430)	51.34 (30.64, 86.04)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Multiracial	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	8	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Multiracial	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	8	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Multiracial	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	8	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Multiracial	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	8	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Multiracial	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	8	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Multiracial	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	19	10 (10, 10)	15871 (7940, 31722)	1587.06 (794.02, 3172.16)
Multiracial	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	19	10 (10, 10)	24792 (13805, 44522)	2479.22 (1380.55, 4452.23)
Multiracial	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	19	10 (10, 10)	25261 (12238, 52142)	2526.08 (1223.80, 5214.15)
Multiracial	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	19	5 (5, 5)	51 (29, 92)	10.28 (5.71, 18.49)
Multiracial	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	19	5 (5, 5)	180 (68, 476)	36.07 (13.65, 95.30)
Multiracial	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	52	10 (10, 10)	214922 (107235, 430749)	21492.16 (10723.47, 43074.95)
Multiracial	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	52	10 (10, 10)	1262157 (722732, 2204191)	126215.68 (72273.21, 220419.13)
Multiracial	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	52	10 (10, 10)	2195866 (1450385, 3324515)	219586.59 (145038.50, 332451.52)
Multiracial	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	52	5 (5, 5)	968 (523, 1789)	193.52 (104.65, 357.87)
Multiracial	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	52	5 (5, 5)	586 (341, 1008)	117.25 (68.21, 201.56)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Multiracial	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	12	10 (10, 10)	1276135 (589049, 2764663)	127613.54 (58904.89, 276466.26)
Multiracial	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	12	10 (10, 10)	3777504 (1884728, 7571138)	377750.36 (188472.76, 757113.82)
Multiracial	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	12	10 (10, 10)	8118223 (3469088, 18997943)	811822.28 (346908.83, 1899794.29)
Multiracial	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	12	5 (5, 5)	1409 (661, 3007)	281.86 (132.11, 601.34)
Multiracial	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	12	5 (5, 5)	1295 (1295, 1295)	259.00 (259.00, 259.00)
Multiracial	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	8	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Multiracial	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	8	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Multiracial	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	8	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Multiracial	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	8	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Multiracial	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	8	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Multiracial	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	19	10 (10, 10)	235861 (111256, 500021)	23586.11 (11125.62, 50002.11)
Multiracial	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	19	10 (10, 10)	693982 (316894, 1519783)	69398.16 (31689.42, 151978.31)
Multiracial	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	19	10 (10, 10)	791515 (354932, 1765111)	79151.46 (35493.25, 176511.13)
Multiracial	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	19	5 (5, 5)	782 (248, 2467)	156.36 (49.55, 493.44)
Multiracial	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	19	5 (5, 5)	741 (431, 1274)	148.24 (86.28, 254.71)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Other	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	34	10 (10, 10) (9361, 50086)	21653 (936.12, 5008.61)	2165.33 (936.12, 5008.61)
Other	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	34	10 (10, 10) (11772, 42226)	22295 (1177.17, 4222.57)	2229.51 (1177.17, 4222.57)
Other	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	34	10 (10, 10) (21501, 67187)	38007 (2150.05, 6718.68)	3800.73 (2150.05, 6718.68)
Other	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	34	5 (5, 5) (55, 253)	117 (10.86, 50.22)	23.35 (10.86, 50.22)
Other	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	34	6 (5, 7) (96, 453)	208 (17.49, 77.71)	36.87 (17.49, 77.71)
Other	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	7	10 (10, 10) (6477, 53394)	18596 (647.66, 5339.41)	1859.60 (647.66, 5339.41)
Other	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	7	10 (10, 10) (8532, 38139)	18039 (853.20, 3813.85)	1803.88 (853.20, 3813.85)
Other	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	7	10 (10, 10) (35549, 161814)	75844 (3554.91, 16181.39)	7584.42 (3554.91, 16181.39)
Other	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	7	5 (5, 5) (21, 187)	63 (4.28, 37.47)	12.67 (4.28, 37.47)
Other	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	7	5 (5, 5) (100, 659)	257 (20.04, 131.82)	51.40 (20.04, 131.82)
Other	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	4	10 (10, 10) (10, 10)	10 (1.00, 1.00)	1.00 (1.00, 1.00)
Other	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	4	10 (10, 10) (10, 10)	10 (1.00, 1.00)	1.00 (1.00, 1.00)
Other	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	4	10 (10, 10) (10, 10)	10 (1.00, 1.00)	1.00 (1.00, 1.00)
Other	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	4	5 (5, 5) (5, 5)	5 (1.00, 1.00)	1.00 (1.00, 1.00)
Other	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	4	6 (4, 8) (5, 5)	5 (0.66, 1.14)	0.87 (0.66, 1.14)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Other	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	5	10 (10, 10)	44670 (1872, 1065667)	4466.95 (187.24, 106566.67)
Other	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	5	10 (10, 10)	49870 (2917, 852533)	4987.05 (291.73, 85253.28)
Other	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	5	10 (10, 10)	40496 (4409, 371979)	4049.58 (440.86, 37197.87)
Other	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	5	5 (5, 5)	221 (26, 1859)	44.21 (5.26, 371.81)
Other	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	5	5 (5, 5)	295 (53, 1652)	58.92 (10.51, 330.33)
Other	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	34	10 (10, 10)	460615 (158188, 1341230)	46061.47 (15818.75, 134123.04)
Other	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	34	10 (10, 10)	959325 (475252, 1936456)	95932.51 (47525.20, 193645.62)
Other	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	34	10 (10, 10)	2238776 (1244112, 4028672)	223877.62 (124411.20, 402867.19)
Other	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	34	5 (5, 5)	1004 (517, 1952)	199.61 (102.73, 387.86)
Other	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	34	6 (5, 7)	701 (377, 1301)	124.13 (65.99, 233.49)
Other	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	7	10 (10, 10)	506707 (127532, 2013236)	50670.72 (12753.21, 201323.58)
Other	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	7	10 (10, 10)	4612046 (1780648, 11945635)	461204.60 (178064.78, 1194563.46)
Other	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	7	10 (10, 10)	5745695 (3255119, 10141875)	574569.52 (325511.94, 1014187.47)
Other	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	7	5 (5, 5)	1804 (599, 5428)	360.77 (119.89, 1085.65)
Other	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	7	5 (5, 5)	1220 (1091, 1364)	243.92 (218.17, 272.71)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Other	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	4	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Other	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	4	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Other	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	4	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Other	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	4	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Other	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	4	6 (4, 8)	5 (5, 5)	0.87 (0.66, 1.14)
Other	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	5	10 (10, 10)	635834 (53800, 7514571)	63583.42 (5380.02, 751457.07)
Other	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	5	10 (10, 10)	390164 (28931, 5261702)	39016.41 (2893.13, 526170.23)
Other	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	5	10 (10, 10)	1950467 (164373, 23144505)	195046.73 (16437.26, 2314450.53)
Other	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	5	5 (5, 5)	1257 (226, 6982)	251.41 (45.27, 1396.38)
Other	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	5	5 (5, 5)	516 (138, 1936)	103.21 (27.52, 387.13)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	87	10 (10, 10)	19313 (11472, 32516)	1931.33 (1147.15, 3251.58)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	87	10 (10, 10)	19972 (11876, 33588)	1984.44 (1180.82, 3334.98)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	87	10 (10, 10)	41499 (26987, 63814)	4133.86 (2690.49, 6351.56)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	87	5 (5, 5)	84 (49, 145)	16.17 (9.37, 27.91)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not reported and unknown	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	87	5 (5, 5)	146 (97, 218)	28.69 (19.18, 42.91)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	20	10 (10, 10)	67460 (19699, 231017)	6745.99 (1969.92, 23101.67)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	20	10 (10, 10)	57668 (24574, 135330)	5766.80 (2457.39, 13533.04)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	20	10 (10, 10)	112437 (54974, 229962)	11243.65 (5497.41, 22996.25)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	20	6 (5, 7)	304 (103, 898)	55.10 (17.77, 170.85)
Not reported and unknown	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	20	5 (5, 5)	390 (198, 769)	78.08 (39.64, 153.78)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	14	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	14	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	14	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	14	5 (5, 5)	5 (5, 6)	1.07 (0.93, 1.23)
Not reported and unknown	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	14	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	24	11 (9, 14)	15732 (6487, 38157)	1415.94 (664.69, 3016.24)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	24	10 (10, 10)	11890 (6590, 21451)	1188.99 (659.03, 2145.13)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	24	10 (10, 10)	17779 (10713, 29504)	1777.89 (1071.35, 2950.38)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	24	6 (5, 7)	46 (19, 108)	8.22 (3.89, 17.38)
Not reported and unknown	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	24	5 (5, 6)	143 (61, 333)	26.65 (11.99, 59.20)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	87	10 (10, 10)	313760 (164473, 598549)	31376.01 (16447.33, 59854.93)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	87	10 (10, 10)	958206 (582610, 1575941)	95207.62 (57949.06, 156421.71)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	87	10 (10, 10)	1898203 (1184567, 3041766)	189087.45 (118061.01, 302843.97)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	87	5 (5, 5)	872 (551, 1381)	167.89 (106.68, 264.23)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	87	5 (5, 5)	657 (450, 961)	129.51 (88.59, 189.34)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	20	10 (10, 10)	1890562 (694266, 5148205)	189056.18 (69426.61, 514820.49)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	20	10 (10, 10)	3239260 (1260301, 8325636)	323926.04 (126030.10, 832563.64)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	20	10 (10, 10)	9280577 (5923070, 14541295)	928057.68 (592307.00, 1454129.46)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	20	6 (5, 7)	2582 (1688, 3951)	467.57 (305.87, 714.76)
Not reported and unknown	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	20	5 (5, 5)	895 (680, 1176)	178.91 (136.07, 235.24)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	14	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	14	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	14	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	14	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.07)
Not reported and unknown	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	14	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	24	11 (9, 14)	212439 (61455, 734360)	19119.79 (6132.72, 59609.16)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	24	10 (10, 10)	401782 (159718, 1010714)	40178.22 (15971.77, 101071.38)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	24	10 (10, 10)	645039 (300920, 1382676)	64503.88 (30092.01, 138267.59)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	24	6 (5, 7)	459 (159, 1325)	82.70 (29.66, 230.60)
Not reported and unknown	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	24	5 (5, 6)	396 (222, 706)	73.97 (42.76, 127.99)

Table 6i. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Underrepresented minority status

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Underrepresented minority status</b>								
Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	420	10 (10, 10)	21539 (16815, 27590)	2147.71 (1676.74, 2750.96)
Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	420	10 (10, 10)	23355 (19229, 28366)	2298.01 (1894.95, 2786.80)
Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	420	10 (10, 10)	40216 (34293, 47162)	4021.60 (3429.33, 4716.15)
Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	420	5 (5, 5)	98 (78, 122)	19.35 (15.49, 24.18)
Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	420	5 (5, 5)	170 (139, 209)	33.00 (27.00, 40.32)
Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	120	10 (10, 10)	59825 (42543, 84127)	5939.85 (4225.85, 8349.06)
Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	120	10 (10, 10)	44605 (32032, 62112)	4460.46 (3203.19, 6211.20)
Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	120	10 (10, 10)	90964 (70362, 117598)	9096.36 (7036.19, 11759.75)
Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	120	5 (5, 5)	233 (168, 324)	46.31 (33.37, 64.26)
Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	120	5 (5, 6)	375 (282, 498)	71.43 (53.63, 95.14)
Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	73	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	73	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	73	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	73	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.02)
Communities of Color	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	73	5 (5, 5)	5 (5, 6)	1.04 (0.95, 1.15)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	111	10 (10, 10)	12076 (7749, 18818)	1203.77 (772.44, 1875.94)
Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	111	10 (10, 10)	17596 (12294, 25185)	1759.61 (1229.41, 2518.46)
Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	111	10 (10, 10)	18884 (13265, 26883)	1888.39 (1326.49, 2688.32)
Communities of Color	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	111	5 (5, 6)	53 (34, 81)	10.14 (6.74, 15.23)
Communities of Color	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	111	5 (5, 5)	150 (99, 229)	29.72 (19.55, 45.20)
Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	420	10 (10, 10)	358864 (270698, 475746)	35783.11 (26992.76, 47436.09)
Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	420	10 (10, 10)	977894 (775098, 1233750)	96220.17 (76301.81, 121338.16)
Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	420	10 (10, 10)	2083276 (1731530, 2506476)	208327.61 (173153.02, 250647.62)
Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	420	5 (5, 5)	1041 (844, 1285)	206.61 (167.44, 254.95)
Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	420	5 (5, 5)	697 (600, 810)	135.08 (116.18, 157.05)
Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	120	10 (10, 10)	1149410 (701808, 1882486)	114120.94 (69699.07, 186854.58)
Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	120	10 (10, 10)	3146770 (2268204, 4365640)	314676.99 (226820.37, 436564.01)
Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	120	10 (10, 10)	5991417 (4521908, 7938481)	599141.71 (452190.77, 793848.11)
Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	120	5 (5, 5)	2436 (1982, 2994)	483.83 (393.56, 594.81)
Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	120	5 (5, 6)	1113 (985, 1257)	211.93 (185.74, 241.80)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	73	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	73	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	73	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	73	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.03)
Communities of Color	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	73	5 (5, 5)	5 (5, 5)	0.99 (0.97, 1.01)
Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	111	10 (10, 10)	193321 (112330, 332707)	19271.20 (11198.21, 33164.15)
Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	111	10 (10, 10)	397884 (255298, 620105)	39788.42 (25529.85, 62010.49)
Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	111	10 (10, 10)	734879 (488135, 1106348)	73487.92 (48813.54, 110634.76)
Communities of Color	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	111	5 (5, 6)	511 (315, 827)	98.27 (61.27, 157.63)
Communities of Color	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	111	5 (5, 5)	516 (373, 715)	102.10 (73.71, 141.43)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	362	10 (10, 10)	26952 (20879, 34791)	2692.55 (2085.86, 3475.70)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	10 (10, 10)	23438 (18652, 29451)	2343.79 (1865.22, 2945.14)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	10 (10, 10)	40376 (34291, 47540)	4031.72 (3424.39, 4746.77)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	362	5 (5, 5)	112 (88, 143)	22.29 (17.54, 28.33)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	362	5 (5, 5)	164 (132, 205)	32.75 (26.22, 40.91)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)	33909 (23857, 48196)	3381.77 (2380.32, 4804.54)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)	30985 (21213, 45260)	3098.50 (2121.25, 4525.98)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)	72481 (52760, 99575)	7248.12 (5275.96, 9957.47)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)	144 (100, 205)	28.39 (19.88, 40.52)
White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)	257 (181, 364)	51.37 (36.26, 72.78)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 11)	10 (10, 10)	0.97 (0.91, 1.03)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)	10 (10, 10)	0.99 (0.96, 1.01)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)	5 (5, 5)	1.01 (1.00, 1.02)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 6)	5 (5, 5)	0.96 (0.89, 1.04)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)	12594 (8343, 19013)	1256.17 (832.18, 1896.19)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)	10931 (7523, 15882)	1089.81 (750.27, 1583.01)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)	18868 (14654, 24295)	1886.83 (1465.38, 2429.51)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)	52 (37, 74)	10.35 (7.26, 14.75)
White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)	100 (71, 141)	20.04 (14.26, 28.15)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	362	10 (10, 10)	328428 (241885, 445935)	32810.77 (24165.04, 44549.75)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	362	10 (10, 10)	1035293 (809058, 1324789)	103529.30 (80905.85, 132478.89)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	362	10 (10, 10)	2145772 (1769345, 2602284)	214266.04 (176677.69, 259851.36)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	362	5 (5, 5)	853 (680, 1071)	169.37 (134.89, 212.66)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	362	5 (5, 5)	637 (536, 758)	127.05 (106.88, 151.02)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	125	10 (10, 10)	855574 (516251, 1417930)	85327.48 (51494.66, 141388.99)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	125	10 (10, 10)	1943813 (1341551, 2816449)	194381.34 (134155.13, 281644.89)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	125	10 (10, 10)	4608987 (3326910, 6385133)	460898.73 (332691.01, 638513.31)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	125	5 (5, 5)	1560 (1107, 2198)	308.49 (218.90, 434.75)
White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	125	5 (5, 5)	959 (783, 1174)	191.79 (156.69, 234.75)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	67	10 (10, 11)	10 (10, 10)	0.97 (0.91, 1.03)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	67	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.03)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	67	10 (10, 10)	10 (10, 10)	0.99 (0.96, 1.01)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	67	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	67	5 (5, 6)	5 (5, 5)	0.98 (0.90, 1.06)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	121	10 (10, 10)	105260 (65329, 169598)	10498.69 (6517.19, 16912.57)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	121	10 (10, 10)	393045 (283452, 545009)	39187.22 (28265.76, 54328.59)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	121	10 (10, 10)	674526 (481218, 945489)	67452.65 (48121.78, 94548.86)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	121	5 (5, 5)	482 (316, 735)	95.51 (62.58, 145.75)
White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	121	5 (5, 5)	633 (482, 831)	126.65 (96.47, 166.28)




Table 6j. Geometric mean titer ratios (GMTRs) or geometric mean concentration ratios (GMCRs) between post-vaccinations/pre-vaccination by Age, Underrepresented minority status

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
<b>Age, Underrepresented minority status</b>								
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	192	10 (10, 10)	16236 (11950, 22059)	1623.60 (1195.00, 2205.92)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	192	10 (10, 10)	17593 (13852, 22344)	1725.89 (1361.67, 2187.54)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	192	10 (10, 10)	30531 (25113, 37118)	3053.10 (2511.28, 3711.82)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	192	5 (5, 5)	76 (57, 100)	15.04 (11.43, 19.79)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	192	5 (5, 5)	146 (113, 187)	28.14 (21.94, 36.09)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	69	10 (10, 10)	50828 (34018, 75943)	5058.85 (3385.72, 7558.79)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	69	10 (10, 10)	34937 (23630, 51653)	3493.66 (2363.02, 5165.27)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	69	10 (10, 10)	70998 (52456, 96095)	7099.81 (5245.58, 9609.50)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	69	5 (5, 5)	208 (141, 308)	41.69 (28.21, 61.62)
Age < 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	69	5 (5, 6)	347 (247, 489)	65.35 (46.28, 92.27)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	37	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	37	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	37	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	37	5 (5, 5)	5 (5, 5)	0.98 (0.94, 1.02)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	37	5 (5, 5)	5 (5, 6)	1.05 (0.93, 1.19)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	61	10 (10, 10)	9484 (5622, 16000)	948.43 (562.20, 1600.00)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	61	10 (10, 10)	13618 (8930, 20767)	1361.81 (893.02, 2076.68)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	61	10 (10, 10)	13717 (9072, 20741)	1371.71 (907.20, 2074.08)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	61	5 (5, 6)	41 (25, 69)	7.94 (4.91, 12.85)
Age < 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	61	5 (5, 5)	131 (79, 216)	26.14 (15.81, 43.22)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	192	10 (10, 10)	292558 (206178, 415126)	29255.76 (20617.82, 41512.62)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	192	10 (10, 10)	741900 (555636, 990606)	72781.13 (54542.23, 97119.12)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	192	10 (10, 10)	1629402 (1297091, 2046851)	162940.23 (129709.06, 204685.14)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	192	5 (5, 5)	887 (682, 1152)	176.32 (135.72, 229.07)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	192	5 (5, 5)	639 (529, 772)	123.64 (102.32, 149.41)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	69	10 (10, 10)	930919 (514131, 1685580)	92654.09 (51177.43, 167745.44)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	69	10 (10, 10)	2542683 (1712680, 3774922)	254268.26 (171268.03, 377492.20)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	69	10 (10, 10)	5081700 (3613166, 7147104)	508170.01 (361316.64, 714710.38)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	69	5 (5, 5)	2281 (1781, 2920)	456.17 (356.27, 584.10)
Age < 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	69	5 (5, 6)	1106 (954, 1283)	208.26 (177.36, 244.55)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	37	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	37	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	37	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	37	5 (5, 5)	5 (5, 5)	0.99 (0.95, 1.04)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	37	5 (5, 5)	5 (5, 5)	0.99 (0.97, 1.01)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	61	10 (10, 10)	145989 (76495, 278616)	14598.87 (7649.49, 27861.63)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	61	10 (10, 10)	277278 (164097, 468523)	27727.83 (16409.72, 46852.29)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	61	10 (10, 10)	543679 (334324, 884132)	54367.88 (33432.39, 88413.25)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	61	5 (5, 6)	387 (217, 690)	74.42 (42.29, 130.98)
Age < 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	61	5 (5, 5)	457 (309, 677)	91.40 (61.74, 135.31)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	175	10 (10, 10)	22546 (16452, 30897)	2254.62 (1645.24, 3089.72)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	175	10 (10, 10)	18239 (13763, 24171)	1823.94 (1376.34, 2417.10)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	175	10 (10, 10)	31442 (25800, 38318)	3144.18 (2579.95, 3831.80)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	175	5 (5, 5)	96 (71, 129)	19.08 (14.21, 25.63)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	175	5 (5, 5)	147 (112, 194)	29.39 (22.32, 38.70)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	59	10 (10, 10)	22816 (14942, 34840)	2281.61 (1494.19, 3483.97)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	59	10 (10, 10)	19045 (11989, 30254)	1904.54 (1198.93, 3025.41)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	59	10 (10, 10)	50450 (34139, 74554)	5044.99 (3413.88, 7455.42)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	59	5 (5, 5)	100 (65, 154)	19.98 (12.96, 30.79)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	59	5 (5, 5)	201 (130, 311)	40.15 (25.92, 62.21)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	31	10 (10, 11)	10 (10, 10)	0.96 (0.88, 1.04)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	31	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	31	10 (10, 10)	10 (10, 10)	0.98 (0.95, 1.02)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	31	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	31	5 (5, 6)	5 (5, 5)	0.95 (0.86, 1.05)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	61	10 (10, 10)	9218 (5571, 15252)	921.79 (557.10, 1525.23)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	61	10 (10, 10)	7844 (4954, 12419)	784.36 (495.38, 1241.93)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	61	10 (10, 10)	13337 (9905, 17959)	1333.71 (990.46, 1795.93)
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	61	5 (5, 5)	38 (25, 58)	7.54 (4.92, 11.55)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	61	5 (5, 5)	77 (50, 116)	15.31 (10.08, 23.26)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	175	10 (10, 10)	264562 (181456, 385729)	26456.16 (18145.62, 38572.85)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	175	10 (10, 10)	821667 (606114, 1113878)	82166.69 (60611.37, 111387.76)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	175	10 (10, 10)	1724310 (1360950, 2184685)	172431.05 (136094.99, 218468.48)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	175	5 (5, 5)	736 (556, 975)	146.53 (110.58, 194.17)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	175	5 (5, 5)	582 (469, 722)	116.39 (93.77, 144.47)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	59	10 (10, 10)	596002 (317291, 1119537)	59600.20 (31729.06, 111953.66)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	59	10 (10, 10)	1330657 (839954, 2108031)	133065.71 (83995.36, 210803.12)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	59	10 (10, 10)	3419951 (2269217, 5154230)	341995.14 (226921.72, 515423.02)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	59	5 (5, 5)	1219 (789, 1885)	243.87 (157.76, 376.98)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	59	5 (5, 5)	906 (700, 1173)	181.29 (140.06, 234.66)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	31	10 (10, 11)	10 (10, 10)	0.96 (0.88, 1.04)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	31	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.03)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	31	10 (10, 10)	10 (10, 10)	0.98 (0.95, 1.02)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	31	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	31	5 (5, 6)	5 (5, 5)	0.96 (0.86, 1.07)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	61	10 (10, 10)	69600 (38730, 125074)	6959.96 (3873.00, 12507.38)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	61	10 (10, 10)	264698 (179209, 390968)	26469.79 (17920.88, 39096.84)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	61	10 (10, 10)	451492 (299720, 680117)	45149.17 (29972.03, 68011.66)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	61	5 (5, 5)	363 (214, 617)	72.14 (42.50, 122.46)
Age < 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	61	5 (5, 5)	569 (403, 802)	113.76 (80.64, 160.49)
Age ≥ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	228	10 (10, 10)	62158 (49081, 78719)	6131.29 (4842.38, 7763.27)
Age ≥ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	228	10 (10, 10)	67566 (54935, 83102)	6723.29 (5466.37, 8269.21)
Age ≥ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	228	10 (10, 10)	113000 (94977, 134444)	11300.05 (9497.71, 13444.40)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	228	5 (5, 5)	253 (202, 317)	49.81 (39.67, 62.55)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	228	5 (5, 5)	307 (255, 371)	59.94 (49.78, 72.17)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	51	10 (10, 11)	120781 (72911, 200082)	11866.15 (7221.10, 19499.17)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	51	10 (10, 10)	127850 (82611, 197861)	12784.98 (8261.13, 19786.11)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	51	10 (10, 10)	264698 (194312, 360580)	26469.82 (19431.24, 36057.99)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	51	5 (5, 6)	378 (245, 582)	72.81 (47.74, 111.06)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	51	5 (5, 5)	524 (384, 715)	104.84 (76.87, 142.99)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.06)
Age $\geq$ 65 Communities of Color	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)	5 (5, 5)	1.01 (0.94, 1.09)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	50	10 (10, 11)	36935 (21325, 63969)	3628.46 (2090.38, 6298.23)
Age ≥ 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	50	10 (10, 10)	57615 (37949, 87471)	5761.48 (3794.93, 8747.09)
Age ≥ 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	50	10 (10, 10)	82913 (55673, 123482)	8291.33 (5567.28, 12348.24)
Age ≥ 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	50	5 (5, 5)	162 (100, 262)	31.30 (19.37, 50.58)
Age ≥ 65 Communities of Color	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	50	5 (5, 6)	287 (198, 414)	53.85 (37.66, 76.99)
Age ≥ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	228	10 (10, 10)	771969 (594183, 1002951)	76147.19 (58648.85, 98866.29)
Age ≥ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	228	10 (10, 10)	2754587 (2268872, 3344283)	274100.63 (225772.84, 332773.23)
Age ≥ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	228	10 (10, 10)	5234940 (4335801, 6320538)	523493.98 (433580.10, 632053.79)
Age ≥ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	228	5 (5, 5)	1902 (1592, 2272)	374.42 (313.32, 447.44)
Age ≥ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	228	5 (5, 5)	965 (885, 1054)	188.22 (172.16, 205.77)
Age ≥ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	51	10 (10, 11)	2851970 (1696232, 4795178)	280191.41 (167279.69, 469317.16)
Age ≥ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	51	10 (10, 10)	7886529 (5992121, 10379852)	788652.86 (599212.12, 1037985.22)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	51	10 (10, 10)	12184499 (9870720, 15040647)	1218449.89 (987071.99, 1504064.71)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	51	5 (5, 6)	3237 (2532, 4138)	623.57 (484.32, 802.85)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	51	5 (5, 5)	1142 (1029, 1268)	228.46 (205.86, 253.54)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)	5 (5, 5)	0.98 (0.94, 1.02)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	50	10 (10, 11)	709142 (414598, 1212941)	69666.09 (40713.39, 119208.03)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	50	10 (10, 10)	2116643 (1392238, 3217970)	211664.33 (139223.77, 321797.00)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	50	10 (10, 10)	2964324 (2094066, 4196246)	296432.41 (209406.65, 419624.56)
Age $\geq$ 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	50	5 (5, 5)	1841 (1287, 2635)	355.76 (248.56, 509.20)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 Communities of Color	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	50	5 (5, 6)	907 (726, 1133)	170.41 (135.86, 213.75)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	187	10 (10, 10)	52931 (40936, 68439)	5268.42 (4073.83, 6813.30)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	187	10 (10, 10)	60501 (48791, 75021)	6050.09 (4879.09, 7502.12)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	187	10 (10, 10)	103956 (85935, 125756)	10323.75 (8541.73, 12477.55)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	187	5 (5, 5)	205 (159, 264)	40.13 (31.11, 51.76)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	187	5 (5, 5)	250 (203, 309)	49.32 (39.89, 60.96)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	66	10 (10, 10)	136437 (87620, 212452)	13478.95 (8703.30, 20875.07)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	66	10 (10, 10)	171330 (122252, 240109)	17133.00 (12225.25, 24010.94)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	66	10 (10, 10)	258922 (193862, 345818)	25892.24 (19386.17, 34581.79)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	66	5 (5, 6)	513 (331, 795)	97.51 (63.27, 150.29)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	66	5 (5, 5)	611 (474, 787)	122.13 (94.72, 157.46)
Age ≥ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.06)
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	60	10 (10, 10)	37306 (22959, 60618)	3687.38 (2269.03, 5992.34)
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	60	10 (10, 10)	34684 (23721, 50713)	3422.26 (2347.60, 4988.87)
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	60	10 (10, 10)	63090 (45948, 86628)	6309.04 (4594.82, 8662.80)
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	60	5 (5, 5)	158 (99, 253)	31.14 (19.51, 49.70)
Age $\geq$ 65 White Non-Hispanic	D29 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	60	5 (5, 5)	255 (179, 363)	51.05 (35.85, 72.69)
Age $\geq$ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti N IgG (IU/ml)	187	10 (10, 10)	744013 (544053, 1017467)	74055.02 (54151.85, 101273.48)
Age $\geq$ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti RBD IgG (IU/ml)	187	10 (10, 10)	2480906 (1963740, 3134273)	248090.62 (196373.96, 313427.29)
Age $\geq$ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Anti Spike IgG (IU/ml)	187	10 (10, 10)	4905828 (4010708, 6000723)	487190.64 (398155.87, 596135.17)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID50	187	5 (5, 5)	1493 (1201, 1857)	292.90 (235.60, 364.14)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Negative	Pseudovirus-nAb ID80	187	5 (5, 5)	898 (802, 1006)	176.97 (157.95, 198.27)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti N IgG (IU/ml)	66	10 (10, 10)	3047576 (1946474, 4771560)	301077.79 (192739.75, 470312.09)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti RBD IgG (IU/ml)	66	10 (10, 10)	7361735 (5501532, 9850918)	736173.49 (550153.19, 985091.81)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Anti Spike IgG (IU/ml)	66	10 (10, 10)	13150407 (11185318, 15460732)	1315040.71 (1118531.83, 1546073.20)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID50	66	5 (5, 6)	3704 (3281, 4182)	704.55 (617.94, 803.29)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Vaccine	Positive	Pseudovirus-nAb ID80	66	5 (5, 5)	1169 (1068, 1279)	233.73 (213.61, 255.76)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti N IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti RBD IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Anti Spike IgG (IU/ml)	36	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID50	36	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age ≥ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Negative	Pseudovirus-nAb ID80	36	5 (5, 5)	5 (5, 6)	1.04 (0.97, 1.12)

(continued)

Group	Visit	Arm	Baseline SARS-CoV-2	Marker	N	Baseline GMT/GMC	Post Baseline GMT/GMC	GMTR/GMCR
Age $\geq$ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti N IgG (IU/ml)	60	10 (10, 10)	443960 (270782, 727893)	43882.05 (26814.34, 71813.61)
Age $\geq$ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti RBD IgG (IU/ml)	60	10 (10, 10)	1555275 (1071853, 2256728)	153460.09 (105790.07, 222610.68)
Age $\geq$ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Anti Spike IgG (IU/ml)	60	10 (10, 10)	2726537 (1934165, 3843522)	272653.70 (193416.46, 384352.21)
Age $\geq$ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID50	60	5 (5, 5)	1287 (922, 1798)	253.53 (181.97, 353.23)
Age $\geq$ 65 White Non-Hispanic	D57 fold-rise over D1	Placebo	Positive	Pseudovirus-nAb ID80	60	5 (5, 5)	920 (753, 1124)	183.99 (150.63, 224.75)

Table 7a. The ratios of GMTs/GMCs between groups by Age

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
<b>Age</b>							
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (1.00, 1.01)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.01)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (1.00, 1.01)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.01 (0.99, 1.02)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.01 (0.99, 1.04)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.03)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.03 (0.98, 1.08)
Age ≥ 65 vs Age < 65	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.98 (0.96, 1.00)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.98 (0.94, 1.02)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.98 (0.93, 1.02)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.99 (0.98, 1.01)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.98 (0.93, 1.03)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age ≥ 65 vs Age < 65	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.96, 1.03)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.02)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (0.95, 1.05)
Age ≥ 65 vs Age < 65	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.01 (0.98, 1.04)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	59687 (50611, 70391)	18416 (15002, 22607)	3.24 (2.49, 4.22)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	65260 (56737, 75065)	17393 (14565, 20769)	3.75 (2.99, 4.70)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	112166 (98906, 127204)	31397 (27475, 35879)	3.57 (2.97, 4.29)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	243 (207, 285)	84 (69, 101)	2.91 (2.26, 3.73)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	291 (255, 333)	139 (117, 167)	2.09 (1.67, 2.61)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	130450 (94795, 179517)	32567 (23739, 44678)	4.01 (2.56, 6.28)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	158619 (123584, 203585)	24939 (18392, 33816)	6.36 (4.29, 9.43)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	262073 (212134, 323767)	59400 (46127, 76492)	4.41 (3.17, 6.13)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	468 (345, 634)	141 (103, 192)	3.33 (2.16, 5.13)
Age ≥ 65 vs Age < 65	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	578 (473, 707)	257 (195, 338)	2.25 (1.60, 3.17)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age ≥ 65 vs Age < 65	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.01 (0.98, 1.04)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.95, 1.03)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	35028 (24909, 49257)	9820 (7013, 13750)	3.57 (2.21, 5.76)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	41836 (32039, 54629)	9737 (7317, 12958)	4.30 (2.91, 6.35)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	66891 (53129, 84219)	13380 (10754, 16647)	5.00 (3.64, 6.87)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	153 (111, 211)	39 (29, 53)	3.89 (2.51, 6.03)
Age ≥ 65 vs Age < 65	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	240 (186, 309)	98 (72, 133)	2.45 (1.65, 3.63)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	836805 (684312, 1023281)	253319 (198852, 322705)	3.30 (2.41, 4.53)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	2692372 (2329251, 3112103)	737116 (604472, 898869)	3.65 (2.86, 4.67)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	5171042 (4536295, 5894606)	1643373 (1397174, 1932956)	3.15 (2.55, 3.88)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	1700 (1485, 1946)	771 (641, 927)	2.20 (1.75, 2.77)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	951 (889, 1017)	598 (522, 685)	1.59 (1.37, 1.85)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	3014476 (2176245, 4175569)	739998 (487371, 1123572)	4.07 (2.40, 6.92)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	7520373 (6150499, 9195352)	1708031 (1250174, 2333572)	4.40 (3.04, 6.38)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	13148461 (11664499, 14821213)	4266733 (3292896, 5528570)	3.08 (2.32, 4.10)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	3465 (3066, 3916)	1667 (1287, 2159)	2.08 (1.56, 2.77)
Age ≥ 65 vs Age < 65	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	1157 (1082, 1237)	973 (838, 1130)	1.19 (1.01, 1.40)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.02 (0.99, 1.05)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.01 (0.97, 1.05)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	519433 (364460, 740302)	93772 (62214, 141339)	5.54 (3.22, 9.53)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	1675605 (1277411, 2197922)	270061 (201198, 362494)	6.20 (4.16, 9.26)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	2790960 (2211288, 3522590)	484596 (361249, 650060)	5.76 (3.96, 8.38)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	1406 (1101, 1795)	358 (249, 516)	3.93 (2.53, 6.09)
Age ≥ 65 vs Age < 65	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	872 (749, 1016)	469 (364, 605)	1.86 (1.38, 2.50)

Table 7b. The ratios of GMTs/GMCs between groups by Risk for Severe Covid-19

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
<b>Risk for Severe Covid-19</b>							
At-risk vs Not at-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (1.00, 1.01)
At-risk vs Not at-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.01)
At-risk vs Not at-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.01)
At-risk vs Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.02 (1.00, 1.04)
At-risk vs Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.02)
At-risk vs Not at-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.01)
At-risk vs Not at-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk vs Not at-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk vs Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.01 (0.97, 1.05)
At-risk vs Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.02)
At-risk vs Not at-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.98 (0.93, 1.02)
At-risk vs Not at-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.97 (0.92, 1.03)
At-risk vs Not at-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 11)	10 (10, 10)	1.02 (0.98, 1.06)
At-risk vs Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.05)
At-risk vs Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.98 (0.92, 1.04)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
At-risk vs Not at-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.99 (0.95, 1.02)
At-risk vs Not at-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.02)
At-risk vs Not at-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk vs Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.99 (0.94, 1.04)
At-risk vs Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.00 (0.97, 1.03)
At-risk vs Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	23746 (19890, 28348)	23464 (18814, 29264)	1.01 (0.76, 1.34)
At-risk vs Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	26276 (22549, 30618)	21736 (17948, 26322)	1.21 (0.94, 1.55)
At-risk vs Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	45842 (39981, 52561)	39200 (33975, 45229)	1.17 (0.96, 1.43)
At-risk vs Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	101 (86, 119)	106 (86, 130)	0.96 (0.73, 1.25)
At-risk vs Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	184 (157, 215)	155 (128, 188)	1.18 (0.92, 1.52)
At-risk vs Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	55180 (40058, 76009)	39449 (28182, 55221)	1.40 (0.88, 2.23)
At-risk vs Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	55528 (42705, 72202)	31130 (22431, 43203)	1.78 (1.17, 2.73)
At-risk vs Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	103862 (81118, 132982)	73051 (55813, 95613)	1.42 (0.98, 2.06)
At-risk vs Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	215 (157, 294)	168 (121, 233)	1.28 (0.81, 2.02)
At-risk vs Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	320 (246, 417)	296 (222, 395)	1.08 (0.73, 1.60)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
At-risk vs Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk vs Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk vs Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk vs Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.04 (0.99, 1.09)
At-risk vs Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.94, 1.03)
At-risk vs Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	16553 (12110, 22625)	11438 (7990, 16373)	1.45 (0.90, 2.33)
At-risk vs Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	16713 (12461, 22416)	11818 (8737, 15984)	1.41 (0.93, 2.16)
At-risk vs Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	26705 (20898, 34126)	16070 (12731, 20284)	1.66 (1.18, 2.34)
At-risk vs Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	69 (51, 93)	46 (34, 64)	1.49 (0.96, 2.30)
At-risk vs Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	158 (120, 209)	105 (77, 145)	1.50 (0.98, 2.29)
At-risk vs Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	335374 (269738, 416981)	321219 (247712, 416539)	1.04 (0.74, 1.47)
At-risk vs Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	1142597 (960017, 1359902)	904842 (731464, 1119314)	1.26 (0.96, 1.66)
At-risk vs Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	2144439 (1837643, 2502456)	2066294 (1737472, 2457347)	1.04 (0.82, 1.31)
At-risk vs Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	998 (842, 1182)	877 (721, 1068)	1.14 (0.88, 1.47)
At-risk vs Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	777 (706, 855)	618 (533, 715)	1.26 (1.06, 1.50)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
At-risk vs Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	1327591 (930289, 1894571)	882754 (566411, 1375775)	1.50 (0.85, 2.66)
At-risk vs Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	2930270 (2189955, 3920848)	2113273 (1521183, 2935822)	1.39 (0.89, 2.16)
At-risk vs Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	6396516 (5170277, 7913583)	5023873 (3821349, 6604815)	1.27 (0.90, 1.80)
At-risk vs Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	2243 (1781, 2825)	1832 (1399, 2400)	1.22 (0.86, 1.75)
At-risk vs Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	1098 (986, 1224)	978 (836, 1144)	1.12 (0.93, 1.36)
At-risk vs Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk vs Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.04)
At-risk vs Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
At-risk vs Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.02)
At-risk vs Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.03 (0.99, 1.07)
At-risk vs Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	197242 (136637, 284729)	113637 (73522, 175638)	1.74 (0.98, 3.07)
At-risk vs Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	663561 (486704, 904683)	320294 (234601, 437288)	2.07 (1.33, 3.22)
At-risk vs Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	1012116 (777775, 1317064)	594413 (434588, 813016)	1.70 (1.13, 2.57)
At-risk vs Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	701 (510, 963)	407 (277, 598)	1.72 (1.04, 2.84)
At-risk vs Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	657 (526, 822)	492 (377, 642)	1.34 (0.94, 1.89)

Table 7c. The ratios of GMTs/GMCs between groups by Age < 65, Risk for Severe Covid-19

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
<b>Age &lt; 65, Risk for Severe Covid-19</b>							
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.02)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.98, 1.01)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.03 (1.00, 1.07)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.98, 1.01)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.02)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.98 (0.95, 1.02)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.95, 1.03)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.97 (0.92, 1.03)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.97 (0.91, 1.03)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 11)	10 (10, 10)	1.03 (0.97, 1.10)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.03 (0.97, 1.08)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 6)	0.98 (0.91, 1.05)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.98 (0.94, 1.02)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.98 (0.93, 1.04)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.00 (0.97, 1.03)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	15066 (11800, 19236)	19467 (15118, 25069)	0.77 (0.54, 1.10)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	16530 (13368, 20440)	17639 (14174, 21952)	0.94 (0.69, 1.27)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	31028 (25724, 37424)	31500 (26782, 37049)	0.98 (0.77, 1.26)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	68 (54, 85)	89 (70, 112)	0.76 (0.55, 1.06)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	142 (113, 179)	139 (111, 173)	1.02 (0.75, 1.41)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	35719 (23773, 53667)	31746 (21547, 46775)	1.13 (0.64, 1.97)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	30603 (22522, 41584)	23567 (16128, 34436)	1.30 (0.80, 2.11)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	62641 (46308, 84734)	58534 (42854, 79952)	1.07 (0.69, 1.65)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	141 (95, 210)	140 (96, 205)	1.00 (0.58, 1.74)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	230 (161, 329)	265 (189, 371)	0.87 (0.53, 1.42)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 6)	5 (5, 5)	1.04 (0.96, 1.12)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.97 (0.93, 1.03)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	11526 (8005, 16596)	9421 (6232, 14240)	1.22 (0.71, 2.12)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	10221 (7229, 14450)	9616 (6787, 13623)	1.06 (0.65, 1.74)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	16112 (12313, 21083)	12751 (9773, 16637)	1.26 (0.87, 1.84)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	48 (34, 67)	37 (26, 54)	1.27 (0.77, 2.09)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	120 (84, 171)	93 (64, 134)	1.29 (0.77, 2.15)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	227691 (168871, 306998)	260904 (193710, 351406)	0.87 (0.57, 1.33)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	761200 (595115, 973635)	730590 (572440, 932433)	1.04 (0.74, 1.47)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	1498825 (1211357, 1854513)	1685764 (1382064, 2056199)	0.89 (0.66, 1.19)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	813 (637, 1037)	760 (607, 953)	1.07 (0.77, 1.49)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	727 (631, 838)	566 (478, 671)	1.28 (1.03, 1.60)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	848831 (533654, 1350151)	712451 (424677, 1195230)	1.19 (0.59, 2.39)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	1815884 (1230281, 2680228)	1679359 (1144426, 2464334)	1.08 (0.63, 1.87)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	4547755 (3408849, 6067172)	4192147 (3041219, 5778636)	1.08 (0.70, 1.67)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	1675 (1203, 2333)	1664 (1212, 2286)	1.01 (0.64, 1.59)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	1046 (895, 1224)	954 (793, 1148)	1.10 (0.86, 1.40)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 11)	10 (10, 10)	1.02 (0.98, 1.07)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.05)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.07)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	115913 (73022, 183995)	88760 (53701, 146705)	1.31 (0.66, 2.58)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	417627 (286845, 608038)	241209 (168749, 344783)	1.73 (1.03, 2.91)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	575539 (424191, 780885)	463469 (322941, 665148)	1.24 (0.77, 1.99)
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	475 (314, 718)	333 (213, 520)	1.43 (0.78, 2.63)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age < 65 At-risk vs Age < 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	577 (427, 782)	445 (326, 607)	1.30 (0.84, 2.00)

MOCK

Table 7d. The ratios of GMTs/GMCs between groups by Age  $\geq 65$ , Risk for Severe Covid-19

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
<b>Age <math>\geq 65</math>, Risk for Severe Covid-19</b>							
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.98, 1.01)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.02)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (1.00, 1.03)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (0.97, 1.02)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.03)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.98 (0.95, 1.01)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	5 (5, 6)	5 (5, 5)	1.05 (0.96, 1.15)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.01)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.97, 1.04)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	10 (10, 11)	10 (10, 10)	1.02 (0.98, 1.06)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.01 (0.95, 1.08)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.95, 1.03)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	48363 (38238, 61168)	75305 (60119, 94327)	0.64 (0.46, 0.89)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	54232 (44632, 65898)	80069 (65740, 97522)	0.68 (0.51, 0.89)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	84391 (70350, 101234)	153593 (130717, 180473)	0.55 (0.43, 0.70)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	190 (152, 239)	318 (255, 396)	0.60 (0.44, 0.82)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	275 (227, 332)	311 (257, 376)	0.88 (0.68, 1.16)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	134756 (86334, 210339)	127407 (81563, 199019)	1.06 (0.56, 1.99)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	188670 (130105, 273598)	139826 (100144, 195231)	1.35 (0.82, 2.22)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	293282 (211706, 406291)	241494 (183346, 318084)	1.21 (0.79, 1.86)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	512 (328, 800)	438 (291, 661)	1.17 (0.64, 2.14)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	631 (470, 847)	543 (413, 714)	1.16 (0.78, 1.74)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.03 (0.99, 1.08)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.06)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	36017 (20615, 62924)	34367 (22427, 52663)	1.05 (0.52, 2.11)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	48060 (30183, 76524)	38048 (27717, 52231)	1.26 (0.72, 2.22)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	79058 (52327, 119443)	59664 (45863, 77618)	1.33 (0.81, 2.16)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	152 (88, 262)	154 (105, 228)	0.98 (0.50, 1.92)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	287 (197, 420)	212 (150, 298)	1.36 (0.81, 2.26)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	614449 (455774, 828367)	1177109 (909711, 1523105)	0.52 (0.35, 0.77)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	2156196 (1737100, 2676403)	3441017 (2862067, 4137080)	0.63 (0.47, 0.83)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	3754377 (3054674, 4614355)	7365218 (6409952, 8462846)	0.51 (0.40, 0.65)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	1375 (1120, 1689)	2148 (1820, 2536)	0.64 (0.49, 0.83)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	861 (775, 958)	1061 (984, 1143)	0.81 (0.71, 0.92)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	3325369 (2100058, 5265606)	2806906 (1785997, 4411386)	1.18 (0.62, 2.26)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	7826271 (5875584, 10424584)	7305563 (5535066, 9642388)	1.07 (0.72, 1.60)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	12884976 (10659103, 15575665)	13343347 (11436169, 15568581)	0.97 (0.76, 1.23)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	4080 (3740, 4452)	3077 (2527, 3745)	1.33 (1.07, 1.64)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	1213 (1133, 1300)	1118 (1008, 1240)	1.09 (0.96, 1.23)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 6)	0.96 (0.90, 1.02)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 6)	5 (5, 5)	1.04 (0.97, 1.11)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	617829 (374440, 1019423)	461295 (283308, 751102)	1.34 (0.67, 2.70)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	1793880 (1116560, 2882074)	1599200 (1158806, 2206962)	1.12 (0.63, 1.99)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	3402410 (2336678, 4954210)	2437171 (1820478, 3262772)	1.40 (0.87, 2.25)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	1617 (1087, 2405)	1278 (940, 1739)	1.26 (0.76, 2.09)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Age $\geq$ 65 At-risk vs Age $\geq$ 65 Not at-risk	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	868 (670, 1125)	875 (726, 1055)	0.99 (0.72, 1.37)

MOCK

Table 7e. The ratios of GMTs/GMCs between groups by Sex

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
<b>Sex</b>							
Male vs Female	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.00)
Male vs Female	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.02)
Male vs Female	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.99 (0.98, 1.01)
Male vs Female	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.97, 1.01)
Male vs Female	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.01)
Male vs Female	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.98 (0.94, 1.02)
Male vs Female	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.01 (0.96, 1.05)
Male vs Female	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 11)	10 (10, 10)	1.05 (0.96, 1.14)
Male vs Female	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	11 (10, 12)	10 (10, 10)	1.05 (0.95, 1.17)
Male vs Female	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.97, 1.01)
Male vs Female	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.99 (0.98, 1.01)
Male vs Female	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 6)	0.97 (0.91, 1.03)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Male vs Female	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.98 (0.94, 1.02)
Male vs Female	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.00)
Male vs Female	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.97 (0.92, 1.02)
Male vs Female	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.96, 1.02)
Male vs Female	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	27118 (20802, 35352)	21438 (17308, 26553)	1.26 (0.90, 1.78)
Male vs Female	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	25738 (20083, 32986)	21234 (17806, 25322)	1.21 (0.89, 1.65)
Male vs Female	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	40290 (34242, 47406)	41415 (35658, 48102)	0.97 (0.78, 1.22)
Male vs Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	117 (91, 150)	97 (79, 119)	1.21 (0.87, 1.66)
Male vs Female	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	175 (138, 222)	155 (129, 186)	1.13 (0.83, 1.52)
Male vs Female	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	52664 (37074, 74810)	37697 (26070, 54510)	1.40 (0.84, 2.33)
Male vs Female	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	43301 (30553, 61367)	32117 (22487, 45872)	1.35 (0.81, 2.24)
Male vs Female	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	83762 (65211, 107590)	77611 (56957, 105756)	1.08 (0.72, 1.62)
Male vs Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	216 (155, 302)	158 (110, 228)	1.37 (0.83, 2.25)
Male vs Female	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	330 (242, 450)	285 (209, 390)	1.16 (0.74, 1.80)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Male vs Female	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.02 (0.98, 1.06)
Male vs Female	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.97 (0.93, 1.02)
Male vs Female	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	11707 (7658, 17895)	13066 (8978, 19014)	0.90 (0.51, 1.58)
Male vs Female	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	12838 (8706, 18931)	12876 (9439, 17564)	1.00 (0.60, 1.65)
Male vs Female	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	16359 (11877, 22533)	19468 (15420, 24578)	0.84 (0.56, 1.26)
Male vs Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	42 (29, 62)	58 (41, 80)	0.73 (0.44, 1.23)
Male vs Female	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	92 (63, 136)	135 (97, 186)	0.69 (0.41, 1.15)
Male vs Female	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	358185 (259713, 493993)	304934 (237697, 391191)	1.17 (0.78, 1.77)
Male vs Female	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	1032572 (802430, 1328720)	924524 (749270, 1140771)	1.12 (0.80, 1.56)
Male vs Female	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	2448348 (1991000, 3010751)	1878895 (1583514, 2229374)	1.30 (0.99, 1.71)
Male vs Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	1077 (855, 1357)	814 (670, 988)	1.32 (0.98, 1.79)
Male vs Female	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	697 (578, 839)	635 (555, 726)	1.10 (0.87, 1.38)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Male vs Female	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	1379076 (901508, 2109633)	785331 (484285, 1273516)	1.76 (0.92, 3.34)
Male vs Female	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	2628794 (1852206, 3730989)	2106655 (1476988, 3004761)	1.25 (0.76, 2.06)
Male vs Female	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	5518909 (4214953, 7226262)	5236885 (3870817, 7085058)	1.05 (0.70, 1.59)
Male vs Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	1991 (1545, 2566)	1891 (1393, 2569)	1.05 (0.70, 1.57)
Male vs Female	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	1086 (964, 1223)	960 (801, 1151)	1.13 (0.91, 1.40)
Male vs Female	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.01 (0.99, 1.03)
Male vs Female	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Male vs Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.02)
Male vs Female	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.97, 1.01)
Male vs Female	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	120405 (69229, 209414)	136546 (88388, 210943)	0.88 (0.43, 1.79)
Male vs Female	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	361345 (240033, 543968)	396863 (288514, 545903)	0.91 (0.54, 1.55)
Male vs Female	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	578439 (398381, 839879)	748414 (538988, 1039213)	0.77 (0.47, 1.28)
Male vs Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	463 (296, 725)	466 (311, 698)	0.99 (0.54, 1.83)
Male vs Female	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	439 (300, 642)	595 (471, 752)	0.74 (0.47, 1.15)

Table 7f. The ratios of GMTs/GMCs between groups by Hispanic or Latino ethnicity

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
<b>Hispanic or Latino ethnicity</b>							
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.99, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.99 (0.98, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	5 (5, 6)	5 (5, 5)	1.05 (0.97, 1.14)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.99 (0.98, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.01 (0.96, 1.06)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.98 (0.94, 1.02)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.99 (0.98, 1.01)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.97 (0.93, 1.02)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.96, 1.03)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	6 (5, 7)	5 (5, 5)	1.10 (0.90, 1.34)
Hispanic or Latino vs Not Hispanic or Latino	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.97, 1.01)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	22074 (14113, 34526)	23655 (19511, 28679)	0.93 (0.57, 1.52)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	22266 (15770, 31438)	23020 (19412, 27299)	0.97 (0.66, 1.42)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	41773 (31457, 55474)	39694 (35013, 45000)	1.05 (0.77, 1.44)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	100 (66, 150)	102 (85, 122)	0.98 (0.63, 1.54)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	160 (115, 221)	163 (138, 192)	0.98 (0.68, 1.42)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	66150 (38172, 114634)	41747 (30650, 56861)	1.58 (0.84, 2.98)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	57339 (31215, 105326)	35344 (26276, 47543)	1.62 (0.82, 3.19)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	90332 (51126, 159600)	83383 (65362, 106374)	1.08 (0.58, 2.01)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	254 (158, 410)	175 (129, 237)	1.46 (0.83, 2.57)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	370 (203, 674)	292 (226, 379)	1.27 (0.66, 2.43)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (0.97, 1.04)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	6 (4, 8)	5 (5, 5)	1.21 (0.89, 1.64)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	26345 (10286, 67478)	12063 (8972, 16221)	2.18 (0.82, 5.85)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	34815 (16331, 74222)	11608 (9021, 14937)	3.00 (1.35, 6.66)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	26708 (12935, 55147)	18056 (14835, 21975)	1.48 (0.70, 3.14)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	111 (44, 280)	48 (37, 63)	2.31 (0.88, 6.06)
Hispanic or Latino vs Not Hispanic or Latino	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	263 (142, 491)	113 (86, 148)	2.34 (1.19, 4.61)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	332872 (193887, 571487)	334364 (266541, 419443)	1.00 (0.55, 1.79)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	1087406 (734173, 1610590)	987977 (821750, 1187828)	1.10 (0.71, 1.70)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	2082654 (1556646, 2786407)	2063432 (1774918, 2398843)	1.01 (0.73, 1.40)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	983 (673, 1436)	892 (752, 1057)	1.10 (0.73, 1.67)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	639 (480, 850)	663 (584, 754)	0.96 (0.70, 1.32)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	1420449 (574357, 3512931)	968852 (653531, 1436313)	1.47 (0.55, 3.94)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	2735111 (1390317, 5380667)	2315554 (1726765, 3105106)	1.18 (0.56, 2.47)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	7578287 (5099157, 11262730)	5301268 (4145119, 6779888)	1.43 (0.90, 2.28)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	2392 (1566, 3654)	1813 (1417, 2319)	1.32 (0.81, 2.15)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	1049 (784, 1403)	998 (867, 1150)	1.05 (0.76, 1.45)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	0.99 (0.98, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.99 (0.97, 1.00)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	452690 (163686, 1251963)	129424 (89570, 187012)	3.50 (1.19, 10.30)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	747435 (398770, 1400955)	381696 (291729, 499407)	1.96 (0.99, 3.89)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	1403460 (629858, 3127216)	648311 (503439, 834871)	2.16 (0.93, 5.01)
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	856 (423, 1732)	474 (341, 659)	1.81 (0.83, 3.94)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Hispanic or Latino vs Not Hispanic or Latino	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	689 (439, 1080)	553 (447, 685)	1.24 (0.76, 2.05)

MOCK

Table 7g. The ratios of GMTs/GMCs between groups by Underrepresented minority status

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
<b>Underrepresented minority status</b>							
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.01)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.02 (1.00, 1.04)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (0.99, 1.01)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.03 (1.00, 1.06)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.02)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (0.98, 1.02)
Communities of Color vs White Non-Hispanic	Day 1	Vaccine	Positive	Pseudovirus-nAb ID80	5 (5, 6)	5 (5, 5)	1.05 (0.99, 1.11)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 11)	0.97 (0.91, 1.03)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.96, 1.01)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.02 (0.99, 1.05)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 6)	0.97 (0.90, 1.05)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Positive	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.01)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Positive	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (0.99, 1.00)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Positive	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID50	5 (5, 6)	5 (5, 5)	1.03 (0.97, 1.10)
Communities of Color vs White Non-Hispanic	Day 1	Placebo	Positive	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	1.01 (1.00, 1.02)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Negative	Anti N IgG (IU/ml)	21539 (16815, 27590)	26952 (20879, 34791)	0.80 (0.56, 1.14)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Negative	Anti RBD IgG (IU/ml)	23355 (19229, 28366)	23438 (18652, 29451)	1.00 (0.74, 1.34)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Negative	Anti Spike IgG (IU/ml)	40216 (34293, 47162)	40376 (34291, 47540)	1.00 (0.79, 1.25)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID50	98 (78, 122)	112 (88, 143)	0.87 (0.63, 1.20)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Negative	Pseudovirus-nAb ID80	170 (139, 209)	164 (132, 205)	1.04 (0.77, 1.40)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Positive	Anti N IgG (IU/ml)	59825 (42543, 84127)	33909 (23857, 48196)	1.76 (1.08, 2.88)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Positive	Anti RBD IgG (IU/ml)	44605 (32032, 62112)	30985 (21213, 45260)	1.44 (0.87, 2.38)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Positive	Anti Spike IgG (IU/ml)	90964 (70362, 117598)	72481 (52760, 99575)	1.25 (0.83, 1.89)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID50	233 (168, 324)	144 (100, 205)	1.62 (1.00, 2.64)
Communities of Color vs White Non-Hispanic	Day 29	Vaccine	Positive	Pseudovirus-nAb ID80	375 (282, 498)	257 (181, 364)	1.46 (0.93, 2.29)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.00 (0.99, 1.01)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 6)	5 (5, 5)	1.06 (0.96, 1.16)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Positive	Anti N IgG (IU/ml)	12076 (7749, 18818)	12594 (8343, 19013)	0.96 (0.52, 1.76)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Positive	Anti RBD IgG (IU/ml)	17596 (12294, 25185)	10931 (7523, 15882)	1.61 (0.96, 2.70)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Positive	Anti Spike IgG (IU/ml)	18884 (13265, 26883)	18868 (14654, 24295)	1.00 (0.65, 1.55)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID50	53 (34, 81)	52 (37, 74)	1.01 (0.58, 1.77)
Communities of Color vs White Non-Hispanic	Day 29	Placebo	Positive	Pseudovirus-nAb ID80	150 (99, 229)	100 (71, 141)	1.50 (0.87, 2.57)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Negative	Anti N IgG (IU/ml)	358864 (270698, 475746)	328428 (241885, 445935)	1.09 (0.72, 1.66)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Negative	Anti RBD IgG (IU/ml)	977894 (775098, 1233750)	1035293 (809058, 1324789)	0.94 (0.67, 1.33)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Negative	Anti Spike IgG (IU/ml)	2083276 (1731530, 2506476)	2145772 (1769345, 2602284)	0.97 (0.74, 1.27)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID50	1041 (844, 1285)	853 (680, 1071)	1.22 (0.90, 1.66)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Negative	Pseudovirus-nAb ID80	697 (600, 810)	637 (536, 758)	1.09 (0.87, 1.38)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Positive	Anti N IgG (IU/ml)	1149410 (701808, 1882486)	855574 (516251, 1417930)	1.34 (0.66, 2.72)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Positive	Anti RBD IgG (IU/ml)	3146770 (2268204, 4365640)	1943813 (1341551, 2816449)	1.62 (0.99, 2.65)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Positive	Anti Spike IgG (IU/ml)	5991417 (4521908, 7938481)	4608987 (3326910, 6385133)	1.30 (0.85, 2.00)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID50	2436 (1982, 2994)	1560 (1107, 2198)	1.56 (1.05, 2.33)
Communities of Color vs White Non-Hispanic	Day 57	Vaccine	Positive	Pseudovirus-nAb ID80	1113 (985, 1257)	959 (783, 1174)	1.16 (0.92, 1.47)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Negative	Anti N IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Negative	Anti RBD IgG (IU/ml)	10 (10, 10)	10 (10, 10)	0.99 (0.98, 1.01)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Negative	Anti Spike IgG (IU/ml)	10 (10, 10)	10 (10, 10)	1.00 (1.00, 1.00)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID50	5 (5, 5)	5 (5, 5)	1.01 (0.99, 1.03)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Negative	Pseudovirus-nAb ID80	5 (5, 5)	5 (5, 5)	0.98 (0.96, 1.01)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Positive	Anti N IgG (IU/ml)	193321 (112330, 332707)	105260 (65329, 169598)	1.84 (0.89, 3.78)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Positive	Anti RBD IgG (IU/ml)	397884 (255298, 620105)	393045 (283452, 545009)	1.01 (0.58, 1.76)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Positive	Anti Spike IgG (IU/ml)	734879 (488135, 1106348)	674526 (481218, 945489)	1.09 (0.64, 1.85)
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID50	511 (315, 827)	482 (316, 735)	1.06 (0.56, 2.01)

(continued)

Group 1 vs 2	Visit	Arm	Baseline SARS-CoV-2	Marker	Group 1 GMT/GMC	Group 2 GMT/GMC	Ratios of GMT/GMC
Communities of Color vs White Non-Hispanic	Day 57	Placebo	Positive	Pseudovirus-nAb ID80	516 (373, 715)	633 (482, 831)	0.82 (0.53, 1.25)

MOCK

Table 8a. Differences in the responder rates, 2FRs, 4FRs between the groups by Arm

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Arm</b>							
Vaccine vs Placebo	Negative	-	Day 29	Anti N IgG (IU/ml)	99.8% (98.6%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Vaccine vs Placebo	Negative	-	Day 29	Anti RBD IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Vaccine vs Placebo	Negative	-	Day 29	Anti Spike IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Vaccine vs Placebo	Negative	-	Day 29	Pseudovirus-nAb ID50	81.8% (77.9%, 85.1%)	87.5% (83.2%, 90.4%)	87.1% (82.7%, 90%)
Vaccine vs Placebo	Negative	-	Day 29	Pseudovirus-nAb ID80	87.3% (80.6%, 90.2%)	93% (87.4%, 95.1%)	93% (87.4%, 95.1%)
Vaccine vs Placebo	Positive	-	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Vaccine vs Placebo	Positive	-	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Vaccine vs Placebo	Positive	-	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Vaccine vs Placebo	Positive	-	Day 29	Pseudovirus-nAb ID50	23.2% (13.3%, 32.4%)	12.3% (5.1%, 19.9%)	12.6% (5.3%, 20.1%)
Vaccine vs Placebo	Positive	-	Day 29	Pseudovirus-nAb ID80	9.9% (3.6%, 17%)	5.4% (-0.4%, 11.5%)	5.5% (-0.1%, 11.6%)
Vaccine vs Placebo	Negative	-	Day 57	Anti N IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Vaccine vs Placebo	Negative	-	Day 57	Anti RBD IgG (IU/ml)	100% (100%, 100%)	99.4% (96%, 99.9%)	99.4% (96%, 99.9%)
Vaccine vs Placebo	Negative	-	Day 57	Anti Spike IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Vaccine vs Placebo	Negative	-	Day 57	Pseudovirus-nAb ID50	97.4% (95.6%, 98.5%)	98% (95.7%, 98.8%)	98% (95.7%, 98.8%)
Vaccine vs Placebo	Negative	-	Day 57	Pseudovirus-nAb ID80	98.3% (96.4%, 99.2%)	98.2% (94.7%, 99.1%)	98.2% (94.7%, 99.1%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Vaccine vs Placebo	Positive	-	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Vaccine vs Placebo	Positive	-	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Vaccine vs Placebo	Positive	-	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Vaccine vs Placebo	Positive	-	Day 57	Pseudovirus-nAb ID50	7.7% (4.1%, 14%)	4.1% (1.7%, 9.4%)	4.1% (1.7%, 9.4%)
Vaccine vs Placebo	Positive	-	Day 57	Pseudovirus-nAb ID80	2.5% (0.9%, 6.8%)	2% (0.6%, 6.8%)	2% (0.6%, 6.8%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 8b. Differences in the responder rates, 2FRs, 4FRs between the groups by Baseline SARS-CoV-2

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Baseline SARS-CoV-2</b>							
Positive vs Negative	-	Vaccine	Day 29	Anti N IgG (IU/ml)	0.2% (0%, 1.4%)	0% (0%, 0%)	0% (0%, 0%)
Positive vs Negative	-	Placebo	Day 29	Anti N IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Positive vs Negative	-	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Positive vs Negative	-	Placebo	Day 29	Anti RBD IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Positive vs Negative	-	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Positive vs Negative	-	Placebo	Day 29	Anti Spike IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Positive vs Negative	-	Vaccine	Day 29	Pseudovirus-nAb ID50	8.2% (0.8%, 13.9%)	7.9% (2.2%, 12%)	8.3% (2.6%, 12.4%)
Positive vs Negative	-	Placebo	Day 29	Pseudovirus-nAb ID50	66.8% (58.6%, 74.1%)	83.1% (75.4%, 88.5%)	82.9% (75.2%, 88.2%)
Positive vs Negative	-	Vaccine	Day 29	Pseudovirus-nAb ID80	8.9% (3.8%, 12.7%)	4.2% (-0.9%, 7.1%)	4.1% (-0.8%, 7%)
Positive vs Negative	-	Placebo	Day 29	Pseudovirus-nAb ID80	86.3% (77.3%, 91.1%)	91.8% (84.1%, 95.3%)	91.5% (83.8%, 95.1%)
Positive vs Negative	-	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Positive vs Negative	-	Placebo	Day 57	Anti N IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Positive vs Negative	-	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Positive vs Negative	-	Placebo	Day 57	Anti RBD IgG (IU/ml)	100% (100%, 100%)	99.4% (96%, 99.9%)	99.4% (96%, 99.9%)
Positive vs Negative	-	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Positive vs Negative	-	Placebo	Day 57	Anti Spike IgG (IU/ml)	100% (100%, 100%)	100% (100%, 100%)	100% (100%, 100%)
Positive vs Negative	-	Vaccine	Day 57	Pseudovirus-nAb ID50	2.6% (1.5%, 4.4%)	1% (0.5%, 2%)	1% (0.5%, 2%)
Positive vs Negative	-	Placebo	Day 57	Pseudovirus-nAb ID50	92.3% (86%, 95.9%)	94.9% (89.3%, 97.4%)	94.9% (89.3%, 97.4%)
Positive vs Negative	-	Vaccine	Day 57	Pseudovirus-nAb ID80	1.7% (0.8%, 3.6%)	0.9% (0.3%, 2.9%)	0.9% (0.3%, 2.9%)
Positive vs Negative	-	Placebo	Day 57	Pseudovirus-nAb ID80	97.5% (93.2%, 99.1%)	97.1% (91.5%, 98.7%)	97.1% (91.5%, 98.7%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 8c. Differences in the responder rates, 2FRs, 4FRs between the groups by Age

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Age</b>							
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 29	Anti N IgG (IU/ml)	0.3% (0%, 1.8%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 29	Pseudovirus-nAb ID50	12.9% (7.8%, 18.2%)	10.4% (6.4%, 14.9%)	10.6% (6.4%, 15.2%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 29	Pseudovirus-nAb ID50	0% (0%, 0%)	1.6% (-3.3%, 8.8%)	1.6% (-3.3%, 8.8%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 29	Pseudovirus-nAb ID80	8.1% (3.8%, 12.7%)	4.3% (1.3%, 7.8%)	4.3% (1.3%, 7.8%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 29	Pseudovirus-nAb ID80	-1.3% (-8.9%, -0.2%)	-0.4% (-8.1%, 5.3%)	-0.4% (-8.1%, 5.3%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 29	Pseudovirus-nAb ID50	8.5% (1%, 17%)	1.3% (-4.3%, 8.1%)	1.3% (-4.3%, 8.1%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 29	Pseudovirus-nAb ID50	24% (12.3%, 35.2%)	12.1% (3.1%, 21.5%)	12.4% (3.4%, 21.8%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 29	Pseudovirus-nAb ID80	2.4% (-3.4%, 7.9%)	0.8% (-4.7%, 7.4%)	1% (-4.5%, 7.1%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 29	Pseudovirus-nAb ID80	11.9% (4.1%, 20.6%)	6.7% (0.4%, 14.2%)	7% (0.7%, 14.5%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	-0.7% (-5.3%, -0.1%)	-0.7% (-5.3%, -0.1%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 57	Pseudovirus-nAb ID50	1% (-1.2%, 3.6%)	0.3% (-1.3%, 1.7%)	0.3% (-1.3%, 1.7%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	2.4% (-1%, 10.5%)	2.4% (-1%, 10.5%)
Age ≥ 65 vs Age < 65	Negative	Vaccine	Day 57	Pseudovirus-nAb ID80	1.8% (-0.2%, 4.3%)	1.1% (0.4%, 3.6%)	1.1% (0.4%, 3.6%)
Age ≥ 65 vs Age < 65	Negative	Placebo	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	0.7% (-4%, 9.1%)	0.7% (-4%, 9.1%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 57	Pseudovirus-nAb ID50	8.7% (3%, 16.5%)	5% (2.1%, 11.5%)	5% (2.1%, 11.5%)
Age ≥ 65 vs Age < 65	Positive	Vaccine	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 vs Age < 65	Positive	Placebo	Day 57	Pseudovirus-nAb ID80	1.9% (-4.1%, 7.5%)	2.4% (0.7%, 8.4%)	2.4% (0.7%, 8.4%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 8d. Differences in the responder rates, 2FRs, 4FRs between the groups by Risk for Severe Covid-19

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Risk for Severe Covid-19</b>							
At-risk vs Not at-risk	Negative	Vaccine	Day 29	Anti N IgG (IU/ml)	0.3% (0%, 2%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Vaccine	Day 29	Pseudovirus-nAb ID50	-0.7% (-6.8%, 5.7%)	1.8% (-3.1%, 7.2%)	2.1% (-2.9%, 7.6%)
At-risk vs Not at-risk	Negative	Placebo	Day 29	Pseudovirus-nAb ID50	0% (0%, 0%)	3.6% (1%, 12%)	3.6% (1%, 12%)
At-risk vs Not at-risk	Negative	Vaccine	Day 29	Pseudovirus-nAb ID80	0.7% (-4.3%, 6.2%)	-0.8% (-4.5%, 3.5%)	-0.8% (-4.5%, 3.5%)
At-risk vs Not at-risk	Negative	Placebo	Day 29	Pseudovirus-nAb ID80	-1.4% (-9.8%, -0.2%)	-0.7% (-9.1%, 3.7%)	-0.7% (-9.1%, 3.7%)
At-risk vs Not at-risk	Positive	Vaccine	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
At-risk vs Not at-risk	Positive	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Vaccine	Day 29	Pseudovirus-nAb ID50	0.5% (-8.8%, 10.6%)	-0.4% (-7.1%, 7.5%)	-0.4% (-7.1%, 7.5%)
At-risk vs Not at-risk	Positive	Placebo	Day 29	Pseudovirus-nAb ID50	10.9% (-1.8%, 23.6%)	3.5% (-6.3%, 14.3%)	2.5% (-7.5%, 13.4%)
At-risk vs Not at-risk	Positive	Vaccine	Day 29	Pseudovirus-nAb ID80	-1.1% (-7.6%, 5.9%)	0.5% (-6.6%, 7.9%)	-0.1% (-6.1%, 7.3%)
At-risk vs Not at-risk	Positive	Placebo	Day 29	Pseudovirus-nAb ID80	4.1% (-5.2%, 14.2%)	2.6% (-4.6%, 11.2%)	1.6% (-6%, 10.3%)
At-risk vs Not at-risk	Negative	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	1.9% (0.2%, 12.6%)	1.9% (0.2%, 12.6%)
At-risk vs Not at-risk	Negative	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Negative	Vaccine	Day 57	Pseudovirus-nAb ID50	-1.6% (-4.5%, 1.6%)	-1.6% (-3.8%, 0.4%)	-1.6% (-3.8%, 0.4%)
At-risk vs Not at-risk	Negative	Placebo	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	0.1% (-2.9%, 6.5%)	0.1% (-2.9%, 6.5%)
At-risk vs Not at-risk	Negative	Vaccine	Day 57	Pseudovirus-nAb ID80	0.5% (-1.7%, 3.5%)	1.3% (0.4%, 4%)	1.3% (0.4%, 4%)
At-risk vs Not at-risk	Negative	Placebo	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	2.9% (0.7%, 11.9%)	2.9% (0.7%, 11.9%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
At-risk vs Not at-risk	Positive	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Vaccine	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Placebo	Day 57	Pseudovirus-nAb ID50	4.4% (-2.9%, 13.3%)	2% (-3.9%, 9.6%)	2% (-3.9%, 9.6%)
At-risk vs Not at-risk	Positive	Vaccine	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
At-risk vs Not at-risk	Positive	Placebo	Day 57	Pseudovirus-nAb ID80	-1% (-6.6%, 6.1%)	1.3% (-5.1%, 8.1%)	1.3% (-5.1%, 8.1%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 8e. Differences in the responder rates, 2FRs, 4FRs between the groups by Age < 65, Risk for Severe Covid-19

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Age &lt; 65, Risk for Severe Covid-19</b>							
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 29	Anti N IgG (IU/ml)	0.3% (0%, 2.3%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 29	Pseudovirus-nAb ID50	-4.1% (-12.1%, 4.1%)	-0.2% (-6.9%, 6.6%)	0.3% (-6.4%, 7.2%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 29	Pseudovirus-nAb ID50	0% (0%, 0%)	3.1% (0.4%, 20.6%)	3.1% (0.4%, 20.6%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 29	Pseudovirus-nAb ID80	-0.7% (-7.4%, 6.1%)	-2.5% (-7.8%, 2.9%)	-2.5% (-7.8%, 2.9%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 29	Pseudovirus-nAb ID80	-1.7% (-11.9%, -0.2%)	-1.7% (-11.9%, -0.2%)	-1.7% (-11.9%, -0.2%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 29	Pseudovirus-nAb ID50	-2.1% (-14.7%, 10.6%)	-1% (-10.7%, 9.1%)	-1% (-10.7%, 9.1%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 29	Pseudovirus-nAb ID50	11.2% (-4.5%, 26.4%)	2.7% (-9.8%, 15.8%)	1.2% (-11.6%, 14.5%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 29	Pseudovirus-nAb ID80	-2.7% (-12%, 6.4%)	0% (-10.4%, 10.1%)	-1% (-9.6%, 9.3%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 29	Pseudovirus-nAb ID80	2.5% (-9.7%, 14.9%)	1.1% (-8.6%, 11.6%)	-0.4% (-10.6%, 10.4%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	3.1% (0.4%, 20.6%)	3.1% (0.4%, 20.6%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 57	Pseudovirus-nAb ID50	-1.9% (-6.3%, 2.1%)	-1.9% (-5.6%, 0.5%)	-1.9% (-5.6%, 0.5%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	1.8% (0.2%, 12.3%)	1.8% (0.2%, 12.3%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Vaccine	Day 57	Pseudovirus-nAb ID80	-0.1% (-3.5%, 3.5%)	1.5% (0.5%, 4.6%)	1.5% (0.5%, 4.6%)
Age < 65 At-risk vs Age < 65 Not at-risk	Negative	Placebo	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	3.1% (0.4%, 20.6%)	3.1% (0.4%, 20.6%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 57	Pseudovirus-nAb ID50	3.8% (-6.2%, 14.5%)	1.7% (-6.6%, 10.7%)	1.7% (-6.6%, 10.7%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Vaccine	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age < 65 At-risk vs Age < 65 Not at-risk	Positive	Placebo	Day 57	Pseudovirus-nAb ID80	-1% (-8.9%, 7.4%)	1.2% (-7.9%, 9.3%)	1.2% (-7.9%, 9.3%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 8f. Differences in the responder rates, 2FRs, 4FRs between the groups by Age  $\geq 65$ , Risk for Severe Covid-19

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Age <math>\geq 65</math>, Risk for Severe Covid-19</b>							
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Vaccine	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Vaccine	Day 29	Pseudovirus-nAb ID50	-5% (-10.1%, 0.2%)	-2.7% (-6.4%, 0.9%)	-3.2% (-7.1%, 0.5%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Placebo	Day 29	Pseudovirus-nAb ID50	0% (0%, 0%)	4.5% (1%, 17.4%)	4.5% (1%, 17.4%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Vaccine	Day 29	Pseudovirus-nAb ID80	-3.5% (-8.1%, 0.9%)	-0.8% (-4.2%, 2.5%)	-0.8% (-4.2%, 2.5%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Negative	Placebo	Day 29	Pseudovirus-nAb ID80	0% (0%, 0%)	1.8% (0.2%, 12.2%)	1.8% (0.2%, 12.2%)
Age $\geq 65$ At-risk vs Age $\geq 65$ Not at-risk	Positive	Vaccine	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Vaccine	Day 29	Pseudovirus-nAb ID50	2% (-10.6%, 10.6%)	0.4% (-12%, 8.4%)	0.4% (-12%, 8.4%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Placebo	Day 29	Pseudovirus-nAb ID50	-4.6% (-20.2%, 8.1%)	-1.8% (-15.4%, 7.9%)	-1.8% (-15.4%, 7.9%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Vaccine	Day 29	Pseudovirus-nAb ID80	1.6% (0.2%, 10.6%)	1.6% (0.2%, 10.6%)	1.6% (0.2%, 10.6%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Placebo	Day 29	Pseudovirus-nAb ID80	1.3% (-12.3%, 9.2%)	2.6% (0.6%, 10.5%)	2.6% (0.6%, 10.5%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Vaccine	Day 57	Pseudovirus-nAb ID50	-2.3% (-5.5%, 1.4%)	-1.6% (-4.3%, -0.6%)	-1.6% (-4.3%, -0.6%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Placebo	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	-6% (-21.9%, -1.4%)	-6% (-21.9%, -1.4%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Vaccine	Day 57	Pseudovirus-nAb ID80	0.6% (0.1%, 3.9%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Negative	Placebo	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	2.7% (0.4%, 17.9%)	2.7% (0.4%, 17.9%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age ≥ 65 At-risk vs Age ≥ 65 Not at-risk	Positive	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Age $\geq$ 65 At-risk vs Age $\geq$ 65 Not at-risk	Positive	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq$ 65 At-risk vs Age $\geq$ 65 Not at-risk	Positive	Vaccine	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq$ 65 At-risk vs Age $\geq$ 65 Not at-risk	Positive	Placebo	Day 57	Pseudovirus-nAb ID50	1% (0.1%, 7.1%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq$ 65 At-risk vs Age $\geq$ 65 Not at-risk	Positive	Vaccine	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Age $\geq$ 65 At-risk vs Age $\geq$ 65 Not at-risk	Positive	Placebo	Day 57	Pseudovirus-nAb ID80	-2.4% (-15.7%, -0.3%)	0% (0%, 0%)	0% (0%, 0%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 8g. Differences in the responder rates, 2FRs, 4FRs between the groups by Sex

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Sex</b>							
Male vs Female	Negative	Vaccine	Day 29	Anti N IgG (IU/ml)	0.3% (0%, 2.4%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Vaccine	Day 29	Pseudovirus-nAb ID50	3.4% (-4.2%, 10.4%)	1.5% (-5.1%, 7.6%)	1.9% (-4.7%, 8.1%)
Male vs Female	Negative	Placebo	Day 29	Pseudovirus-nAb ID50	0% (0%, 0%)	1.7% (-1.9%, 9.4%)	1.7% (-1.9%, 9.4%)
Male vs Female	Negative	Vaccine	Day 29	Pseudovirus-nAb ID80	2.8% (-3.9%, 8.8%)	-0.8% (-6.5%, 3.6%)	-0.8% (-6.5%, 3.6%)
Male vs Female	Negative	Placebo	Day 29	Pseudovirus-nAb ID80	-1.5% (-10.5%, -0.2%)	-1.9% (-9.4%, -0.3%)	-1.9% (-9.4%, -0.3%)
Male vs Female	Positive	Vaccine	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Male vs Female	Positive	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Vaccine	Day 29	Pseudovirus-nAb ID50	4.2% (-6.6%, 15.3%)	3.6% (-1.4%, 12.1%)	3.6% (-1.4%, 12.1%)
Male vs Female	Positive	Placebo	Day 29	Pseudovirus-nAb ID50	-7.8% (-23.4%, 8%)	-3.9% (-17.8%, 8.8%)	-3.5% (-17.4%, 9.2%)
Male vs Female	Positive	Vaccine	Day 29	Pseudovirus-nAb ID80	0.1% (-7%, 7.6%)	0.5% (-3.7%, 10.7%)	0.8% (-3.5%, 9.7%)
Male vs Female	Positive	Placebo	Day 29	Pseudovirus-nAb ID80	-7.4% (-20.9%, 4.7%)	-1.1% (-12.7%, 8.6%)	-1.7% (-13.1%, 8%)
Male vs Female	Negative	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	1.6% (0.2%, 10.9%)	1.6% (0.2%, 10.9%)
Male vs Female	Negative	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Negative	Vaccine	Day 57	Pseudovirus-nAb ID50	-1.9% (-6.6%, 0.8%)	(-1.2%, 2.1%)	0.3% (-1.2%, 2.1%)
Male vs Female	Negative	Placebo	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	-0.1% (-3.3%, 5.6%)	-0.1% (-3.3%, 5.6%)
Male vs Female	Negative	Vaccine	Day 57	Pseudovirus-nAb ID80	-2.2% (-7.2%, 0.1%)	-1.4% (-6.4%, 1%)	-1.4% (-6.4%, 1%)
Male vs Female	Negative	Placebo	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	-1.4% (-5.9%, -0.3%)	-1.4% (-5.9%, -0.3%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Male vs Female	Positive	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Vaccine	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Placebo	Day 57	Pseudovirus-nAb ID50	-1.6% (-14.2%, 8.8%)	2.9% (-6.4%, 11.4%)	2.9% (-6.4%, 11.4%)
Male vs Female	Positive	Vaccine	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Male vs Female	Positive	Placebo	Day 57	Pseudovirus-nAb ID80	-4.7% (-15.7%, -0.3%)	-4% (-16.2%, 0.2%)	-4% (-16.2%, 0.2%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 8h. Differences in the responder rates, 2FRs, 4FRs between the groups by Hispanic or Latino ethnicity

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Hispanic or Latino ethnicity</b>							
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 29	Anti N IgG (IU/ml)	0.3% (0%, 1.8%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 29	Pseudovirus-nAb ID50	0% (-11.1%, 8.6%)	1.5% (-7.4%, 7.8%)	2% (-6.9%, 8.3%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 29	Pseudovirus-nAb ID50	0% (0%, 0%)	1.2% (-2.9%, 16.4%)	1.2% (-2.9%, 16.4%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 29	Pseudovirus-nAb ID80	1.4% (-7.4%, 7.6%)	-1.1% (-8.3%, 3.5%)	-1.1% (-8.3%, 3.5%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 29	Pseudovirus-nAb ID80	10.7% (1.2%, 52.9%)	13% (2.1%, 50.5%)	13% (2.1%, 50.5%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 29	Pseudovirus-nAb ID50	8.5% (-1.4%, 16.9%)	2.5% (-5.3%, 9%)	2.5% (-5.3%, 9%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 29	Pseudovirus-nAb ID50	1% (-24.5%, 20.7%)	9.7% (-2.2%, 18.9%)	10% (-1.9%, 19.2%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 29	Pseudovirus-nAb ID80	-5.6% (-29.9%, 2.9%)	1.9% (0.5%, 7.8%)	0.3% (-9.6%, 6.4%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 29	Pseudovirus-nAb ID80	9.4% (-1.5%, 17.6%)	3% (-7.1%, 9.9%)	3% (-7.1%, 9.9%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	-0.7% (-4.9%, -0.1%)	-0.7% (-4.9%, -0.1%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 57	Pseudovirus-nAb ID50	-0.5% (-9.4%, 2.1%)	-1.6% (-10.4%, 0.7%)	-1.6% (-10.4%, 0.7%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	-0.8% (-3.2%, -0.2%)	-0.8% (-3.2%, -0.2%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Vaccine	Day 57	Pseudovirus-nAb ID80	0.2% (-3.6%, 2.9%)	1.1% (0.4%, 3.6%)	1.1% (0.4%, 3.6%)
Hispanic or Latino vs Not Hispanic or Latino	Negative	Placebo	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	-1.1% (-4.6%, -0.3%)	-1.1% (-4.6%, -0.3%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 57	Pseudovirus-nAb ID50	3.5% (-6.7%, 11%)	4.1% (1.5%, 10.2%)	4.1% (1.5%, 10.2%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Vaccine	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Hispanic or Latino vs Not Hispanic or Latino	Positive	Placebo	Day 57	Pseudovirus-nAb ID80	-0.2% (-11.5%, 3.7%)	1.2% (0.2%, 5.3%)	1.2% (0.2%, 5.3%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 8i. Differences in the responder rates, 2FRs, 4FRs between the groups by Underrepresented minority status

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
<b>Underrepresented minority status</b>							
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 29	Anti N IgG (IU/ml)	-0.6% (-4.4%, -0.1%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 29	Pseudovirus-nAb ID50	-2.2% (-9.5%, 5.4%)	-0.4% (-6.4%, 6%)	-0.3% (-6.3%, 6.1%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 29	Pseudovirus-nAb ID50	0% (0%, 0%)	0% (-4.2%, 4.1%)	0% (-4.2%, 4.1%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 29	Pseudovirus-nAb ID80	0.4% (-5.9%, 7%)	-0.3% (-4.8%, 4.6%)	-0.3% (-4.8%, 4.6%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 29	Pseudovirus-nAb ID80	3.1% (0.4%, 19.8%)	3.7% (0.7%, 18%)	3.7% (0.7%, 18%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 29	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 29	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 29	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 29	Pseudovirus-nAb ID50	9.5% (-0.1%, 20.9%)	4.4% (0%, 13.9%)	4.4% (0%, 13.9%)
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 29	Pseudovirus-nAb ID50	-5.8% (-22.4%, 11.1%)	2.8% (-10.8%, 16.7%)	3.3% (-10.4%, 17.2%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 29	Pseudovirus-nAb ID80	-0.3% (-8.6%, 9.3%)	2.6% (0.5%, 11.9%)	2.1% (-1.6%, 11.4%)
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 29	Pseudovirus-nAb ID80	-0.2% (-13.3%, 13%)	0.2% (-10.7%, 11.8%)	0.2% (-10.7%, 11.8%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	-1.2% (-8.1%, -0.2%)	-1.2% (-8.1%, -0.2%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 57	Pseudovirus-nAb ID50	0.7% (-2.6%, 3.4%)	-0.6% (-3.9%, 1%)	-0.6% (-3.9%, 1%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	1% (0.1%, 7%)	1% (0.1%, 7%)
Communities of Color vs White Non-Hispanic	Negative	Vaccine	Day 57	Pseudovirus-nAb ID80	1.4% (-1.6%, 5.5%)	0.8% (-3.1%, 4.9%)	0.8% (-3.1%, 4.9%)
Communities of Color vs White Non-Hispanic	Negative	Placebo	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	-1.8% (-7.7%, -0.4%)	-1.8% (-7.7%, -0.4%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 57	Anti N IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 57	Anti RBD IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)

(continued)

Comparison	Baseline SARS-CoV-2	Arm	Visit	Marker	% 4-Fold Rise	% 2-Fold Rise	Responder
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 57	Anti Spike IgG (IU/ml)	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 57	Pseudovirus-nAb ID50	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 57	Pseudovirus-nAb ID50	-0.3% (-11.3%, 11.8%)	-3.5% (-14.4%, 8.6%)	-3.5% (-14.4%, 8.6%)
Communities of Color vs White Non-Hispanic	Positive	Vaccine	Day 57	Pseudovirus-nAb ID80	0% (0%, 0%)	0% (0%, 0%)	0% (0%, 0%)
Communities of Color vs White Non-Hispanic	Positive	Placebo	Day 57	Pseudovirus-nAb ID80	-3% (-12.4%, 0.4%)	-2.2% (-14.6%, -0.3%)	-2.2% (-14.6%, -0.3%)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 9. Antibody levels in the baseline SARS-CoV-2 negative per-protocol cohort (vaccine vs. placebo)

Visit	Marker	Baseline SARS-CoV-2 Negative							
		Vaccine				Placebo			
N	Resp rate	GMT/GMC	N	Resp rate	GMT/GMC	Resp Rate Difference	GMTR/GMCR		
Day 29	Anti N IgG (IU/ml)	914 13295/13295 = 100.0% (100.0%, 100.0%)	23543 (19941, 27795)	163 0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	2354.30 (1994.13, 2779.52)		
Day 29	Anti RBD IgG (IU/ml)	914 13295/13295 = 100.0% (100.0%, 100.0%)	22926 (19858, 26468)	163 0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	2292.58 (1985.80, 2646.76)		
Day 29	Anti Spike IgG (IU/ml)	914 13295/13295 = 100.0% (100.0%, 100.0%)	40963 (36728, 45687)	163 0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	4096.31 (3672.80, 4568.66)		
Day 29	Pseudovirus-nAb ID50	914 11733.1/13295 = 88.3% (84.7%, 91.0%)	104 (89, 122)	163 149.5/13359 = 1.1% (0.3%, 3.8%)	5 (5, 5)	87.1% (82.7%, 90%)	20.66 (17.65, 24.18)		
Day 29	Pseudovirus-nAb ID80	914 12521.7/13295 = 94.2% (91.6%, 96.0%)	163 (141, 188)	163 160.7/13359 = 1.2% (0.2%, 6.1%)	5 (5, 5)	93% (87.4%, 95.1%)	31.97 (27.58, 37.06)		
Day 57	Anti N IgG (IU/ml)	914 13295/13295 = 100.0% (100.0%, 100.0%)	325136 (267198, 395636)	163 0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	32513.59 (26719.84, 39563.61)		
Day 57	Anti RBD IgG (IU/ml)	914 13295/13295 = 100.0% (100.0%, 100.0%)	966160 (823231, 1133905)	163 76.3/13359 = 0.6% (0.1%, 4.0%)	10 (10, 10)	99.4% (96%, 99.9%)	96216.76 (81966.03, 112945.16)		
Day 57	Anti Spike IgG (IU/ml)	914 13295/13295 = 100.0% (100.0%, 100.0%)	2087965 (1830649, 2381449)	163 0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	208796.50 (183064.91, 238144.93)		
Day 57	Pseudovirus-nAb ID50	914 13159.4/13295 = 99.0% (98.0%, 99.5%)	910 (784, 1056)	163 131.9/13359 = 1.0% (0.3%, 3.0%)	5 (5, 5)	98% (95.7%, 98.8%)	180.53 (155.55, 209.52)		
Day 57	Pseudovirus-nAb ID80	914 13174.8/13295 = 99.1% (97.1%, 99.7%)	659 (591, 735)	163 120.7/13359 = 0.9% (0.2%, 3.8%)	5 (5, 5)	98.2% (94.7%, 99.1%)	130.59 (117.01, 145.74)		

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 10. Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (vaccine vs. placebo)

Visit	Marker	Baseline SARS-CoV-2 Positive							
		Vaccine				Placebo			
N	Resp rate	GMT/GMC	N	Resp rate	GMT/GMC	Resp Rate Difference	GMTR/GMCR		
Day 29	Anti N IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	43010 (33085, 55913)	270	1357/1357 = 100.0% (100.0%, 100.0%)	12518 (9448, 16584)	0% (0%, 0%)	3.44 (2.34, 5.05)
Day 29	Anti RBD IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	36133 (28098, 46466)	270	1357/1357 = 100.0% (100.0%, 100.0%)	12861 (10130, 16328)	0% (0%, 0%)	2.81 (1.99, 3.97)
Day 29	Anti Spike IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	79981 (64904, 98560)	270	1357/1357 = 100.0% (100.0%, 100.0%)	18191 (15115, 21892)	0% (0%, 0%)	4.40 (3.33, 5.81)
Day 29	Pseudovirus-nAb ID50	274	1383.1/1432 = 96.6% (91.6%, 98.7%)	179 (138, 231)	270	1139.8/1357 = 84.0% (76.8%, 89.3%)	51 (40, 66)	12.6% (5.3%, 20.1%)	3.50 (2.45, 5.01)
Day 29	Pseudovirus-nAb ID80	274	1407.2/1432 = 98.3% (93.8%, 99.5%)	302 (241, 378)	270	1258.5/1357 = 92.7% (86.8%, 96.1%)	116 (91, 149)	5.5% (-0.1%, 11.6%)	2.60 (1.86, 3.64)
Day 57	Anti N IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	980579 (696907, 1379717)	270	1357/1357 = 100.0% (100.0%, 100.0%)	130008 (92473, 182781)	0% (0%, 0%)	7.54 (4.66, 12.22)
Day 57	Anti RBD IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	2298869 (1782123, 2965450)	270	1357/1357 = 100.0% (100.0%, 100.0%)	382614 (298961, 489673)	0% (0%, 0%)	6.01 (4.21, 8.56)
Day 57	Anti Spike IgG (IU/ml)	274	1432/1432 = 100.0% (100.0%, 100.0%)	5346334 (4334333, 6594622)	270	1357/1357 = 100.0% (100.0%, 100.0%)	676872 (530026, 864403)	0% (0%, 0%)	7.90 (5.72, 10.90)
Day 57	Pseudovirus-nAb ID50	274	1432/1432 = 100.0% (100.0%, 100.0%)	1930 (1566, 2378)	270	1301.8/1357 = 95.9% (90.6%, 98.3%)	465 (344, 628)	4.1% (1.7%, 9.4%)	4.15 (2.88, 5.99)
Day 57	Pseudovirus-nAb ID80	274	1432/1432 = 100.0% (100.0%, 100.0%)	1008 (894, 1136)	270	1330.1/1357 = 98.0% (93.2%, 99.4%)	528 (429, 651)	2% (0.6%, 6.8%)	1.91 (1.50, 2.43)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 11. Antibody levels in the per-protocol cohort (vaccine recipients)

Visit	Marker	Vaccine Recipients							
		Baseline SARS-CoV-2 Positive				Baseline SARS-CoV-2 Negative			Comparison
N	Resp rate	GMT/GMC	N	Resp rate	GMT/GMC	Resp Rate Difference	GMTR/GMCR		
Day 29	Anti N IgG (IU/ml)	274 1432/1432 = 100.0% (100.0%, 100.0%)	43010 (33085, 55913)	914	13295/13295 = 100.0% (100.0%, 100.0%)	23543 (19941, 27795)	0% (0%, 0%)	1.83 (1.34, 2.49)	
Day 29	Anti RBD IgG (IU/ml)	274 1432/1432 = 100.0% (100.0%, 100.0%)	36133 (28098, 46466)	914	13295/13295 = 100.0% (100.0%, 100.0%)	22926 (19858, 26468)	0% (0%, 0%)	1.58 (1.18, 2.11)	
Day 29	Anti Spike IgG (IU/ml)	274 1432/1432 = 100.0% (100.0%, 100.0%)	79981 (64904, 98560)	914	13295/13295 = 100.0% (100.0%, 100.0%)	40963 (36728, 45687)	0% (0%, 0%)	1.95 (1.54, 2.47)	
Day 29	Pseudovirus-nAb ID50	274 1383.1/1432 = 96.6% (91.6%, 98.7%)	179 (138, 231)	914	11733.1/13295 = 88.3% (84.7%, 91.0%)	104 (89, 122)	8.3% (2.6%, 12.4%)	1.71 (1.27, 2.31)	
Day 29	Pseudovirus-nAb ID80	274 1407.2/1432 = 98.3% (93.8%, 99.5%)	302 (241, 378)	914	12521.7/13295 = 94.2% (91.6%, 96.0%)	163 (141, 188)	4.1% (-0.8%, 7%)	1.86 (1.42, 2.43)	
Day 57	Anti N IgG (IU/ml)	274 1432/1432 = 100.0% (100.0%, 100.0%)	980579 (696907, 1379717)	914	13295/13295 = 100.0% (100.0%, 100.0%)	325136 (267198, 395636)	0% (0%, 0%)	3.02 (2.03, 4.47)	
Day 57	Anti RBD IgG (IU/ml)	274 1432/1432 = 100.0% (100.0%, 100.0%)	2298869 (1782123, 2965450)	914	13295/13295 = 100.0% (100.0%, 100.0%)	966160 (823231, 1133905)	0% (0%, 0%)	2.38 (1.76, 3.21)	
Day 57	Anti Spike IgG (IU/ml)	274 1432/1432 = 100.0% (100.0%, 100.0%)	5346334 (4334333, 6594622)	914	13295/13295 = 100.0% (100.0%, 100.0%)	2087965 (1830649, 2381449)	0% (0%, 0%)	2.56 (2.00, 3.28)	
Day 57	Pseudovirus-nAb ID50	274 1432/1432 = 100.0% (100.0%, 100.0%)	1930 (1566, 2378)	914	13159.4/13295 = 99.0% (98.0%, 99.5%)	910 (784, 1056)	1% (0.5%, 2%)	2.12 (1.64, 2.74)	
Day 57	Pseudovirus-nAb ID80	274 1432/1432 = 100.0% (100.0%, 100.0%)	1008 (894, 1136)	914	13174.8/13295 = 99.1% (97.1%, 99.7%)	659 (591, 735)	0.9% (0.3%, 2.9%)	1.53 (1.30, 1.80)	

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

Table 12. Antibody levels in the per-protocol cohort (placebo recipients)

Visit	Marker	Placebo Recipients							
		Baseline SARS-CoV-2 Positive				Baseline SARS-CoV-2 Negative			Comparison
N	Resp rate	GMT/GMC	N	Resp rate	GMT/GMC	Resp Rate Difference	GMTR/GMCR		
Day 29	Anti N IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	12518 (9448, 16584)	163	0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	1251.77 (944.85, 1658.40)
Day 29	Anti RBD IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	12861 (10130, 16328)	163	0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	1286.10 (1013.02, 1632.81)
Day 29	Anti Spike IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	18191 (15115, 21892)	163	0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	1819.07 (1511.50, 2189.23)
Day 29	Pseudovirus-nAb ID50	270	1139.8/1357 = 84.0% (76.8%, 89.3%)	51 (40, 66)	163	149.5/13359 = 1.1% (0.3%, 3.8%)	5 (5, 5)	82.9% (75.2%, 88.2%)	10.10 (7.85, 12.99)
Day 29	Pseudovirus-nAb ID80	270	1258.5/1357 = 92.7% (86.8%, 96.1%)	116 (91, 149)	163	160.7/13359 = 1.2% (0.2%, 6.1%)	5 (5, 5)	91.5% (83.8%, 95.1%)	22.84 (17.77, 29.37)
Day 57	Anti N IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	130008 (92473, 182781)	163	0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	13000.84 (9247.25, 18278.07)
Day 57	Anti RBD IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	382614 (298961, 489673)	163	76.3/13359 = 0.6% (0.1%, 4.0%)	10 (10, 10)	99.4% (96%, 99.9%)	38103.25 (29768.59, 48771.47)
Day 57	Anti Spike IgG (IU/ml)	270	1357/1357 = 100.0% (100.0%, 100.0%)	676872 (530026, 864403)	163	0/13359 = 0.0% (0.0%, 0.0%)	10 (10, 10)	100% (100%, 100%)	67687.19 (53002.57, 86440.25)
Day 57	Pseudovirus-nAb ID50	270	1301.8/1357 = 95.9% (90.6%, 98.3%)	465 (344, 628)	163	131.9/13359 = 1.0% (0.3%, 3.0%)	5 (5, 5)	94.9% (89.3%, 97.4%)	92.25 (68.30, 124.60)
Day 57	Pseudovirus-nAb ID80	270	1330.1/1357 = 98.0% (93.2%, 99.4%)	528 (429, 651)	163	120.7/13359 = 0.9% (0.2%, 3.8%)	5 (5, 5)	97.1% (91.5%, 98.7%)	104.73 (85.00, 129.05)

Percentages are calculated for the whole per-protocol group/subgroup, using inverse probability weighting.

## Chapter 2

# Graphical Description of Immunogenicity Data

### 2.1 Pairs plots of antibody markers for overall per-protocol cohort

### 2.1.1 Baseline SARS-CoV-2 Negative




Figure 2.1: Pair plots of D29 Ab markers: baseline negative vaccine arm




Figure 2.2: Pair plots of D57 Ab markers: baseline negative vaccine arm

D29 Fold-rise over D1 Ab markers: baseline negative, vaccine arm




Figure 2.3: Pair plots of D29 fold-rise over D1 Ab markers: baseline negative vaccine arm




Figure 2.4: Pair plots of D57 fold-rise over D1 Ab markers: baseline negative vaccine arm




Figure 2.5: Pair plots of D1, D29 and D57 Binding Antibody to Spike: baseline negative vaccine arm




Figure 2.6: Pair plots of D1, D29 and D57 Binding Antibody to RBD: baseline negative vaccine arm

## PsV Neutralization 50% Titer: baseline negative vaccine arm




Figure 2.7: Pair plots of D1, D29 and D57 PsV Neutralization 50% Titer: baseline negative vaccine arm




Figure 2.8: Pair plots of D1, D29 and D57 PsV Neutralization 80% Titer: Baseline negative vaccine arm

### 2.1.2 Baseline SARS-CoV-2 Positive




Figure 2.9: Pair plots of D29 Ab markers: baseline positive vaccine arm




Figure 2.10: Pair plots of D57 Ab markers: baseline positive vaccine arm

D29 Fold-rise over D1 Ab markers: baseline positive, vaccine arm




Figure 2.11: Pair plots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm

D57 Fold-rise over D1 Ab markers: baseline positive, vaccine arm




Figure 2.12: Pair plots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm




Figure 2.13: Pair plots of D1, D29 and D57 Binding Antibody to Spike: baseline positive vaccine arm




Figure 2.14: Pair plots of D1, D29 and D57 Binding Antibody to RBD: baseline positive vaccine arm

## PsV Neutralization 50% Titer: baseline positive vaccine arm




Figure 2.15: Pair plots of D1, D29 and D57 PsV Neutralization 50% Titer: baseline positive vaccine arm




Figure 2.16: Pair plots of D1, D29 and D57 PsV Neutralization 80% Titer: Baseline positive vaccine arm

## 2.2 RCDF plots of antibody markers for overall per-protocol cohort




Figure 2.17: RCDF plots for D29 Ab markers: by baseline status x randomization arm




Figure 2.18: RCDF plots for D57 Ab markers: by baseline status x randomization arm




Figure 2.19: RCDF plots for D29 fold-rise over D1 Ab markers: by baseline status x randomization arm




Figure 2.20: RCDF plots for D57 fold-rise over D1 Ab markers: by baseline status x randomization arm




Figure 2.21: RCDF plots for D29 Ab markers: by baseline status for the vaccine arm




Figure 2.22: RCDF plots for D57 Ab markers: by baseline status for the vaccine arm




Figure 2.23: RCDF plots for D29 over D1 fold-rise Ab markers: by baseline status for the vaccine arm




Figure 2.24: RCDF plots for D57 fold-rise over D1 Ab markers: by baseline status for the vaccine arm




Figure 2.25: RCDF plots for D29 Ab markers: baseline negative vaccine arm




Figure 2.26: RCDF plots for D57 Ab markers: baseline negative vaccine arm




Figure 2.27: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm




Figure 2.28: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm




Figure 2.29: RCDF plots for D29 Ab markers: baseline positive vaccine arm




Figure 2.30: RCDF plots for D57 Ab markers: baseline positive vaccine arm




Figure 2.31: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm




Figure 2.32: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm

## 2.3 Scatter plots of antibody markers versus age for overall per-protocol cohort

### 2.3.1 Baseline SARS-CoV-2 negative




Figure 2.33: Scatter plots for D29 Ab markers vs. age: baseline negative vaccine arm

2.3. SCATTER PLOTS OF ANTIBODY MARKERS VERSUS AGE FOR OVERALL PER-PROTOCOL COHORT445




Figure 2.34: Scatter plots for D57 Ab markers vs. age: baseline negative vaccine arm

### 2.3.2 Baseline SARS-CoV-2 positive




Figure 2.35: Scatter plots for D29 Ab markers vs. age: baseline positive vaccine arm

2.3. SCATTER PLOTS OF ANTIBODY MARKERS VERSUS AGE FOR OVERALL PER-PROTOCOL COHORT447




Figure 2.36: Scatter plots for D57 Ab markers vs. age: baseline positive vaccine arm

## 2.4 Box plots of antibody markers for overall per-protocol cohort

### 2.4.1 Baseline SARS-CoV-2 negative




Figure 2.37: Boxplots of D29 Ab markers: baseline negative vaccine + placebo arms




Figure 2.38: Boxplots of D57 Ab markers: baseline negative vaccine + placebo arms




Figure 2.39: Boxplots of D29 fold-rise over D1 Ab markers: baseline negative vaccine + placebo arms




Figure 2.40: Boxplots of D57 fold-rise over D1 Ab markers: baseline negative vaccine + placebo arms

### 2.4.2 Baseline SARS-CoV-2 positive




Figure 2.41: Boxplots of D29 Ab markers: baseline positive vaccine + placebo arms




Figure 2.42: Boxplots of D57 Ab markers: baseline positive vaccine + placebo arms




Figure 2.43: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine + placebo arms




Figure 2.44: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine + placebo arms

### 2.4.3 Baseline negative vs. positive vaccine recipients




Figure 2.45: Boxplots of D29 Ab markers: baseline positive + negative vaccine arm




Figure 2.46: Boxplots of D57 Ab markers: baseline positive + negative vaccine arm




Figure 2.47: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive + negative vaccine arm




Figure 2.48: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive + negative vaccine arm

#### 2.4.4 Baseline negative vs. positive placebo recipients




Figure 2.49: Boxplots of D29 Ab markers: baseline positive + negative placebo arm




Figure 2.50: Boxplots of D57 Ab markers: baseline positive + negative placebo arm




Figure 2.51: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive + negative placebo arm




Figure 2.52: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive + negative placebo arm

## 2.5 Spaghetti plots of antibody markers over time for the overall per-protocol cohort

### 2.5.1 Baseline SARS-CoV-2 negative




Figure 2.53: Spaghetti plots of Ab markers over time: baseline negative vaccine + placebo arm

### 2.5.2 Baseline SARS-CoV-2 positive




Figure 2.54: Spaghetti plots of Ab markers over time: baseline positive vaccine + placebo arm

## 2.6 RCDF plots of antibody markers by demographics for per-protocol cohort

### 2.6.1 Baseline SARS-CoV-2 negative




Figure 2.55: RCDF plots for D29 Ab markers: baseline negative vaccine arm by age groups.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT467




Figure 2.56: RCDF plots for D57 Ab markers: baseline negative vaccine arm by age groups.




Figure 2.57: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by age groups.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT469




Figure 2.58: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by age groups.




Figure 2.59: RCDF plots for D29 Ab markers: baseline negative vaccine arm by high-risk condition.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT471




Figure 2.60: RCDF plots for D57 Ab markers: baseline negative vaccine arm by high-risk condition.




Figure 2.61: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by high-risk condition.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT473




Figure 2.62: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by high-risk condition.




Figure 2.63: RCDF plots for D29 Ab markers: baseline negative vaccine arm by age and high-risk condition.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT475




Figure 2.64: RCDF plots for D57 Ab markers: baseline negative vaccine arm by age and high-risk condition.




Figure 2.65: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and high-risk condition.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT477




Figure 2.66: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and high-risk condition.




Figure 2.67: RCDF plots for D29 Ab markers: baseline negative vaccine arm by sex assigned at birth.




Figure 2.68: RCDF plots for D57 Ab markers: baseline negative vaccine arm by sex assigned at birth.




Figure 2.69: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by sex assigned at birth.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT481




Figure 2.70: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by sex assigned at birth.




Figure 2.71: RCDF plots for D29 Ab markers: baseline negative vaccine arm by age and sex assigned at birth.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT483




Figure 2.72: RCDF plots for D57 Ab markers: baseline negative vaccine arm by age and sex assigned at birth.




Figure 2.73: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and sex assigned at birth.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT485




Figure 2.74: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and sex at birth.




Figure 2.75: RCDF plots for D29 Ab markers: baseline negative vaccine arm by ethnicity.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT487




Figure 2.76: RCDF plots for D57 Ab markers: baseline negative vaccine arm by ethnicity.




Figure 2.77: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by ethnicity.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT489




Figure 2.78: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by ethnicity.




Figure 2.79: RCDF plots for D29 Ab markers: baseline negative vaccine arm by race.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT491




Figure 2.80: RCDF plots for D57 Ab markers: baseline negative vaccine arm by race.




Figure 2.81: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by race.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT493




Figure 2.82: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by race.




Figure 2.83: RCDF plots for D29 Ab markers: baseline negative vaccine arm by dichotomous classification of race and ethnic group.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT495




Figure 2.84: RCDF plots for D57 Ab markers: baseline negative vaccine arm by dichotomous classification of race and ethnic group.




Figure 2.85: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by dichotomous classification of race and ethnic group.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT497




Figure 2.86: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by dichotomous classification of race and ethnic group.




Figure 2.87: RCDF plots for D29 Ab markers: baseline negative vaccine arm by age and dichotomous classification of race and ethnic group.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT499




Figure 2.88: RCDF plots for D57 Ab markers: baseline negative vaccine arm by age and dichotomous classification of race and ethnic group.




Figure 2.89: RCDF plots for D29 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and dichotomous classification of race and ethnic group.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT501




Figure 2.90: RCDF plots for D57 fold-rise over D1 Ab markers: baseline negative vaccine arm by age and dichotomous classification of race and ethnic group.

### 2.6.2 Baseline SARS-CoV-2 positive




Figure 2.91: RCDF plots for D29 Ab markers: baseline positive vaccine arm by age groups.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT503




Figure 2.92: RCDF plots for D57 Ab markers: baseline positive vaccine arm by age groups.




Figure 2.93: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age groups.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT505




Figure 2.94: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age groups.




Figure 2.95: RCDF plots for D29 Ab markers: baseline positive vaccine arm by high-risk condition.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT507




Figure 2.96: RCDF plots for D57 Ab markers: baseline positive vaccine arm by high-risk condition.




Figure 2.97: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by high-risk condition.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT509




Figure 2.98: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by high-risk condition.




Figure 2.99: RCDF plots for D29 Ab markers: baseline positive vaccine arm by age and high-risk condition.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT511




Figure 2.100: RCDF plots for D57 Ab markers: baseline positive vaccine arm by age and high-risk condition.




Figure 2.101: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and high-risk condition.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT513




Figure 2.102: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and high-risk condition.




Figure 2.103: RCDF plots for D29 Ab markers: baseline positive vaccine arm by sex assigned at birth.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT515




Figure 2.104: RCDF plots for D57 Ab markers: baseline positive vaccine arm by sex assigned at birth.




Figure 2.105: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by sex assigned at birth.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT517




Figure 2.106: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by sex assigned at birth.




Figure 2.107: RCDF plots for D29 Ab markers: baseline positive vaccine arm by age and sex assigned at birth.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT519




Figure 2.108: RCDF plots for D57 Ab markers: baseline positive vaccine arm by age and sex assigned at birth.




Figure 2.109: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and sex assigned at birth.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT521




Figure 2.110: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and sex assigned at birth.




Figure 2.111: RCDF plots for D29 Ab markers: baseline positive vaccine arm by ethnicity.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT523




Figure 2.112: RCDF plots for D57 Ab markers: baseline positive vaccine arm by ethnicity.




Figure 2.113: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by ethnicity.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT525




Figure 2.114: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by ethnicity.




Figure 2.115: RCDF plots for D29 Ab markers: baseline positive vaccine arm by race.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT527




Figure 2.116: RCDF plots for D57 Ab markers: baseline positive vaccine arm by race.




Figure 2.117: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by race.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT529




Figure 2.118: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by race.




Figure 2.119: RCDF plots for D29 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT531




Figure 2.120: RCDF plots for D57 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group.




Figure 2.121: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT533




Figure 2.122: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group.




Figure 2.123: RCDF plots for D29 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT535




Figure 2.124: RCDF plots for D57 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group.




Figure 2.125: RCDF plots for D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group.

2.6. RCDF PLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT537




Figure 2.126: RCDF plots for D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group.

## 2.7 Boxplots of antibody markers by demographics for per-protocol cohort

### 2.7.1 Baseline SARS-CoV-2 negative




Figure 2.127: Boxplots of D29 Ab markers: Baseline negative vaccine arm by age group.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT539




Figure 2.128: Boxplots of D57 Ab markers: Baseline negative vaccine arm by age group.




Figure 2.129: Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by age and sex assigned at birth.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT541




Figure 2.130: Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by age and sex assigned at birth.




Figure 2.131: Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by ethnicity.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT543




Figure 2.132: Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by ethnicity.




Figure 2.133: Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by race.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT545




Figure 2.134: Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by race.




Figure 2.135: Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by dichotomous classification of race and ethnic group.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT547




Figure 2.136: Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by dichotomous classification of race and ethnic group.




Figure 2.137: Boxplots of D29 fold-rise over D1 Ab markers: Baseline negative vaccine arm by age and dichotomous classification of race and ethnic group.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT549




Figure 2.138: Boxplots of D57 fold-rise over D1 Ab markers: Baseline negative vaccine arm by age and dichotomous classification of race and ethnic group.

**2.7.2 Baseline SARS-CoV-2 positive**

MOCK

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT551




Figure 2.139: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age group.




Figure 2.140: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age group.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT553




Figure 2.141: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by high-risk condition.




Figure 2.142: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by high-risk condition.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT555




Figure 2.143: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and high-risk condition.




Figure 2.144: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and high-risk condition.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT557




Figure 2.145: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by sex assigned at birth.




Figure 2.146: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by sex assigned at birth.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT559




Figure 2.147: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and sex assigned at birth.




Figure 2.148: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and sex assigned at birth.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT561




Figure 2.149: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by ethnicity.




Figure 2.150: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by ethnicity.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT563




Figure 2.151: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by race.




Figure 2.152: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by race.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT565




Figure 2.153: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group.




Figure 2.154: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by dichotomous classification of race and ethnic group.

2.7. BOXPLOTS OF ANTIBODY MARKERS BY DEMOGRAPHICS FOR PER-PROTOCOL COHORT567




Figure 2.155: Boxplots of D29 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group.




Figure 2.156: Boxplots of D57 fold-rise over D1 Ab markers: baseline positive vaccine arm by age and dichotomous classification of race and ethnic group.