




Cabling Complete Solutions

PRODUCT CATALOG



Contents

	__ USB-C Cables & Adapters
	__ HDMI Cables
	__ HDMI / DVI Active Optical Cables
	__ HDMI Adapters
	__ DVI Cables & Adapters
	__ VGA Cables & Adapters
	__ DisplayPort Cables
	__ DisplayPort Adapters
	__ Mini Displayport Cables
	__ Mini DisplayPort Adapters
	__ USB Cables
	__ Audio Visual Cables
	__ Apple Cables
	__ Apple Adapters
	__ CAT5E / CAT6 / CAT6A Network Patch Cables
	__ Fibre Cables
	__ Power Cables

USB Type C Cables

USB-C Audio Video Cables



1.5m USB-C to 3.5mm Audio - Male to Male - Ultra Series

The USB-C to 3.5mm Audio Cable lets you connect your USB-C enabled device to a 3.5mm enabled device such as speakers, amplifiers and car audio jacks. Ultra Series uses superior quality materials for the most elegant look and ultimate strength.

ORDERING INFORMATION:

Product Code: ULC35A1.5-SGR



10cm USB-C to 3.5mm Audio - Male to Female - Ultra Series

The USB-C to 3.5mm Audio Adaptor lets you connect your USB-C enabled device to a 3.5mm enabled device such as headphones, speakers or amplifiers. The adapter also supports mic function on the headphones with built in microphone. Ultra Series uses superior quality materials for the most elegant look and ultimate strength.

ORDERING INFORMATION:

Product Code: ULC35A-SGR



USB-C to DisplayPort - Male to Male - Ultra Series

The ALOGIC USB-C to DisplayPort Cable connects a USB-C (DisplayPort Alt. Mode)/Thunderbolt 3 enabled computer to a DisplayPort enabled monitor. Ultra Series uses superior quality materials for the most elegant look and ultimate strength.

ORDERING INFORMATION:

Product Code: ULCDPX-SGR | *XX= Length



USB-C to HDMI - Male to Male - Ultra Series

The ALOGIC USB-C to HDMI Cable connects a USB-C (DisplayPort Alt. Mode)/Thunderbolt 3 enabled computer to a HDMI enabled monitor. Ultra Series uses superior quality materials for the most elegant look and ultimate strength.

ORDERING INFORMATION:

Product Code: ULCHDX-SGR | *XX= Length



USB-C to HDMI

The ALOGIC USB-C to HDMI Cable connects a USB-C (DisplayPort Alt. Mode)/Thunderbolt 3 enabled computer to a HDMI enabled monitor.

ORDERING INFORMATION:

Product Code: ELUCHD-XX | *XX= Length
*Available in 1m & 2m lengths



USB-C to DisplayPort

The ALOGIC USB-C to DisplayPort Cable connects a USB-C (DisplayPort Alt. Mode)/Thunderbolt 3 enabled computer to a DisplayPort enabled monitor.

ORDERING INFORMATION:

Product Code: ELUCDP-XX | *XX= Length
*Available in 1m & 2m lengths



USB-C to VGA

The ALOGIC USB-C to VGA Cable connects a USB-C (DisplayPort Alt. Mode)/Thunderbolt 3 enabled computer to a VGA enabled monitor.

ORDERING INFORMATION:

Product Code: ELUCVG-XX | *XX= Length
*Available in 1m & 2m lengths



USB-C to DVI

The ALOGIC USB-C to DVI Cable connects a USB-C (DisplayPort Alt. Mode)/Thunderbolt 3 enabled computer to a DVI enabled monitor.

ORDERING INFORMATION:

Product Code: ELUCDV-XX | *XX= Length
*Available in 1m & 2m lengths

USB-C Cables



Black
Space Grey
Silver

USB 3.1 (Gen 2) USB-C to USB-C - Male to Male

The ALOGIC USB 3.1(Gen 2) USB-C to USB-C Cable allows you to experience up to 10 Gbps transfer speeds, charge devices such as laptops, tablets and phones and transfer audio and video signals up to 4K to displays and monitors with just one cable.

ORDERING INFORMATION:

Product Code: MU1CC-XXYYYY | *XX= Length *YYY= Colour
*Available in 1m & 2m lengths
*USB 3.1 Gen 2 *Available in 3 Colours



Black
Space Grey
Silver

USB-C to USB-C - Male to Male

The ALOGIC USB 2.0 USB-C to USB-C Cable lets you charge your USB-C device and sync your data between your mobile device and computer.

ORDERING INFORMATION:

Product Code: MU2CC-XXYYYY | *XX= Length *YYY= Colour
*Available in 1m, 2m & 3m lengths
*Available in 3 Colours



Black
Space Grey
Silver

USB 3.1 (Gen 2) USB-C to USB-C - Male to Male / USB-C Charging

The ALOGIC USB 3.1 (Gen 2) USB-C to USB-C Cable lets you charge your USB-C device and sync your data between your mobile device and computer.

ORDERING INFORMATION:

Product Code: MU31CA-XXYYYY | *XX= Length *YYY= Colour
*Available in 30cm, & 1m lengths
*Available in 3 Colours

USB Type C Cables



USB-C to USB-C - Male to Male

The ALOGIC USB-C to USB-C Cable lets you charge your USB-C device and sync your data between your mobile device and computer.

ORDERING INFORMATION:
Product Code: MU2CA-XXYYY | *XX= Length *YYY= Colour
*Available in 1m & 3m lengths *Available in 2 Colours



USB-A to Micro USB/Lightning/USB-C - Male to Male

The ALOGIC USB-C to Micro USB/Lightning/USB-C Cable lets you charge your various USB & Lightning devices and sync your data between your mobile device and computer.

ORDERING INFORMATION:
Product Code: MU23T-XXYYY | *XX= Length *YYY= Colour
*Available in 30cm, & 1m lengths *Available in 3 Colours



15cm USB-C to USB-A - Male to Female

The ALOGIC USB-C to USB-A OTG adapter makes it easy to connect a device enabled with the new USB-C product to your existing devices with a standard USB-A port.

ORDERING INFORMATION:
Product Code: MU3CAF-SGR, MU3CAF-SLV, MU3CAF-BLK



USB-C to USB-C - Male to Female

The ALOGIC USB-C to USB-C extension cable makes it easy to extend a device enabled with the new USB-C product to your existing devices with a standard USB-C port.

ORDERING INFORMATION:
Product Code: MU3CC-050BLK, MU3CC-01BLK



USB-A to USB-C - Male to Male

The ALOGIC USB-A to USB-C Cable lets you charge your USB-C device (mobile devices such as phones and tablets) and sync your data between your mobile device and computer.

ORDERING INFORMATION:
Product Code: U3-TCAXX-MM | *XX= Length *Available in 1m, 2m & 3m lengths



USB 3.1 (Gen 2) USB-C to USB-C - Male to Male / USB-C Charging

The ALOGIC USB 3.1 (Gen 2) USB-C to USB-C Cable lets you charge your USB-C device and sync your data between your mobile device and computer.

ORDERING INFORMATION:
Product Code: U3IC-XX | *XX= Length *Available in 1m, 2m & 3m lengths



USB-C to Micro USB-B - Male to Male

The ALOGIC USB-C to Micro USB-B Cable lets you charge your Micro USB-B device (mobile devices such as phones and tablets) and sync your data between your mobile device and computer.

ORDERING INFORMATION:
Product Code: U2-TCMCBXX-MM | *XX= Length *Available in 1m & 2m lengths



15cm USB-C to USB-A - Male to Female

The ALOGIC USB-C to USB-A OTG adapter makes it easy to connect a device enabled with the new USB-C product to your existing devices with a standard USB-A port.

ORDERING INFORMATION:
Product Code: U3-TCA015-MF



USB-C to SATA Adapter Cable for 2.5" Hard Drive

Provides easy access to any 2.5" hard drive or solid-state drive from your USB-C enabled computer.

ORDERING INFORMATION:
Product Code: U3-TC25-AC



USB 3.0 USB-B to USB-C - Male to Male

The ALOGIC USB 3.0 USB-B to USB-C cable lets you connect your USB-C enabled device such as laptops/computer and tablets to a USB-B enabled device such as printer, docking station.

ORDERING INFORMATION:
Product Code: U3-TCBXX-MM | *XX= Length
*Available in 1m & 2m lengths



USB-B to USB-C - Male to Male

The ALOGIC USB-B to USB-C cable lets you connect your USB-C enabled device such as laptops/computer and tablets to a USB-B enabled device such as printer, docking station.

ORDERING INFORMATION:
Product Code: U2-TBNCX-MM | *XX= Length



USB 3.0 Micro USB-B to USB-C - Male to Male

The ALOGIC USB 3.0/USB 3.1(Gen1) USB-C to Micro USB-B Cable lets you connect your USB-C enabled computer to you a USB Micro USB-B enabled device such as docking station, printer, etc. The cable supports up to 5 Gbps transfer rates.

ORDERING INFORMATION:
Product Code: U3-TCMCBXX-MM | *XX= Length
*Available in 1m & 2m lengths



Mini USB-B to USB-C - Male to Male

The ALOGIC USB-C to Mini USB-B Cable lets you charge your Mini USB-B device (mobile devices such as phones and tablets) and sync your data between your mobile device and computer.

ORDERING INFORMATION:
Product Code: U2-TCMNBXX-MM | *XX= Length
*Available in 1m & 2m lengths



USB-A to Micro USB/USB-C - Male to Male

The ALOGIC 2-in-1 USB-C & Micro USB-B Sync and Charge Combo Cable combines the popular Micro USB-B with the latest USB-C connectors in a detachable adapter form.

ORDERING INFORMATION:
Product Code: U2CMC-01BLK

USB Type C Adapters

USB-C Multiport Adapters



USB-C to HDMI/USB 3.0/ USB-C Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor, wired Gigabit Ethernet, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:
Product Code: VPLUCHDACH-SGR



USB-C to HDMI/USB 3.0/ Gigabit Ethernet/USB-C Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor, wired Gigabit Ethernet, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:
Product Code: MP-UCHDGECH



USB-C to VGA/USB 3.0/Gigabit Ethernet/USB-C Adapter

This USB-C to VGA MultiPort Adapter allows you to connect a VGA Monitor, wired Gigabit Ethernet, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:
Product Code: MP-UCVGGECH



USB-C to HDMI/4 x USB 3.0 Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor & 4 x USB Peripherals.

ORDERING INFORMATION:
Product Code: MP-UCHD3A



USB-C to VGA/4 x USB 3.0 Adapter

This USB-C to VGA MultiPort Adapter allows you to connect a VGA Monitor & 4 x USB Peripherals.

ORDERING INFORMATION:
Product Code: MP-UCVG3A



USB-C to HDMI/USB 3.0/ USB-C Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:
Product Code: MP-UCHDCH



USB-C to DisplayPort/USB 3.0/ USB-C Adapter

This USB-C to DisplayPort MultiPort Adapter allows you to connect a 4K HDMI Monitor, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:
Product Code: MP-UCDPCH



USB-C to DVI/USB 3.0/USB-C Adapter

This USB-C to DVI MultiPort Adapter allows you to connect a DVI Monitor, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:
Product Code: MP-UCHDGECH

USB-C Video Adapters



USB-C to DVI/USB 3.0/USB-C Adapter

This USB-C to DVI MultiPort Adapter allows you to connect a DVI Monitor, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:
Product Code: MP-UCVGGECH



USB-C to HDMI/USB-C Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor & USB-C Power Delivery.

ORDERING INFORMATION:
Product Code: UCHD4KCH-ADP



USB-C to HDMI Adapter

This USB-C to HDMI Adapter allows you to connect a 4K HDMI Monitor.

ORDERING INFORMATION:
Product Code: UCHD4K-ADP



USB-C to DisplayPort Adapter

This USB-C to DisplayPort Adapter allows you to connect a 4K DisplayPort Monitor.

ORDERING INFORMATION:
Product Code: UCDP-ADP

USB Type C Adapters



USB-C to DisplayPort Adapter - Ultra Series

This USB-C to DisplayPort Adapter allows you to connect a Displayport Monitor. Ultra Series uses superior quality materials for the most elegant look and ultimate strength

ORDERING INFORMATION:
Product Code: ULUCDP-ADP

USB-C to HDMI Adapter - ULTRA series

This USB-C to HDMI Adapter allows you to connect a HDMI Monitor. Ultra Series uses superior quality materials for the most elegant look and ultimate strength

ORDERING INFORMATION:
Product Code: ULUCHD-ADP

USB-C to DVI Adapter

This USB-C to DVI Adapter allows you to connect a DVI Monitor.

ORDERING INFORMATION:
Product Code: UCMDP-ADP



USB-C to VGA Adapter

This USB-C to VGA Adapter allows you to connect a VGA Monitor.

ORDERING INFORMATION:
Product Code: UCVGA-ADP

USB-C to Mini DisplayPort Adapter

This USB-C to Mini DisplayPort Adapter allows you to connect a 4K Mini DisplayPort Monitor.

ORDERING INFORMATION:
Product Code: UCMDP-ADP

USB-C to HDMI/VGA/DVI Adapter

This USB-C to VGA/DVI/HDMI Adapter allows you to connect either a VGA, DVI or 4K HDMI Monitor.

ORDERING INFORMATION:
Product Code: UCVGDHD-ADP

USB-C to VGA/HDMI Adapter

This USB-C to VGA/HDMI Adapter allows you to connect either a VGA or 4K HDMI Monitor.

ORDERING INFORMATION:
Product Code: UCVGHD-ADP



USB-C to Dual DisplayPort Adapter

This USB-C to Dual DisplayPort Adapter allows you to connect 2 dual 4K DisplayPort Monitors or a single 4K DisplayPort Monitor.

ORDERING INFORMATION:
Product Code: UC2DP-ADP

USB-C to Dual HDMI Adapter

This USB-C to Dual HDMI Adapter allows you to connect 2 dual 4K HDMI Monitors or a single 4K HDMI Monitor

ORDERING INFORMATION:
Product Code: UC2HD-ADP

Thunderbolt™ 3 to Dual DisplayPort Adapter

This Thunderbolt™ 3 to Dual DisplayPort Adapter allows you to connect 2 dual 4K DisplayPort Monitors or a single 4K DisplayPort Monitor via both ports.

ORDERING INFORMATION:
Product Code: TB34K2DP

Thunderbolt™ 3 to Dual HDMI Adapter

This Thunderbolt™ 3 to Dual HDMI Adapter allows you to connect 2 dual 4K HDMI Monitors or a single 4K HDMI Monitor via both ports.

ORDERING INFORMATION:
Product Code: TB34K2HD



Carbon Series High Speed HDMI with Ethernet Cable - Male to Male Ver 2.0

Carbon Series offers exceptional performance for all HDMI applications. The custom designed cable provides carbon fibre like fit and finish on a HDMI cable.

ORDERING INFORMATION:

Product Code: PHD-XX-MM-V2 | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m



Ultra Slim Carbon Series High Speed HDMI with Ethernet Cable - Male to Male Ver 2.0

Ultra Slim Carbon Series offers exceptional performance for all HDMI applications. The custom designed cable provides carbon fibre like fit and finish on a HDMI cable.

ORDERING INFORMATION:

Product Code: STHD-XX-MM-V2 | *XX=Length
Available Length: 1m, 2m, 3m



Long length HDMI Cable with Active Booster - Male to Male

The ALOGIC HDMI Cable with Active Booster - Male to Male provides an ideal solution to overcome limitations of a normal HDMI cables and transmit HDMI signal over long distances.

ORDERING INFORMATION:

Product Code: HDMI-XX-MM | *XX=Length
Available Length: 15m, 20m, 25m, 30m,



Pro Series High Speed HDMI Cable with Ethernet - Male to Male Ver 2.0

The ALOGIC Pro Series High Speed HDMI Cable with Ethernet - Male to Male Ver 2.0 cables are designed to transmit HDMI digital video and audio signals.

ORDERING INFORMATION:

Product Code: HDMI-XX-MM-V4 | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m, 10m, 15m



Pro Series Micro HDMI to HDMI with Ethernet Cable - Male to Male Ver 2.0

The ALOGIC Pro Series High Speed Micro HDMI to HDMI with Ethernet is used to connect Micro HDMI enabled device like mobile phone, tablet or a digital camera or camcorder to a HD Display or a projector.

ORDERING INFORMATION:

Product Code: HDD-MM-XX-V2 | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m



Pro Series Mini HDMI to HDMI with Ethernet Cable - Male to Male Ver 2.0

The ALOGIC Pro Series High Speed Mini HDMI to HDMI with Ethernet Cable - Male to Male VER 2.0 is used to connect Mini HDMI enabled device like a mobile phone, tablet or a digital camera or camcorder to a HD Display or a projector.

ORDERING INFORMATION:

Product Code: HDC-MM-XX-V2 | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m



DVI-D to HDMI Cable - Male to Male

The ALOGIC Pro Series HDMI to DVI cables are designed for high performance transmission of high resolution video signal.

ORDERING INFORMATION:

Product Code: DVI-HDMI-XX-MM | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m



Micro HDMI to DVI-D Cable - Male to Male

The ALOGIC Pro Series HDMI to DVI cables are designed for high performance transmission of high resolution video signal.

ORDERING INFORMATION:

Product Code: HDD-DVI-XX-MM | *XX=Length
Available Length: 1m, 2m, 3m



Mini HDMI to DVI-D Cable - Male to Male

The ALOGIC Pro Series HDMI to DVI cables are designed for high performance transmission of high resolution video signal.

ORDERING INFORMATION:

Product Code: HDC-DVI-XX-MM | *XX=Length
Available Length: 1m, 2m, 3m

AIR SERIES HDMI CABLE

ULTRA FLEX HDMI CABLES



AIR Series Super Slim & Flexible HDMI Cable with Ethernet Ver 2.0b

Features

- Low profile, compact HDMI connectors
- Supports resolutions up to Ultra HD 4K
- Super flexible & light HDMI cable
- Ethernet support
- Lifetime Warranty

ORDERING INFORMATION:

Product Code: HDAS-V2XX-YYY | *XX=Length, YYY = Colours
Available Length: 0.5m , 1m , 2m, 3m, 5m
Available Colours: Black, White, Gray, Pink, Green, Red



ULTRA FLEX High Speed HDMI Cable

Features

- Ultra-flexible HDMI cables
- Conforms to Premium High Speed and High Speed HDMI cable performance standards
- 4K/60 verified up to 12 feet (3.6 m)
- 4K/30 verified for 15 feet (4.5 m)
- 30 AWG copper wire construction
- Gold-plated contacts
- Lifetime Warranty

ORDERING INFORMATION:

Product Code: HDUFS-XX | *XX=Length
Available Length: 0.5m , 1m , 2m, 3m, 5m

FIBRE AOC HDMI/DVI CABLES



Carbon Series High Speed HDMI Active Optical Cable - Male to Male

This Carbon Series Active Optical HDMI Cable extends HDMI signal over optical cable to the distance of up to 100m with supporting the latest HDMI features including 4K, 3D video, Deep Colour and X.V. Colour

Features

- Supports up to 4K @30Hz, 3D Video, Deep Colour and X.V. Colour
- No external power required
- LSZH Rated Jacket
- Multi-channel Audio, Dolby TrueHD, DTS-HD Master Audio
- High pulling strength and compression load
- EMI and RFI Immunity
- EDID, CEC Control and HDCP Compliant
- Plug and Play

ORDERING INFORMATION:

Product Code: PAOHD-XX-MM | *XX=Length
Available Length: 20m, 30m, 40m, 50m, 60m, 70m, 80m, 90m, 100m

HDMI Adapters



HDMI to VGA Adapter With 3.5mm Audio - Male to Female

The ALOGIC 15cm HDMI to VGA Female Adapter With 3.5mm Audio Adapter is mostly used to convert a Digital HDMI signal to an Analogue VGA signal with an analogue audio output.

ORDERING INFORMATION:
Product Code: HDMI-VGA-AD-ADP
Available Length: 15cm



Mini HDMI to VGA Adapter With 3.5mm Audio - Male to Female

The ALOGIC 15cm Mini HDMI to VGA Female Adapter With 3.5mm Audio Adapter is mostly used to convert a Digital HDMI signal to an Analogue VGA signal with an analogue audio output.

ORDERING INFORMATION:
Product Code: CMNHD-VGA-AD-ADP
Available Length: 15cm



Micro HDMI to VGA Adapter With 3.5mm Audio - Male to Female

The ALOGIC 15cm Micro HDMI to VGA Female Adapter With 3.5mm Audio Adapter is mostly used to convert a Digital HDMI signal to an Analogue VGA signal with an analogue audio output.

ORDERING INFORMATION:
Product Code: | DMCHD-VGA-AD-ADP
Available Length: 15cm



HDMI male to DVI-D female Adapter - Male to Female

The ALOGIC HDMI (M) to DVI-D (F) Adapter - Male to Female is used to convert a HDMI signal to DVI signal. The adapter is bi - directional and also works to convert a DVI-D signal to a HDMI signal.

ORDERING INFORMATION:
Product Code: HDMI-DVI-MF



DVI-D male to HDMI female Adapter - Male to Female

The ALOGIC DVI-D (M) to HDMI (F) Adapter - Male to Female is used to convert a DVI-D signal to HDMI signal. The adapter is bi - directional and also works to convert a HDMI signal to a DVI-D signal.

ORDERING INFORMATION:
Product Code: DVI-HDMI-MF



HDMI female to HDMI female Coupler - Female to Female

The HDMI (F) to HDMI (F) Coupler - Female to Female is used to connect two HDMI cables. The most typical application is when a an existing installed cable needs to be extended further, the HDMI coupler avoids the need to re-install a complete new cable and allows for the use of another cable of the required length to be connected to the existing cable by using the coupler in between them.

ORDERING INFORMATION:
Product Code: HDFFR



Micro & Mini HDMI male to HDMI female Adapter - Male to Female

This dual Output HDMI 2 in 1 adapter allows you to connect your mini HDMI and micro HDMI devices to your HDMI displays with your existing standard HDMI cable

ORDERING INFORMATION:
Product Code: HDSPLR



Micro HDMI male to HDMI female Adapter - Male to Female

The Micro HDMI (M) to HDMI (F) Adapter - Male to Female is used to convert a Micro HDMI connector to a full sized Type A HDMI connector.

ORDERING INFORMATION:
Product Code: HDMNR



Mini HDMI male to HDMI female Adapter - Male to Female

The Mini HDMI (M) to HDMI (F) Adapter - Male to Female is used to convert a Mini HDMI connector to a full sized Type A HDMI connector.

ORDERING INFORMATION:
Product Code: HDMCR

DVI Cables



DVI-D Dual Link Digital Video Cable - Male to Male

This ALOGIC DVI-D Dual Link Digital Video Cable - Male to Male cable used to connect a computer with a DVI enabled output or a DVI enabled video card to a display with a DVI input. The DVI-D dual link configuration supports resolutions up to 2560 x 1600 pixels

ORDERING INFORMATION:
Product Code:DVI-DL-XX-MM| *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m



DVI-D Dual Link Extension Video Cable - Male to Female

This ALOGIC DVI-D Dual Link Extension Video Cable - Male to Female cable used to extend a DVI connection from a currently installed DVI cable to a DVI enabled device.

ORDERING INFORMATION:
Product Code:DVI-DL-XX-MF | *XX=Length
Available Length: 2m, 3m, 5m



DVI-D to HDMI Cable - Male to Male

The ALOGIC Pro Series HDMI to DVI cables are designed for high performance transmission of high resolution video signal.

ORDERING INFORMATION:
Product Code: DVI-HDMI-XX-MM | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m



DVI-I to VGA Premium Shielded Video Cable - Male to Male

This ALOGIC DVI-I to VGA Video Cable Male to Male allows you to connect a DVI-I enabled computer to a display with a VGA output

ORDERING INFORMATION:
Product Code:DVI-I-VGA-XX-MM | *XX=Length
Available Length: 1m, 2m, 3m, 5m

VGA Cables



VGA/SVGA Premium Shielded Monitor Cable With Filter - Male to Male

The ALOGIC VGA/SVGA Premium Shielded Monitor Cable W/ Filter - Male to Male Cable is perfect for source to display connectivity for in-home desktop or in-wall commercial applications which require video resolutions of up to 1920 X 1200.

ORDERING INFORMATION:
Product Code: VGA-MM-XX | *XX=Length
Available Length: 2m, 3m, 5m, 10m, 20m, 25m, 30m



Pro Series Slim flexible VGA Cable with 80cm & 30cm 3.5mm Stereo Audio Cable - Male to Male

The ALOGIC Pro Series Slim flexible VGA Cable with 80cm & 30cm 3.5mm Stereo Audio cable - Male to Male cable is made out of a premium flexible high resolution coax cable with 3.5mm stereo audio and VGA connectors on each for both audio and video transmission.

ORDERING INFORMATION:
Product Code: VGA-MM-XX-APS | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 7.5m, 10m, 15m, 20m, 30m



VGA/SVGA Premium Shielded Monitor Extension Cable With Filter - Male to Female

The ALOGIC VGA/SVGA Premium Shielded Monitor Extension Cable With Filter - Male to Female Cable is perfect for source to display connectivity for in-home desktop or in-wall commercial applications which require video resolutions of up to 1920 X 1200.

ORDERING INFORMATION:
Product Code: VGA-MF-XX | *XX=Length
Available Length: 2m, 3m, 5m, 10m, 15m, 20m, 30m

DVI & VGA Adapters



VGA male to DVI-I female Adapter - Male to Female

The ALOGIC VGA (M) to DVI-I (F) Adapter - Male to Female is used to convert a DVI-I signal to VGA signal. The DVI-I connector is capable of carrying the analogue video signal and converting it to a VGA output.

ORDERING INFORMATION:
Product Code: VGA-DVI-MF



DVI-I (M) to VGA (F) Adapter - Male to Female

The ALOGIC DVI (M) to VGA (F) Adapter - Male to Female is used to convert a DVI-I signal to VGA signal. The DVI-I connector is capable of carrying the analogue video signal and converting it to a VGA output.

ORDERING INFORMATION:
Product Code: DVI-VGA-MF



DVI-D male to HDMI female Adapter - Male to Female

The ALOGIC DVI-D (M) to HDMI (F) Adapter - Male to Female is used to convert a DVI-D signal to HDMI signal. The adapter is bi-directional and also works to convert a HDMI signal to a DVI-D signal.

ORDERING INFORMATION:
Product Code: DVI-HDMI-MF



HDMI male to DVI-D female Adapter - Male to Female

The ALOGIC HDMI (M) to DVI-D (F) Adapter - Male to Female is used to convert a HDMI signal to DVI signal. The adapter is bi-directional and also works to convert a DVI-D signal to a HDMI signal.

ORDERING INFORMATION:
Product Code: HDMI-DVI-MF



DVI-I to DVI-I Adapter - Female to Female

The ALOGIC DVI Female to Female Coupler is used to connect two DVI Cables together for extended distance. The Coupler features the gold plated connectors for excellent connectivity & zero corrosion.

ORDERING INFORMATION:
Product Code: DVI-FF-ADP



DVI-D to VGA Active Adapter - 1920x1200 - Male to Female

The Alogic Active DVI-D to VGA adapter allows you to connect a digital output from a PC or laptop computer to a VGA monitor or projector, eliminating the need to upgrade to a DVI-D compatible display & saving unnecessary cost.

ORDERING INFORMATION:
Product Code: DVID-VGA-ADP
Available Length: 15cm



Ultra Slim VGA to HDMI Converter with Audio Supports resolution up to 1920x1080@60Hz

The ALOGIC VGHD35 allows the user to convert and transmit the video signals from a VGA embedded device, such as a PC or a laptop to a HDMI enabled device, such as a projector or a monitor/TV.

ORDERING INFORMATION:
Product Code: VGHD35



VGA With Audio to HDMI Passive Converter Supports Resolution Up to 1920 X 1080 @60Hz

This VGA to HDMI converter is used to convert the VGA with Audio output signal of a PC, AV device or a laptop to an HDMI® output signal compatible with most high definition televisions or computer monitors with HDMI® inputs.

ORDERING INFORMATION:
Product Code: VGA-HDUP



DVI-I male to DVI-D female and VGA female Video Splitter Cable

This ALOGIC DVI-I (M) to DVI-D (F) and VGA (F) Video Splitter Cable - (1) Male to (2) Female cable adapter cable allows an all digital DVI-D and an analog VGA display to be connected to a DVI-I enabled computer.

ORDERING INFORMATION:
Product Code: DVI-I-DVIVGA-MFF



DisplayPort Cable Ver 1.2 - Male to Male

The ALOGIC DisplayPort Cable Ver 1.2 - Male to Male cable is designed to support the next generation application requirements with support for bandwidth up to 10.8 Gbps and a maximum resolution capability of up to UHD (3840 X 2160).

ORDERING INFORMATION:
Product Code: DP-XX-MM |
*XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m



DisplayPort 1.2 to HDMI 1.4 Cable - Male to Male

The ALOGIC DisplayPort to HDMI Cable - Male to Male cable is designed to connect a PC enabled with a DisplayPort output to display enabled with a HDMI input. The cable supports a maximum resolution of 1920 X 1080.

ORDERING INFORMATION:
Product Code: DP-HDMI-XX-MM |
*XX=Length
Available Length: 1m, 2m, 3m, 5m , 10m



DisplayPort to DVI-D Cable - Male to Male

The ALOGIC DisplayPort to DVI-D Cable - Male to Male cable is designed to connect a PC enabled with a DisplayPort output to display enabled with a DVI input.

ORDERING INFORMATION:
Product Code: DP-DVI-XX-MM |
*XX=Length
Available Length: 1m, 2m, 3m, 5m , 10m



DisplayPort 1.2 to 4K HDMI Cable - Male to Male

The ALOGIC DisplayPort to HDMI Cable - Male to Male cable is designed to connect a PC enabled with a DisplayPort output to display enabled with a 4KHDMI input. The cable supports a maximum resolution of 4K (4096 X 2160).

4K
ULTRA HD



DisplayPort to VGA Cable - Male to Male

The ALOGIC DisplayPort to VGA Cable - Male to Male cable is designed to connect a PC enabled with a DisplayPort output to display enabled with a VGA input. The cable supports a maximum resolution of 1920 X 1200.

DisplayPort to Mini DisplayPort Cable - Male to Female

This ALOGIC DisplayPort to Mini DisplayPort Cable - Male to Female cable allows for a connection between a computer enabled with a DisplayPort output like Apple Mac, HP, Lenovo,Dell, Ultrabook and laptop to an Apple LED Cinema with Mini DisplayPort cables.

Mini DisplayPort to DisplayPort Cable Ver 1.2 - Male to Male

This ALOGIC Mini DisplayPort to DisplayPort Cable Ver 1.2 -Male to Male cable allows for a connection between a computer enabled with a DisplayPort output like Apple Mac, HP, Lenovo,Dell, Ultrabook and laptop to an Apple LED Cinema with DisplayPort cables.

Supports bandwidth up to 10.8 Gbps and a maximum resolution capability of up to UHD (3840 X 2160).

DisplayPort to HDMI ACTIVE Cable Ver 1.2 - Male to Male

This ALOGIC Elements ACTIVE DisplayPort to HDMI cable converts a DisplayPort signal from a DisplayPort enabled computer for viewing on a HDMI enabled display. The cable is most suited to be used where the computer is not capable to output multi mode DisplayPort (DP++) such as AMD Eyefinity. The adapter supports AMD Eyefinity Multi-Display technology.



Also Available in DisplayPort to DVI
Product Code:
DP-DV4K-XX-ACTV | *XX=Length
Available Length: 1m, 2m

ORDERING INFORMATION:
Product Code: DP-VGA-XX-MM | *XX=Length
Available Length: 1m, 2m, 3m, 5m

ORDERING INFORMATION:
Product Code: DP-MDP-02-MF
Available Length: 2m

ORDERING INFORMATION:
Product Code: MDP-DP-XX-MM | *XX=Length
Available Length: 1m, 2m, 3m

ORDERING INFORMATION:
Product Code: DP-HD4K-XX-ACTV | *XX=Length
Available Length: 1m, 2m



DisplayPort 1.2 to DVI Adapter - Male to Female

This ALOGIC DisplayPort to DVI Adapter - Male to Female converts a DisplayPort signal from a DisplayPort enabled computer for viewing on a DVI enabled display. The DisplayPort end of the adapter is connected to the computer with the DVI end being connected to the DVI cable coming from the display.

ORDERING INFORMATION:
Product Code: DP-DVI-ADP
Available Length: 15cm



DisplayPort 1.2 to HDMI 1.4 Adapter - Male to Female

This ALOGIC DisplayPort to HDMI Adapter - Male to Female converts a DisplayPort signal from a DisplayPort enabled computer for viewing on a HDMI enabled display.

ORDERING INFORMATION:
Product Code: DP-HDMI-ADP
Available Length: 15cm



DisplayPort 1.2 to VGA Adapter - Male to Female

This ALOGIC DisplayPort to VGA Adapter - Male to Female converts a DisplayPort signal from a DisplayPort enabled computer for viewing on a VGA enabled display.

ORDERING INFORMATION:
Product Code: DP-VGA-ADP
Available Length: 15cm

ACTIVE DISPLAYPORT ADAPTERS



SmartConnect DisplayPort 1.2 to DisplayPort, HDMI & VGA MultiDisplay MST Hub

This SmartConnect DisplayPort 1.2 to DisplayPort, HDMI & VGA Multi-Display MST Hub allows you to connect up to three displays from a single Mini DisplayPort/DisplayPort output.

ORDERING INFORMATION:
Product Code: MDP-SPL-ADP



ACTIVE DisplayPort to HDMI Adapter - Male to Female

This ALOGIC DisplayPort to HDMI Adapter - Male to Female converts a DisplayPort signal from a DisplayPort enabled computer for viewing on a HDMI enabled display.

ORDERING INFORMATION:
Product Code: DP-HDMI-ACTV
Available Length: 20cm



ACTIVE DisplayPort to DVI Adapter - Male to Female

This ALOGIC DisplayPort to DVI Adapter - Male to Female converts a DisplayPort signal from a DisplayPort enabled computer for viewing on a DVI enabled display.

ORDERING INFORMATION:
Product Code: DP-DVI-ACTV
Available Length: 20cm



HDMI to DisplayPort Active Adaptor-Converts HDMI Output from PC to DisplayPort Display

This latest innovation from ALOGIC now lets you connect a HDMI output from a Laptop/Desktop to a DisplayPort enabled display at a ultra high resolution of 4000x2000 or 2016p.

ORDERING INFORMATION:
Product Code: HDMI-DP-ACTV-ADP



Mini DisplayPort Cable Ver 1.2 - Male to Male

This ALOGIC Mini DisplayPort Cable Ver 1.2 - Male to Male cable allows for a connection between a computer enabled with a Mini DisplayPort output like Apple Mac, HP, Lenovo, Dell, Ultrabook and laptop to a display enabled with a Mini DisplayPort input.

ORDERING INFORMATION:
Product Code: MDP-MDP-XX-MM |
*XX=Length
Available Length: 1m, 2m, 3m



Mini DisplayPort to HDMI Cable - Male to Male

This ALOGIC SmartConnect Mini DisplayPort to HDMI Cable allows for a connection between a computer enabled with a Mini DisplayPort output like Apple Mac, HP, Lenovo, Dell, Ultrabook and laptop to a display enabled with a HDMI input. The cable can support resolutions up to 1080P along with multi channel audio*.

ORDERING INFORMATION:
Product Code: MDP-HDMI-02-MM |
*XX=Length
Available Length: 1m, 2m, 3m



Mini DisplayPort to DVI Cable - Male to Male

This ALOGIC SmartConnect Mini DisplayPort to DVI Cable allows for a connection between a computer enabled with a Mini DisplayPort output like Apple Mac, HP, Lenovo, Dell, Ultrabook and laptop to a display enabled with a DVI input. The cable can support resolutions up to 1080P along with multi channel audio*.

ORDERING INFORMATION:
Product Code: MDP-DVI-XX-MM |
*XX=Length
Available Length: 1m, 2m, 3m



Mini DisplayPort to 4K HDMI Cable - Male to Male

This ALOGIC SmartConnect Mini DisplayPort to 4K HDMI Cable allows for a connection between a computer enabled with a Mini DisplayPort output like Apple Mac, HP, Lenovo, Dell, Ultrabook and laptop to a display enabled with a HDMI input. The cable can support resolutions up to 4K (4096 X 2160) along with multi channel audio*.

ORDERING INFORMATION:
Product Code: MDP-HD4K-XX-MM |
*XX=Length
Available Length: 1m, 2m, 3m



Mini DisplayPort to VGA Cable - Male to Male

The ALOGIC Mini DisplayPort to VGA Cable - Male to Male cable is designed to connect a PC enabled with a Mini DisplayPort output to display enabled with a VGA input. The cable supports a maximum resolution of 1920 X 1200.

ORDERING INFORMATION:
Product Code: MDP-VGA-XX-MM |
*XX=Length
Available Length: 1m, 2m, 3m, 5m



Mini DisplayPort to DisplayPort Cable Ver 1.2 - Male to Male

This ALOGIC Mini DisplayPort Cable Ver 1.2 - Male to Male cable allows for a connection between a computer enabled with a Mini DisplayPort output like Apple Mac, HP, Lenovo, Dell, Ultrabook and laptop to a display enabled with a DisplayPort input. Supports bandwidth up to 10.8 Gbps and a maximum resolution capability of up to UHD (3840 X 2160).

ORDERING INFORMATION:
Product Code: MDP-DP-XX-MM |
*XX=Length
Available Length: 2m



Mini DisplayPort to Mini DisplayPort Cable - Male to Female

This ALOGIC Mini DisplayPort to Mini DisplayPort Cable - Male to Female cable allows for a connection between a computer enabled with a Mini DisplayPort output like Apple Mac, HP, Lenovo, Dell, Ultrabook and laptop to an Apple LED Cinema with Mini DisplayPort cables.

ORDERING INFORMATION:
Product Code: MDP-MDP-02-MF
Available Length: 2m



Mini DisplayPort to HDMI ACTIVE Cable Ver 1.2 - Male to Male

This ALOGIC Elements ACTIVE Mini DisplayPort to HDMI cable converts a DisplayPort signal from a DisplayPort enabled computer for viewing on a HDMI enabled display. The cable is most suited to be used where the computer is not capable to output multi mode DisplayPort (DP++) such as AMD Eyefinity. The adapter supports AMD Eyefinity Multi-Display technology.

Also Available in Mini DisplayPort to DVI Product Code:
MDP-DV4K-XX-ACTV | *XX=Length
Available Length: 1m, 2m

ORDERING INFORMATION:
Product Code: MDP-HD4K-XX-MM
Available Length: 1m, 2m

Mini DisplayPort Adapters



Also available in Black



Also available in Black



Also available in Black



ACTIVE Mini DisplayPort to DisplayPort Adapter - Male to Female

The ALOGIC Mini DisplayPort to DisplayPort (female) Adaptor enables the connection of your Mini DisplayPort supported computer to a DisplayPort supported monitor or other display.

Mini DisplayPort to DVI Adapter - Male to Female

The ALOGIC Mini DisplayPort to DVI Adapter - Male to Female Adapter is designed for connecting a Mini Display Port Port device (mostly found on Apple Mac Laptops/Windows Ultrabooks/Laptops/Desktops) to a DVI enabled display device like TV/Monitor/ Projector.

ORDERING INFORMATION:
Product Code: MDP-DVI-AIC /
MDP-DVBK-ADP
Available Length: 15cm

ORDERING INFORMATION:
Product Code: MDP-VGA-AIC /
MDP-VGBK-ADP
Available Length: 15cm

Mini DisplayPort to HDMI Adapter - Male to Female

The ALOGIC Mini DisplayPort to HDMI Adapter Male to Female adapter is designed for connecting a Mini Display Port device (mostly found on Apple Mac Laptops/Windows Ultrabooks/Laptops/Desktops) to a HDMI enabled display device like TV/Monitor/Projector.

ORDERING INFORMATION:
Product Code: MDP-HDMI-AIC /
MDP-HDBK-ADP
Available Length: 15cm

ORDERING INFORMATION:
Product Code: MDP-DP-ADP
Available Length: 15cm

ACTIVE MINI DISPLAYPORT ADAPTERS



SmartConnect Mini DisplayPort 1.2 to DisplayPort HDMI & VGA MultiDisplay MST Hub

This SmartConnect Mini DisplayPort 1.2 to DisplayPort, HDMI & VGA MultiDisplay MST Hub allows you to connect up to three displays from a single Mini DisplayPort/DisplayPort output.

ORDERING INFORMATION:
Product Code: MDP-SPL-ADP



4K
ULTRA HD

ACTIVE Mini DisplayPort to DVI Adapter - Male to Female

This ALOGIC Mini DisplayPort to DVI Adapter - Male to Female converts a Mini DisplayPort signal from a Mini DisplayPort enabled computer for viewing on a DVI enabled display.



4K
ULTRA HD

ACTIVE Mini DisplayPort to HDMI Adapter - Male to Female

This ALOGIC Mini DisplayPort to HDMI Adapter - Male to Female converts a Mini DisplayPort signal from a Mini DisplayPort enabled computer for viewing on a HDMI enabled display. The adapter is most suited to be used where the computer is not capable to output multi mode DisplayPort (DP++) such as AMD Eye Infinity.



3-in-1 Mini DisplayPort to HDMI DVI VGA Adapter - Male to 3-Female

The ALOGIC Mini DisplayPort to HDMI DVI VGA Adapter is an innovative 3-in-1 solution for connecting a Mini DisplayPort enabled source such as an Ultrabook™ or MacBook® computer to a HDMI, DVI, or VGA enabled Display.

ORDERING INFORMATION:
Product Code: MDP-DVI-ACTV
Available Length: 20cm

ORDERING INFORMATION:
Product Code: MDP-HDMI-ACTV
Available Length: 20cm

ORDERING INFORMATION:
Product Code: MDP-VGDVHD-ADP
Available Length: 25cm

USB Cables



USB 3.0 Type A to Type A Extension Cable - Male to Female

This ALOGIC USB 3.0 Type A to Type A Extension Cable - Male to Female is mostly used to extend a USB 3.0 connection between a USB enabled peripheral like a Keyboard, Mouse, hard drive etc and a USB 3.0 port on a computer or a connected USB Hub.

ORDERING INFORMATION:
Product Code: USB3-XX-AA | *XX=Length
Available Length: 1m, 2m, 3m



USB 3.0 Type A to Type B Cable - Male to Male

This ALOGIC USB 3.0 Type A to Type B Cable - Male to Male is mostly used to connect a USB 3.0 Type B enabled peripheral such as a Hard drive, Printer, Scanner, Docking Station etc to a host computer through a USB 3.0 port.

ORDERING INFORMATION:
Product Code: USB3-XX-AB | *XX=Length
Available Length: 1m, 2m, 3m



USB 3.0 Type A to Type B Micro Cable - Male to Male

This USB 3.0 Type A to Type B Micro Cable - Male to Male is mostly used to connect a mobile device like a phone, tablet, PDA, GPS etc enabled with a USB 3.0 micro USB connector to a computer for charging or syncing of data. The cable is also used with USB wall chargers for charging the micro USB enabled device.

ORDERING INFORMATION:
Product Code: USB3-01-MCAB | *XX=Length
Available Length: 1m, 2m, 3m



USB 2.0 Type A to Type A Extension Cable - Male to Female

This ALOGIC USB 2.0 Extension Cable - Type A Male to Type A Female is mostly used to extend a USB 2.0 connection between a USB enabled peripheral like a Keyboard, Mouse, hard drive etc and a USB 2.0 port on a computer or a connected USB Hub.

ORDERING INFORMATION:
Product Code: USB2-XX-AA | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m



USB 2.0 Type A to Type B Cable - Male to Male

This ALOGIC USB 2.0 Type A to Type B Cable - Male to Male is mostly used to connect a USB Type B enabled peripheral such as a Hard drive, Printer, Scanner, Docking Station etc to host computer through a USB port.

ORDERING INFORMATION:
Product Code: USB2-XX-AB | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m



USB 2.0 Type A to Type A Cable - Male to Male

This USB 2.0 Type A to Type A Cable - Male to Male is mostly used to connect two USB host devices* or for cascading between two USB devices. The cable is also backwards compatible with USB 1.1 specifications.

ORDERING INFORMATION:
Product Code: USB2-XX-AM-AM | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m



USB 2.0 Type A to Type B Mini Cable - Male to Male

This USB 2.0 Type A to Type B Mini Cable - Male to Male is mostly used to connect a mobile device like a phone, tablet, PDA, GPS, camera etc enabled with a mini USB connector to a computer for charging or syncing of data.

ORDERING INFORMATION:
Product Code: USB2-XX-MAB | *XX=Length
Available Length: 1m, 2m, 5m



USB 2.0 Type A to Type B Micro Cable - Male to Male

This USB 2.0 Type A to Type B Micro Cable - Male to Male is mostly used to connect a mobile device like a phone, tablet, PDA, GPS etc enabled with a micro USB connector to a computer for charging or syncing of data.

ORDERING INFORMATION:
Product Code: USB2-02-MCAB | *XX=Length
Available Length: 1m, 2m



30cm USB 2.0 Type B Micro to Type A OTG Adapter - Male to Female

The 30cm USB 2.0 Type B Micro to Type A OTG Adapter - Male to Female adapter is the ideal solution to convert a USB 2.0 Type B Micro Port found on most mobile devices, like phones and tablets to a full size USB 2.0 port, which makes it easy to connect a USB peripheral such as a thumb drive to your mobile device.

ORDERING INFORMATION:
Product Code: USB2-MCAB-ADP
Available Length: 30cm

Audio Visual Cables



Stereo Audio (M) to 2 X 3.5mm Stereo Audio (F) Splitter Cable - (1) Male to (2) Female

The ALOGIC 3.5mm Stereo Audio (M) to 2 X 3.5mm Stereo Audio (F) Splitter ADAPTER - (1) Male to (2) Female adapter is used to split 3.5mm stereo audio connection from a computer, MP3 Players, Mobile Phones, Tablets, other any other devise equipped with 3.5mm jack to 3.5mm connections.

ORDERING INFORMATION:
Product Code: 3.5-Y-MFF



3.5mm Stereo Audio Extension Cable - Male to Female

The ALOGIC 3.5mm Stereo Audio Extension Cable - Male to Female cable is used for to extend a 3.5mm stereo audio connection from an existing 3.5mm cable between a computer, MP3 Players, Mobile Phones, Tablets, other any other devise equipped with 3.5mm jack to a multimedia speaker with a 3.5mm jack.

ORDERING INFORMATION:
Product Code: AD-EXT-XX | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m, 15m, 20m



2m 3.5mm Stereo Audio to 2 X RCA Stereo Male Cable - (1) Male to (2) Male

The ALOGIC 3.5mm Stereo Audio to 2 X RCA Stereo Male Cable - (1) Male to (2) Male cable is used for quality audio applications such as to connects computer, MP3 Players, Mobile Phones, Tablets, other any other devise equipped with 3.5mm jack to a multimedia speakers and home theatre systems.

ORDERING INFORMATION:
Product Code: AD-SPL-XX | *XX=Length
Available Length: 2m, 5m, 10m



3.5mm Stereo Audio Cable - Male to Male

The ALOGIC 3.5mm Stereo Audio Cable - Male to Male cable is used for quality audio applications such as to connects computer, MP3 Players, Mobile Phones, Tablets, other any other devise equipped with 3.5mm jack to a multimedia speaker with a 3.5mm jack.

ORDERING INFORMATION:
Product Code: MM-AD-XX | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m, 15m, 20m



TV antenna Cable- Male to Male

The ALOGIC TV Antenna Cable - Male to Male is mostly used for connecting Television, VCR, DVD recorder or Amplifier to an internal or external antenna. It's also useful for extending the length of regular male to female antenna cables for long runs.

ORDERING INFORMATION:
Product Code: TV-MM-XX | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m, 15m



Fibre Toslink Digital Audio Cable - Male to Male

The ALOGIC Fibre Toslink Digital Audio Cable - Male to Male cables are mostly used to connect DVD/Blue Ray player, HiFi System, Satellite Receiver, Game Console or other digital audio equipment for clear and completely detailed sound.

ORDERING INFORMATION:
Product Code: TL-AD-XX | *XX=Length
Available Length: 1m, 2m, 3m, 5m



3 RCA to RCA 3 Component Cable - Male to Male

The ALOGIC 3 RCA to RCA 3 Composite Cable - Male to Male cable is used to mostly connect a DVD/Blue Ray player, HiFi System, Satellite Receiver, Game Console to TV or Display enabled with a RCA input.

ORDERING INFORMATION:
Product Code: RCA3-RCA3-XX | *XX=Length
Available Length: 1m, 2m, 3m, 10m, 20m



3 RCA to RCA 3 Composite Cable - Male to Male

The ALOGIC 3 RCA to RCA 3 Composite Cable - Male to Male cable is used to mostly connect a DVD/Blue Ray player, HiFi System, Satellite Receiver, Game Console to TV or Display enabled with a RCA input.

ORDERING INFORMATION:
Product Code: RCA3-RCA3-XX | *XX=Length
Available Length: 1m, 2m, 3m, 10m, 20m



1 RCA to 1 RCA Composite Cable - Male to Male

ORDERING INFORMATION:
Product Code:RCA1-RCA1-XX *XX=Length
Available Length: 1m, 2m, 3m, 5m,



Black
Space Grey
Silver



Black
Space Grey
Silver



Black
Space Grey
Silver

USB-A to Micro USB/Lightning/USB-C - Male to Male

The ALOGIC USB-C to Micro USB/Lightning /USB-C Cable lets you charge your various USB & Lightning devices and sync your data between your mobile device and computer.

ORDERING INFORMATION:

Product Code: MU23T1-XXXXXX | *XX= Length *YYY= Colour
*Available in 0.3m & 1m lengths
*Available in 2 Colours

Lightning to USB - Male to Male

The ALOGIC USB to Lightning Cable lets you charge your Lightning device and sync your data between your mobile device and computer.

ORDERING INFORMATION:

Product Code: MU28P-XXXXXX | *XX= Length *YYY= Colour
*Available in 0.3m & 1m lengths
*Available in 2 Colours

USB 3.1 (Gen 2) USB-C to USB-C - Male to Male

The ALOGIC USB 3.1 (Gen 2) USB-C to USB-C Cable allows you to experience up to 10 Gbps transfer speeds, charge devices such as laptops, tablets and phones and transfer audio and video signals up to 4K to displays and monitors with just one cable.

ORDERING INFORMATION:

Product Code: MU31CC-XXXXXX | *XX= Length *YYY= Colour
*Available in 1m & 2m lengths
*USB 3.1 Gen 2 *Available in 3 Colours

USB-C Video Cables



USB-C to HDMI

The ALOGIC USB-C to HDMI Cable connects a USB-C (DisplayPort Alt. Mode)/Thunderbolt 3 enabled computer to a HDMI enabled monitor.

ORDERING INFORMATION:

Product Code: ELUCHD-XX | *XX= Length
*Available in 1m & 2m lengths

USB-C to DisplayPort

The ALOGIC USB-C to DisplayPort Cable connects a USB-C (DisplayPort Alt. Mode)/Thunderbolt 3 enabled computer to a DisplayPort enabled monitor.

ORDERING INFORMATION:

Product Code: ELUCDP-XX | *XX= Length
*Available in 1m & 2m lengths

USB-C to VGA

The ALOGIC USB-C to VGA Cable connects a USB-C (DisplayPort Alt. Mode) /Thunderbolt 3 enabled computer to a VGA enabled monitor.

ORDERING INFORMATION:

Product Code: ELUCVG-XX | *XX= Length
*Available in 1m & 2m lengths

USB-C to DVI

The ALOGIC USB-C to DVI Cable connects a USB-C (DisplayPort Alt. Mode) /Thunderbolt 3 enabled computer to a DVI enabled monitor.

ORDERING INFORMATION:

Product Code: ELUCDV-XX | *XX= Length
*Available in 1m & 2m lengths

Mini DisplayPort Video Cables



Mini DisplayPort to Mini DisplayPort - Male to Male

This ALOGIC Mini DisplayPort Cable Ver 1.2 - Male to Male cable connects a computer with a Mini DisplayPort output to a display enabled with a Mini DisplayPort input. Supports resolutions up to 3840 x 2160.

ORDERING INFORMATION:

Product Code: MDP-MDP-02-MM

Mini DisplayPort to HDMI - Male to Male

This ALOGIC Mini DisplayPort to HDMI Cable - Male to Male cable connects a computer with a Mini DisplayPort output to a display enabled with a HDMI input. Supports resolutions up to 3840 x 2160.

ORDERING INFORMATION:

Product Code: MDP-HDMI-XX-MM | *XX= Length
*Available in 1m, 2m & 3m lengths

Mini DisplayPort to DisplayPort - Male to Male

This ALOGIC Mini DisplayPort to Displayport Cable - Male to Male cable connects a computer with a Mini DisplayPort output to a display enabled with a DisplayPort input. Supports resolutions up to 3840 x 2160.

ORDERING INFORMATION:

Product Code: MDP-DP-XX-MM | *XX= Length
*Available in 1m, 2m & 3m lengths



Mini DisplayPort to DVI - Male to Male

This ALOGIC Mini DisplayPort to DVI Cable - Male to Male cable connects a computer enabled with a Mini DisplayPort output to a display enabled with a DVI input. Supports resolutions up to 1920 x 1200.

ORDERING INFORMATION:

Product Code: MDP-DVI-XX-MM | *XX= Length

*Available in 1m, 2m & 3m lengths



Mini DisplayPort to VGA - Male to Male

This ALOGIC Mini DisplayPort to VGA Cable - Male to Male cable connects a computer enabled with a Mini DisplayPort output to a display enabled with a VGA input. Supports resolutions up to 1920 x 1200.

ORDERING INFORMATION:

Product Code: MDP-VGA-XX-MM | *XX= Length

*Available in 1m, 2m & 3m lengths

Apple Adapters

USB-C Multiport Adapters



USB-C to HDMI/USB 3.0/ USB-C Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor, wired Gigabit Ethernet, USB Peripheral & USB-C Power Delivery.



USB-C to VGA/USB 3.0/Gigabit Ethernet/USB-C Adapter

This USB-C to VGA MultiPort Adapter allows you to connect a VGA Monitor, wired Gigabit Ethernet, USB Peripheral & USB-C Power Delivery.



USB-C to HDMI/4 x USB 3.0 Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor & 4 x USB Peripherals.

ORDERING INFORMATION:

Product Code: VPLUCHDACH-SGR

USB-C to HDMI/USB 3.0/ Gigabit Ethernet/USB-C Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor, wired Gigabit Ethernet, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:

Product Code: MP-UCHDGECH

USB-C to VGA/USB 3.0/Gigabit Ethernet/USB-C Adapter

This USB-C to VGA MultiPort Adapter allows you to connect a VGA Monitor, wired Gigabit Ethernet, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:

Product Code: MP-UCVGGECH

USB-C to HDMI/4 x USB 3.0 Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor & 4 x USB Peripherals.

ORDERING INFORMATION:

Product Code: MP-UCHD3A



USB-C to VGA/4 x USB 3.0 Adapter

This USB-C to VGA MultiPort Adapter allows you to connect a VGA Monitor & 4 x USB Peripherals.



USB-C to DisplayPort/USB 3.0 /USB-C Adapter

This USB-C to DisplayPort MultiPort Adapter allows you to connect a 4K HDMI Monitor, USB Peripheral & USB-C Power Delivery.



USB-C to DVI/USB 3.0/USB-C Adapter

This USB-C to DVI MultiPort Adapter allows you to connect a DVI Monitor, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:

Product Code: MP-UCVG3A



USB-C to HDMI/USB 3.0/ USB-C Adapter

This USB-C to HDMI MultiPort Adapter allows you to connect a 4K HDMI Monitor, USB Peripheral & USB-C Power Delivery.

ORDERING INFORMATION:

Product Code: MP-UCHDCH

ORDERING INFORMATION:

Product Code: MP-UCDPCH

ORDERING INFORMATION:

Product Code: MP-UCHDGECH



Mini DisplayPort Adapters



Mini DisplayPort to DVI Adapter

This ALOGIC Mini DisplayPort to DVI Cable - Male to Male cable connects a computer enabled with a Mini DisplayPort output to a display enabled with a DVI input. Supports resolutions up to 1920 x 1200.

ORDERING INFORMATION:
Product Code: MDP-DVI-AIC

Mini DisplayPort to VGA Adapter

This ALOGIC Mini DisplayPort to VGA Adapter connects a computer enabled with a Mini DisplayPort output to a display enabled with a VGA input. Supports resolutions up to 1920 x 1200.

ORDERING INFORMATION:
Product Code: MDP-VGA-AIC

Mini DisplayPort to HDMI Adapter

This ALOGIC Mini DisplayPort to HDMI Adapter connects a computer enabled with a Mini DisplayPort output to a display enabled with a HDMI input. Supports resolutions up to 1920 x 1200.

ORDERING INFORMATION:
Product Code: MDP-HDMI-AIC



Mini DisplayPort to HDMI Active Adapter

This ALOGIC Mini DisplayPort to HDMI Active Adapter connects a computer enabled with a Mini DisplayPort output to a display enabled with a HDMI input. Supports resolutions up to 3840 x 2160.

ORDERING INFORMATION:
Product Code: MDP-HD4KAC

Mini DisplayPort to DVI Active Adapter

This ALOGIC Mini DisplayPort to DVI Active Adapter connects a computer enabled with a Mini DisplayPort output to a display enabled with a DVI input. Supports resolutions up to 3840 x 2160.

ORDERING INFORMATION:
Product Code: MDP-DVI-ACTV

Mini DisplayPort to VGA Active Adapter

This ALOGIC Mini DisplayPort to VGA Active Adapter connects a computer enabled with a Mini DisplayPort output to a display enabled with a VGA input. Supports resolutions up to 1920 x 1080.

ORDERING INFORMATION:
Product Code: MDP-VGA-ACTV

Mini DisplayPort to DisplayPort Adapter

This ALOGIC Mini DisplayPort to DisplayPort Adapter connects a computer enabled with a Mini DisplayPort output to a display enabled with a VGA input. Supports resolutions up to 1920 x 1200.

ORDERING INFORMATION:
Product Code: MDP-DP-ADP



Mini DisplayPort to HDMI/DisplayPort/DVI Adapter

This Mini DisplayPort to DVI/HDMI/DisplayPort Adapter allows you to connect either a DVI, HDMI or DisplayPort Monitor.

ORDERING INFORMATION:
Product Code: MDP-DPDVHD-ADP

Mini DisplayPort to HDMI/VGA/DVI Adapter

This Mini DisplayPort to VGA/DVI/HDMI Adapter allows you to connect either a VGA, DVI or HDMI Monitor.

ORDERING INFORMATION:
Product Code: MDP-VGDVHD-ADP

Mini DisplayPort to VGA/HDMI Adapter

This Mini DisplayPort to VGA/HDMI Adapter allows you to connect either a VGA or 4K HDMI Monitor.

ORDERING INFORMATION:
Product Code: MDP-VGHD4K-ADP

Apple Adapters



USB-C Video Adapters



USB-C to HDMI Adapter

This USB-C to HDMI Adapter allows you to connect a 4K HDMI Monitor.

ORDERING INFORMATION:
Product Code: UCHD4K-ADP



USB-C to DisplayPort Adapter

This USB-C to DisplayPort Adapter allows you to connect a 4K DisplayPort Monitor.

ORDERING INFORMATION:
Product Code: UCDP-ADP



USB-C to DVI Adapter

This USB-C to DVI Adapter allows you to connect a DVI Monitor.

ORDERING INFORMATION:
Product Code: UCDVI-ADP



USB-C to VGA Adapter

This USB-C to VGA Adapter allows you to connect a VGA Monitor.

ORDERING INFORMATION:
Product Code: UCVGA-ADP



USB-C to Mini DisplayPort Adapter

This USB-C to Mini DisplayPort Adapter allows you to connect a 4K Mini DisplayPort Monitor.

ORDERING INFORMATION:
Product Code: UCMDP-ADP



USB-C to HDMI/VGA/DVI Adapter

This USB-C to VGA/DVI/HDMI Adapter allows you to connect either a VGA, DVI or 4K HDMI Monitor.

ORDERING INFORMATION:
Product Code: UCVGDVHD-ADP



USB-C to VGA/HDMI Adapter

This USB-C to VGA/HDMI Adapter allows you to connect either a VGA or 4K HDMI Monitor.

ORDERING INFORMATION:
Product Code: UCVGHD-ADP



USB-C to Dual DisplayPort Adapter

This USB-C to Dual DisplayPort Adapter allows you to connect 2 dual 4K DisplayPort Monitors or a single 4K DisplayPort Monitor.

ORDERING INFORMATION:
Product Code: UC2DP-ADP



USB-C to Dual HDMI Adapter

This USB-C to Dual HDMI Adapter allows you to connect 2 dual 4K HDMI Monitors or a single 4K HDMI Monitor.

ORDERING INFORMATION:
Product Code: UC2HD-ADP



Thunderbolt™ 3 to Dual DisplayPort Adapter

This Thunderbolt™ 3 to Dual DisplayPort Adapter allows you to connect 2 dual 4K DisplayPort Monitors or a single 5K DisplayPort Monitor via both ports.

ORDERING INFORMATION:
Product Code: TB34K2DP



Thunderbolt™ 3 to Dual HDMI Adapter

This Thunderbolt™ 3 to Dual HDMI Adapter allows you to connect 2 dual 4K HDMI Monitors or a single 5K HDMI Monitor via both ports.

ORDERING INFORMATION:
Product Code: TB34K2HD

Cat5E / Cat 6 / CAT6A Network Cables



CAT5E/CAT6 Network Patch Cables

Available Colours



ALOGIC CAT5e/6 snagless patch cables are ideal for transferring large volumes of voice, data, video and communications signals. ALOGIC CAT5e/6 cables can help to improve the networks speeds by reducing impedance loss and network return loss.

Each of the individual pairs of cables are bonded together to help maintain the twist-spacing throughout the line right up to the termination point. This design minimizes Near-End Crosstalk (NEXT) levels between them which leads to improved performance, low insertion loss and higher data rates.

Slim CAT6 Network Patch Cables

Available Colours



The Ultra Slim Cat6 Cable are constructed of 28 AWG, unshielded, twisted pair, stranded copper with LSZH jacket and high performance RJ45 modular plugs.

Space Saving Design - Reduced Diameter: The smaller cable diameter allows twice the amount of cable to be routed through cable managers and pathways compared to traditional Cat6 patch cables. This saves valuable space in a high density environment and at the same time improved air flow and cooling.

Flexible Cable - Small Bend Radius: Use of UTP stranded 28 AWG copper cable allows for a very flexible patch cable with tight bend radius suitable for high density installations and superior cable management.

CAT6A Shielded (SFTP) Network Patch Cables

Available Colours



ALOGIC Cat6A shielded network cables are designed to meet and exceed the requirements for the next generation 10GBASE-T applications.

The ALOGIC Cat6A cabling system provides an End to End solution that provides a guaranteed 750 Mhz of usable bandwidth. The ALOGIC Cat6A solution consists of Pre Terminated Cables, Patch Panels, Modular Jacks, Connectors and Bulk Installation.

Features

- Engineered to meet and exceed the ANSI/ TIA/EIA-568-C.2 Category 6 requirements.
- Compatible with T568A and T568B wiring.
- Category 6 UTP cable wired straight through. 24 AWG, gold plated 8x8 (RJ45) connectors.
- Snag-free strain relief boot provides secure and accurate connection.
- Suitable for 1000BASE-TX Fast Ethernet, & Lower; Performance rated beyond 550 MHz.

Features

- Exceeds all ANSI/TIA-568-C.2 Category 6 and ISO 11801 Class E Edition 2.1 electrical performance requirements.
- Ultra Slim design saves valuable space.
- Suitable for high density environment.
- Flexible cable allows for high bend radius.
- 50u gold plated connected connectors and 100% copper construction.
- Fully moulded tangle free snag-less boot allow for a clean and time saving install and move.
- Available in ten colours for colour coding your installation.

Features

- Cables are tested to meet and go beyond the ANSI/ TIA/ EIA 568-C.2 Category 6A standard.
- Suitable for up to 10G applications, include 10GBASE-T Ethernet, 1000BASE-TX Fast Ethernet, & Lower; Performance rated beyond 750 MHz.
- Compatible with T568A and T568B wiring.
- Category 6a SFTP cable wired straight through. 26 AWG, goldplated 8x8 (RJ45) connectors.
- Snag-free strain relief boot provides secure and accurate connection.
- Suppresses ANEXT (Alien Near End Cross Talk) and delivers superior 10 GbE performance up to 100m.

ORDERING INFORMATION:

Product Code : C5-XX-YYY | C6-XX-YYY

*XX=Length, YYY=Colour

Available Color: Blue, Black, Green, Yellow, Orange, White, Purple, Red, Grey, Pink

Available Length: 0.5m, 1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m, 50m

ORDERING INFORMATION:

Product Code: C6S-XX-YYY | *XX=Length, YYY=Colour

Available Colours: Blue, Black, Green, Yellow,

White, Purple, Red, Orange, Grey, Pink

Available Length: 0.5m, 1m, 2m, 3m, 5m, 10m,

15m, 20m, 25m, 50m

ORDERING INFORMATION:

Product Code: C6A-XX-YYY-SH | *XX=Length, YYY=Colour

Available Colours: Blue, Black, Green, Yellow,

White, Purple, Red, Orange, Grey, Pink,

Available Length: 0.5m, 1m, 2m, 3m, 5m, 10m,

15m, 20m, 25m, 50m

Fibre Cables



Multi Mode Duplex LSZH Fibre Cable 62.5/125 OM1

The Multi Mode OM1 cables are designed to support Gigabit Fibre & ethernet channel, the cables are capable of supporting 1Gigabit applications upto over 250m length.

ORDERING INFORMATION:

Product Code: OO-XX-OM1 | *XX=Length
**OO=LC LC, LC-SC, LC-ST, SC-SC, SC-ST, ST-ST, MTRJ-MTRJ,
MTRJ-LC, MTRJ-SC, MTRJ-ST

Available Length: 1m, 2m, 3m, 5m, 10m, 15m, 20m



10G Multi Mode Duplex LSZH Fibre Cable 50/125 OM3

The Multi Mode OM3 cables are designed to support high transfer speed, the cables are capable of supporting up to 10gigabit applications at the same time being backward compatible with 50/125 OM2 infrastructure.

ORDERING INFORMATION:

Product Code: OO-XX-OM 3 | *XX=Length
**OO=LC LC, LC-SC, LC-ST, SC-SC, SC-ST, ST-ST, MTRJ-MTRJ,
MTRJ-LC, MTRJ-SC, MTRJ-ST

Available Length: 1m, 2m, 3m, 5m, 10m, 15m, 20m



40G/100G Multi Mode Duplex LSZH Fibre Cable 50/125 OM4

The Multi Mode OM4 cables are designed to support very high transfer speed, the cables are capable of supporting up to 100gigabit applications at the same time being back- ward compatible with OM3 and OM2 infra- structure.

ORDERING INFORMATION:

Product Code: OO-XX-OM 4 | *XX=Length
**OO=LC LC, LC-SC, LC-ST, SC-SC, SC-ST, ST-ST, MTRJ-MTRJ,
MTRJ-LC, MTRJ-SC, MTRJ-ST

Available Length: 1m, 2m, 3m, 5m, 10m, 15m, 20m



Single Mode Duplex LSZH Fibre Cable 9/125 OS 2

The Single mode OS1 cables are designed to support very high transfer speed, the cables are capable of supporting up to 100gigabit applications over very long distances.

ORDERING INFORMATION:

Product Code: OO-XX-O S2 | *XX=Length
**OO=LC LC, LC-SC, LC-ST, SC-SC, SC-ST, ST-ST, SCA-LC, SCA-SC, SCA-SCA
Available Length: 1m, 2m, 3m, 5m, 10m, 15m, 20m

The cables meet or exceed industry standard specifications; each cable is individually tested for maximum reliability and comes with performance reports.



Pre-Terminated Fibre Cable (Multicore) - Multimode and Singlemode

The Pre-Terminated Multicore Fibre Cables are fully protected and designed for pulling through cable ducts. Built using high quality components and internal/external LSZH cable, it is supplied on a cable drum for rapid deployment.

- Choose from multimode OM1, OM3, OM4 and Singlemode OS2 pre-term fibre cables
- Loose tube and tight buffered multicore cables from 4 to 24 cores
- Armoured cable options available in loose tube corrugated steel tape (CST) & steel wire armour (SWA)
- Choose from ST, SC/APC, LC and MTRJ connectors
- Available in up to 2000m length

Power Cables



Available Colours ■ ■ ■ ■ ■

Coloured IEC C19 To IEC C20 Power Extension Cable - Male To Female Cable

This cable is mostly used with Computers, Server and other high end equipments which have a 15A or a similar equipments, which is required to be connected to a Power Distribution Strip or a UPS.

ORDERING INFORMATION:
Product Code: MF-C19C20-XX-XXX | *XX=Length **XXX=Colour
Available Length: 0.5m, 1m, 2m, 3m, 5m

IEC C19 To IEC C20 Power Extension Cable - Male To Female Cable

This cable is mostly used with Computers, Server and other high end equipments which have a 15A or a similar equipments, which is required to be connected to a Power Distribution Strip or a UPS.

ORDERING INFORMATION:
Product Code: MF-C19C20-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m

Available Colours ■ ■ ■ ■ ■

Coloured IEC C14 to IEC C15 High Temperature - Male to Female

This IEC C14 to IEC C15 High Temperature cable is mostly used in high temperature applications with HP/ CISCO Switches & devices. The IEC C15 Connector on the cable is notched at the bottom, and can still be used where IEC C13 connector is used but NOT vice versa.

ORDERING INFORMATION:
Product Code: MF-C14C15-XX-XXX | *XX=Length **XXX=Colour
Available Length: 0.5m 1m, 1.5m, 2m, 3m, 5m



Available Colours ■ ■ ■ ■ ■

Coloured IEC C13 to IEC C14 Computer Power Extension Cord - Male to Female

IEC C13 to IEC C14 Power Extension cable is mostly used with Computers, Servers, Monitors, Desktops Printers and other similar equipments. The cable features a fully moulded design for strength and durability.

ORDERING INFORMATION:
Product Code: MF-C13C14-XX | *XX=Length
Available Length: 0.5m 1m, 1.5m, 2m, 3m, 5m

ORDERING INFORMATION:
Product Code: MF-C13C14-XX-XXX | *XX=Length **XXX=Colour
Available Length: 0.5m 1m, 1.5m, 2m, 3m, 5m

IEC C14 to IEC C15 High Temperature - Male to Female

This IEC C14 to IEC C15 High Temperature cable is mostly used in high temperature applications with HP/ CISCO Switches & devices. The IEC C15 Connector on the cable is notched at the bottom, and can still be used where IEC C13 connector is used but NOT vice versa.

ORDERING INFORMATION:
Product Code: MF-C14C15-XX | *XX=Length
Available Length: 0.5m 1m, 1.5m, 2m, 3m, 5m



IEC C14 Plug to 2 X IEC C13 Y Splitter Cable - Male to 2 X Female

This IEC C14 to 2 X IEC C13 Y-Cord is a 10 Amp 3-core power cord fitted with 2 X IEC-C13 Female connectors and 1 X IEC C14 Male plug. Suitable for supply of power to two monitors or devices from a single power outlet.

ORDERING INFORMATION:
Product Code: MFF-C14C13-XX | *XX=Length
Available Length: 0.4m, 2m

IEC C14 To IEC C5 - Male to Female Cable

This cable is used on mostly to connect power supplies found in thin clients and other such small devices to a UPS or a Power Distribution unit with a IEC C13 output.

ORDERING INFORMATION:
Product Code: MF-C14C5-XX | *XX=Length
Available Length: 1m, 2m, 3m, 5m

IEC C13 To IEC C14 Medical Grade Power Cable - Male to Female (10A)

This clear IEC C13 to IEC C14 is Class 2 rated power cable suitable for use with medical equipments. This cable features orange flex outer sheath with transparent plugs. This cable is fitted with insulated pins compliant with AS/NZS 3112.

ORDERING INFORMATION:
Product Code: MF-C13C14-XX-MC | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m

Power Cables



Available Colours

Aus 3 Pin Mains Plug To IEC C13 - Male to Female (10A)

This cable is used with most computers and office equipment. The cable is fitted with IEC-C13 female connector and Australian 3-pin mains wall plug (male) with insulated pins compliant with AS/NZS3112.

ORDERING INFORMATION:

Product Code: MF-3PC13-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m, 10m



15Amp Aus 3 Pin Mains Plug to IEC C19 - Male to Female

Aus 3 Pin Mains Plug to IEC C19 - Male to Female cable is mostly used with Computers, Servr and other high end equipments which have a 15A or a similar equipments. The cable features a fully moulded design for strength and durability.

ORDERING INFORMATION:

Product Code: MF-3PC19-XX | *XX=Length
Available Length: 1m, 1.5m, 2m, 3m



Aus 3 Pin Mains Plug to IEC C7 - Male To Female

This cable is 2-core power cables used on mostly compact Power Supplies found in laptops and other such small appliances.

ORDERING INFORMATION:

Product Code: MF-AUS2PC7-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m



Aus 3 Pin Mains Plug to IEC C5 - Male to Female

This Aus 3 Pin Mains Plug to IEC C5 - Male to Female Clover Leaf Power Cable is 3-core power cables used on mostly compact Power Supplies found in laptops and other such small appliances.

ORDERING INFORMATION:

Product Code: MF-AUS3PC5-0-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m



Aus 3 Pin Mains Power Extension - Male to Female

Aus 3 Pin Mains Power Extension - Male to Female Power Extension cable is mostly used in normal duty household or Office applications. The cable has moulded design and an easy to use grip for easy handling.

ORDERING INFORMATION:

Product Code: MF-PEXT-XX | *XX=Length
Available Length: 2m, 3m, 5m, 10m, 15m, 20m, 25m



IEC C14 To Aus 3 Pin Mains Plug - Male to Female

This cable is mostly used to connect a device with a standard mains plug to an IEC-C13 connector, most widely used application is to connect Computer, Servers etc to a UPS.

ORDERING INFORMATION:

Product Code: MF-C14AUS3P-XX | *XX=Length
Available Length: 0.15m, 1.5m



Aus 3 Pin Mains Plug to IEC C15 High Temperature - Male To Female

This Power Cable with elastomer flex is mostly used in computer servers and home appliances with high temperature requirements.

ORDERING INFORMATION:

Product Code: MF-3PC15-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m



Aus 3 Pin Mains Plug to 90 ° IEC C15 High Temperature - Male To Female

This IEC C14 to 90°IEC C13 High Temperature cable is mostly used in high temperature applications with HP/ CISCO Switches & devices. The IEC C15 Connector on the cable is notched at the bottom, and can still be used where IEC C13 connector is used but NOT vice versa.

ORDERING INFORMATION:

Product Code: MF-3PRTC15-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m, 10m



IEC C14 to Down Angle IEC C15 High Temperature - Male to Female

This Power Cable with elastomer flex is mostly used in computer servers and home appliances with high temperature requirements.

ORDERING INFORMATION:

Product Code: MF-C14RTC15-02
Available Length: 2m

Power Cables



Right Angle Aus 3 Pin Mains Plug To IEC C13 - Male to Female (10A)

This cable is used with most computers and office equipment. The cable is fitted with IEC-C13 female connector and right angled Australian 3-pin mains wall plug (male) with insulated pins compliant with AS/NZS3112.

ORDERING INFORMATION:

Product Code: MF-3PRTC13-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m, 10m



Aus 3 Pin Mains Plug To Right Angled IEC C13 - Male to Female (10A)

This cable is used with most computers and office equipment. The cable is fitted with right-angled IEC-C13 female connector and Australian 3-pin mains wall plug (male) with insulated pins compliant with AS/NZS3112.

ORDERING INFORMATION:

Product Code: MF-3PC13RT-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m, 10m



Aus 3 Pin Mains Plug to 2 X IEC13 Y Splitter Cable - Male to 2 X Female

This Aus 3 Pin Mains Plug to 2 X IEC C13 Y Splitter Cable - Male to 2 X Female is 10 Amp is mostly used to simultaneously power a PC and monitor from a single power outlet.

ORDERING INFORMATION:

Product Code: MF-AUS3P2C13-XX | *XX=Length
Available Length: 0.5m, 1m, 2m, 3m, 5m



10Amp Aus 3 Pin Mains Plug to IEC C19 - Male to Female

Aus 3 Pin Mains Plug to IEC C19 - Male to Female cable is mostly used with computer, server, switches and other high end equipments which have 10Amp power requirement. The cable features a fully moulded design for strength and durability.

ORDERING INFORMATION:

Product Code: MF-3PC19-02-10A
Available Length: 2m



Aus 3 Pin Mains Plug To IEC C13 Medical Grade Power Cable - Male to Female (10A)

This clear 3 pin Australian mains plugs to IEC C13 is Class 2 rated power cable suitable for use with medical equipments. This cable features orange flex outer sheath with transparent plugs. This cable is fitted with insulated pins compliant with AS/NZS 3112.

ORDERING INFORMATION:

Product Code: MF-AUS3PC13-XX-MC | *XX=Length
Available Length: 1m, 2m, 3m, 5m, 10m



Aus 3 Pin Mains Plug To Right Angled IEC C13 Medical Grade Power Cable - Male to Female (10A)

This clear 3 pin Australian mains plugs to right angled IEC C13 is Class 2 rated power cable suitable for use with medical equipments. This cable features orange flex outer sheath with transparent plugs. This cable is fitted with insulated pins compliant with AS/NZS 3112.

ORDERING INFORMATION:

Product Code: MF-AUS3PC13RT-XX-MC | *XX=Length
Available Length: 1m, 2m, 3m, 5m



Aus 2 Pin Mains Plug To IEC C7 Medical Grade Power Cable - Male to Female (10A)

This clear 2 pin Australian mains plugs to IEC C7 is Class 2 rated power cable suitable for use with medical equipments. This cable features orange flex outer sheath with transparent plugs. This cable is fully fitted with insulated pins compliant with AS/NZS 3112.

ORDERING INFORMATION:

Product Code: MF-AUS2PC7-XX-MC | *XX=Length
Available Length: 1m, 2m, 3m, 5m



www.alogic.co

© ALOGIC. All rights reserved. Reproduction in whole or in part without permission is prohibited.
All other trademarks are the properties of their owners. Tested to Comply with FCC and CE Standards.
HOME OR OFFICE USE.