



1 Overview

The ALOGIC Pro Series High Speed Micro HDMI to HDMI with Ethernet Cable - Male to Male VER 2.0 is used to connect Micro HDMI enabled device like mobile phone, tablet or a digital camera or camcorder to a HD Display or a projector. This quality-made cable can deliver a crisp, clear audio/video signal for less. This HDMI cables has a premium built quality with Gold-plated connectors and is suitable for both home and commercial applications. The fully moulded connector and the PVC jacket provides added flexibility and durability for all types of installation.


2 Features

- * Premium Quality Cable.
- * Warranty: Life Time.
- * Premium Retail Box Packaging.

3 Specifications

- * Gold-plated connectors.
- * Braided shielded for reduced interference.
- * Conforms to HDMI Ver 2.0 Specification.
- * Supports 3D and Ultra HD.
- * Supports ARC.
- * High Speed HDMI with Ethernet.
- * (1) HDMI Type D Micro Male to (1) HDMI Type A Male

4 Design:




No.	Part No.	Descriptions	Q'ty
①	01-1187DG	Cable(OD:4.5mm)	1
②	02-1472P	HDMI A Plug	1
③	02-1470P	HDMI D Plug	1

5 Cable Specifications:


6 Wiring Diagram

01-1187DG



HDMI A Plug

HDMI D Plug



A	Conductor	Ø 0.06mm/7 34AWG OFC tinned copper wires
	Insulator	Ø 0.5mm FPE+SKIN
	Drain	Ø 0.1mm/7 30AWG OFC tinned copper wires
	Shield	Aluminium foil
B	Conductor	Ø 0.08mm/7 32AWG OFC tinned copper wires
	Insulator	Ø 0.5mm FPE
C	Shield	Aluminium foil
D	Drain	Ø 0.1mm/7 OFC bare copper wires
E	Shield	Ø 0.12mm/16x3 OFC tinned copper braided
F	Filler	Filler
G	Jacket	Ø 4.5mm PVC in dark gray colour

6 Part No.

Part No.	Length	Packaging	Colour
HDD-MM-01-V2	1m	Retail Box	■ Dark Grey
HDD-MM-02-V2	2m	Retail Box	■ Dark Grey
HDD-MM-03-V2	3m	Retail Box	■ Dark Grey

7 Connection Guide

