




```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from scipy import stats
from scipy. stats import skew, kurtosis, mode
import seaborn as sns
```

```
df = pd.read_csv('hotel_books.csv')
df.head(5)
```



	day	clients	total_bill	
0	1	33	23958	
1	2	25	26812	
2	3	5	24871	
3	4	17	17954	
4	5	28	29416	


Next steps:

[Generate code with df](#)

 [View recommended plots](#)


[New interactive sheet](#)

```
df.dtypes
```




	0
day	int64
clients	int64
total_bill	int64
dtype:	object


```
df.isnull(). sum()
```




	0
day	0
clients	0
total_bill	0
dtype:	int64


```
sns.histplot(df['clients'], kde=True)
```

 <Axes: xlabel='clients', ylabel='Count'>




```
sns.histplot(df['total_bill'], kde=True)
```

 <Axes: xlabel='total_bill', ylabel='Count'>



```
skew1 = df['clients']. skew()
kurt1 = df['clients']. kurt()
print(f'Skewness for the number of hotel clients in a day:{skew1}')
print(f'Kurtosis for the number of hotel clients in a day:{kurt1}')
```

 Skewness for the number of hotel clients in a day:-0.05968808896371035
Kurtosis for the number of hotel clients in a day:-1.1388703400867874

```
skew1 = df['total_bill']. skew()
kurt1 = df['total_bill']. kurt()
print(f'Skewness for the total bill collected from clients per day:{skew1}')
print(f'Kurtosis for the total bill collected from clients per day:{kurt1}')
```

➞ Skewness for the total bill collected from clients per day:0.18976914965853053
Kurtosis for the total bill collected from clients per day:-1.130219880444574

```
df.describe()
```

➞

	day	clients	total_bill	
count	30.000000	30.000000	30.000000	
mean	15.500000	25.666667	28344.233333	
std	8.803408	13.557879	12441.769892	
min	1.000000	5.000000	7534.000000	
25%	8.250000	16.000000	18335.000000	
50%	15.500000	28.000000	25841.500000	
75%	22.750000	35.750000	39810.250000	
max	30.000000	49.000000	49450.000000	

```
stats.mode(df['clients'])
```

➞ ModeResult(mode=8, count=4)

```
stats.mode(df['total_bill'])
```

➞ ModeResult(mode=7534, count=1)

Start coding or [generate](#) with AI.