





log total new biomass (a) estimated root mass for scored plants
Sample Quantiles
Theoretical Quantiles
−4
−2
0
2
−3
−2
−1
0
1
2
3



log total new biomass (a) estimated root mass for scored plants
Scaled residual
Fitted
−4
−2
0
2
−0.4
0.0
0.2
0.4
0.6
0.8


log total new biomass (b) scored plants excluded
Sample Quantiles
Theoretical Quantiles
−4
−3
−2
−1
0
1
−3
−2
−1
0
1
2
3



log total new biomass (b) scored plants excluded
Scaled residual
Fitted
−4
−3
−2
−1
0
1
−0.4
0.0
0.2
0.4
0.6


leaf mass fraction (a) estimated root mass for scored plants







leaf mass fraction (b) scored plants excluded







root mass fraction (a) estimated root mass for scored plants







root mass fraction (b) scored plants excluded







stem mass fraction (a) estimated root mass for scored plants








stem mass fraction (b) scored plants excluded









log root:shoot (a) estimated root mass for scored plants
Sample Quantiles
Theoretical Quantiles
−3
−2
−1
0
1
2
3
−2
0
2
4


log root:shoot (a) estimated root mass for scored plants
Scaled residual
Fitted
−0.5
0.0
0.5
−2
0
2
4



log root:shoot (b) scored plants excluded
Sample Quantiles
Theoretical Quantiles
−3
−2
−1
0
1
2
3



log root:shoot (b) scored plants excluded
Scaled residual
Fitted
−0.5
0.0
0.5
1.0


log_total_new colonized
Sample Quantiles
Theoretical Quantiles
−2
−1
0
1
2
−1
0
1
2


log_total_new colonized
Scaled residual
Fitted
−1
0
1
2
−0.2
0.2
0.4
0.6
0.8
1.0

RMF colonized





LMF colonized

