General Instruction

- Submit uncompressed file(s) in the Dropbox folder via BeachBoard (Not email).
- 1. Using scikit learn, evaluate the classification accuracy of the decision tree, bagging, AdaBoost, and Random forest.
 - (a) Find the Assn12.py and use the 'Gini' index as the criterion.
 - (b) (5 points) Complete the method decision_tree that generate a decision tree from X_train, y_train and predict y from X_test. This method should record its prediction accuracy at tree_score.
 - (c) (10 points) Similarly, complete the method bagging that generate multiple decision trees using the bagging. This method should record its prediction accuracy at bagging_score by varying the parameter n_estimators. Draw a chart whose X-axis is n_estimators and Y-axis bagging_score, and the chart should have more than 20 data points of different X-axis values.
 - (d) (5 points) Similarly, complete the method boost that generate multiple decision trees using the AdaBoost. Draw a chart whose X-axis is n_estimators and Y-axis boost_score, and the chart should have more than 20 data points of different X-axis values.
 - (e) (15 points) Similarly, complete the method forest that generate multiple decision trees using the random forest. Draw a chart whose X-axis is n_estimators, Y-axis max_features, and Z-axis forest_score. The chart should have more than 100 data points of different pair of X-axis and Y-axis values.
 - (f) Submit your Assn12.py and a report that includes the charts.