

Same-patient WSI image relationship review

Exploratory visual review for the NDB-UFES data organizer wiki

Image pairs compared in the audit: 397

Pairs included in this review: 72

Patient/case groups represented: 48

Selection rule: only rows marked candidate=True by the same-patient image audit are included.

The audit used feature matches, homography registration, scale estimates, and reprojection error.

The yellow quadrilateral marks the region projected from the original view into the compared image.


The rectified crop and overlay make a possible scaled/cropped relationship easier to inspect.

These pages are image-evidence screening only; they do not prove identity, duplication, or contamination.


Candidate 1/72 | patient/case group 0 | origins 158 and 159

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.068 | scale B->A: 0.246 | geometric inliers: 61 | median reprojection error: 1.591 px
projected target corners in original view: [[216.25999450683594, 1176.4100341796875], [722.219970703125, 1176.3399658203125], [722.1099853515625, 1556.1800537109375], [213.75999450683594, 1558.6800537109375]]
image A: 0158.png | image B: 0159.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 2/72 | patient/case group 1 | origins 120 and 122

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.038 | scale B->A: 0.248 | geometric inliers: 180 | median reprojection error: 1.425 px
projected target corners in original view: [[371.6099853515625, 89.0199966430664], [877.02001953125, 90.72000122070312], [878.6400146484375, 470.6199951171875], [372.29998779296875, 469.67999267578125]]
image A: 0120.png | image B: 0122.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 3/72 | patient/case group 10 | origins 19 and 21

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay



scale A->B: 4.131 | scale B->A: 0.242 | geometric inliers: 139 | median reprojection error: 1.596 px
projected target corners in original view: [[294.3800048828125, 1415.8699951171875], [800.0499877929688, 1415.0699462890625], [800.8800048828125, 1794.969970703125], [291.3999938964844, 1797.719970703125]]


image A: 0019.png | image B: 0021.png

Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 4/72 | patient/case group 13 | origins 56 and 57

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 5/72 | patient/case group 14 | origins 10 and 11

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.096 | scale B->A: 0.244 | geometric inliers: 62 | median reprojection error: 1.403 px
projected target corners in original view: [[781.239990234375, 429.3399963378906], [1284.4200439453125, 429.1499938964844], [1285.0899658203125, 807.6199951171875], [780.739990234375, 807.1900024414062]]
image A: 0010.png | image B: 0011.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 6/72 | patient/case group 14 | origins 10 and 12

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.068 | scale B->A: 0.246 | geometric inliers: 56 | median reprojection error: 1.663 px
projected target corners in original view: [[830.719970703125, 422.8800048828125], [1334.719970703125, 422.8599853515625], [1335.030029296875, 801.3499755859375], [831.2000122070312, 801.0900268554688]]
image A: 0010.png | image B: 0012.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 7/72 | patient/case group 14 | origins 10 and 13

near-scale alignment candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 1.010 | scale B->A: 0.990 | geometric inliers: 2043 | median reprojection error: 0.417 px
projected target corners in original view: [[432.6400146484375, -144.60000610351562], [2488.570068359375, -155.10000610351562], [2484.3798828125, 1392.030029296875], [434.1199951171875, 1384.1199951171875]]
image A: 0010.png | image B: 0013.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 8/72 | patient/case group 14 | origins 11 and 12

near-scale alignment candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 1.007 | scale B->A: 0.993 | geometric inliers: 1862 | median reprojection error: 0.999 px
projected target corners in original view: [[206.0500030517578, -22.360000610351562], [2254.77001953125, -28.8999999618530273], [2253.72998046875, 1513.1700439453125], [205.77999877929688, 1508.199951171875]]
image A: 0011.png | image B: 0012.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 9/72 | patient/case group 14 | origins 11 and 13

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.248 | scale B->A: 4.039 | geometric inliers: 58 | median reprojection error: 0.291 px
projected target corners in original view: [[350.69000244140625, 575.1699829101562], [854.8800048828125, 576.3800048828125], [856.0599975585938, 954.7000122070312], [349.6499938964844, 954.6599731445312]]
image A: 0011.png | image B: 0013.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 10/72 | patient/case group 14 | origins 12 and 13

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.247 | scale B->A: 4.053 | geometric inliers: 64 | median reprojection error: 0.450 px
projected target corners in original view: [[401.19000244140625, 569.9299926757812], [905.010009765625, 570.219970703125], [906.0599975585938, 948.1400146484375], [400.4599914550781, 948.3599853515625]]
image A: 0012.png | image B: 0013.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 11/72 | patient/case group 18 | origins 205 and 206

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.241 | scale B->A: 4.141 | geometric inliers: 74 | median reprojection error: 0.390 px
projected target corners in original view: [[1061.4000244140625, 1228.3800048828125], [1563.8900146484375, 1228.6400146484375], [1569.1600341796875, 1610.489990234375], [1059.0400390625, 1608.18994140625]]
image A: 0205.png | image B: 0206.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 12/72 | patient/case group 18 | origins 207 and 208

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 13/72 | patient/case group 18 | origins 209 and 210

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.078 | scale B->A: 0.245 | geometric inliers: 114 | median reprojection error: 1.100 px
projected target corners in original view: [[777.5800170898438, 573.47998046875], [1280.9200439453125, 574.01009765625], [1281.8900146484375, 952.3800048828125], [776.530029296875, 952.3300170898438]]
image A: 0209.png | image B: 0210.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 14/72 | patient/case group 21 | origins 142 and 143

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.394 | scale B->A: 0.228 | geometric inliers: 157 | median reprojection error: 0.998 px
projected target corners in original view: [[1214.1199951171875, 855.47998046875], [1719.469970703125, 851.9000244140625], [1722.449951171875, 1236.6199951171875], [1212.7099609375, 1233.5400390625]]
image A: 0142.png | image B: 0143.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 15/72 | patient/case group 21 | origins 144 and 147

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.249 | scale B->A: 4.008 | geometric inliers: 90 | median reprojection error: 0.386 px
projected target corners in original view: [[66.37999725341797, 337.6000061035156], [574.1500244140625, 339.55999755859375], [575.5900268554688, 718.52001953125], [66.66000366210938, 718.5]]
image A: 0144.png | image B: 0147.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 16/72 | patient/case group 24 | origins 181 and 182

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 3.977 | scale B->A: 0.251 | geometric inliers: 100 | median reprojection error: 1.226 px
projected target corners in original view: [[289.57000732421875, 471.1199951171875], [795.6799926757812, 473.489990234375], [796.8400268554688, 850.4099731445312], [288.489990234375, 853.469970703125]]
image A: 0181.png | image B: 0182.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 17/72 | patient/case group 25 | origins 85 and 86

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (B)




Compared view (A)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 18/72 | patient/case group 28 | origins 72 and 74

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.202 | scale B->A: 0.238 | geometric inliers: 186 | median reprojection error: 1.634 px
projected target corners in original view: [[1007.7899780273438, 716.0399780273438], [1511.4599609375, 714.5499877929688], [1512.81005859375, 1094.4000244140625], [1006.1500244140625, 1093.1500244140625]]
image A: 0072.png | image B: 0074.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 19/72 | patient/case group 28 | origins 73 and 75

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 20/72 | patient/case group 31 | origins 32 and 33

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.143 | scale B->A: 0.241 | geometric inliers: 55 | median reprojection error: 1.617 px
projected target corners in original view: [[986.219970703125, 558.8499755859375], [1489.0400390625, 558.1699829101562], [1490.0400390625, 936.4600219726562], [984.9099731445312, 935.7899780273438]]
image A: 0032.png | image B: 0033.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 21/72 | patient/case group 31 | origins 34 and 35

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.062 | scale B->A: 0.246 | geometric inliers: 49 | median reprojection error: 1.816 px
projected target corners in original view: [[408.44000244140625, 577.75], [912.5, 577.760009765625], [912.6799926757812, 955.4400024414062], [408.32000732421875, 955.5800170898438]]
image A: 0034.png | image B: 0035.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 22/72 | patient/case group 34 | origins 168 and 169

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.044 | scale B->A: 0.247 | geometric inliers: 190 | median reprojection error: 1.746 px
projected target corners in original view: [[507.8399963378906, 234.0399932861328], [1012.239990234375, 234.97999572753906], [1013.0399780273438, 614.0], [507.7300109863281, 613.9500122070312]]
image A: 0168.png | image B: 0169.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 23/72 | patient/case group 34 | origins 168 and 170

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.085 | scale B->A: 0.245 | geometric inliers: 38 | median reprojection error: 1.103 px
projected target corners in original view: [[1318.8800048828125, 200.57000732421875], [1827.68994140625, 197.8000030517578], [1825.739990234375, 579.4500122070312], [1318.5799560546875, 580.4199829101562]]


image A: 0168.png | image B: 0170.png

Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 25/72 | patient/case group 39 | origins 2 and 3

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.124 | scale B->A: 0.242 | geometric inliers: 54 | median reprojection error: 1.920 px
projected target corners in original view: [[991.2100219726562, 403.3299865722656], [1495.1099853515625, 403.57000732421875], [1494.2099609375, 783.3200073242188], [989.0800170898438, 781.5]]
image A: 0002.png | image B: 0003.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 26/72 | patient/case group 43 | origins 132 and 133

near-scale alignment candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 1.008 | scale B->A: 0.992 | geometric inliers: 335 | median reprojection error: 0.384 px
projected target corners in original view: [[3085.31005859375, 2292.949951171875], [988.969970703125, 2276.169921875], [980.4600219726562, 745.25], [3052.43994140625, 712.989990234375]]
image A: 0132.png | image B: 0133.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 27/72 | patient/case group 43 | origins 132 and 135

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 3.845 | scale B->A: 0.260 | geometric inliers: 53 | median reprojection error: 1.974 px
projected target corners in original view: [[1457.9599609375, 1783.489990234375], [959.260009765625, 1780.1099853515625], [958.1900024414062, 1401.5799560546875], [1465.8699951171875, 1401.760009765625]]
image A: 0132.png | image B: 0135.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 28/72 | patient/case group 43 | origins 133 and 134

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.052 | scale B->A: 0.247 | geometric inliers: 120 | median reprojection error: 1.569 px
projected target corners in original view: [[1633.9599609375, 839.4199829101562], [1129.6500244140625, 834.530029296875], [1132.0999755859375, 456.07000732421875], [1639.0899658203125, 459.3399963378906]]
image A: 0133.png | image B: 0134.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 29/72 | patient/case group 43 | origins 133 and 135

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




scale A->B: 4.126 | scale B->A: 0.242 | geometric inliers: 138 | median reprojection error: 1.584 px
projected target corners in original view: [[1568.0999755859375, 489.1099853515625], [2077.780029296875, 492.1700134277344], [2074.47998046875, 873.5700073242188], [1563.75, 868.25]]
image A: 0133.png | image B: 0135.png
Interpretation is a screening label from image geometry, not a final contamination decision.

Candidate 30/72 | patient/case group 43 | origins 134 and 135

near-scale alignment candidate | classes: OSCC / OSCC




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.985 | scale B->A: 1.015 | geometric inliers: 86 | median reprojection error: 1.179 px
projected target corners in original view: [[282.2699890136719, 1408.219970703125], [-1813.469970703125, 1443.8900146484375], [-1853.6099853515625, -158.9600067138672], [276.3800048828125, -123.37000274658203]]
image A: 0134.png | image B: 0135.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 31/72 | patient/case group 48 | origins 0 and 1

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.059 | scale B->A: 0.246 | geometric inliers: 162 | median reprojection error: 1.458 px
projected target corners in original view: [[874.5800170898438, 446.3500061035156], [1378.6600341796875, 446.2799987792969], [1378.8399658203125, 824.969970703125], [874.010009765625, 825.3599853515625]]


image A: 0000.png | image B: 0001.png

Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)




Perspective-rectified crop




Rectified crop / compared image overlay




Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 34/72 | patient/case group 51 | origins 46 and 47

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (B)




Compared view (A)



Perspective-rectified crop




Rectified crop / compared image overlay




scale A->B: 0.237 | scale B->A: 4.221 | geometric inliers: 137 | median reprojection error: 0.324 px
projected target corners in original view: [[776.760009765625, 418.20001220703125], [1282.739990234375, 415.07000732421875], [1283.6500244140625, 798.5999755859375], [775.75, 795.3900146484375]]
image A: 0046.png | image B: 0047.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 36/72 | patient/case group 53 | origins 113 and 114

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.055 | scale B->A: 0.247 | geometric inliers: 155 | median reprojection error: 1.710 px
projected target corners in original view: [[778.6699829101562, 573.6400146484375], [1282.1400146484375, 573.739990234375], [1282.300048828125, 951.739990234375], [778.0700073242188, 952.3699951171875]]
image A: 0113.png | image B: 0114.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 37/72 | patient/case group 53 | origins 115 and 116

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.098 | scale B->A: 0.244 | geometric inliers: 180 | median reprojection error: 1.217 px
projected target corners in original view: [[563.0800170898438, 574.9199829101562], [1067.5400390625, 574.4199829101562], [1068.1199951171875, 953.72998046875], [562.7000122070312, 953.02001953125]]
image A: 0115.png | image B: 0116.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 38/72 | patient/case group 54 | origins 185 and 186

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.077 | scale B->A: 0.245 | geometric inliers: 133 | median reprojection error: 1.547 px
projected target corners in original view: [[638.0900268554688, 560.75], [1141.7900390625, 560.8599853515625], [1142.780029296875, 939.3599853515625], [637.3200073242188, 939.5900268554688]]
image A: 0185.png | image B: 0186.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 39/72 | patient/case group 54 | origins 187 and 189

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.250 | scale B->A: 3.995 | geometric inliers: 73 | median reprojection error: 0.445 px
projected target corners in original view: [[560.8900146484375, 575.8400268554688], [1063.52001953125, 577.4099731445312], [1065.4000244140625, 955.0800170898438], [557.47998046875, 956.989990234375]]
image A: 0187.png | image B: 0189.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 40/72 | patient/case group 54 | origins 188 and 190

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.248 | scale B->A: 4.038 | geometric inliers: 227 | median reprojection error: 0.407 px
projected target corners in original view: [[786.8300170898438, 572.3800048828125], [1290.550048828125, 572.6799926757812], [1291.260009765625, 951.3699951171875], [786.02001953125, 952.010009765625]]
image A: 0188.png | image B: 0190.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 41/72 | patient/case group 55 | origins 28 and 29

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




scale A->B: 4.140 | scale B->A: 0.242 | geometric inliers: 123 | median reprojection error: 1.415 px
projected target corners in original view: [[528.5499877929688, 612.8699951171875], [1032.1500244140625, 612.5599975585938], [1034.699951171875, 992.0999755859375], [527.8099975585938, 990.989990234375]]
image A: 0028.png | image B: 0029.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 43/72 | patient/case group 58 | origins 109 and 110

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.124 | scale B->A: 0.243 | geometric inliers: 70 | median reprojection error: 1.468 px
projected target corners in original view: [[1175.8699951171875, 992.7000122070312], [1681.1300048828125, 992.77001953125], [1682.3699951171875, 1372.9200439453125], [1175.530029296875, 1371.780029296875]]
image A: 0109.png | image B: 0110.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 44/72 | patient/case group 60 | origins 58 and 59

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (B)




Compared view (A)



Perspective-rectified crop




Rectified crop / compared image overlay




scale A->B: 0.250 | scale B->A: 3.997 | geometric inliers: 213 | median reprojection error: 0.388 px
projected target corners in original view: [[244.80999755859375, 129.57000732421875], [751.3599853515625, 132.52000427246094], [752.8200073242188, 511.239990234375], [246.2899932861328, 511.1099853515625]]
image A: 0058.png | image B: 0059.png

Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 46/72 | patient/case group 65 | origins 195 and 196

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.244 | scale B->A: 4.101 | geometric inliers: 207 | median reprojection error: 0.371 px
projected target corners in original view: [[885.7999877929688, 389.25], [1390.1400146484375, 388.5400085449219], [1390.4300537109375, 768.4400024414062], [885.489990234375, 767.719970703125]]
image A: 0195.png | image B: 0196.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 47/72 | patient/case group 67 | origins 68 and 70

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.111 | scale B->A: 0.243 | geometric inliers: 51 | median reprojection error: 1.277 px
projected target corners in original view: [[650.27001953125, 871.239990234375], [1154.050048828125, 872.0800170898438], [1156.0400390625, 1251.06005859375], [649.010009765625, 1250.760009765625]]
image A: 0068.png | image B: 0070.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 48/72 | patient/case group 67 | origins 69 and 71

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.079 | scale B->A: 0.245 | geometric inliers: 131 | median reprojection error: 1.639 px
projected target corners in original view: [[488.1499938964844, 469.8999938964844], [992.1199951171875, 469.7900085449219], [993.1300048828125, 848.5800170898438], [487.6600036621094, 848.5999755859375]]
image A: 0069.png | image B: 0071.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 49/72 | patient/case group 69 | origins 199 and 200

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.161 | scale B->A: 0.240 | geometric inliers: 181 | median reprojection error: 1.423 px
projected target corners in original view: [[639.6799926757812, 862.4099731445312], [1143.510009765625, 860.8200073242188], [1144.81005859375, 1240.97998046875], [638.6900024414062, 1240.3299560546875]]
image A: 0199.png | image B: 0200.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 50/72 | patient/case group 71 | origins 30 and 31

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay



scale A->B: 4.136 | scale B->A: 0.242 | geometric inliers: 185 | median reprojection error: 1.239 px

projected target corners in original view: [[633.9600219726562, 570.6400146484375], [1138.8499755859375, 569.0], [1138.93994140625, 949.9099731445312], [633.5999755859375, 948.4400024414062]]


image A: 0030.png | image B: 0031.png

Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 51/72 | patient/case group 72 | origins 89 and 94

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 52/72 | patient/case group 72 | origins 90 and 93

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.238 | scale B->A: 4.200 | geometric inliers: 35 | median reprojection error: 0.306 px
projected target corners in original view: [[1017.0700073242188, 989.8499755859375], [1520.77001953125, 988.489990234375], [1523.4599609375, 1370.719970703125], [1016.02001953125, 1367.9300537109375]]
image A: 0090.png | image B: 0093.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 53/72 | patient/case group 74 | origins 152 and 153

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.250 | scale B->A: 4.002 | geometric inliers: 37 | median reprojection error: 0.357 px
projected target corners in original view: [[484.4800109863281, 47.099998474121094], [989.3699951171875, 48.540000915527344], [989.3900146484375, 427.5199890136719], [483.92999267578125, 428.6000061035156]]
image A: 0152.png | image B: 0153.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 54/72 | patient/case group 77 | origins 100 and 99

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (B)




Compared view (A)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 0.251 | scale B->A: 3.991 | geometric inliers: 332 | median reprojection error: 0.320 px
projected target corners in original view: [[447.69000244140625, 781.7899780273438], [952.4299926757812, 783.2899780273438], [953.5700073242188, 1161.1400146484375], [446.4700012207031, 1162.8599853515625]]
image A: 0100.png | image B: 0099.png

Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 55/72 | patient/case group 77 | origins 101 and 102

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




scale A->B: 4.001 | scale B->A: 0.250 | geometric inliers: 194 | median reprojection error: 1.415 px
projected target corners in original view: [[542.1799926757812, 575.469970703125], [1048.550048828125, 575.9099731445312], [1047.3299560546875, 954.780029296875], [543.0999755859375, 955.0700073242188]]
image A: 0101.png | image B: 0102.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 57/72 | patient/case group 78 | origins 7 and 8

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.168 | scale B->A: 0.240 | geometric inliers: 62 | median reprojection error: 2.130 px
projected target corners in original view: [[809.2100219726562, 890.5], [1312.3800048828125, 889.27001953125], [1313.989990234375, 1269.1500244140625], [807.6400146484375, 1269.0799560546875]]
image A: 0007.png | image B: 0008.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 58/72 | patient/case group 78 | origins 40 and 41

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




scale A->B: 4.124 | scale B->A: 0.242 | geometric inliers: 149 | median reprojection error: 1.243 px
projected target corners in original view: [[435.30999755859375, 514.22998046875], [940.2899780273438, 513.0599975585938], [940.989990234375, 893.6199951171875], [434.8800048828125, 891.9199829101562]]
image A: 0040.png | image B: 0041.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 60/72 | patient/case group 79 | origins 136 and 137

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 3.929 | scale B->A: 0.255 | geometric inliers: 193 | median reprojection error: 1.446 px
projected target corners in original view: [[-171.1699981689453, 156.17999267578125], [343.1000061035156, 162.4600067138672], [344.82000732421875, 541.469970703125], [-169.05999755859375, 542.5700073242188]]
image A: 0136.png | image B: 0137.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 61/72 | patient/case group 80 | origins 171 and 172

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.075 | scale B->A: 0.245 | geometric inliers: 104 | median reprojection error: 1.478 px
projected target corners in original view: [[765.0399780273438, 473.8800048828125], [1268.18994140625, 474.3900146484375], [1269.2099609375, 852.6799926757812], [763.8699951171875, 852.739990234375]]
image A: 0171.png | image B: 0172.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 62/72 | patient/case group 81 | origins 4 and 5

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)




Perspective-rectified crop




Rectified crop / compared image overlay




Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 64/72 | patient/case group 84 | origins 156 and 157

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay




scale A->B: 4.074 | scale B->A: 0.245 | geometric inliers: 44 | median reprojection error: 1.493 px
projected target corners in original view: [[709.5599975585938, 411.1000061035156], [1213.3399658203125, 411.17999267578125], [1214.3900146484375, 789.489990234375], [708.8400268554688, 789.6099853515625]]
image A: 0156.png | image B: 0157.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Candidate 65/72 | patient/case group 85 | origins 183 and 184

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 66/72 | patient/case group 89 | origins 105 and 107

scaled/cropped relationship candidate | classes: Leukoplakia with dysplasia / Leukoplakia with dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




scale A->B: 3.976 | scale B->A: 0.252 | geometric inliers: 113 | median reprojection error: 1.876 px
projected target corners in original view: [[440.9700012207031, 132.1999969482422], [946.27001953125, 135.55999755859375], [946.9099731445312, 514.3800048828125], [441.42999267578125, 514.9000244140625]]
image A: 0105.png | image B: 0107.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 68/72 | patient/case group 160 | origins 221 and 222

scaled/cropped relationship candidate | classes: OSCC / OSCC


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




scale A->B: 4.118 | scale B->A: 0.243 | geometric inliers: 120 | median reprojection error: 1.437 px
projected target corners in original view: [[779.510009765625, 673.8200073242188], [1282.6199951171875, 673.780029296875], [1284.1300048828125, 1052.4000244140625], [778.02001953125, 1052.25]]
image A: 0221.png | image B: 0222.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop







Rectified crop / compared image overlay




Candidate 70/72 | patient/case group 164 | origins 229 and 230

scaled/cropped relationship candidate | classes: OSCC / OSCC




scale A->B: 4.039 | scale B->A: 0.248 | geometric inliers: 92 | median reprojection error: 1.523 px
projected target corners in original view: [[437.1099853515625, -185.24000549316406], [946.489990234375, -184.1999969482422], [944.7899780273438, 198.60000610351562], [439.6700134277344, 197.36000061035156]]
image A: 0229.png | image B: 0230.png
Interpretation is a screening label from image geometry, not a final contamination decision.


Original view (A)




Compared view (B)



Perspective-rectified crop




Rectified crop / compared image overlay




Candidate 72/72 | patient/case group 183 | origins 235 and 236

scaled/cropped relationship candidate | classes: Leukoplakia without dysplasia / Leukoplakia without dysplasia


Original view (A)




Compared view (B)



Perspective-rectified crop



Rectified crop / compared image overlay



scale A->B: 4.112 | scale B->A: 0.243 | geometric inliers: 49 | median reprojection error: 1.536 px
projected target corners in original view: [[636.27001953125, 768.3200073242188], [1139.699951171875, 767.6400146484375], [1140.3900146484375, 1146.56005859375], [635.72998046875, 1146.2099609375]]
image A: 0235.png | image B: 0236.png
Interpretation is a screening label from image geometry, not a final contamination decision.