

Stochastic Modelling of Measles in a Disease-Eliminated Setting in Europe

Sean Browning

10 September, 2017

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris semper vel libero eget maximus. Sed non nibh ac orci pretium placerat. Cras vulputate dictum libero nec vulputate. Suspendisse pharetra eu nibh sit amet rhoncus. Pellentesque lacus odio, ultrices aliquam dictum ut, sagittis ac neque. Cras consectetur sem nulla, quis consectetur nunc vulputate id. Vestibulum non ullamcorper nisi, eu tincidunt dui. Curabitur ut suscipit sapien. Nam at dui rutrum ligula tristique ullamcorper id sed tortor. Curabitur nec sem vitae sapien feugiat ultrices eu et eros. Duis sit amet facilisis ligula. Donec semper augue magna, ut hendrerit lorem maximus eget. Cras quis hendrerit sem.

Contents

1	Background	3
2	Model Dynamics	4
2.1	SEIR Compartmental Model	4
2.2	Model Dynamics as Deterministic ODEs	5
2.3	Calculating R_0	6
2.4	Defining Model Steady-State Conditions	7
2.5	The Model as a Stochastic System	8

1 Background

Lorem ipsum dolor sit amet[1], consectetur adipiscing elit. Pellentesque cursus euismod urna, ut porta magna hendrerit vitae. Morbi ut sem rutrum, mollis nunc at, scelerisque metus. Aliquam fermentum tellus id eleifend accumsan. Interdum et malesuada fames ac ante ipsum primis in faucibus. Duis convallis lectus sit amet aliquam luctus. Vestibulum pharetra vel tortor at mattis. Vestibulum venenatis massa sit amet lectus tempus auctor[3]. Quisque facilisis quis dui at ornare. In sed dui quis purus posuere dapibus. Aliquam in vulputate ligula, in pretium elit. Suspendisse volutpat nulla vitae velit bibendum sodales. Curabitur semper porttitor urna, et lacinia augue molestie elementum. Proin ac imperdiet metus, ultricies vehicula felis. Aliquam a purus eu neque dictum rhoncus eu eget orci. Nunc vitae massa sit amet tellus aliquet aliquam nec vel quam. Quisque aliquam justo ex, id posuere ex imperdiet in. Morbi ex leo, scelerisque eget iaculis sed, accumsan ac risus. Integer gravida tellus viverra, mollis libero sed, auctor orci. Phasellus maximus augue vitae sem ornare, eu vehicula nisi interdum. Integer dignissim elit non dolor feugiat cursus. Vestibulum pretium elementum risus in placerat. Pellentesque maximus orci eget est faucibus, vel porta nulla blandit. Proin risus felis, vehicula at varius ultricies, lobortis a felis.

Morbi feugiat urna nec congue commodo. Nam nunc lorem, porta vel bibendum eget, auctor in dolor. Nulla massa felis, maximus in elementum in, gravida in ligula. Nunc hendrerit id massa sed imperdiet. Sed varius arcu ac imperdiet volutpat. Vestibulum ante est, feugiat non est eget, varius auctor tortor. In tincidunt condimentum ligula, non finibus purus egestas a.

Phasellus luctus purus elit, nec porttitor sapien vehicula vel[4]. Pellentesque feugiat congue dolor et varius. Quisque laoreet lacus elit, non lacinia nunc molestie ac. Cras interdum dapibus mattis. Phasellus convallis odio ac maximus sodales. Suspendisse sodales velit vel lorem scelerisque fringilla. Donec non eros elit. Proin semper lacus ut felis blandit, placerat accumsan nisl consectetur. Aliquam commodo tellus ornare arcu lobortis, sit amet bibendum diam ornare. Quisque facilisis dictum eros, id lobortis massa eleifend maximus. Etiam tempus rhoncus quam et fermentum. In dictum, arcu vel vulputate vestibulum, mi odio vestibulum turpis, eget pulvinar nulla lectus quis augue. Nulla nec mi nec quam vestibulum imperdiet sit amet a orci.

Fusce euismod malesuada tortor eu porta. Vivamus consequat nisl nec enim dignissim, quis convallis eros pulvinar. Sed faucibus, arcu vulputate varius imperdiet, metus quam fermentum dolor, id dignissim ante leo eget enim. Sed elementum est rhoncus volutpat faucibus. Integer non egestas urna, nec porta tortor. Vestibulum tincidunt aliquet libero, nec interdum est facilisis vitae. Maecenas ullamcorper nulla sed pellentesque aliquam. Ut eleifend eros quis sem ultrices cursus. Donec ultricies auctor blandit. Integer ut hendrerit eros. Cras ullamcorper vehicula tincidunt. Aliquam pretium scelerisque diam vitae malesuada. Proin ultrices interdum pharetra. Mauris commodo vitae ipsum quis dictum. Morbi tempus diam metus, ac auctor ipsum cursus vitae. Nam sed mi eleifend, euismod metus vitae, ornare felis.

2 Model Dynamics

2.1 SEIR Compartmental Model




Figure 1: Age stratified SEIR Model with vital dyanmics

Where:

β_n = Rate of contact between infectious and susceptible persons

ϕ = Rate of onset of infectiousness subsequent to being infected

γ = Rate of recovery from measles from infectious period

α = Crude birth rate

ν = Effective vaccination rate at birth

Ω = Crude death rate

θ = Rate of aging from young to old compartments

To explore the infection dynamics of measles, a SEIR model was selected with two age compartments for younger and older populations. This was chosen for a few reasons.

Firstly, it allows for the modelling of heterogeneous mixing within these age groups.

Additionally, it allows for the model to more closely align with the seroprevalence data given, thereby reducing the number of assumptions which would need to be made to fit incoming data. Finally, the selection of two compartments over some higher dimension limits the mathematical complexity of both modeling the data as well as mapping the parameter space while also allowing for some variation in age demographics.

2.2 Model Dynamics as Deterministic ODEs

The dynamics which describe the compartmental model can be written deterministically as ordinary differential equations :

$$\frac{dS_1}{dt} = N\alpha(1 - \nu) - S_1(\beta I_1 + \theta) \quad (1)$$

As detailed in equation 1, this is a test of model 1.

2.3 Calculating R_0

We can calculate R_0 by taking the leading eigenvalue of the Next Generation Matrix

2.4 Defining Model Steady-State Conditions

This section may not need to exist

2.5 The Model as a Stochastic System

Model stochasticity is accomplished through the R package, `adaptivetau`[\[2\]](#). The deterministic differential equations are supplied as a rate function evaluated by `adaptivetau`. Each transition defined by the rate function (movement between compartments) is stepped using a process called "explicit tau-leaping"[\[5\]](#).

This process provides an approximation of the output expected from Gillespie algorithm by maximizing the time step between data points while minimizing the rate of change of the transition. The resulting output supplies many data points where the rate of change in a transition is high (in this model, the outbreak curve) and sparse data points where the rate of change is slow. This serves a dual purpose:

- To provide vastly superior performance to the Gillespie algorithm
- To introduce model stochasticity by using a poisson-distributed random walk variable to define transition advancement

References

- [1] N. Andrews, A. Tischer, A. Siedler, and R. G. Pebody. Towards elimination: measles susceptibility in Australia and 17 European countries. *Bulletin of the World Health Organization*, 86, Mar 2008.
- [2] P. Johnson. adaptivetau: Tau-leaping stochastic simulation, Oct 2016.
- [3] World Health Organization. Measles vaccines: WHO position paper April 2017. *Weekly Epidemiological Record*, 92(17):205228, Apr 2017.
- [4] D. H. Sniadack, N. S. Crowcroft, D. N. Durrheim, and P. A. Rota. Roadmap to elimination-standard measles and rubella surveillance. *Weekly Epidemiological Record*, 92(9/10):97105, Mar 2017.
- [5] C. Yang, D. T. Gillespie, and L. R. Petzold. Adaptive explicit-implicit tau-leaping method with automatic tau selection. *The Journal of Chemical Physics*, 126(22), Jun 2007.