



Carpet Care

Carts &  
Mopping  
Systems

Floor Care

## VACUUM SYSTEMS



# HD 14/18

## Upright Vacuums

### Quality. Performance. Durability.

Protecting your carpet investment requires a powerful and dependable vacuum. The HD 14 and HD 18 have the versatility of a commercial upright vacuum with an onboard pullout wand that performs detail work using a single vacuum.

The NaceCare HD 14 and HD 18 combine ergonomic design, effortless handling, quiet operation and superior soil removal. This commercial vacuum is lightweight and maneuverable. The ergonomic, lightweight handle ensures operator comfort. An indicator light signals when the bag is full.

The durable stretch hose expands to four times its stored length. The vacuum throat is easily accessible for unclogging trapped debris. Integrated hose strain relief reduces kinking and extends the life of the hose during repetitive use.

The electronic brush shutoff mechanism detects lodged debris in the roller brush chamber. The roller brush automatically shuts down and an indicator light changes to red. This protects the motor, belt, pulley and bearings. At 66 dB(A) the HD upright vacuum exceeds the industry standards for quiet vacuums. This low-decibel level reduces worker fatigue and disruption to occupants in buildings.

The three-stage filtration system includes a top-fill bag, intake filter, and an exhaust filter. An optional HEPA filter providing 99.97% efficiency at 0.3 microns is also available. Both the HD 14 and HD 18 meet or exceed the standards required by LEED-EBOM and CIMS-GB and they are also both approved by The Carpet and Rug Institute. The HD series makes it easy to change the filter bag since the large capacity, top-fill bag simply fits easily into the vacuum chamber. The unit will not run without a bag installed and the door is sealed with a single position latch for easy access.



HD 14

MODEL	HD 14"	HD 18"
Vac Motor	1,000W	1,000W
Performance - Water Lift	118"	118"
Performance - Airflow	63 cfm	63 cfm
Brush Motor	200W	300W
Brush RPM	4,000 rpm	3,500 rpm
Capacity	6.5 quart	6.5 quart
Weight	16 lbs.	17 lbs.
Noise Level	66 dB(A)	66 dB(A)
Power Cord	50'	50'



HD 18

## Key Features

- Four-position brush height adjustment with indicator light
- Bag full indicator light
- Won't run without a bag installed
- Electronic brush shutoff protects motor if brush becomes jammed
- Upper body goes right to the floor to get under beds and furniture
- Quick-change brush strip
- Four-stage filtration standard
- Optional HEPA filter available on all units
- V belt for long life
- 4:1 stretch hose
- Easy bag installation
- Dual-motor performance
- Optional accessories include dusting brush and upholstery tool
- Carpet and Rug Institute Certified
- Crevice tool standard



Illuminated on/  
off switch



On board  
vacuum wand



Four position  
height adjustment



Quick change  
brush strip



Top fill bag



Roller brush  
indicator light



Optional HEPA  
filter available



NaceCare upright and canister vacuums meet the stringent certification requirements for the Carpet and Rug Institute (CRI).



QUIET Technology



TIME Saver



SOIL Removal



HEPA Filtration  
(Optional)

# PVR 200/HENRY

## Provac Dry Canister Vacuums

PVR 200 (Henry) and PVR 380 have powerful 1,200-watt vacuum motors providing 110" of lift and 114 cfm for excellent soil recovery and longer carpet life. With noise levels of 47 dB(A) on low power and 49 on high, these units are excellent for daytime cleaning.

Autosave starts the vacuum on low speed, reducing power consumption by 50% while only reducing suction 25%. When equipped with a HEPA-FLO bag, our standard filtration is 0.3 micron at 99.97% efficiency, improving indoor air quality and reducing dust in the building.

Built for commercial use, they are equipped with a thermal overload for long-term motor protection and operator safety. The rewind head conveniently stores the 33' power cord internally, preventing cord damage from improper wrapping; both units now offer a quick-change cord requiring no tools. PVR 200 (Henry) now offers wand docking on 1 1/4" wands.



PVR 200 / HENRY



Wand docking



Quick change cord

MODEL	PVR 200	PVR 380
Motor	1,200W, 1.6 Hp, 2 stage, 2 speed	1,200W, 1.6 Hp, 2 stage, 2 speed
Water Lift	110"	110"
Airflow	114 cfm	114 cfm
Capacity	2.5 gal.	4.5 gal.
Standard Filtration*	0.3 micron	0.3 micron
Microtex Combination*	99.97% eff.	99.97% eff.
Weight	15 lbs.	18 lbs.
Power Cord	33'	33'
Noise Level	47/49 dB(A)	47/49 dB(A)
Tank Construction	Polypropylene	Structural Foam

\* Meets HEPA spec for non-hazardous recovery and exceeds LEED-EB spec



## PVR 380



PVR 380



*Rewind head and AUTOSAVE are standard features!*



*Powerful 1.6 HP 2 stage vacuum motor*



*Standard Microtex Combination filter*



*NaceCare upright and canister vacuums meet the stringent certification requirements for the Carpet and Rug Institute (CRI).*



**QUIET** Technology



**TIME** Saver



**SOIL** Removal



**HEPA** Filtration



**ECO** EnergySaver

# PVR 390

## Provac Dry Canister Vacuum

The PVR 390 is in a class of its own as the first canister vacuum to include on-board storage for more than just vacuum tools. A telescoping handle allows for compact storage while the built-in wand holder makes transporting a breeze. With a powerful 1,200-watt vacuum motor, it has 110" of lift and 114 cfm for excellent soil recovery and longer carpet life.

With a noise level of 47 dB(A) on low power and 49 on high, this unit is excellent for daytime cleaning. When equipped with a HEPA-FLO bag, our standard filtration is 0.3 micron at 99.97% efficiency, improving indoor air quality and reducing dust in the building.

The rewind head conveniently stores the 33' power cord internally, preventing cord damage from improper wrapping; also it now comes with a quick-change cord requiring no tools. Autosave starts the vacuum on low speed, reducing power consumption by 50% while only reducing suction 25%.

This unit is a clear choice for any facility large or small.



PVR 390

### MODEL

### PVR 390

Motor	1,200W, 1.6 Hp, 2 stage, 2 speed
Water Lift	110"
Airflow	114 cfm
Capacity	4 gal.
Standard Filtration*	0.3 micron
Microtex Combination*	99.97% eff.
Weight	19 lbs.
Power Cord	33'
Noise Level	47/49 dB(A)
Tank Construction	Structural Foam

\* Meets HEPA spec for non-hazardous recovery and exceeds LEED-EB spec



On-board  
wand storage



Convenient storage caddy



Rewind head and AUTOSAVE are standard features!



Quick change cord



NaceCare upright and canister vacuums meet the stringent certification requirements for the Carpet and Rug Institute (CRI).



QUIET Technology



TIME Saver



SOIL Removal



HEPA Filtration



ECO EnergySaver

# NSP 200

## NuSave Canister Vacuum (Dry)

The NSP and NSR 200 from NaceCare are without a doubt the market leaders in "green" vacuums. With Autosave as standard, they start on low to save energy, yet when needed high power is only a "flick" of a switch away. With noise levels of 47 dB(A) on low power and 49 dB(A) on high, these units are excellent for daytime cleaning.

## Unbelievable Soil Recovery without Compromise!

A new specially designed floor tool recovers the same amount of soil on low power (400-watts) as our ProVacs (PVR 200, 380, 390) do on high (1200-watts). With this kind of performance, the high setting is only needed in special circumstances.



NSP 200

### Background Information (ASSUMING PROFESSIONAL USE OF 6 HOURS PER DAY)

Cost Per kwh	\$0.90		
Cost per hour (1,200W)	\$0.108	Cost per day @1,200 watts	\$0.64
Cost per hour (800W)	\$0.072	Cost per day @ 800 watts	\$0.42
Cost per hour (400W)	\$0.036	Cost per day @ 400 watts	\$0.21

### At 255 days annual use (51 WEEKS X 5 DAYS WE HAVE)

Cost at 1,200 watts full time	\$163.20	using a 1,200 watt machine full time
Cost at 800 watts full time	\$107.10	using a NuSave machine on high setting full time
Cost at 400 watts full time	\$53.55	using a NuSave machine on low setting full time

### Assuming we use our NuSave machine at 80% on low power and 20% on high, our savings are:

Cost to operate using it 20% of the time on high	\$21.42
Cost to operate using it 80% of the time on low	\$42.84
Total Cost to Operate an NS machine for 255 days is	\$64.26
Savings versus operating a 1200 watt machine are	$\$163.20 - \$64.26 = \$98.94$ or 60%

At approximately \$100 a year in savings, our NuSave models certainly make sense. In essence, NuSave recovers soil as well as anything on the market, filters better than anything on the market and saves you money.



# NSR 200



NSR 200

## Filtration

With the NSP 200 at 98.6% efficient at 0.5 micron and the NSR 200 at 99.97% efficient at 0.3 microns, soil retention is not an issue. This improves indoor air quality and reduces dust in the building. They are both LEED-EB compliant and the NSR 200 meets HEPA for nonhazardous soil recovery!

## Power Consumption

On the low setting at 400-watts, NuSave vacuums consume 1/3 of the power of most vacuums on the market today while recovering the same amount of soil. Based on this, the cost savings are significant.

MODEL	NSP 200	NSR 200
Motor	400W / 800W, 2 stage, 2 speed	400W/800W, 2 stage, 2 speed
Water Lift	60" / 90"	60" / 90"
Airflow	81 cfm	81 cfm
Capacity	2.5 gal.	2.5 gal.
Standard Filtration	0.5 micron	0.3 micron
Tritex	98.6% eff.	
Microtex Combination*		99.97% eff.
Weight	13 lbs.	13 lbs.
Power Cord	33'	33'
Noise Level	45/47 dB(A)	45/47 dB(A)
Tank Construction	Polypropylene	Polypropylene

\* Meets HEPA spec for non-hazardous recovery and exceeds LEED-EB spec



NuSave upright and canister vacuums meet the stringent certification requirements for the Carpet and Rug Institute (CRI).



QUIET Technology



TIME Saver



SOIL Removal



HEPA Filtration



ECO EnergySaver

# PSP 200/380

## ProSave Canister Vacuum (Dry)

Our ProSave series of vacuums boast a 1,200-watt motor that provides 110" of lift and 114 cfm. Combined with filtration of 98.6% efficiency @ 0.5 microns, you have a winning combination. Autosave feature automatically starts the vacuum on low for reduced power consumption.

Noise levels of 47 dB(A) on low power and 49 on high make these units excellent for daytime cleaning. The cord wrap system stores it neatly without tangles while our new "Plug Cable" system allows anyone to change the power cord quickly and easily, reducing downtime.

ProSave and NVH units weigh under 16 pounds, making transporting effortless. NVH 380 also includes a PTO socket for use with our A350E electric power head kit.

All ProSave vacuums are LEED-EB compliant and CRI approved.



PSP 200



PSP 380

### MODEL

### PSP 200/380 / NVH 380 (Electric Power Head Only)

Motor	PSP
	NVH
Water Lift	110" / 115"
Airflow	114 cfm / 114 cfm
Capacity	2.5 gal. / 4.5 gal.
Standard Filtration	0.5 micron
Microtex Combination	98.6% eff.

Weight	13 lbs. /14 lbs. /15.5 lbs.
Power Cord	33'
Noise Level	47/49 dB(A) / 62 dB(A)
Tank Construction	Poly/Structural Foam



NaceCare upright and canister vacuums meet the stringent certification requirements for the Carpet and Rug Institute (CRI).



QUIET Technology



TIME Saver



SOIL Removal



ECO EnergySaver



NBV 180



Lithium-ion batteries



NBV 220

## NBV 180/220

### Battery Canister Vacuum (Dry)

With a noise level of only 45 dB(A), they are excellent for daytime cleaning or cleaning any congested or occupied public areas. Cord-free operation improves productivity significantly and eliminates accidents commonly associated with power cords such as tripping over them or getting electrical shocks due to improper care. With 2- and 3-gallon tanks the NBV 180 and NBV 220 both offer plenty of capacity.

The 250-watt vacuum motor coupled with run time of 45 minutes ensures plenty of power to get the job done; the battery provides stable power over the entire discharge. The 36-volt lithium ion battery can be interchanged between both units and charges in 2.5 hours. The on/off switch and battery status are conveniently located on front of the machine for the operator to see at all times.

When equipped with a HEPA-FLO bag, the filtration is 0.3 micron @ 99.97% efficiency, improving indoor air quality and reducing dust in the building. Weighing in at only 14 pounds, the NBV 180 is compact and lightweight with a durable polyethylene tank.

At 20 pounds, the NBV 220 incorporates all features of our popular and very innovative PVR 390 vacuum including a structural foam tank for durability and built-in cart allowing easy transport of a second battery should it be required.

#### MODEL

#### NBV 180/220

Motor	250W
Run Time	45 min.
Charge Time	2.5 hrs.
Water Lift	45"
Airflow	50 cfm

Standard Filtration*	99.97% eff. @ 0.3 micron
Capacity	2 gal. / 3 gal.
Weight	14 lbs. / 19.5 lbs.
Noise Level	45 dB(A)

\* Meets HEPA spec for non-hazardous recovery and exceeds LEED-EB spec



QUIET Technology



TIME Saver



SOIL Removal



HEPA Filtration



BATTERY Technology


# RSV I30/200

## Backpack Vacuums Corded

The adjustable back support, waist and shoulder straps are designed to minimize operator fatigue and the hose features swivel fittings to ensure tangle-free operation. All three units are equipped with a four-stage filtration system providing 0.3-micron filtration at 99.97% efficiency, improving indoor air quality and reducing dust in the building.

The patented ribs on inside of the tank ensure no suction is lost no matter how full the bag is because the bag is never allowed to seal against the side of the tank cutting off the flow of air ensuring vacuum performance is guaranteed right up until the bag is full. This is even more critical on battery-powered equipment where we don't have the luxury of high-powered electric vacuum motors to pull the dirt through the bag.

At only 10.8 pounds, the RSV 130 is among the lightest full-size backpacks on the market while the RSV 200 weighs in at only 12 pounds. Both units are extremely powerful offering 1200 watt motors providing 115" of lift and 114 cfm of airflow. For operator safety they are fitted with a thermal protection device.



Patented ribs



RSV 130



RSV 200

### MODEL

### RSV 130 / 200

Motor	1,200W, 1.6 Hp, 1 stage
Water Lift	115"
Airflow	114 cfm
Capacity	1.5 gal. / 2.5 gal.
Standard Filtration	0.3 micron
Microtex Combination*	99.97% eff.

Weight	10.8 lbs. /12 lbs.
Power Cord	42'
Noise Level	65 dB(A)
Tank Construction	Poly

\* Meets HEPA spec for non-hazardous recovery and exceeds LEED-EB spec



NaceCare upright and canister vacuums meet the stringent certification requirements for the Carpet and Rug Institute (CRI).



QUIET Technology



TIME Saver



SOIL Removal



HEPA Filtration



# RBV 130

## Battery Powered Backpack Vacuum (Cordless)

As daytime cleaning becomes even more prevalent, the RBV 130 will certainly play a key role for our clients. With a noise level of 45 dB(A), this unit is excellent for daytime cleaning or cleaning any congested or occupied public area where noise or use of a power cord is an issue.

Cordless operation improves productivity significantly and eliminates accidents commonly associated with power cords such as tripping over them or getting electrical shocks due to improper care.

The 1.5-gallon tank provides the capacity required to do the job while a 250-watt vacuum motor with run time of 45 minutes ensures there is plenty of power. The 36-volt lithium ion battery can be interchanged with our canister units, provides stable power over the entire discharge and charges in 2.5 hours. The on/off switch and battery status are conveniently located for the operator to see at all times.

At 16 pounds, RBV 130 is compact, comfortable and light enough for anyone to use—much lighter than other units on the market.



RBV 130



Lithium-ion batteries



Battery indicator  
on/off switch

### MODEL

### RBV 130

Motor	250W
Run Time	45 min.
Charge Time	2.5 hrs.
Water Lift	45"
Airflow	50 cfm

Standard Filtration*	99.97% eff. @ 0.3 micron
Capacity	1.5 gal.
Weight	16 lbs.
Noise Level	45 dB(A)

\* Meets HEPA spec for non-hazardous recovery and exceeds LEED-EB spec



QUIET Technology



TIME Saver



SOIL Removal



HEPA Filtration



BATTERY Technology

# PVR 320H

## HEPA Vacuums Critical Filtration

The NaceCare Series Critical Filtration HEPA vacuums come in one- and two-motor configurations providing 110" of water lift and 114 cfm of airflow or 90" of lift and 160 cfm for excellent soil recovery. The motors carry three-year warranties and the HEPA filter is serialized and provides a minimum 99.97% filtration @ 0.3 microns.

Every machine is sodium flame tested after assembly to ensure they meet or exceed the European #3928 hazardous vacuum standard. All units come with their own test certificate verifying the standard was achieved.

The PVR 320H has a polypropylene tank and a two-speed head that offers ultraquiet operation at 49 dB(A) on high and 47 dB(A) on low. It also offers a quick-change cord that doesn't require tools and an internal cord rewind system that protects the power cord. This unit is an outstanding choice for health-care facilities including hospitals, long-term care facilities and nursing homes. It provides all the filtration capabilities of our larger machines in a quiet, compact unit at a fraction of the cost.



PVR 320H



Filtration certificate



Quick change cord

### MODEL

### PVR 320H

Motor	1,200W, 1.6 Hp, 2 stage, 2 speed
Water Lift	110"
Airflow	114 cfm
Capacity	2.5 gal.
Standard Filtration	0.3 micron
Microtex Combination	99.97% eff.

Weight	16.5 lbs.
Power Cord	33'
Noise Level	47/49 dB(A)
Tank Construction	Poly



NaceCare upright and canister vacuums meet the stringent certification requirements for the Carpet and Rug Institute (CRI).



QUIET Technology



TIME Saver



SOIL Removal



HEPA Filtration



ECO EnergySaver

# NVQ 900H / WVD 900H



NVQ 900H/WVD 900H



HEPA filter



HEPA-Flo bags

## NVQ/WVD (Dry and Wet/Dry)

The NVQ 900H and WVD 900H units come with durable structural foam heads and tanks making them extremely impact-resistant. They carry 10-year warranties on the tanks, providing peace of mind when transporting them. The WVD 900H also provides wet pick-up capability for hazardous materials that need to be dampened prior to recovery in order to prevent airborne contamination.

With health standards evolving such as the EPA's Lead Safe Certified Contractor program, HEPA vacuums are becoming more of a requirement for many industries today. Beginning April 22, 2010, federal law requires that contractors performing renovation, repair and painting projects that disturb more than six square feet of paint in homes, child care facilities, and schools built before 1978 must be certified and trained to follow specific work practices to prevent lead contamination. Our HEPA vacuums meet or exceed the EPA's requirements for such work.

### MODEL

### NVQ 900H / WVD 900H

Motor	1,200W, 1.6 Hp, 2 stage
Power Cord	42'
Tank Construction	Structural Foam
Water Lift	100" / 90"
Airflow	114 / 160 cfm

Standard Filtration	99.97% eff. @ 0.3 micron
Capacity	12 gal.
Weight	44 / 49 lbs.
Noise Level	64 / 67 dB(A)



NaceCare upright and canister vacuums meet the stringent certification requirements for the Carpet and Rug Institute (CRI).



QUIET Technology



TIME Saver



SOIL Removal



HEPA Filtration

# WV 370/470

## Wet/Dry Vacuums

Both units are manufactured from polyethylene so there is absolutely nothing to rust. The WV 370 comes with a handy carrying handle for easy dumping while WV 470 has a drain hose.

They are equipped with 1200 watt bypass motors providing 100" of lift and 95 cfm of airflow for excellent recovery wet or dry.

They come complete with a two-year warranty.

Each unit incorporates our ball float wet shutoff assembly: the ball rotates continually, staying clean and free from debris while ensuring water does not reach the motor.

Both are compact, manoeuvrable and easy to use; an excellent choice where a full-size wet vacuum isn't required or where use as a dry vacuum is needed.



### MODEL

### WV 370/470

#### Motor

1,200W, 1.6 Hp

#### Airflow

95 cfm

#### Water Lift

100"

#### Capacity

4 gal. / 7 gal.

#### Standard Filtration

0.5 micron

#### Weight

19 lbs. / 22 lbs.

#### Power Cord

42'

#### Noise Level

61 dB(A)

#### Tank Construction

Polypropylene



QUIET Technology



TIME Saver



SOIL Removal



## WV 570/800

### Wet/Dry Vacuums

The WV 570 is manufactured from structural foam while WV 800 is polypropylene so there is absolutely nothing to rust.

The WV 570 has a handy carrying handle for easy dumping while WV 800 comes with a drain hose.

The WV 800 has polypropylene tank for maximum durability and the WV 570 hosts a structural foam tank. Both come with a 10-year tank warranty.

Both models feature 1200 watt bypass motors providing 100" of lift and 95 cfm of airflow for excellent recovery wet or dry.

Each comes complete with a two-year motor warranty and a ball float wet shutoff assembly that rotates continually, staying clean and free from debris while ensuring water does not reach the motor.

Not too big, not too small, the WV 570 and WV 800 are just right when a mid-sized wet/dry is what you need.



WV 570



WV 800

#### MODEL

#### WV 570/800

Motor	1,200W, 1.6 Hp
Airflow	95 cfm
Water Lift	100"
Capacity	6 gal. / 11 gal.
Standard Filtration	0.5 micron

Weight	34 lbs.
Power Cord	42'
Noise Level	64 dB(A)
Tank Construction	Structural Foam / Polyprop.



QUIET Technology



TIME Saver



SOIL Removal

# WV 900/902

## Wet/Dry Vacuums

The structural foam head of both the 900 and the 1800 series is rustproof and durable. Both the head and the tanks come complete with a 10-year warranty. The flexible dump tube permits quick and convenient emptying to a floor drain while the unique tip and pour system on the 900 series allows the tank to be emptied even when a floor drain isn't available.

A vapor barrier can be added to the units to eliminate moisture simply by putting a 13" floor pad into the top of the wet float assembly to prevent any foam or stripper from reaching the vacuum motor.

For wide-area cleaning, a 29" front-mounted squeegee kit can be fitted to either unit. Units with a front-mounted squeegee can recover water at 10,000 sq. ft. per hour.



WV 900



The unique tip and pour system allows the tank to be emptied even in the absence of a floor drain.



WVD 902



A vapor barrier can be added to eliminate moisture completely

Shown with optional front mount squeegee

### MODEL

### WV 900 / WVD 902

Motor	1,200W, 1.6 Hp / 2-800W, 1 Hp
Water Lift	100" / 90"
Airflow	95 cfm / 160 cfm
Capacity	12 gal.

Power Cord	42'
Weight	44 lbs. / 49 lbs.
Noise Level	64 dB(A) / 67 dB(A)
Tank Construction	Structural Foam



QUIET Technology



TIME Saver



SOIL Removal

## WV 1800/1802P



Continuous  
Pumper Unit

1800 SERIES

### WV 1800 Series High Capacity Wet Vacuums

The 1800 series wet vacuums deliver dependable power and performance in a rugged unit. Both the tanks and head are manufactured in structural foam and carry 10-year warranties. The DH models have a large-diameter dump hose for fast draining while the P model incorporates a sump pump enabling continuous pumping of fluid without interrupting the vacuuming process.

### WVD 1802P Continuous Pumper

The WVD 1802P enables continuous pumping of liquids during the vacuuming process. So, it is ideal for floods, water pipe ruptures, drain back-ups, and industrial spills. The submersible pump is made of durable, stainless steel for heat and chemical resistance. The motor uses a stainless steel shaft and triple seal system and has a thermal protection device to prevent overheating.

MODEL	WV 1800DH	WVD 1802DH	WV 1800P	WVD 1802P
Motor	1,200W, 1.6 Hp	2-800W, 1 Hp	1,200W, 1.6 Hp	2-800W, 1 Hp
Water Lift	100"	90"	100"	90"
Airflow	95 cfm	160 cfm	95 cfm	160 cfm
Capacity - Wed	20 gal.	20 gal.	20 gal.	20 gal.
Power Cord	42'	42'	42'	42'
Weight	81 lbs.	86 lbs.	81 lbs.	86 lbs.
Tank Construction	Structural Foam	Structural Foam	Structural Foam	Structural Foam
Head	Structural Foam	Structural Foam	Structural Foam	Structural Foam
Pump Power			500W	500W
Output			60 gpm	60 gpm
Type			Centrifugal	Centrifugal



QUIET Technology



TIME Saver

# JS 1600C

## Commercial Power Steamer

The power of steam attacks grease, grime, hard water deposits and mold—even kills bed bugs and their eggs—leaving the surface clean and sanitized, all without the use of chemicals

Operator safety is assured by many features including the 12 volt steam controls, a pressure switch, thermostat, high-limit thermal shutoff and pressure relief valve. The tank can be filled while unit is running, allowing for continuous use.

The JS 1600C is excellent on grouted floors, showers, kitchens and just about any area where detail cleaning is a challenge. It's very effective in all food preparation and processing areas and on stainless steel range hoods in industrial kitchens.

It can be used in hotel rooms for spotting draperies and cleaning bedspreads and carpets and even kills bed bugs on a hotel mattress!

In addition the JS 1600C can now be used for cleaning floors simply by adding the optional "steam mop" which comes complete with a 33' hose. The continuous flow system provides all the steam needed to remove dirt and built up soil from your floors while leaving them virtually dry!



Jet Steam 1600C



Shown with optional cart



Steam mop

### MODEL

### JET STEAM 1600C

#### Boiler Size

1.25 quarts

#### Boiler Capacity

4 quarts

#### Water Reservoir

4 quarts

#### Heating Power

1,500W

#### Steam Pressure

115 psi

#### Steam Temperature

338° F

#### Power Cord

8 ft

#### Weight

12 lbs

#### Total Power

1,500W, 120V



TIME Saver



SOIL Removal



KILLS Bed Bug



# K I I 22 TST



K I I 22 TST

## Pressure Washer

At 1400 psi and 2.1 gpm (gallons per minute), the new K I I 22 TST with “Total Stop Start” (TST) has all the features a commercial user needs. It comes complete with 50-foot hose, a variable nozzle (Vario) and a Dirt Killer nozzle; The Vario nozzle adjusts the spray from a fan to a pencil jet while the Dirt Killer nozzle rotates a pencil jet spray on an axis creating a circle with tremendous cleaning ability.

The TST feature stops pump from running when unit not in use (spraying) and automatically starts the pump when you pull the trigger. The pump has stainless steel ceramic- coated pistons to reduce friction; ensuring years of heavy-duty use. Stainless steel valves and Teflon graphite rings allow it to run dry safely without damaging the pump.

Other features include a pressure gauge, chemical injection hose, hose reel and onboard storage for hose, gun and lances.

MODEL	K I I 20T		
Pump	Brass, Triplex Piston		
Pressure	1,400 psi		
Motor	1.5 Hp, 13.0 amps		
Volume	2.1 gpm		
Max. Temperature	140° F		
		Power Cord	23'
		Weight	70 lbs.
		Pressure Hose	50'
		Includes	Gun w/ Lance, Vario Nozzle, Dirt Killer Nozzle

## ACCESSORY KITS

### I 1/4" ProVac Vacuum Kits (PVR Series)

Kit Name	Floor Tool	Description	Hose	Wand
A1	601529	12" Combo	601102	601910
A2	601323	12" Brush/Brush	601102	601910
A3	35020	15" Sidewinder	601102	601910
A5	601239	12" Free Flo	601102	601910
A300 T	601227	12" Air Turbo	601102	601910

### I 1/2" ProVac Vacuum Kits (PVR Series)

Kit Name	Floor Tool	Description	Hose	Wand
B0	602137	12" Combo	602103	602917
B2	602383	12" Brush/Brush	602103	602917

### I 1/4" NuSave Vacuum Kits (NSP / NSR Series)

Kit Name	Floor Tool	Description	Hose	Wand
E1X	601670	12" Special Combo	601102	601110
AE1	601670	12" Special Combo	601102	601910

### I 1/4" ProSave Vacuum Kits (PSP / NVH Series)

Kit Name	Floor Tool	Description	Hose	Wand
A1X	601529	12" Combo	601102	601110
A2X	601323	12" Brush/Brush	601102	601110
A3X	35020	15" Sidewinder	601102	601110
A5X	601239	12" Free Flo	601102	601110
A300 XT	601227	12" Air Turbo	601102	601110
A350 E	Electric Brush	14" Electric Brush	124962	

### I 1/4" Battery Canister Vacuum Kit (NBV Series)

Kit Name	Floor Tool	Description	Hose	Wand
E2X	601570	11" Special Combo	601101	601110

### I 1/4" Backpack Vacuum Kits (RSV Series)

Kit Name	Floor Tool	Description	Hose	Wand
A0XB	601529	12" Combo	601100	601110
A2XB	601323	12" Brush/Brush	601100	601110
A#XB	35020	15" Sidewinder	601100	601110
A5XB	601239	12" Free Flo	601100	601110
A300 TXB	601227	12" Air Turbo	601100	601110



12" COMBO



12" BRUSH / BRUSH



15" SIDEWINDER



11" SPECIAL COMBO



12" FREE FLO



12" AIR TURBO



14" ELECTRIC BRUSH



29" WET TOOL



12" SPECIAL COMBO



12" WET TOOL



16" WET TOOL



16" BRUSH/HARD FLOOR

## 1 1/2" Backpack Vacuum Kits (RSV Series)

Kit Name	Floor Tool	Description	Hose	Wand
B0XB	602137	12" Combo	602100	602717
B2XB	602383	12" Brush/Brush	602100	602717
B3XB	35163	15" Sidewinder	602100	602717

## 1 1/4" Battery Backpack Vacuum Kit (RBV Series)

Kit Name	Floor Tool	Description	Hose	Wand
E2XB	601570	11" Special Combo	601100	601110

## 1 1/4" Wet/Dry Vacuum Kits (WV370 / WV470)

Kit Name	Floor Tool	Description	Hose	Wand
A11	601322	12" Brush/Brush	601012	601910
	601323	12" Wet Tool		

## 1 1/2" Wet/Dry Vacuum Kits (900 Series)

Kit Name	Floor Tool	Description	Hose	Wand
B0W	602137	12" Combo	602103	602917
	602380	16" Wet Tool		
BB8	602381	16" Brush-Hard Floor	602103	602917
	602380	16" Wet Tool		

## 1 1/2" Wet Vacuum Kits (900 and 1800 Series)

Kit Name	Floor Tool	Description	Hose	Wand
BB7	602380	16" Wet Tool	602103	602917

## 29" Front Mount Squeegee Kits (900 and 1800 Series)

Kit Name	Floor Tool	Description	Hose	Wand
C2	607476	29" Wet Tool		
C3A	602380	29" Wet Tool		

## 29" Front Mount Combo Kits (900 / 1800 Series)

Kit Name	Floor Tool	Description	Hose	Wand
C2 Combo	607476	29" Wet Tool	601102	601110
(900 Series)	602380	16" Wet Tool		
C3A Combo	606676	29" Wet Tool	601102	601110
(1800 Series)	602380	16" Wet Tool		

# FILTRATION

		HD14/18	NBV180/220	RBV130	PSP200	PSP380	NSP200	NSR200	PVR200	PVR380	PVR390	RSV130	RSV200	PVR 320H	NVQ900H	WVD902H
<b>LEED-EB compliant</b>	98.6% efficient at 0.5 microns with a noise level of less than 70 dBA	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>HEPA for non-hazardous</b>	Safe for non-hazardous material pick-up. Improves IAQ by filtering 99.97% of particulates at 0.3 microns.	•	•					•	•	•	•	•	•			
<b>Certified HEPA filtration for hazardous use</b>	<ul style="list-style-type: none"> <li>• Every unit is tested and certified.</li> <li>• Sealed filter chamber.</li> <li>• Meets European standard 3928 for hazardous material recovery.</li> </ul>													•	•	•
<b>Uses recyclable or re-usable packaging</b>	All packaging can be recycled or re-used.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>Reduced power consumption</b>	Uses 50%+ less power on low speed.				•	•	•	•	•	•	•			•		
<b>CRI Approved</b>	This program tests for proper soil removal, filtration and carpet texture retention.	•		•	•	•	•	•	•	•	•	•	•	•	•	