DESIGN REFERENCE

A precise language. *A portable system.*

A reusable blueprint for future designers, developers and AI conversations.

Swan Academy

English mastery, expressed through restraint, clarity and deliberate execution.

Visual reference

Identity, palette, type, spacing, glass, motion and responsive behavior.

Implementation companion

Exact Markdown specifications, JSON tokens, original assets and a versioned source snapshot.

> This guide records the existing website. It does not propose a redesign. The documentation layout is not a new website template.

01 / IDENTITY

Use the original mark.



HEADER · MONOGRAM ONLY



FOOTER · NAME RETAINED

PLACEMENT	CURRENT SPECIFICATION
Header, ≥640 px	40 × 40 px mark; centered in a 90 px glass panel.
Header, <640 px	32 × 32 px mark; centered in an 82 px glass panel.
Header shell	72 px minimum interior height; 24 px side padding; bottom corners 16 px.
Footer lockup	32 px mark + 18 px Playfair name; 12 px gap.
Checkout summary	32 px mark, upper-right; center aligned vertically with “Your enrollment”.

Artwork is an asset, not a type treatment.

Use the supplied master SVGs without stretching, outlining, redrawing or substituting a typed A. On the website, the monogram is a CSS mask tinted to ivory ink.

The footer uses a live serif name alongside the mark. Full banner masters are also supplied. Preserve their proportions when used.

> The header has no navigation words, CTA buttons, Swan Academy name or “Back to Academy” text. Its monogram remains a link home. No universal print minimum size or external clear-space standard has been approved.

02 / COLOR

Warm ivory. Near-black depth.

void	panel	line	heading	ink
#050505	#0D0D0C	#272522	#F8F5EF	#F4EFE6
Page background	Panel surface	Quiet border	Heading text	Logo / primary UI

body	mute	label	positive	negative
#B2ABA0	#9A9286	#A8A094	#8FAE96	#C28B86
Reading copy	Secondary copy	Section labels	Positive symbol	Negative symbol

Contrast has a hierarchy.

Headings lead. Body text remains readable. Labels and metadata recede without becoming a new decorative color. Do not turn the warm neutrals into a gold accent.

DERIVED TREATMENT	VALUE
Glass border	Ink at 22%
Floating outlined CTA border	Ink at 32%
Active System-card border	Ink at 35%
Subdued System-card surface	Panel at 40%
Floating outlined CTA hover	Ink at 6%

> Green and red are small semantic status accents. Inactive System cards use 0.38 opacity as a specific interaction state; do not apply that dimming to essential instructions. This document is not an accessibility certification.

03 / TYPOGRAPHY

Editorial headings. *Quiet precision.*

Playfair Display *Variable*

Regular 400 · Real italic for emphasis

Inter Variable

Regular 400 · Body, labels and controls

ROLE	PHONE SIZE / LINE	DESKTOP SIZE / LINE
Hero headline	41.6 / 44.928	72 / 77.76
Major section headline	36 / 39.6	60 / 66
System intro	36 / 39.6	48 / 52.8
Founder chapter	24 / 33	32 / 44
Founder body	15 / 24.75	18 / 29.25
FAQ heading	36 / 40	36 / 40
FAQ question	20 / 28	20 / 28
Final CTA headline	36 / 45	48 / 60

Values are CSS px at a 16 px root and 100% zoom. Phone sample: 390 px; desktop sample: 1440 px. See the Markdown for every role and intermediate breakpoint.

Keep the intermediate steps.

Hero: 41.6 px below 640, 60 px at 640–767, 72 px from 768. Major section headings: 36 → 48 → 60 px. Founder chapter typography changes at 1024 px.

> Use local variable fonts and the real Playfair italic file. Do not replace editorial contrast with heavy weights. Hero tracking is −0.025em; section labels are 11 px with 0.32em tracking; standard CTAs are 12 px with 0.18em tracking.

04 / LAYOUT

Give the content room.



RULE	BELOW 640 PX	FROM 640 PX
Page side gutters	20 px	32 px
Standard section padding, vertical	96 px	128 px
Hero top / bottom padding	80 / 96 px	112 / 128 px*

*At ≥1024 px, hero padding changes to 152 px top / 88 px bottom. Hero minimum height accounts for the header and safe area.

16 px	12 px	0 px
Outer cards, photos, glass and dialogs	Inner frames, providers and previews	Buttons, fields and status badges


Breakpoints follow the component.

640 px adjusts phone typography and controls. 768 px enlarges major headings. 1024 px switches Founder, System, Rooms and application/checkout layouts. Do not impose one universal “mobile” boundary.

> Footer: full wordmark, socials and copyright. Below 640 px, centered stack. From 640 px, restore the original row: logo left, socials middle, copyright right. Vertical padding 48 px; gap 32 px.

05 / GLASS

Depth without ornament.



SURFACE	BLUR / SATURATION	GEOMETRY
Header + floating CTA	24 px / 130%	16 px outer corners; header bottom only
Course preview	8 px blur	Existing inner frame
Signup backdrop	4 px blur	Black at 80% opacity

Shared glass surface

```
background:
  linear-gradient(135deg,
    rgb(244 239 230 / .08), transparent 65%),
  rgb(13 13 12 / .8);
border: 1px solid rgb(244 239 230 / .22);
backdrop-filter: blur(24px) saturate(130%);
```

Include the prefixed –webkit-backdrop-filter declaration as well. Phone header uses its own extended pseudo-element recipe; copy it from the source.

SHADOW	EXACT RECIPE
Header	inset 0 −1px 0 ink / .05; 0 8px 24px black / .20
Floating CTA	inset 0 1px 0 ink / .10; 0 12px 40px black / .35

> Floating banner: max 420 px, otherwise viewport minus 32 px; equal columns; 48 px minimum button height. Padding/gap 12 px desktop, 10 px phone. Bottom clearance: 24 px desktop, 12 px phone, plus safe-area inset.

06 / MOTION

A calm, controlled slide.

VISIBLE ↑ 320 ms ↓ BELOW VIEWPORT

DIRECTION	CURVE	BEHAVIOR
Enter	cubic-bezier(.4, 0, .6, 1)	Slide upward into position
Exit	cubic-bezier(.4, 0, 1, 1)	Slide fully downward before hiding

No opacity fade. Keep the banner rendered throughout the exit. Disable interaction immediately; cancel stale exit cleanup if scrolling reverses. Reduced motion changes state immediately.

One pattern, based on real CTA positions.

Hero	Hidden while the primary actions are available.
Founder → Inside	Show after 80% of both hero buttons passes the header’s bottom edge.
Choose Your Next Step	Hide when the first section CTA reaches the resting banner’s bottom edge.
Questions	Show after 80% of both offer buttons clears the header.
Final CTA → Footer	Hide on first CTA contact; stay hidden through the footer.

> Use the banner’s resting geometry, not its animated position, for collision checks. The same rule applies on phone and desktop; reverse it naturally when scrolling upward. See floating-cta.js for exact thresholds and exit lifecycle.

07 / INTERACTION

Stability comes first.

Founder timeline

The latest mobile requirement prioritizes eliminating trembling, even if the result feels firmer. Do not reintroduce the previous mobile easing loop.

MODE	CURRENT IMPLEMENTATION
Below 1024 px	Native sticky tip, with upward fill clipped to the rail; direct JavaScript fallback.
Desktop	55 ms easing time constant; trailing distance capped at 20 px; snap within 0.25 px.
Reduced motion	Same mobile sticky geometry; no nonessential animation.
Dots	9 px circles; color/border transitions 300 ms ease.

> The mobile tip uses native sticky geometry, with no scroll-animation sampling or settling loop. The iOS offset accounts for scrollport padding. Touch restarts passed with animation frames paused; physical iPhone confirmation is still needed.

System cards

No vertical progress line. Active card opacity 1; inactive 0.38. Opacity, border and background transitions last 500 ms. Compact phase navigation preserves its selection until deliberate reading resumes.

What’s Inside

Five-card desktop grid. Below 1024 px, manual scroll-snap carousel with no autoplay. Cards are 88% wide, capped at 352 px, with a 16 px gap. Arrow targets are 44 px; pagination targets are 32 × 44 px.

Photography

Founder images use 4:5 crops on desktop and 4:3 below 1024 px. Preserve the supplied immersion composite and its reference transform. The Jota portrait stays grayscale.


Local artwork and the approved composite are included. Some source photographs remain remote URLs; this is not a complete offline photo archive.

08 / PAGE FLOWS

One identity. Precise exceptions.

PAGE	DESKTOP	PHONE
Application	Intro and Next Steps retain their current alignment; two columns.	Intro and all Next Steps content centered; form stays left-aligned.
Status	Intro centered; four left-aligned progress groups.	Intro centered; two columns, each group centered internally as a unit.
Checkout	Intro centered; two columns.	Intro centered; one column.

Status alignment



Phone specimen: badge always on its own row; 72 px milestone groups centered in each column, with dot and text internally left-aligned. Desktop restores four left-aligned groups and connecting lines.

DETAIL	SPECIFICATION
Status card	16 px radius; 36 px padding desktop; 24 px vertical / 20 px horizontal phone.
Status headline	30 / 36 px phone; 36 / 43.2 px desktop.
Checkout “Black” heading	52 / 59.8 px at all measured widths.
Inputs	16 px type; square corners; application minimum height 48 px.
Focus	1 px ink outline; 5 px offset, or 3 px on application fields.

09 / SAFARI & ACCESSIBILITY

Protect the edge.

It does not remain a blurred ghost.

A painted fade, not a blurred rectangle.

The top overlay is fully opaque through 48 px plus the top safe area, then eases to transparent at 128 px plus the safe area. It uses ordinary gradient paint, not backdrop blur or particles.

OFFSET BEFORE SAFE-AREA ADJUSTMENT	OPACITY
48 / 58 / 68 px	1 / .97 / .88
78 / 88 / 98 px	.71 / .50 / .29
108 / 118 / 128 px	.12 / .03 / 0

iOS has a dedicated scrolling container.

The fixed .page-viewport uses native overflow scrolling and a stationary clip. Keep new scroll code, anchors and dialogs connected to page-scroll.js. Per-frame JavaScript clipping can lag behind momentum scrolling.

> The narrow glass extension into the physical Safari clock/status-bar area remains unresolved. Existing CSS attempts are not proof that it works. Browser emulation cannot certify physical iPhone browser-chrome behavior. Contained scrolling may keep Safari controls visible.

Preserve usable controls.

Retain visible keyboard focus, safe-area spacing, form labels, semantic buttons and reduced-motion behavior. Hidden banners must not remain interactive. Keep inactive-card effects away from essential instructions.

10 / PRODUCT TRUTH

Keep promises accurate.

FREE SYSTEM

An emailed roadmap.

The free 10-step system. This is not free access to the Academy or its community.

BLACK

Application first.

Application → review → invitation → payment. All Black entry CTAs lead to the application route.

Current site: preview behavior

EXPERIENCE	CURRENT LIMITATION
Signup	No email delivery or subscriber storage.
Application	No submitted or stored answers.
Status	Example query states, not real decisions or authorization.
Checkout	Disabled visual checkout; no live payment route or Paddle SDK.
Price	US$350 is an illustrative one-time preview; final pricing/tax/currency unresolved.

Brevo, private application/review services and Paddle are future integration paths. Do not describe them as connected until implemented and verified.

Preserve the current page order.

Hero → The Founder → The Failure → The System → What's Inside → Choose Your Next Step → Questions → Final CTA → Footer.

> Do not invent testimonials, outcomes, availability or payment success. Future testimonials belong after What's Inside and before the offers only when real approved material exists. Use THE FOUNDER and WHAT'S INSIDE; do not restore retired section names.

11 / HANDOFF

Start fresh.
Keep the decisions.

FILE	PURPOSE
AI-HANDOFF.md	Start a new conversation with the decisions and current limitations.
BRAND-GUIDELINES.md	Detailed canonical implementation reference.
design-tokens.json	Machine-readable colors, geometry, effects and motion.
computed-styles.json	Browser measurements at 390, 640, 768, 1024 and 1440 px.
assets/	Original SVGs, variable Latin fonts and licenses.
source-snapshot/	Exact source baseline; excludes dependencies, build output and Git history.
brand-blueprint.html	Self-contained editable source of this PDF.

Suggested new-chat opening

Continue maintaining Swan Academy from the attached kit and latest repository. Read AI-HANDOFF.md first. Use BRAND-GUIDELINES.md, the tokens and source as the design reference. Preserve approved behavior and inspect the current revision before editing.

My next adjustment is: [describe the task].

Use a fresh chat in the same project.

A new project is unnecessary just because this conversation is long. Attach the handoff and brand guide, then load detailed files only as needed. This preserves decisions without replaying every abandoned experiment.

An assistant cannot delete your previous messages or guarantee memory across chats. Context selection, compaction and caching depend on the platform; exact token usage and cost are not guaranteed.

Source: bearglobal-rgb/personalprojects · main
Commit: 827a4d0f77d453ae55a1891917445db7997afd67
Live: bearglobal-rgb.github.io/personalprojects/
Versioned snapshot, not a substitute for checking future source revisions.