

Euronext Securities Milan IRI platform

User Guide - GUI

V. 2.0, JULY 2026

1. Introduction	5
1.1 Document purpose	5
1.2 Target audience.....	5
1.3 Reference Service Description Document	5
2. System and service overview	6
2.1 Platform description	6
2.2 Platform users and roles	7
2.2.1 Overview	7
2.2.2 Persona Sheets	7
2.2.3 Role Matrix.....	8
2.3 Key features and benefits	8
2.3.1 Issuer & investor CSD services	9
2.3.2 GUI overall functionalities	9
3. Login and User Setup.....	10
3.1 Prerequisites	10
3.2 First Login	10
3.3 Language and User Preferences	12
4. Navigating the platform.....	12
4.1 Interface overview	12
4.1.1 User Interface.....	13
4.1.2 Functional Areas	13
4.1.3 Left Menu.....	14
5. Managing Reference Data	15
5.1 Overview	15
5.1.1 Viewing a Custodian Under Contract	15
6. IRI management functionalities	17
6.1 Lifecycle of an IRI	17
6.1.1 The Seven IRI Types	17
6.1.2 Status (User View)	18
6.2 IRI 01 management (Market participants & registrars)	19
6.2.1 Overall Description	19
6.3 IRI01 creation	20
6.3.1 Accessing the Creation Screen	20

6.3.2 Navigation checks	22
6.3.3 Three-Step Wizard	22
6.3.4 Step 1 – Header.....	23
6.3.5 Step 2 – Registration	25
6.3.6 Step 3 – Restrictions Securities (Optional)	30
6.3.7 Save / Submit	33
6.3.8 Error message and correction	34
6.3.9 Regularisation & adjustment of an IRI01	36
6.4 View and Correction of IRI Messages	37
6.4.1 Listing Issued IRI messages	37
6.4.2 Read the Detail Drawer.....	39
6.5 Viewing and Processing Received IRI Messages (Registrar)	45
6.5.1 Accepting or Rejecting	45
The Acceptation of	46
6.5.2 Response Codes and Technical Rejections Visible in the Application	48
6.6 Listing Received IRI Messages	51
6.6.1 Filters.....	52
6.6.2 Grid Columns.....	53
6.6.3 Reading the Detail Drawer.....	53
6.7 Reconciliation	60
6.7.1 Accessing the Module	60
6.7.2 Description.....	60
6.7.3 Reading Reconciliation Statuses	61
6.7.4 Filtering and Prioritizing Breaks.....	62
6.7.5 Opening Row Details	63
6.8 Correcting an IRI – IRI07.....	64
6.8.1 Accessing to the correction.....	64
6.8.2 Enter the Correction	65
6.8.3 Validation of the correction.....	66
6.8.4 Post-Correction Behavior.....	66
6.9 Codes & Reference Rules	67
6.9.1 Transaction Type Codes (TTC)	67
6.9.2 Account Title Types	67

6.10 Notifications, Statuses & Error Messages	68
6.10.1 Common HTTP Errors.....	68
6.10.2 Platform Rejection Codes (IRI 05/06) - Quick Reading	68
6.11 Formal Notices and Penalties	68
6.11.1 Description	68
7. Glossary	70

1. Introduction

1.1 Document purpose

This document is intended for current and prospective clients of Euronext Securities Milan. It provides a comprehensive overview of the management of registered shares through the use of the Graphical User interface – GUI, part of the IRI platform.

The purpose of this guide is to enable any business user - Custodian, Registrar to **use the IRI platform autonomously**: log in, consult reference data, create an IRI, follow its lifecycle, interpret statuses and rejections, and react to incoming flows.

This document follows a **client user manual** logic: it describes the main screens, business workflows, statuses visible in the interface, and the actions expected in standard situations as well as exception cases.

It was written according to the following principles:

- **Task-oriented approach** ("how do I do X?"), not feature-oriented.
- **Explicit personas** and **detailed user journeys**.
- **Glossary and acronyms** at the end of the document.
- **Targeted GUI screenshots** for action and control screens.
- **Numbered step-by-step procedures**.
- **Reference tables** for codes, statuses and business rules.

1.2 Target audience

The target audience for this document are:

- registrars,
- financial intermediaries, and
- other users¹ of Euronext Securities Milan services, particularly those seeking guidance on the use of the GUI interface of the IRI platform.

1.3 Reference Service Description Document

To support a clear understanding of Euronext Securities Milan's service offering, the following Service Description Documents (SDDs) are provided:

¹ Users refers broadly to any party interacting with Euronext Securities Milan services and systems, including CSD participants clients, and related operation or technical teams.

Service Description Document	Key provided information
French registered shares service description document	• French registered securities background and main activities • IRI processes description, including settlement flow when acting as issuer and investor CSD • Specificities of the security account structure for French registered securities • Information on Registered Investors (IRI) processing • set
French registered shares data dictionary	• Structure of messages • Detail content of messages • Connectivity detail

These documents are available in here [CSD Expansion Documentation](#).

2. System and service overview

2.1 Platform description

The IRI platform facilitates the communication regarding final investor information between market participants and registrars and, in some cases (transaction type codes SA, SB, SC), it also allows the settlement instruction to be initiated on behalf of clients.

The platform can be used in two distinct ways:

- **File transfer:** this method enables users to connect directly to the IRI platform to send and receive the various messages: IRI01/05/04/07/02 for market participants and IRI02/03/06/07 for registrars. File transfer is restricted to these specific message flows.
- **GUI interface:** through the graphical interface, users can manually create the messages mentioned above. The GUI also serves as a dashboard, allowing consultation and extraction of detailed information, as described in section 2.2 (e.g., IRI status consultation, reconciliation status, penalties and formal notices management).

This user guide provides information on how platform participants can use the GUI and the functions available to them.

For further details on the Euronext Securities Milan security file transfer connectivity, please consult the latest version of our [Service Description Documents](#).

2.2 Platform users and roles

The IRI platform is designed to support Euronext Securities Milan participants in the transmission of information related to final investors and therefore may be used by different categories of users.

It provides each type of participant with access to the functionalities relevant to their role. The platform intends to serve the needs of:

- **Participants:** by enabling them to perform all necessary actions related to registered investors, from the transmission of IRIs to the consultation of any penalties or formal notices applied.
- **Registrar:** by allowing them to keep up to date the registers they manage on behalf of issuers and ensuring smooth communication with all custodians.

2.2.1 Overview

Family	Main purpose	Most frequent screens
Custodian	Issue and track IRI messages, then process platform/registrar feedback	IRI Messages > <i>IRI Issued</i> , IRI creation, IRI detail
Registrar	Read received IRI messages, accept/reject them and monitor reconciliation	IRI Messages > <i>IRI Received</i> , IRI detail, Reconciliation
CSD / Reference data	Maintain the reference data required for IRI processing	Referential > <i>Financial Instruments</i>

2.2.2 Persona Sheets

2.2.2.1 Persona 1 – Claire, Custodian Back-Office Operator

Information	Description
Application roles	IRI_R_CUSTODIAN_IRI_MANAGEMENT_WRITER, IRI_R_CUSTODIAN_REFER_VIEWER IRI_R_CUSTODIAN_RECONCILIATION_WRITER IRI_R_CUSTODIAN_RECO STOCK_WRITER
Daily objective	Issue IRI 01 messages to Registrars for registrations, removals or transfers of administered registered investors
Screens used	IRI Messages (<i>IRI Issued</i> tab), Create an IRI , Referential (viewing)
Key tasks	Create an IRI 01, track its status, handle a rejection (IRI 05), prepare a regularization if needed

Information	Description
Point of attention	Review REJECTED and REFUSED statuses quickly to avoid processing delays

2.2.2.2 Persona 2 – David, Registrar Operator

Information	Description
Application roles	IRI_R_REGISTRAR_IRI_MANAGEMENT_WRITER, IRI_R_REGISTRAR_RECONCILIATION_WRITER IRI_R_REGISTRAR_RECO_STOCK_WRITER
Daily objective	Receive IRI 02 messages, check the data against the register, and accept or reject them within regulatory deadlines
Screens used	IRI Messages (<i>IRI Received</i> tab), IRI detail, Reconciliation
Key tasks	Read received IRI messages, open the detail, accept / reject, consult history and track breaks

2.2.3 Role Matrix

Screen Visibility	Custodian Writer	Custodian Viewer	Registrar Writer	Registrar Viewer
IRI Messages - Sent	Write	Read	Read	Read
IRI Messages - Received	Read	Read	Write	Read
Create / edit an IRI	Write	-	Write	-
Referential	Read	Read	Read	Read
Referential - Custodians under contract	Read	Read	-	-
Referential detail	-	-	-	-
Reconciliation Messages / Stock	Write	Read	Write	Read

2.3 Key features and benefits

Overall, the GUI supports all use cases covered by the Transaction Type Codes listed in the appendix of the Service Description Document. In essence, this includes:

- Conversions
- Trading on stock exchange, OTC and netting
- Portfolio transfers (with or without change of ownership)
- Registration of participants following buy/sell trades
- Updates of information related to final investors
- Registration of participants following a corporate action event.

2.3.1 Issuer & investor CSD services

When Euronext Securities Milan acts as issuer CSD, the GUI, as part of the IRI platform, supports the following functions:

- Exchange of IRI messages between market participants and registrars
- Management of reconciliation between IRI messages and settlement instructions
- Monitoring of formal notices and penalties

When Euronext Securities Milan acts as investor CSD, the GUI, as part of the IRI platform, provides the interface between the issuer-CSD environment, where the registrar is located, and participants operating through Euronext Securities Milan. In this context, it supports:

- Exchange and conversion of IRI messages into the formats required by the issuer CSD
- Display of reconciliation results performed at issuer-CSD level
- Display of penalties and formal notices attributed to Euronext Securities Milan participants.

2.3.2 GUI overall functionalities

Following this, The GUI interfaces allow participants to:

Functionalities	Description
Send IRIs	Participants, whether acting as custodians or registrars, can generate the IRI messages associated with their role, in accordance with the processes defined in the Service Description document.
Receive & track IRIs	Participants, whether acting as custodians or registrars, can consult at any time the list of IRIs they have sent or received, together with their current status and the stage of each instruction in the overall process.
Regularise and adjust	Following a refusal issued by the registrar, market participants can regularize an IRI previously submitted through the GUI by using the appropriate Transaction Type Code.
Reconciliation	Participants, whether acting as custodians or registrars, can consult the reconciliation workflow through the GUI, including status, details, and reconciliation failures.
Formal notices and penalties	Any formal notices and penalties resulting from reconciliation breaks is accessible via the GUI, including reminders, status information, counts, and extracts.

3. Login and User Setup

3.1 Prerequisites

- ENX & OKTA User account provisioned for the IRI platform
- Supported browser: Chrome ≥ 120 ; Edge ≥ 120 ; Firefox ≥ 115
- Access URL provided by ENX onboarding team as well as firewall protection managed at Internal level
- Strong authentication available if MFA available

3.2 First Login




Figure 1: Login Page

The login screen (Figure 1) is the single entry point to the application. It allows users to enter corporate credentials and then access the scope linked to their application permissions.

Procedure:

1. Open the provided URL.
2. Enter your **ENX / Okta** credentials. (Figure 2)

Connexion à 
Connectez-vous avec votre compte pour accéder à Okta
Dashboard

 Euronext SECURITIES



Vérifier à l'aide de votre mot de passe

Mot de passe

Vérifier

[Mot de passe oublié ?](#)
[Vérifier avec une autre méthode](#)
[Retour à la page de connexion](#)

Figure 2: Password on Okta

3. Validate the second factor (MFA) if enabled. (Figure 3)

Connexion à 
Connectez-vous avec votre compte pour accéder à Okta
Dashboard

 Euronext SECURITIES



Saisir un code

Saisir le code de l'application Okta Verify

Vérifier

[Vérifier avec une autre méthode](#)
[Retour à la page de connexion](#)

Figure 3: MFA Okta

4. The application opens the first module authorized for your profile.

Expected result:

- The Euronext Securities logo is displayed above the form.
- The identification fields and the **Login** button are present.
- The menus visible after login depend exclusively on the permissions linked to your account.

3.3 Language and User Preferences

The application is available in **French** and **English**. The language can be changed through user settings (gear icon at the bottom of the left menu).

Recommended first-time checks:

1. Verify the displayed language before starting business controls.
2. Check that the expected menus are visible after login.
3. Use the **Sign out** icon if you switch user or working scope.

4. Navigating the platform

4.1 Interface overview

The IRI platform interface is designed to offer users a clear, streamlined workspace where all key functionalities navigation, filtering, consultation creating and modification details are accessible from a single consistent layout. The interface combines a global monitoring view with the ability to drill down into specific IRIs, ensuring that users can quickly locate, review and manage all relevant information. The screen is divided into distinct functional areas that structure how users interact with the platform.

The general interface layout provides users with a clear and structured workspace that centralizes all navigation, filtering and consultation features needed to operate within the IRI platform. It serves as the main entry point for accessing the different modules and for interacting with IRI messages. From this screen, users can easily navigate the platform and perform the key actions described below:

- **Left-side navigation menu** (item 1 in figure 2): Gives access to the different modules of the platform through a simple icon-based menu (IRI dashboard, Referential, Creation of new IRIs, Reconciliation, Formal notices and penalties, settings, information, disconnection)
- **Top filter bar** (item 2 in figure 2): Allows users to refine the displayed information using dedicated criteria which depends on the information shown
- **Right-Side detail panel** (item 3 in figure 2): It shows detailed information for the selected information in a split-view format, organized into multiple sub-tabs.

4.1.1 User Interface




Figure 4: IRI dashboard

4.1.2 Functional Areas

The main view is split into three areas visible in figure 2:

Marker	Area	Description	Main use
1	Left menu	Icon bar giving access to platform modules.	Navigate between IRI Messages , Reconciliation , Referential , Settings and Information
2	Filter bar	Top area for search and result refinement.	Search an IRI by number, ISIN, depository code, investor identifier or platform reference
3	Detail panel	Side drawer or right panel displaying the selected row details.	Read IRI data, switch tabs, accept/reject or analyze a break

4.1.3 Left Menu

The screenshot below helps identify the left menu and the entries actually used in daily operations.




Figure 5: Detail of the left menu and main entries

Menu entry	Use	Visible for
IRI Messages	Access the IRI Issued and IRI Received tabs, create an IRI, open a row detail	Custodian / Registrar / viewing profiles
Reconciliation messages	Monitor breaks at message level and prioritize anomalies to process	Reconciliation profiles
Reconciliation stock	Read the aggregated view of breaks by instrument / participant	Reconciliation profiles
Referential	Consult financial instruments and, depending on the profile, participants under contract	Reference-data profiles
Sign out	Close the active session	All
Settings	Change the language and review user preferences	All
Information	Open contextual application information	All

5. Managing Reference Data

5.1 Overview

The **Referential** gathers the minimum data required for the GUI and IRI checks.

- **Financial Instruments** - instrument record used by the application to validate the ISIN, security type, Registrar and effective dates.
- **Custodians under contract** - closed list of onboarded participants contractually authorized on the IRI platform.


The GUI is mainly used to **consult** these reference data. The initial creation of a financial instrument or the onboarding of a participant remains driven by the form / support process defined by the project.

5.1.1 Viewing a Custodian Under Contract

The participants visible in this tab (Figure 7) correspond to counterparties that are **already onboarded** and **under contract** for the IRI platform. Users do not create a record freely from the production GUI.

Procedure:

1. Referential > Custodians tab



Participant name	Participant BIC code	Custodian name	Custodian BIC code	ESN ID	ESES code
BPCE	BPCEFRPP	BPCE	BPCEFRPP	06200861	061
BPCE	BPCEFRPP	CDC	CDCHFRPP	06200205	205
BPCE	BPCEFRPP	HSBC	HSBCFRPP	06200347	347

Figure 6: List of custodians

2. Search by name, BIC or platform code.
3. Open the participant record to check the identifiers used in IRI entry.

The screenshot displays the 'IRI REFERENTIAL' interface. On the left, a sidebar contains navigation icons. The main area is divided into two tabs: 'CUSTODIANS' and 'SECURITIES'. Under 'CUSTODIANS', there is a table with columns: Participant name, Participant BIC code, Custodian name, Custodian BIC code, and ESX ID. The table lists several entries, with 'BPCE' and 'BPCEFRPP' highlighted. To the right of the table, a detailed view for 'BPCEFRPP' is shown, including fields for 'CUSTODIAN PARTICIPANT' (Participant name, Participant BIC code), 'CUSTODIAN UNDER CONTRACT' (Custodian under contract name, Custodian under contract BIC code, Custodian under contract ID, Custodian under contract affiliate code, Start date, End date), and 'ADDITIONAL INFORMATION' (Identification number, Connection type).

Figure 7: Detail of a Custodian

Field	Format	Use
Platform participant name	35 AN	Company using the platform or counterparty visible in the lists
Participant BIC code	11 AN	Business identifier / routing
Custodian name	35 AN	Operational label
Custodian in ES-M	11 AN	Code used on the Euronext Securities Milan side, when applicable
Custodian in ESES	8 N	Euroclear affiliate code, when applicable
Platform no.	8 N	Internal code such as 620XXXXX

If an expected participant does not appear in GUI selection lists, request its addition through the onboarding / support process rather than through local entry.

6. IRI management functionalities

6.1 Lifecycle of an IRI

6.1.1 The Seven IRI Types

Type	Sender	Receiver	Role
IRI 01	Custodian (or Registrar in special cases)	Platform > Registrar (Platform > Custodian)	Creation (amendment/removal for draft)
IRI 02	Platform	Registrar (Custodian)	Validate transmission of IRI 01
IRI 03	Registrar	Platform > Custodian	Registrar response (accepted / refused)
IRI 04	Platform	Custodian	Notification to the Custodian of the Registrar response
IRI 05	Platform	Custodian	Functional rejection of an IRI 01 or 07
IRI 06	Platform	Registrar	Functional rejection of an IRI 03
IRI 07	Custodian / Registrar	Platform	Reconciliation Rectification on an IRI 01 (S/D date or T2S reference)

6.1.2 Status (User View)

Statuses are visible directly in the **IRI Issued** or **IRI Received** tables, and in the detail banner of a case file. The screenshots below show the actual rendering of counters and status pills in the application.




Figure 8: Examples of status in the IRI Issued list

Code	Displayed label	Meaning	When to see it
DRAFT	Draft	Saved IRI not yet sent	Before submission, on the sender side
WAITING	Waiting	Sending in progress / functional checks done	Right after submission
WAITING_CSD	Waiting CSD	BRN 01 acknowledged by Issuer CSD	Files that require Issuer CSD-side processing
TRANSMITTED_CSD	Transmitted to CSD	BRN 01 sent to Issuer CSD	After platform processes are passed
TRANSMITTED_REGISTRAR	Transmitted to Registrar	IRI 02 sent to Registrar	File ready to be processed by the Registrar
TRANSMITTED_CUSTODIAN	Transmitted to Custodian	IRI 02 sent to Custodian	File ready to be processed by the Custodian (IRI received)
WAITING_NOTIFICATION	Waiting notification	Waiting for ES-M notification validation/ functional checks done	Message that requires ESM-side processing

Code	Displayed label	Meaning	When to see it
ACCEPTED	Accepted	The Registrar accepted the message	After business validation by the Registrar
REJECTED	Rejected	Functional refusal by IRI platform	When the message does not pass functional controls in platform
REFUSED	Refused	The Registrar rejected the message	After business reject by the Registrar

6.2 IRI 01 management (Market participants & registrars)

6.2.1 Overall Description

The GUI offers users a streamlined and intuitive way to create, validate, and submit an IRI01 message directly within the IRI platform. This functionality is particularly useful for institutions that do not use file transfers, or only use them partially, and prefer a guided, visual workflow.

An IRI01 message is used to transmit information on final investors from the custodian to the registrar on in some case to transmit the information from the registrar towards the custodians. In the GUI, the creation of an IRI01 is divided into **three separate pages**, each corresponding to one of the core sections of the message (Header, Matriculation, and Restriction).

This step-by-step structure ensures that users complete the instruction in a clear and logical order, while the GUI applies the rules defined in the Data Dictionary.

Detailed explanation of the three sections:

- **Header (figure 1):** it is the first section of IRI01. It contains the key functional information needed to identify the instruction and determine the type of action requested. This includes the operation type (conversion, portfolio transfer, registration after a trade, update), relevant dates, and the participant's identifiers. These fields allow the platform and the registrar to process the instruction correctly. The GUI highlights mandatory fields and performs basic validations to help users avoid errors.
- **Matriculation (Figure 2):** the Matriculation section contains all information related to the final investor. This includes personal or legal details such as the name, address, postal code, and other identification elements depending on the framework. The GUI guides the user through these fields and ensures that mandatory information is provided. This section is essential, as it defines the investor to whom the registration relates.

- **Restriction section (Figure 3):** the Restriction section is used to indicate any specific restrictions associated with the investor, when relevant. This may include holding or voting restrictions, or other constraints applicable to certain types of investors.

The screenshot shows the 'IRI MESSAGES' interface. At the top, there are filter fields for IRI number, ISIN code, Custodian delivery code, Custodian receiver code, Identifier, and Platform IRI reference. Below the filters are two tabs: 'IRI ISSUED (6)' and 'IRI RECEIVED (4)'. The 'IRI ISSUED' tab is active, displaying a table of transactions. The table has columns for Status, IRI code, Label, IRI number, Identifier, CTO, Direction of the operation, Transaction reference, Quantity, Custodian delivery code, Custodian receiver code, Accounting day, and Last update. A '+ Create an IRI' button is visible in the top right corner of the table area.

Status	IRI code	Label	IRI number	Identifier	CTO	Direction of the operation	Transaction reference	Quantity	Custodian delivery code	Custodian receiver code	Accounting day	Last update
Accepted	FR0015676547899	ARCIAN ENTREPRISE	00000000000000000001	001454899870	MA	I	6454667476765760	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARCIAN ENTREPRISE	00000000000000000002	001454899877	MA	I	6454667476765761	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARCIAN ENTREPRISE	00000000000000000003	001454899871	MA	I	6454667476765762	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARCIAN ENTREPRISE	00000000000000000004	001454899873	MA	I	6454667476765763	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARCIAN ENTREPRISE	00000000000000000005	001454899878	MA	I	6454667476765764	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARCIAN ENTREPRISE	00000000000000000006	001454899875	MA	I	6454667476765765	0	30	30	21 Mar 2024	22 Mar 21

Figure 9: IRI Issued table and access to new IRI creation

6.3 IRI01 creation

Required writer role for the user (IRI_R_CUSTODIAN_IRI_MANAGEMENT_WRITER or IRI_R_REGISTRAR_IRI_MANAGEMENT_WRITER).

6.3.1 Accessing the Creation Screen

The IRI Issued table (Figure 11) is the operational entry point for creating, monitoring and exporting previously transmitted instructions. The Create an IRI button is available in the action area of the table for users with a writer role. (Selection on the figure 10)

- Step 1: Menu **IRI Messages**.
- Step 2: **IRI Issued** tab.
- Step 3: Click **Create an IRI** (top right).

Point of attention : The button is visible only if you have the writer role.

Expected result:

- The creation wizard opens in three successive steps.
- The **Header / Registration / Restrictions** stepper is visible at the top of the screen.
- Consistency checks prevent moving to the next step while mandatory fields remain complete
- Mandatory fields are highlighted as errors if the user leaves the field without completing it

1 Header 2 Registration 3 Restrictions

GENERAL DATA

Transaction type code (TTCD) * Transaction purpose * ISIN Code * Securities quantity *

Participant delivery code * Participant receiver code * Investor identifier

RI number * Securities Account type *

Comments

DATES

Execution date * Reference date for corporate action

Accounting day for the RI for registration sent previously Duration of Holding

ADDITIONAL DATA

Adjusted RI number

Number of the RI for registration sent previously Purpose of the adjusted RI

RI sender contact details Internal references at the RI sender Internal references at the RI sender (continuation)

Reference for the associated securities movement Platform reference for the associated RI by the registrar

Custodian sender Custodian receiver

Custodian code - Administrator Transaction reference

Cancel Save Next >

Figure 11: Three-step Wizard - Header

1 Header 2 Registration 3 Restrictions

GENERAL DATA

Transaction type code (TTCD) * Transaction purpose * ISIN Code * Securities quantity *

Participant delivery code * Participant receiver code * Investor identifier

RI number * Securities Account type *

Comments

DATES

Execution date * Reference date for corporate action

Accounting day for the RI for registration sent previously Duration of Holding

ADDITIONAL DATA

Adjusted RI number

Number of the RI for registration sent previously Purpose of the adjusted RI

RI sender contact details Internal references at the RI sender Internal references at the RI sender (continuation)

Reference for the associated securities movement Platform reference for the associated RI by the registrar

Custodian sender Custodian receiver

Custodian code - Administrator Transaction reference

Cancel Save Next >

Figure 10: Three-step Wizard – Mandatory Field

6.3.2 Navigation checks

- **Next** button (Figure 12) remains disabled as long as the minimum valid data set is not complete.

The screenshot displays a three-step wizard for securities registration. Step 1, 'Header', is the current step and contains fields for Transaction type code (TTC), Transaction purpose, ISIN Code, Securities quantity, Participant delivery code, Participant receiver code, Investor identifier, IRI number, Securities Account type, and a Comments text area. Step 2, 'Registration', includes Execution date, Reference date for corporate action, Execution date for the adjusted IRI, Accounting day for the IRI for registration sent previously, and Duration of Holding. Step 3, 'Restrictions', includes Adjusted IRI number, Number of the IRI for registration sent previously, Purpose of the adjusted IRI, IRI sender contact details, Internal references at the IRI sender, Internal references at the IRI sender (continuation), Reference for the associated securities movement, Platform reference for the associated IRI by the registrar, Custodian sender, Custodian receiver, Custodian code - Administrator, and Transaction reference. At the bottom right, there are 'Cancel', 'Save', and 'Next' buttons. The 'Next' button is disabled.

Figure 12: Next button

- Controlled lists:
 - **TTC,**
 - **Transaction purpose,**
 - **ISIN code,**
 - **Participant codes,**
 - **Account title type**
 - **Purpose of the adjusted IRI**
 require a reference-data value and do not accept free text.
- The **Investor identifier, IRI number, Securities Quantity, Holding period** and **Adjusted IRI number** fields are treated as numeric fields.
- The **Account title type** directly influences the checks in the **Registration** step and whether **Restrictions** are required.

6.3.3 Three-Step Wizard

Step	Objective	Data processed
1. Header	Define the nature of the instruction	Transaction Type code (TTC), Transaction purpose, ISIN code, Securities quantity, participant delivery code, dates, references, ...
2. Registration	Describe the concerned holder(s)	holder type, identity, address, holder restrictions, ...
3. Restrictions	Add any applicable restrictions	security or account restrictions

The wizard guides the user from one block of data to the next. As long as the current step is not valid, navigation remains blocked and moving to the next step is not allowed.

6.3.4 Step 1 – Header

The **Header** (Figure 14) step groups the structuring information of the IRI: transaction type code, transaction purpose, concerned security, quantity, counterparty reference and supplementary elements required for processing by the platform and then by the Registrar.

Figure 13: Header details

The screen is structured in **three blocks** consistent: **General data**, **Dates** and **Additional data**.

NB: all selection can be managed by autocompletion

6.3.4.1 General Data block

Figure 14: General Data Block

All fields available in the IRI creation wizard are subject to validation rules defined by the platform and aligned with the Message Dictionary. Each field is governed by a maximum length constraint enforced directly at GUI level, preventing the entry of non-compliant values.

In addition, format and consistency checks are systematically applied (e.g. numeric-only fields, controlled lists, or mandatory fields). See the details on the GUI Behaviour Column. Where specific constraints apply (such as fixed length, format requirements or business rules), contextual tooltips are available in the interface to guide the user during data entry.

UI field	Message dictionary Description	Mandatory
Transaction type code (TTC)	4.15	Yes
Transaction Purpose	4.57	Yes
ISIN code	4.16	Yes
Securities Quantity	4.48	Yes
Participant delivery code	4.06	Yes
Counterparty institution code	4.66	Yes
Investor identifier	4.32	Conditional
IRI number	4.42	Yes
Securities Account Type	4.61	Yes
Comments	4.18 / 4.19	No

6.3.4.2 Dates Block

DATES

Execution date ^{*}

Reference date for corporate action

Execution date for the adjusted IRI

Accounting day for the IRI for registration sent previously

Duration of Holding

Figure 15: Dates Block

UI field	Message dictionary Description	Mandatory
Execution Date	4.24	Depending on the case
Reference date for corporate action	4.29	Depending on the case
Execution date for the adjusted IRI	4.35	Depending on the case
Accounting day for the IRI for registration sent previously	4.34	Depending on the case
Duration of Holding	4.31	No

6.3.4.3 Additional Data Block

ADDITIONAL DATA

Adjusted IRI number

Number of the IRI for registration sent previously Purpose of the adjusted IRI

IRI sender contact details Internal references at the IRI sender Internal references at the IRI sender (continuation)

Reference for the associated securities movement Platform reference for the associated IRI by the registrar

Custodian sender Custodian receiver

Custodian code - Administrator Transaction reference

Figure 16 - Additional Data Block

UI field	Message dictionary Description	Mandatory
Adjusted IRI number	4.44	No
Number of the IRI for the registration sent previously	4.43	No
Purpose of the Adjusted IRI	4.58	No
IRI sender contact details	4.23	No
Internal references at the IRI sender	4.54	No
Internal references at the IRI sender (continuation)	4.55	No
Reference for the associated securities movement	4.50	Depending on the case
Platform reference for the associated IRI by the registrar	4.53	Depending on the case
Custodian sender	4.65	Depending on the case
Custodian receiver	4.66	Depending on the case
Custodian code - Administrator	4.14	No
Transaction reference	4.49	No

6.3.5 Step 2 – Registration

The **Registration** step allows the user to add one or more registration lines corresponding to the holders concerned by the instruction. The **Add a registration** link creates a new line, then the detailed form displayed under the grid allows the selected holder's data to be entered immediately.




Figure 18: Add a registration Button

By clicking on **Add a registration** button, a pop up appears to fill up all the details regarding a registration




Figure 17 : Registration Screen Empty

6.3.5.1 Add a Registration

The figure below corresponds to the Add a registration popup used for entering a holder.

Figure 19 Field Detail of the Add a Registration Popup

6.3.5.2 Field Details of the Add a Registration Popup

UI field	Message dictionary Description	Mandatory
Holder Type	4.11	Yes
Surname or Corporate name	4.37	Yes
Forename or Corporate name	4.46	No
Maiden name or corporate name	4.38	No
Forename name or corporate name (continuation)	4.47	No
Nationality code of the Holder	4.08	No
Country code of the Address	4.09	No
Building	4.01	No
Street	5.56	No
Additional address information	4.21	No
Postal code	4.10	No
City	4.20	No

UI field	Message dictionary Description	Mandatory
Personal Title	4.59	No
Birth date	4.62	No
Phone Number	4.63	No
Email Address	4.64	No

6.3.5.3 Points of Attention in the Registration Step

- The **Quality code** + **Last name / company name** pair is the minimum core required for registration entry.
- The **Account title type** entered in step 1 determines the **minimum number of registrations expected**. Example: type 1 (joint accounts) -> at least 2 registrations.
- The **Add a restriction** link can be used only if the current registration is already valid on its blocking fields.
- The registrations table first shows a summary (**order number, quality code, last name, first name**) and, when the row is expanded, all detailed fields plus any restrictions linked to the holder.
- The Next button is useful only once at least one valid registration has been saved in the grid.

Figure 20 Registration details

Enter one or more registrations (at least one, several for joint accounts, join ownership, etc...). The **figure 21** shows the summary grid and the detailed edit area that allows each holder to be reviewed before submission.

6.3.5.4 Restrictions on holder



Figure 21 Add a restriction button

By clicking on the Add a restriction button, the user can add all relevant restriction information related to the Holder.

ADD A RESTRICTION

Restriction code * Date restriction ends

Holder type * Surname or Corporate name Forename or Corporate name

Maiden name or Corporate name Forename or Corporate name (Cont.) Nationality code of the investor

Country code of the address Building Street

Additional address information Postal code City

Personal title

Birth date Phone Number E-mail Address

< Back Add a restriction

Figure 22: Add a restriction popup

UI field	Message dictionary Description	Mandatory
Restriction code	4.13	Yes
Date Restriction ends	4.28	No
Holder Type	4.11	Yes
Surname or corporate name	4.37	No
Forename or corporate name	4.46	No
Maiden name or corporate name	4.38	No
Forename or corporate name (Continuation)	4.47	No
Nationality code of the Investor	4.08	No
Country code of the Address	4.09	No
Building	4.01	No
Street	4.56	No
Additional Address information	4.21	No
Postal code	4.10	No
City	4.20	No
Personal title	4.59	No

6.3.6 Step 3 – Restrictions Securities (Optional)

The **Restrictions** step is used to enter the restrictions linked to the IRI when the account type or transaction type requires them. The user can add several restrictions.

IRI MESSAGES

CREATE AN IRI

Progress bar: 1. Holder, 2. Registration, 3. Restrictions

RESTRICTIONS

+ Add a restriction

Restriction code	Restriction end date	Quality code	Name or company name	Firstname or rest of the company name	Software ind
24335456	06/05/2026	3454655764	Software ind	Lorem ipsum	
67867576	12/04/2026	5765675545	Bank-compe	Lorem ipsum	

Input fields:

- Restriction code: [Text input]
- Restriction end date: [Date input]
- Quality code: [Text input]
- Name or company name: [Text input]
- Firstname or rest of the company name: [Text input]
- Nationality code: [Text input]
- Address country code: [Text input]
- Building: [Text input]
- Street: [Text input]
- Additional address: [Text input]
- Postal code: [Text input]
- City: [Text input]
- Title: [Text input]
- Birth date: [Date input]
- Phone number: [Text input]
- Email address: [Text input]

Buttons: Return, Create an IRI

Figure 23 - IRI01 creation, Restrictions step

Add, for each relevant registration, one or more **restriction codes** (NT = pledge, etc.) and a **restriction end date** in specific case.

6.3.6.1 Add a restriction

The figure below corresponds to the **Add a restriction** popup used to create a new restriction linked to a holder or an account line.

Figure 24: Popup Add a restriction

6.3.6.2 Field Details of the Add a Restriction Popup

UI field	Message dictionary Description	Mandatory
Restriction code	4.13	Yes
Date Restriction ends	4.28	No
Holder Type	4.11	Yes
Surname or corporate name	4.37	No
Forename or corporate name	4.46	No
Maiden name or corporate name	4.38	No
Forename or corporate name Continuation	4.47	No
Nationality code of the Holder	4.08	No
Country code of the Address	4.09	No
Building	4.01	No
Street	4.56	No
Additional Address information	4.21	No
Postal code	4.10	No
City	4.20	No
Personal title	4.59	No

6.3.6.3 Edit a Restriction

The **Edit a restriction** popup uses exactly the same field dictionary as the add popup, but with the restriction data **prefilled** and three explicit actions at the bottom of the window. The access to the edition is done by a double-click on the Restriction line.

EDIT A RESTRICTION

Restriction code: TL - Tutelle légale

Restriction end date: Caption

Quality code: 3 - Monsieur

Name or company name: DURAND

Firstname or rest of the company name: SOPHIE

Maiden name or rest of the company name: Caption

Maiden name or rest of the company name: Caption

Nationality code: FRA - France

Address country code: FRA - France

Building: Caption

Street: rue des montagnes

Additional address: Caption

Postal code: 74000

City: Annecy

Title: Caption

Birth-date: 16/05/1985

Phone number: Caption

Email address: pierre.durand@iri.com

Buttons: Return, Delete the restriction, Save the modifications

Figure 25: Edit/Deletion of a restriction

Points to note in this edit popup:

- all fields listed in **6.3.7** are shown again with their current value
- the **Return** button closes the popup without saving
- the **Delete the restriction** button deletes the selected restriction
- the **Save the modifications** button validates the changes made to the current restriction.

6.3.6.4 Reading the Restrictions Grid

- The summary grid first displays the **Order, Restriction code, End date, Quality code, Holder last name, Holder first name** columns.

1 Header 2 Registration 3 Restrictions

RESTRICTIONS

+ Add a restriction

Order Number	Restriction code	Date restriction ends	Holder type	Surname or Corporate name	Forename or Corporate name
>	1	SV - SV - Vacant succession		Corporate	

Buttons: < Back, Close, Save, Submit

Figure 26: Restriction Grid

- Expanding a row gives access to the full restriction field dictionary, with edit or delete options as long as the IRI has not been submitted.

The same restriction structure is reused in the detail of a received IRI, making reading more consistent between issuance and viewing/accessing.

6.3.7 Save / Submit

Figure 27: Buttons Save & Submit

Action	Effect	Status
Save as draft	Local save, still editable	DRAFT
Submit	Sent to the platform, immediate checks	WAITING or WAITING_NOTIFICATION

After submission, the user returns to the **IRI Issued** table where the instruction appears with its tracking status. Platform technical checks apply immediately; the Registrar decision then occurs through the IRI process cycle.

After a Save, the platform proceeds to functional controls and if an error occurs, the IRI will automatically pass to the "Draft" Status and a error banner appears to give Information to the user on the IRI errors. Detailed on 6.3.7

Figure 28: Error Banner for Functional Error

6.3.8 Error message and correction

On the detail of IRI, the user can retrieve the error code attached to the IRI, to perform the correction and re-submission.

6.3.8.1 Header, sequencing and general identification

Code	Official / displayed label
001	Custodian delivery code unknown or null
002	File number already transmitted
003	Non-sequential file number
004	Duplicate IRI number
005	IRI number must not be equal to the IRI number to be regularized
006	The IRI number does not exist
007	Incomplete IRI
008	Inconsistency between the number of registrations / restrictions and the number of records
011	Inconsistency between IC type and number of records
012	Inconsistency between IC type and quality code
013	Inconsistency between IC type and restriction code
017	Custodian receiver code unknown
018	Custodian receiver code must be equal to Custodian delivery code

6.3.8.2 Security, dates, quantity, direction and business references

Code	Official / displayed label
009	Date of entry in the register is not a T2S working day
014	ISIN code not eligible as a VEN security
015	The ISIN code is not eligible for SRD
016	Date of entry in the register is not a T2S business day
019	The quantity must be equal to zero
020	Number of non-compliant decimal places
021	The quantity is not a multiple of the nominal value
022	Operation direction not compliant
023	Mandatory IRI identifier or registration number
024	Must be filled in with the identifier or with zeros
025	Date of entry in the register is not a T2S business day
026	The CTO does not exist
027	The CTO is incompatible with the value type
028	Incompatible direction

Code	Official / displayed label
029	Direction of IRI to be regularized does not exist
030	The direction must not be specified
031	Non-existent IRI number
032	IRI number must not be entered
033	Accounting day does not exist
034	Accounting day does not correspond to the IRI number to be adjusted
035	Registration date of the IRI to be regularized in the register is not a T2S business day
036	Registration date of the IRI to be regularized does not exist
037	Mandatory reference
038	T2S reference does not exist
039	The T2S reference must not be entered
040	The issuer comment field must be completed if the CTO is SC or SB
041	This BIC code must be entered if the issuer CSD is not ES-M
042	Operation reference is mandatory

6.3.8.3 Holders, address and restrictions

Code	Official / displayed label
043	Inconsistency between the number of restrictions
044	Inconsistency between the number of restrictions
045	Quality code does not exist
046	The name of the holder or company name does not exist
047	Unknown nationality code
048	Country code unknown
049	The birthdate field must be filled with zeros
050	The telephone field must be filled with spaces
051	The email field must be filled with spaces
052	The restriction code is not compatible with the entered quality code
053	The quality code does not exist
054	The restriction end date must be entered with restriction code UL, or must not be entered depending on the case
0055	REGISTRAR code unknown or null
0056	Accounting day not specified
0057	Accounting day is not a T2S business day

Code	Official / displayed label
0058	Reference unknown or null
0059	Date not provided
0060	Field not filled in
0060	Code does not exist
0063	Field not filled in
0064	IRI 01 not found
0065	The first 4 characters are not zeros
0066	The data is not blank
0067	The data cannot be blank for this CTO
0068	The data cannot be blank, the REGISTRAR is part of ES-M
0069	Exceeding the total earmarking amount

6.3.9 Regularisation & adjustment of an IRI01

The regularization of an IRI01 refused by the registrar follows the same workflow as the initial submission. To perform the regularization, the participant must initiate a new IRI using the **dedicated transaction type code ending in "J" or "R"**. The participant shall replicate some information previously provided in the header section of the original IRI01, ensuring full alignment with the initial instruction.

Points to refer to the original IRI:

- Execution date for the adjusted IRI
- Accounting day for the IRI for registration sent previously
- Adjusted IRI number

- Purpose of the adjusted IRI.

DATES

Execution date * Reference date for corporate action

Execution date for the adjusted IRI Accounting day for the IRI for registration sent previously Duration of Holding

ADDITIONAL DATA

Adjusted IRI number

Number of the IRI for registration sent previously Purpose of the adjusted IRI

IRI sender contact details Internal references at the IRI sender Internal references at the IRI sender (continuation)

Reference for the associated securities movement Platform reference for the associated IRI by the registrar

Custodian sender Custodian receiver

Custodian code - Administrator Transaction reference

Figure 29: Regularization & Adjustment fields

6.4 View and Correction of IRI Messages

The IRI Issued tab shows the list of Custodian's IRI queue: issues instructions, current status, identification information and direct access to the detail drawer.

6.4.1 Listing Issued IRI messages

IRI MESSAGES

FILTERS

IRI number ISIN code Custodian delivery code Custodian receiver code Identifier Platform IRI reference

+ More criteria

IRI ISSUED (6) **IRI RECEIVED (4)**

Status	ISIN code	Label	IRI number	Identifier	CTO	Direction of the operation	Transaction reference	Quantity	Custodian delivery code	Custodian receiver code	Accounting day IRI	Last update
Accepted	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000001	001456899870	PA	I	6454667476765760	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000002	001456899877	PA	I	6454667476765761	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000003	001456899871	PA	I	6454667476765762	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000004	001456899873	PA	I	6454667476765763	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000005	001456899878	PA	I	6454667476765764	0	30	30	21 Mar 2024	22 Mar 21
Accepted	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000006	001456899875	PA	I	6454667476765765	0	30	30	21 Mar 2024	22 Mar 21

Export

Figure 30: Listing of IRI issued

- STEP 1: Menu IRI Messages.
- STEP 2: IRI Received tab.
- STEP 3: Use the filters: status, ISIN, IRI number, delivery code, receiving code, investor identifier, date & more criteria
- STEP 3: Click a row to open the detail drawer on the right side of the screen.

6.4.1.1 Important Filters

The IRI could be filter with the filter bar (Figure 31)

Figure 31: Filters bar

Filter	What it isolates	Typical use case
IRI number	One specific instruction	One-off search from a business ticket or a support call
ISIN code	All instructions related to a given security	Daily review by instrument
Participant delivery code	Messages sent by a given participant	Counterparty-based prioritization
Participant receiver code	Messages sent to a given participant / register	Monitoring by business destination
Investor identifier	Messages linked to a given investor	Case file / holder analysis
Platform IRI reference	An inter-message linkage	One-off search from a business ticket or a support call

6.4.1.2 Grid Columns Worth Explaining in the Guide

Column	Operator reading
Status	Allows the user to see immediately whether the message is waiting, accepted, rejected or refused
ISIN code	Identifies the security concerned by the IRI
Security label	Gives a faster business reading than the ISIN alone
IRI number	Unique instruction reference on the sender side
Investor Identifier	Carries the investor identifier used by the Registrar in the registry
TTC	Defines the business scenario to be processed: registration, conversion, regularization, corporate action, etc
Purpose	Indicates whether the instruction concerns a registration or a removal
IRI reference	Used for reconciliation with the platform or internal systems.
Quantity	Number of securities covered by the instruction
Participant delivery code	Identifies the sender participant in the flow
Participant receiver code	Identifies the target participant or the expected counterparty in the flow
IRI accounting day	Accounting date used for operational reading
Last update	Helps prioritize files recently modified

6.4.2 Read the Detail Drawer

The detail drawer contains all data required to analyze the selected IRI. It is accessible without leaving the list, which supports a supervision / control usage pattern.




Figure 32: Detail of a received IRI

Tabs visible in the interface allow a quick switch from one view to another:

Tab	Content
General data	IRI references, TTC, purpose, ISIN, quantity, participants codes and identification information.
Securities restriction	Restrictions linked to the securities
Account restriction	Restrictions linked to the account
Dates	Execution dates, accounting dates, corporate-action reference date and adjusted dates when applicable
Registers	Detailed registration data of the concerned holders
History	Audit trail

6.4.2.1 Summary Banner Above the Tabs

Before opening a tab, the IRI detail already displays a summary banner that acts as the message identity card.

Zone	Displayed content	Operator value
Rejection banner	Code + description of the rejections present on the IRI, if applicable	See immediately the reason for a technical or functional rejection
Transaction Type code (TTC)	CTO code + label	Understand the business scenario without opening the detail
Transaction Purpose	Direction + associated label	Check whether it is a registration or a removal
Participant delivery code	Sending participant code	Identify the source counterparty.
Status	Current message status	Prioritize the action or analysis
Securities Quantity	Transmitted volume	Quick quantity check
ISIN code	Security reference	Immediate identification of the security
Label	Instrument designation	Facilitates business review
Investor Identifier	Investor identifier	Reconcile the case file with the investor
Created on	Creation timestamp	Determine the message timestamp
Updated on	Last update timestamp	Check whether the file has changed recently
Comments	Free comment entered by the sender	Read the business context without changing tab

6.4.2.2 General Data Tab - Displayed Fields

General data	Securities restriction	Account restriction	Dates	Registers	History
IRI number 000014012260000571				Internal references at the IRI sender	Internal references at the IRI sender (continuation)
Registrar Uptelia				Participant receiver code 62000061	IRI sender contact details CONTACT PERSON
Securities Account type 3 - joint ownership				Reference for the associated securities movement T3024184000000000	Transaction reference
Custodian sender 00001				Custodian receiver 00002	Custodian code - Administrator BPCLF8PP
Number of the IRI for registration sent previously 000000000000000000				Purpose of the adjusted IRI	Adjusted IRI number 000000000000000000
Platform reference for the associated IRI by the registrar				BRN reference	

Figure 33: IRI Detail - General data tab

Displayed field	Operator description
IRI number	Central reference of the message
Internal reference at the IRI sender	First internal reference
Internal reference at the IRI sender (continuation)	Supplementary reference
Registrar	Registrar participant linked to the case file
Participant receiving code	Code of the receiving counterparty
IRI sender contact details	Operational contact of the instruction

Displayed field	Operator description
Securities Account type	Code + label of the account type
Reference for the associated securities movement	Settlement reference linked to the message
Transaction reference	Operational reference visible at message level
Custodian sender	Account used on the delivering side
Custodian receiver	Account used on the receiving side
Custodian code - Administrator	Administrator Custodian code
Number of the IRI for registration sent previously	Reference of the earlier IRI
Purpose of the adjusted IRI	Direction carried by a corrected IRI
Adjusted IRI number	Reference of the corrected IRI
Platform reference for the associated IRI by registrar	Platform internal key of the linked message.
BRN reference	BRN reference when present

6.4.2.3 Dates Tab - Displayed Fields

General data Securities restriction Account restriction **Dates** Registers History

Execution date 04/03/2026	Execution date for the adjusted IRI
Accounting date of receipt by the IRI platform 20/05/2026	Accounting day for the IRI for registration sent previously
Reference date for corporate action 01/07/2024	Duration of Holding 00

Figure 34: IRI detail - Dates

Displayed field	Operator description
Execution Date	Register date carried by the message
Execution Date for the adjusted IRI	Possible corrected date
Accounting date of receipt by the IRI platform	Accounting date linked to the receipt
Accounting date for the IRI for registrar sent previously	Corrected accounting date
Reference date for the corporate action	Linked corporate-action date
Duration of period	Holding duration carried by the message

6.4.2.4 Registers Tab - Detailed Reading

The **Registers** tab uses the same logic as creation step 2: a **summary grid** first, then, when the row is expanded, the **full holder record**.

Reading level	Visible fields	Comment
Summary grid	Order no., Quality code, Holder last name, Holder first name	Allows the user to identify quickly which holder to open
Detailed record	Quality code, Last name/company name, First name/continuation, Birth name/continuation 1 and 2, Nationality, Address country, Building, Street, Complement, Postal code, City, Title, Date of birth, Phone, Email address	Reuses all fields entered in the Registration step
Linked restrictions	Restrictions table at holder level, when present	Allows restrictions to be reread without going back to creation

6.4.2.5 Restriction / Account Restriction Tabs

General data **Securities restriction** Account restriction Dates Registers History

Order Number	Restriction code	Date restriction end	Quality code	Holder's name	Holder's first name
1	AD - Administrateur		O4 - Mrs		

Restriction code
AD - Administrateur

Restriction end date

Quality code
O4 - Mrs

Name or company name
undefined

Firstname or rest of the company name
undefined

Maiden name or rest of the company name
undefined

Maiden first name or rest of the company name
undefined

Holder's nationality code
undefined

Address country code
FRA

Building
Batiment1

Street
RUE DU LAC

Title
undefined

Additional address
COMPLEMENT1

Postal code
74000

City
ANNECY

Birth date

Phone Number

E-mail Address

Figure 35: IRI Detail - Securities restriction

General data Securities restriction **Account restriction** Dates Registers History

Order Number	Restriction code	Date restriction end	Quality code	Holder's name	Holder's first name
▼ 1	SD - Succession décidée		00 - Not specified		
Restriction code SD - Succession décidée Restriction end date Quality code 00 - Not specified Name or company name undefined Firstname or rest of the company name undefined Maiden name or rest of the company name undefined Maiden first name or rest of the company name undefined Holder's nationality code undefined Address country code FRA Building Street Title undefined Additional address Postal code City Birth date Phone Number E-mail Address					

Figure 36: IRI Detail - Account Restriction

Two restriction tabs use the same display structure:

UI field	Operator description
Restriction code	Nature of the restriction applied to the holder
Date Restriction ends	Expected expiry of the restriction
Holder Type	Category of the holder or bearer (Miss, Mrs, Mister, Company, etc.)
Surname or corporate name	Main last name of the holder or company name.
Forename or corporate name (continuation)	Holder first name or continuation of the company name
Maiden name or corporate name (continuation)	Additional identity element or continuation of the company name
Forename or corporate name (2nd part)	Second continuation of the name / company name
Nationality code of the Investor	Country / nationality code of the holder
Country code of the Address	Country / nationality code of holder address
Building	Building line of the address
Street	Main street line of the address
Additional Address information	Complementary address information
Postal code	Holder postal code
City	City / town of the address
Personal title	Courtesy title of the holder

6.4.2.6 Registers Tabs

General data	Securities restriction	Account restriction	Dates	Registers	History
Order Number			Quality code		Holder's name Holder's first name
>	1		Q3 - Mr	BAZI1	PRENOM1

Figure 37: Register Information not expanded

The register tab will give a list view of the or all register concerned by an IRI.

General data	Securities restriction	Account restriction	Dates	Registers	History
Order Number Quality code Holder's name Holder's first name					
▼	1		Q3 - Mr	BAZI1	PRENOM1
Quality code		Name or company name		Firstname or rest of the company name	
Q3 - Mr		BAZI1		PRENOM1	
Maiden name or rest of the company name		Maiden first name or rest of the company name		Holder's nationality code	
		PRENOMAP		FRA	
Address country code		Building		Street	
FRA		RUE DE CASTAGNARY		RUE DE CASTAGNARY	
Additional address		Postal code		City	
		78000		VERSAILLES	
Title					
Birth date		Phone number		Email address	
01/01/2000		000033960904635		e_mail@email.com	
Order Number	Restriction code	Date restriction end	Quality code	Holder's name	Holder's first name
No data					

Figure 38: Register Information expanded

By clicking on the down arrow, the register Information will be displayed.

UI field	Operator description
Holder Type	Category of the holder or bearer (Miss, Mrs, Mister, Company, etc.)
Surname or Corporate name	Main last name of the holder or company name
Forename or Corporate name (Continuation)	Holder first name or continuation of the company name
Maiden name or corporate name	Additional identity element or continuation of the company name
Maiden name or corporate name (continuation)	Second continuation of the name / company name
Nationality code of the Holder	Country / nationality code of the holder
Country code of the Address	Country linked to the holder address
Building	Building line of the address
Street	Main street line of the address
Additional address information	Complementary address information
Postal code	Holder postal code
City	City / town of the address
Personal Title	Courtesy title of the holder
Birth date	Holder date of birth
Phone Number	Holder phone number

UI field	Operator description
Email Address	Holder email address

6.4.2.7 History Tabs

The History tab will give information about the different status changes on an IRI as an audit trail.

General data	Securities restriction	Account restriction	Dates	Registers	History
Last Update					
2024-05-20T10:16:06.886161Z		Status		Author	Event
		TRANSMITTED_CSD		IRI_PLATFORM	CSD_SENDING
2024-05-20T10:16:06.814384Z		WAITING		IRI_PLATFORM	CREATION

Figure 39: History tab

6.5 Viewing and Processing Received IRI Messages (Registrar)

An IRI03 (or BRN03) message is used by the registrar to communicate to the market participant sender the acceptance or refusal of an IRI previously submitted. It serves as the formal response message in the instruction workflow and allows custodians to immediately identify whether the registration request has been validated or requires correction. This message closes the operational loop of the IRI process by providing the official outcome of the instruction.

Unlike the IRI, which is composed of three separate sections (Header, Matriculation, and Restriction), **the IRI03 message contains a single section** regrouping all the information required to convey the decision of the registrar. The fields included in this section are defined in the Message Dictionary and allow the platform to apply the appropriate business rules.

As with the creation of an IRI, registrars have the ability to **generate the response (IRI03 only) directly via the GUI**. In this case, the interface ensures the consistency of the response, highlights mandatory fields, and supports basic validation to avoid input errors. The user selects the IRI01 to be answered and completes the relevant response elements in the dedicated section.

Based on the response, platform send back the related information to the Custodian using an IRI04 message.

6.5.1 Accepting or Rejecting

The **Accept** and **Reject** actions, visible at the top of the detail panel in figure 35 & 36, are offered directly in platform when the IRI is waiting for Registrar processing and the user has a write role.

Conditions of use directly in the platform :

- current status = TRANSMITTED_REGISTRAR
- role = Registrar writer (IRI_R_REGISTRAR_IRI_MANAGEMENT_WRITER)

Operator reading before validation:

- Review the summary banner and the fields in the **General data** block.
- Check the **Dates**, **Registers** and **Restrictions** tabs if the file contains several holders or restrictions.
- Use **Accept** to confirm the instruction or **Reject** to open the Registrar popup with the associated code.

Expected result:

- **Accept** moves the IRI forward in the Registrar response cycle
- **Reject** moves the IRI forward in the Registrar response cycle the associated reason
- the history and the **status** displayed in the list are updated after processing

The **Response code** fields and values described below are aligned with the **IRI Platform Message Dictionary** for **IRI03/IRI04** messages.

6.5.1.1 Popup - Accept an IRI

The **Acceptation of an IRI** popup can be opened by the Registrar. It allows the investor identifier visible in the received IRI to be checked or to be fed when not provided in sent message. Then a response code compatible with the IRI03 message have to be sent back to custodian. Some comments can also be included in the response.

Figure 40: Popup Accept an IRI

Field / action	Nature	Use in the GUI
Investor Identifier	Optional	Reuses the investor identifier from the sent message or identifier created in registry by the Registrar

Field / action	Nature	Use in the GUI
Response code	Mandatory	Accepted codes 01 to 04 depending on comments or/and settlement
Comment 1	Conditional	Free field used to clarify the response. It must be entered if the selected code is 02 or 04
Comment 2	Conditional	Additional free field. It can complement Comment 1 for codes 02 or 04
Return	Action	Closes the popup without sending a Registrar response.
Accept the IRI	Action	Sends the acceptance Registrar response and updates the IRI status

6.5.1.2 Popup Reject an IRI

The **Rejection of an IRI** popup is used when the Registrar reject the instruction. The logic is the same as for the acceptance popup, but the user selects a **Registrar refusal code** defined by the message dictionary.




Figure 41: Popup Reject an IRI

Field / action	Nature	Use in the GUI
Response code	Mandatory	Rejected codes 11 to 99 according to the situation
Comment 1	Conditional	It must be entered if the selected code is 16, 19, 43, 60 or 99
Comment 2	Optional / conditional	Additional free field. It can complement Comment 1 for code 16, 19, 43, 60 or 99
Return	Action	Closes the popup without sending a Registrar response

Field / action	Nature	Use in the GUI
Reject the IRI	Action	Sends the rejection Registrar response and updates the IRI status

6.5.2 Response Codes and Technical Rejections Visible in the Application

The tables below summarize the codes visible to users in the GUI, based on the **IRI Platform Message Dictionary**. Two families must be distinguished:

- the **Registrar response codes** entered in the **Accept an IRI** and **Reject an IRI** popups (Figure 39 & 40)
- the **platform technical rejection codes** returned through **IRI05 / IRI06** messages when a check prevents the normal processing of the flow.

The screenshot displays the 'IRI MESSAGES' interface. On the left, there's a sidebar with navigation icons. The main area is divided into two sections: 'IRI ISSUED (6)' and 'IRI RECEIVED (4)'. Below these, there's a table of IRI messages with columns for Status, IRI code, Label, IRI number, Investor Identifier, TTC, and Transact. The table shows several 'Accepted' messages. To the right, a detailed view of a specific IRI message (6454667476765760) is shown, including its creation date (21/03/2024) and a list of error messages. Below the error messages, there's a section for 'General data' and 'Internal references at the IRI sender'.

Figure 42: Access to the list and detail of a file to investigate

6.5.2.1 Registrar Response Codes (Response code Field)

Acceptance codes

Code	Message Dictionary Label	User reading
01	Accepted	Straight acceptance, without comment
02	Accepted with comments	Acceptance accompanied by a free comment
03	Accepted - creation of FOP by IRI (or BRN) Platform	Acceptance reserved for some cases with FOP creation by the platform

Code	Message Dictionary Label	User reading
04	Accepted with comments - creation of FOP by IRI (or BRN) Platform	Same case as 03, with an additional comment

Registrar refusal codes

Code	Message Dictionary Label	User reading
11	Insufficient provision	The file cannot be processed because the provision is insufficient
12	Account title does not match the identifier of the IRI	The account title does not match the transmitted identifier
13	Investor deceased - submit the succession file	The holder is deceased; a succession file is expected
14	Lower quantity than the assets registered at the issuer	The requested quantity is lower than the quantity known in the register
15	Pledged securities - free these securities	The securities are pledged and must be released before processing
16	Rejection not tracked (conversion)	Conversion refusal with no expected regularization in this flow
19	Other	Free-form refusal; an explanatory comment is expected
41	Failure to present supporting documents within the set timeframe	Supporting documents were not provided within the expected timeframe
42	Rejection of a file - error in part of the file	Part of the file is incorrect and blocks acceptance
43	Other - rejection of a file with comments	Free-form refusal with a mandatory detailed comment.
51	Account title does not match the identifier of the IRI	The title does not match the identifier in a registration case
52	Address <> the same as that in our files for this identifier	The transmitted address differs from the one known in the register
53	Address incomplete	The provided address is incomplete
54	Title not accepted	The transmitted title / account title is not acceptable
56	Confirmation of actual ownership required	Confirmation of beneficial ownership is required
57	Failure to comply with the provisions of Articles L. 322-324	The file does not comply with the referenced regulatory requirements
58	Account title does not comply with AFB standards	The account title does not comply with AFB standards
59	Approval not granted	The required approval was not obtained
60	Rejection not tracked (conversion)	Conversion refusal with no expected regularization in this case
99	Other	Unclassified refusal; a comment must clarify the context

6.5.2.2 IRI05 / IRI06 Platform Technical Rejections - Useful Markers

When a file moves to status **REFUSED**, the GUI displays the **code** and **label returned by the platform**. The message dictionary contains the full list; the table below groups the families most useful in day-to-day operations.

The screenshot displays the 'IRI MESSAGES' interface. On the left, a table lists messages with columns for Status, IRI number, ISIN code, Label, Investor Identifier, and Transactions. The status 'Refused' is highlighted in red. On the right, a detailed view for message '64546674T6765760' is shown, including error messages, operation details, and a table of internal references.

Status	IRI number	ISIN code	Label	Investor Identifier	Transactions
Refused	FR001567647899	ARDIAN ENTREPRISE	00000000000000000001	00456899870	MA
Accepted	FR001567647899	ARDIAN ENTREPRISE	00000000000000000002	00456899877	MA
Accepted	FR001567647899	ARDIAN ENTREPRISE	00000000000000000003	00456899871	MA
Accepted	FR001567647899	ARDIAN ENTREPRISE	00000000000000000004	00456899873	MA
Accepted	FR001567647899	ARDIAN ENTREPRISE	00000000000000000005	00456899878	MA
Accepted	FR001567647899	ARDIAN ENTREPRISE	00000000000000000006	00456899875	MA

Message Details: 64546674T6765760 (ARDIAN ENTREPRISE, Created on 21/03/2024)

Errors:

- 8 - Inconsistency between the number of registrations and restrictions and the number of registered records and restrictions
- 11 - Inconsistency between K type and number of records
- 27 - The CTD is incompatible with the value type

Operation details:

Operation type code	Transaction purpose	Custodian delivery code	Status
MA - Modification address	1 - Inscription	30 - BP2S	Accepted

Internal references at the IRI sender (continuation):

Internal references at the IRI sender	Internal references at the IRI sender (continuation)
IRI number: 00300000000000123456	IRI sender contact details
Registrar: 030 - BP2S	Moniteur custodian BP2S
Account title type: 1 - Complete joint	Transaction reference
Account of the delivering custodian	Custodian code - Administrator
Account of the receiving custodian	Adjusted IRI number
Number of the IRI for registration set: previously	
Platform reference for the associated IRI: ZZZ1819-Sub5-4037-ale3-9f337637ae05	

Figure 43: Access to the list and detail of a file to investigate

In practice, for a support ticket or a quick analysis:

1. note the **exact code** shown in the banner or detail;
2. check whether it is a technical REJECTED or a business REFUSED;
3. use Message Dictionary §6.12.2 as the reference for the official label if the GUI label is shortened.

6.6 Listing Received IRI Messages

The **IRI Received** tab is the Registrar's work queue: received instructions, current status, identification information and direct access to the detail drawer.

IRI MESSAGES

FILTERS

IRI number ISIN code Custodian delivery code Custodian receiver code Identifier Platform IRI reference

+ More criteria Delete Search

IRI ISSUED (6) **IRI RECEIVED (4)**

Transmitted custodian 4

Export

Status	ISIN code	Label	IRI number	Identifier	CTO	Direction of the operation	Transaction reference	Quantity	Custodian delivery code	Custodian receiver code	Accounting day	Last
Transmitted custodian	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000001	001456899877	MA	I	6454667476765765	0	30	30	21 Mar 2024	22
Transmitted custodian	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000002	001456899877	MA	I	6454667476765765	0	30	30	21 Mar 2024	22
Transmitted custodian	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000003	001456899877	MA	I	6454667476765765	0	30	30	21 Mar 2024	22
Transmitted custodian	FR0015676547899	ARDIAN ENTREPRISE	00000000000000000004	001456899877	MA	I	6454667476765765	0	30	30	21 Mar 2024	22

Figure 44: Registrar-side received IRI table

- STEP 1: Menu **IRI Messages**.
- STEP 2: **IRI Received** tab.
- STEP 3: Use the **filters**: IRI number, ISIN, participant codes, investor identifier, reference.

STEP 4: Click a row to open the **detail drawer** on the right side of




Figure 45: Details of IRI received

the screen.

6.6.1 Filters

The IRI could be filter with the filter bar (Figure 46)




Figure 46: Filter bar

Filter	Description
IRI number	One specific IRI
ISIN code	All instructions related to a given security
Participant delivery code	Messages sent by a given participant
Participant receiver code	Messages sent to a given participant / register
Investor identifier	Messages linked to a given investor
Platform IRI reference	File research

6.6.2 Grid Columns

The different IRI could be retrieved on the list, classed by the filter name.



Status	ISIN Code	Label	IRI Number	Identifier	Operation Direction	Transaction Reference	Securities quantity	Participant delivery code	Participant receiver code	IRI Accounting Day	Last Update
--------	-----------	-------	------------	------------	---------------------	-----------------------	---------------------	---------------------------	---------------------------	--------------------	-------------

Figure 47: Grid Column

Column Name	Description
Status	Allows the user to see immediately whether the message is waiting, accepted, rejected or refused
ISIN code	Identifies the security concerned by the IRI
Security label	Provide information on the ISIN Name
IRI number	Unique instruction reference on the sender side
Investor Identifier	Carries the investor identifier used by the Registrar in the registry
TTC	Defines the business scenario to be processed: registration, conversion, regularization, corporate action, etc
Purpose	Indicates whether the instruction concerns a registration or a removal
IRI reference	Used for reconciliation with the platform or internal systems
Quantity	Number of securities covered by the instruction
Participant delivery code	Identifies the sender participant in the flow
Participant receiver code	Identifies the target participant or the expected counterparty in the flow
IRI accounting day	Accounting date used for operational reading
Last update	Helps prioritize files recently modified

6.6.3 Reading the Detail Drawer

The detail drawer contains all data required to analyze the selected IRI. It is accessible without leaving the list, which supports a supervision / control usage pattern.




Figure 48: Detail of a received IRI

Tabs visible in the interface allow a quick switch from one view to another:

Tab Name	Description
General data	IRI references, TTC, purpose, ISIN, quantity, participants codes and identification information
Securities restriction	Restrictions linked to the securities
Account restriction	Restrictions linked to the account
Dates	Execution dates, accounting dates, corporate-action reference date and adjusted dates when applicable
Registers	Detailed registration data of the concerned holders
History	Audit trail

6.6.3.1 Summary Banner Above the Tabs

Before opening a tab, the IRI detail already displays a summary banner that acts as the message identity card.

Displayed Field	Message Dictionary Reference	Description
Rejection banner	-	Code + description of the rejections present on the IRI, if applicable
Transaction Type code (TTC)	4.15	CTO code + label
Transaction Purpose	4.57	Direction + associated label

Displayed Field	Message Dictionary Reference	Description
Participant delivery code	4.16	Sending participant code
Status	-	Current message status
Securities Quantity	4.48	Transmitted volume
ISIN code	4.16	Security reference
Label	-	Instrument designation
Investor Identifier	4.32	Investor identifier
Created on	-	Creation timestamp
Updated on	-	Last update timestamp
Comments	-	Comment entered by the sender

6.6.3.2 General Data Tab - Displayed Fields

General data	Securities restriction	Account restriction	Dates	Registers	History
IRI number 00001402260000571				Internal references at the IRI sender	Internal references at the IRI sender (continuation)
Registrar Uptivia				Participant receiver code 62000061	IRI sender contact details CONTACT PERSON
Securities Account type 3 - joint ownership				Reference for the associated securities movement T3024184000000000	Transaction reference
Custodian sender 000001				Custodian receiver 000002	Custodian code - Administrator BPCLF8PP
Number of the IRI for registration sent previously 00000000000000000000				Purpose of the adjusted IRI	Adjusted IRI number 00000000000000000000
Platform reference for the associated IRI by the registrar				BRN reference	

Figure 49: IRI Detail - General data tab

Displayed Field	Message Dictionary Reference	Description
IRI number	4.42	Central reference of the message
Internal reference at the IRI sender	4.54	First internal reference
Internal reference at the IRI sender (continuation)	4.55	Supplementary reference
Registrar	4.04	Registrar participant linked to the case file
Participant receiving code	4.05	Code of the receiving counterparty
IRI sender contact details	4.23	Operational contact of the instruction
Securities Account type	4.61	Code + label of the account type
Reference for the associated securities movement	4.50	Settlement reference linked to the message
Transaction reference	4.49	Operational reference visible at message level
Custodian sender	4.65	Account used on the delivering side
Custodian receiver	4.66	Account used on the receiving side

Displayed Field	Message Dictionary Reference	Description
Custodian code - Administrator	4.14	Administrator Custodian code
Number of the IRI for registration sent previously	4.43	Reference of the earlier IRI
Purpose of the adjusted IRI	4.58	Direction carried by a corrected IRI
Adjusted IRI number	4.44	Reference of the corrected IRI
Platform reference for the associated IRI by registrar	4.53	Platform internal key of the linked message
BRN reference	-	BRN reference when present

6.6.3.3 Dates Tab - Displayed Fields

The screenshot displays the 'Dates' tab within the 'IRI Detail' section. It features a header with tabs: General data, Securities restriction, Account restriction, Dates (selected), Registers, and History. Below the header, there are six input fields arranged in two columns. The left column contains: 'Execution date' (04/03/2025), 'Accounting date of receipt by the IRI platform' (20/05/2025), and 'Reference date for corporate action' (01/07/2024). The right column contains: 'Execution date for the adjusted IRI' (empty), 'Accounting day for the IRI for registration sent previously' (empty), and 'Duration of Holding' (00). Each field has a small calendar icon to its right.

Figure 50: IRI Detail – Dates

Displayed Field	Message Dictionary Reference	Description
Execution Date	4.24	Register date carried by the message
Execution Date for the adjusted IRI	4.35	Possible corrected date
Accounting date of receipt by the IRI platform	4.26	Accounting date linked to the receipt
Accounting date for the IRI for registrar sent previously	4.34	Corrected accounting date
Reference date for corporate action	4.29	Linked corporate-action date
Duration of Holding	4.31	Holding duration carried by the message

6.6.3.4 Restriction / Account Restriction Tabs

General data	Securities restriction	Account restriction	Dates	Registers	History
Order Number	Restriction code	Date restriction end	Quality code	Holder's name	Holder's first name
1	AD - Administrateur		O4 - Mrs		
Restriction code	AD - Administrateur	Restriction end date			
Quality code	O4 - Mrs	Name or company name	Firstname or rest of the company name		
			undefined		
Maiden name or rest of the company name	undefined	Maiden first name or rest of the company name	Holder's nationality code		
			undefined		
Address country code	FRA	Building	Street		
		Batiment1	RUE DU LAC		
Title	undefined				
Additional address	COMPLEMENT1	Postal code	City		
		74000	ANNECY		
Birth date		Phone Number	E-mail Address		

Figure 51: IRI Details - Securities Restriction

General data	Securities restriction	Account restriction	Dates	Registers	History
Order Number	Restriction code	Date restriction end	Quality code	Holder's name	Holder's first name
1	SD - Succession décidée		OO - Not specified		
Restriction code	SD - Succession décidée	Restriction end date			
Quality code	OO - Not specified	Name or company name	Firstname or rest of the company name		
		undefined	undefined		
Maiden name or rest of the company name	undefined	Maiden first name or rest of the company name	Holder's nationality code		
			undefined		
Address country code	FRA	Building	Street		
Title	undefined				
Additional address		Postal code	City		
Birth date		Phone Number	E-mail Address		

Figure 52: IRI Details - Securities Restriction

The two restriction tabs use the same display structure:

Displayed Field	Message Dictionary Reference	Description
Restriction code	4.13	Nature of the restriction applied to the holder
Date Restriction ends	4.28	Expected expiry of the restriction
Holder Type	4.11	Category of the holder or bearer (Miss, Mrs, Mister, Company, etc.)
Surname or corporate name	4.37	Main last name of the holder or company name
Forename or corporate name	4.46	Holder first name or continuation of the company name
Maiden name or corporate name	4.38	Additional identity element or continuation of the company name

Displayed Field	Message Dictionary Reference	Description
Forename or corporate name (Continuation)	4.47	Second continuation of the name / company name
Nationality code of the Holder	4.8	Country / nationality code of the holder
Country code of the Address	4.9	Country / nationality code of holder address
Building	4.01	Building line of the address
Street	4.56	Main street line of the address
Additional Address information	4.21	Complementary address information
Postal code	4.10	Holder postal code
City	4.20	City / town of the address.
Personal title	4.59	Courtesy title of the holder

6.6.3.5 Registers Tabs

The register tab will give a list view of the or all register concerned by an IRI.

General data	Securities restriction	Account restriction	Dates	Registers	History
Order Number		Quality code		Holder's name	Holder's first name
>	1	03 - Mr		BAZI1	PRENOM1

Figure 53: Register Information not expanded

Order Number	Quality code	Holder's name	Holder's first name		
1	03 - Mr	BAZI1	PRENOM1		
Quality code 03 - Mr Name or company name BAZI1 Firstname or rest of the company name PRENOM1 Maiden name or rest of the company name PRENOM1AP Maiden first name or rest of the company name Holder's nationality code FRA Address country code FRA Building RUE DE CASTAGNARY Street RUE DE CASTAGNARY Additional address Postal code 78000 City VERSAILLES Title Birth date 01/01/2000 Phone number 000033960904635 Email address e_mail@gmail.com					
Order Number	Restriction code	Date restriction end	Quality code	Holder's name	Holder's first name
No data					

Figure 54: Register Information expanded

Displayed Field	Message Dictionary Reference	Description
Holder Type	4.11	Category of the holder or bearer (Miss, Mrs, Mister, Company, etc.)
Surname or Corporate name	4.37	Main last name of the holder or company name

6.7 Reconciliation

6.7.1 Accessing the Module

The reconciliation module is accessible from the left menu. It allows users to view breaks between settlement flows, transaction notices and IRI coverage, then open a row to understand the situation.




Figure 56: General view and left menu

Screen	Content	Use
Reconciliation messages	List of reconciliations at message level	Operational control, break monitoring, status-based analysis

Business rule: 1 IRI can be reconciled with **only one** Settlement or Transaction notice however 1 Settlement or Transaction notice can cover **several** IRI messages.

6.7.2 Description

The GUI displays each reconciliation entry as a separate line, with a status indicating its processing stage. When a settlement movement or a transaction notice is treated and not matched, the platform automatically creates an entry marked **"Unreconciled"**, pending the corresponding IRI01 messages. After matching, the status shifts to **"Partially reconciled"** when quantities only partially align, then to **"Reconciled"** once all IRI01 messages fully cover the settlement quantity.

Same process is managed for every IRIs involved meaning that the platform **automatically** reconciles each accepted IRI with the corresponding **T2S Settlement flow** or **PTCS transaction notice**.

Registrar feedback sent through IRI03 messages also updates the reconciliation status in case of a refusal, requiring a corrective IRI01 before reconciliation can be completed.

This view enables custodians and registrars to track the full reconciliation lifecycle, identify mismatches, and manage follow-up actions efficiently, **using the same filtering and extraction features**

6.7.3 Reading Reconciliation Statuses

Each row displays a status that allows the user to assess the reconciliation progress immediately.

The screenshot shows the 'IRI RECONCILIATION' interface. It includes a 'LAST RECONCILIATION RUN' timestamp of 2026-04-02 12:03. Below this is a 'FILTERS' section with dropdowns for Participant, Identifier, Flow type, and Status. A 'RECORDS LIST' table follows, displaying reconciliation data for various participants like BP25, CDC AVOIRS PROPRES, and AXA. The table columns include Status, Participant name, Participant code, Pending date, Recorded date, Identifier, Flow type, ISH Code, Quantity, Transaction type code, Formal notice, and Penalties. The records are color-coded by status: Unreconciled (orange), Rejected (red), Partially (yellow), and Reconciled (green).

Status	Participant name	Participant code	Pending date	Recorded date	Identifier	Flow type	ISH Code	Quantity	Transaction type code	Formal notice	Penalties
Unreconciled	BP25	62000030	20/03/2026		120073365931580468	IRI message	FR0013269123	346	BO	2	1
Rejected	BP25	62000030	27/03/2026		268041689367942569	IRI message	FR0000031023	567	CA	1	1
Partially	BP25	62000030	27/03/2026		1202619400000000	Settlement	FR0013269123	19		1	1
Unreconciled	BP25	62000030	01/04/2026		1202619300000000	Transaction notice	FR0000031023	1295		0	0
Reconciled	BP25	62000030	21/03/2026	02/04/2026	4793161945689432687	IRI message	FR0013269123	194	FO	2	1
Reconciled	BP25	62000030		02/04/2026	752895217904684257	IRI message	FR0000031023	56	SB	0	0
Reconciled	BP25	62000030		02/04/2026	49776413567886444	IRI message	FR0000031023	742	MO	0	0
Reconciled	CDC AVOIRS PROPRES	62004756		02/04/2026	4646647654534543367	IRI message	FR0013269123	1190	CC	0	0
Reconciled	AXA	62000060		02/04/2026	786756546545345344	IRI message	FR0000031023	32	BO	0	0

Figure 57: Examples of statuses in the reconciliation list

Status	Description	Expected action
Unreconciled	The settlement movement or transaction notice exists, but IRI coverage not Or IRI exists without any settlement movement or transaction notice	Check for missing IRI messages Or Check for missing settlement or transaction notice flow
Partially reconciled	Part of the quantity is covered, but is not yet sufficient and a residual remains.	Review quantities and the IRI messages still expected

Status	Description	Expected action
Reconciled	Reconciliation is complete	No additional action, except periodic control

6.7.4 Filtering and Prioritizing Breaks

Filters allow the analysis to focus on open items, a participant, an identifier or a given flow type.

The screenshot displays the 'IRI RECONCILIATION' interface. At the top, a blue box indicates the 'LAST RECONCILIATION RUN' on 2026-04-02 12:03. Below this is a 'FILTERS' section with dropdown menus for 'Participant', 'Identifier', 'Flow type', and 'Status' (set to 'Unreconciled; Rejected; Partially'). There are also buttons for 'Status: Unreconciled', 'Status: Rejected', and 'Status: Partially'. To the right are '+ More criteria', 'Reset', and 'Search' buttons. Below the filters is a 'RECORDS LIST' table with columns: Status, Participant name, Participant code, Pending date, Recorded date, Identifier, Flow type, ISIN Code, Quantity, Transaction type code, Formal notice, Penalties, and an 'Export report' link. The table contains four rows of data with statuses 'Unreconciled', 'Rejected', 'Partially', and 'Unreconciled'.

Status	Participant name	Participant code	Pending date	Recorded date	Identifier	Flow type	ISIN Code	Quantity	Transaction type code	Formal notice	Penalties
Unreconciled	BP25	62000030	20/03/2026		120073365931580468	IRI message	FR0013269123	346	BO	2	1
Rejected	BP25	62000030	27/03/2026		268041689367942569	IRI message	FR0000031023	567	CA	1	1
Partially	BP25	62000030	27/03/2026		T2026184000000000	Settlement	FR0013269123	19		1	1
Unreconciled	BP25	62000030	01/04/2026		T2026193000000000	Transaction notice	FR0000031023	1295		0	0

Figure 58: Filters applied in the reconciliation list

Recommended usage:

STEP 1: Start by filtering **Unreconciled** and **Partially reconciled** statuses which is default view

This screenshot shows the 'FILTERS' section of the interface. The 'Status' dropdown is set to 'Unreconciled; Rejected; Partially'. Below the dropdowns are three buttons: 'Status: Unreconciled', 'Status: Rejected', and 'Status: Partially'. To the right are '+ More criteria', 'Reset', and 'Search' buttons.

Figure 59: Filter on status

STEP 2: Add a filter on participant, identifier or flow type if the volume is high.

STEP 3: Use export to circulate a control extract or feed an internal follow-up.



The **Export report** button, visible at the top right of figure 12, extracts the filtered view exactly as displayed. Use this export to share a break status, archive a one-off check or prepare operational follow-up outside the application.

6.7.5 Opening Row Details

The details of a reconciliation row open in the right panel without leaving the list. This view preserves the visual context while allowing viewing of the useful reconciliation fields.

The screenshot displays the 'IRI RECONCILIATION' interface. On the left, there's a sidebar with navigation icons. The main area is divided into a 'FILTERS' section at the top and a 'RECORDS LIST' below it. The 'RECORDS LIST' contains a table with columns: Status, IRI, Participant name, FI, Participant code, FI, Pending date, FI, Recorded date, FI, and Identifier. The table lists several records with statuses like 'Unreconciled', 'Rejected', 'Partially', and 'Reconciled'. On the right, a detailed view for the record with IRI '120073385931580468' is shown. This view includes fields for Operation type code, Transaction purpose, Custodian delivery code, Status, Quantity, ISIN code, Label, Investor identifier, Reference of the T2S transaction, Date of registration in the REGISTRAR Register, Date of registration in the REGISTRAR Register to be adjusted, Created on, and Updated on. There is also a 'Comments' section at the bottom.

Figure 60: Detail of a reconciliation entry

Displayed Field	Description
IRI number	Central reference of the message
Transaction type code (TTC)	Defines the business scenario to be processed: registration, conversion, regularization, corporate action, etc
Transaction Purpose	Indicates whether the instruction concerns a registration or a removal
Participant delivery code	Identifies the sender participant in the flow
Status	Allows the user to see immediately the status of the IRI
Securities Quantity	Number of securities covered by the instruction
ISIN code	Identifies the security concerned by the IRI
Label	
Investor identifier	Carries the investor identifier used by the Registrar in the registry
Reference for the associated securities movement	Reference of the settlement movement or Transaction notice expected as counterpart to the IRI for reconciliation
Reference date for corporate action	Reference date linked to a corporate action or corporate-action processing.
Execution date for the adjusted IRI	Corrected date used in regularization / adjustment workflows.

Displayed Field	Description
Created On	Date of creation of the IRI
Updated On	Date of updating of the IRI
Comments	Free-text area used to provide business context or clarification later visible in the IRI detail

6.8 Correcting an IRI – IRI07

The IRI07 (Correction IRI) functionality enables a participant to perform a targeted reconciliation rectification on an existing IRI01 directly from the GUI interface.

This action is designed to correct specific reconciliation mismatches on an IRI record that failed reconciliation (status Unreconciled), for execution date or T2S reference mismatch in order to allow the instruction to be successfully matched during the next reconciliation cycle.

This correction is performed through the Reconciliation module, from the detailed view of an IRI record.

6.8.1 Accessing to the correction

The user is logged in with a Custodian profile having reconciliation "WRITE" permissions. A reconciliation run has been executed, and statuses are available (Reconciled / Unreconciled)

The targeted IRI record has a status Unreconciled and no correction has already been submitted for this IRI since the last reconciliation cycle

- Step 1: Access the Reconciliation module.
- Step 2: Open the IRI detail.
- Step 3: Click on an unreconciled IRI row to open the detail panel on the right side of the screen






Figure 61: Reconciliation Details

- Step 5: Click on “**Correction IRI**”

Correction IRI

In the detail panel, the Correction IRI action becomes available only if all the following conditions are fulfilled:

Condition	Description
Record type = IRI	Action available only for IRI records
Status = Unreconciled	Only unreconciled IRIs can be corrected
No pending correction	No IRI07 already submitted since last reconciliation

If one of these conditions is not met, the action is not displayed.

6.8.2 Enter the Correction

Clicking Correction IRI opens a popup window allowing the user to modify a limited set of fields.

Only 2 fields are editable (depending on configuration) :

- Settlement / Delivery date
- Reference for the associated securities movement (e.g. T2S reference)

Figure 62: Popup correction IRI

The objective is to align the IRI data with:

- The corresponding Settlement instruction or
- The Transaction Notice used in reconciliation

6.8.3 Validation of the correction

Click the correct the IRI button to submit the correction.

Expected result:

- The IRI07 correction is registered in the platform
- The Correction IRI button becomes unavailable until the next reconciliation cycle
- The corrected data is taken into account for the next reconciliation run

6.8.4 Post-Correction Behavior

After submission, the corrected IRI is reprocessed in the next reconciliation cycle.

Scenario	Result
Matching criteria met	Status changes to Reconciled
Matching criteria not met	Status remains Unreconciled

A new correction can then be performed only after the next reconciliation run.

6.9 Codes & Reference Rules

6.9.1 Transaction Type Codes (TTC)

The TTC codes visible in the GUI come from application reference data. The families below group the codes most useful in daily operations.

Family	CTO	GUI use / interpretation
ES-M FOP conversions	SA, SB, SC	Creation of conversion instructions with settlement instruction generation
Corporate actions	A1, D1, M1, S1, O1, O2, O3, OJ, 2J, 3J	Files linked to corporate actions and IRI 03N notifications
Market / ordinary transfers	BO, CO, FO, GO, IO, MO, TO, VO	Trades, account transfers or internal transfers
Adjustments / regularizations	AJ, BJ, BR, CD, CJ, CR, FR, GR, IR, MJ, MR, RJ, TJ, VR	Corrections, regularizations and adjustments on an already issued flow
Successions / ownership changes / direct transfers	AT, CE, CT, MP, MT, MU, PA, PT, TD, TM, TT	Ownership changes, gifts, successions or direct transfers
Other register movements	CA, CB, CC, CI, MI, MA, ML, NA, R1, R2, RA	Account-conversion changes, address/title changes, pledge management, alignments

Business markers related to specific workflow:

- CTO codes SA, SB and SC correspond to the **IRI 01 N Settlement Instruction** family.
- CTO codes A1, D1, M1, S1, O1, O2, O3, OJ, 2J, 3J are recognized as **Corporate Action** for IRI 03N notifications.

If Euroclear is the Issuer CSD, the platform **remaps** the TTC codes in BRN platform:

Custodian CTO	Euroclear BRN CTO
SA	CA
SB	CB
SC	CC

6.9.2 Account Title Types

Code	Type	Min. registrations	Mandatory restriction
0	Natural/legal person without restriction	1	No
1	Joint accounts	>= 2	No
2	Person with restriction	>= 1	Yes
3	Join ownership	>= 2	No
4	Usufruct / Bare ownership	>= 2	Yes (NP + US)
5	FCP	3	No

6.10 Notifications, Statuses & Error Messages

6.10.1 Common HTTP Errors

These errors do not all mean the same thing. The challenge for the user is to identify quickly whether the problem comes from the session, permissions, the searched identifier or the server.

Code	Probable cause	Action
401	Authentication session expired	Log in again
403	Insufficient role	Contact the administrator
404	Resource not found	Check the ID / try again
500	Server error	Contact support with the timestamp

6.10.2 Platform Rejection Codes (IRI 05/06) - Quick Reading

The reference codes and their useful GUI families are documented in **message dictionary**. In practice, they can be read according to four operational families:

Family	Examples
Structure / sequencing	File number already transmitted, incomplete IRI, duplicate IRI number
Reference data / CTO	Unknown CTO, inactive ISIN, unknown depository code
Holder data / restrictions	Unknown quality code, unknown nationality, inconsistent restriction
Dates / reconciliation	Non existent accounting day, missing T2S reference, earmarking overrun

6.11 Formal Notices and Penalties

6.11.1 Description

Within the GUI, each movement subject to monitoring appears as an individual record associated with a set of status indicators and counters. These elements allow users to follow the progression of formal notices ("Mises en demeure") and penalties over time.

When a participant fails to send an IRI01 within the required deadline, the platform issues a formal notice and increments the corresponding counter. If the instruction remains outstanding, a penalty is applied, followed by additional formal notices at predefined intervals until the missing IRI01 is eventually submitted. The same mechanism applies to registrars, both when they fail to send an IRI01 in due time and when they do not respond to an IRI01 submitted by a market participant.

mechanism applies to registrars, both when they fail to send an IRI01 in due time and when they do not respond to an IRI01 submitted by a market participant.

7. Glossary

Below are the definitions of terms used in this document. Unless otherwise specified, these definitions apply throughout

Terms	Definitions
CSD participant	Participants of Euronext Securities Milan (e.g. custodians).
IRI platform	Platform facilitating the exchange of information on registered investors (IRIs) between custodians and registrars, including reconciliation and penalties management.
GUI (Graphical User Interface)	Web interface of the IRI platform allowing manual creation of IRIs, consultation of dashboards, reconciliation status, and penalties/formal notices.
Registrar	Entities maintaining shareholder registers, on behalf of the issuer.
Transaction Type Code	Codes defining the operation type for IRIs (e.g. conversion, portfolio transfer, registrations, updates)
Formal Notices	Reminder issued by the platform when a required IRI or related settlement instruction is not submitted within the defined timeframe.
Penalty	Sanction applied when a required IRI or related settlement instruction remains missing beyond the defined deadlines
IRI	The Information on Registered Investors (IRI) is a set of information used to manage the accurate identification of shareholders by the Issuer, and to facilitate the exchange of shareholder information between participants and Issuers/registrars in a set format. IRI messages (IRIs) play a central role in enabling seamless communication and ensuring that shareholder data is transmitted and recorded accurately.
Issuer	A company or legal entity that creates and issues shares to raise capital. The Issuer is responsible for registering the shares, maintaining shareholder records and complying with regulatory requirements related to the issuance and management of those securities.
Issuer CSD	A Central Securities Depository (CSD) where all the securities are initially recorded and from which they are created and distributed. The Issuer CSD is responsible for the initial registration, safekeeping, and central administration of the securities on behalf of the Issuer.
Registered securities	For registered securities, the shareholder is registered in the register of the company for the number of securities they hold.

Terms	Definitions
AMF	Autorite des Marches Financiers (French regulator)
BIC	Bank Identifier Code (ISO 9362)
BRN	Bordereau de Reference Nominative (IRI equivalent on the Euroclear side)
CCN	Cle de Controle Nominative (investor identifier)
CSD	Central Securities Depository
CTO	Operation Type Code
DUMP	Automatic T2S settlement movement
EOC / EF	Euroclear / Euroclear France
ES-M	Euronext Securities Milan
FCP	Mutual fund
FMI	Financial Market Infrastructure
IRI	Information on Registered Investors
ISIN	International Securities Identification Number (ISO 6166)
OST	Corporate action
PSET	Place of Settlement
PTCS	Post Trade Common Settlement
S/D	Settlement / Delivery
SLIB	IRI platform software provider
T2S	TARGET2-Securities
TCC	Teneur de Compte Conservateur (= Custodian)
TDR	Teneur de Registre (= Registrar)
VEN / VON	Essentially / Occasionally Registered Security

This document is for information purposes only. The information and materials contained in this document are provided 'as is' without representation or warranty of any kind. Whilst all reasonable care has been taken to ensure the accuracy of the content, Euronext does not guarantee its accuracy or completeness. Euronext will not be held liable for any loss or damages of any nature ensuing from using, trusting or acting on information provided. No information set out or referred to in this publication shall form the basis of any contract. The creation of rights and obligations in respect of financial products that are traded on the exchanges operated by Euronext's subsidiaries shall depend solely on the applicable rules of the market operator. All proprietary rights and interest in or connected with this publication shall vest in Euronext. No part of it may be redistributed or reproduced in any form without the prior written permission of Euronext.

Euronext refers to Euronext N.V. and its affiliates. Information regarding trademarks and intellectual property rights of Euronext is located at euronext.com/terms-use.

© 2026, Euronext N.V. - All rights reserved.



EURONEXT SECURITIES

euronext.com/post-trade