Guide

Worker Management API Guide for RUN Powered by ADP

Published on
Mar 11, 2020, 03:47 PM

Last modified
May 06, 2025, 03:18 PM

Always Designing for People™

ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.

All other trademarks are the property of their respective owners.

Copyright © 2025 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccurancies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programes described in this publication.

Published on
Mar 11, 2020, 03:47 PM

Published on
May 06, 2025, 03:18 PM

Table of Contents

Chapter 1

About the API

- Summary
- What's New in this Guide?
  - May 2024
  - June 2021
  - February 2021
  - December 2020
  - June 2020
  - November 2023
- Supported Product Version and Customer Base
- Process Overview
- Postman Collection
- Before You Begin
  - About Basic Worker Demographic Information
  - About Full Worker Information
  - About Personally Identifiable Information
  - About Sensitive Personal Information
- Recommended Reading

Chapter 2

Use Case: Retrieving Worker Information

- Use Case Description
- API Usage
- Application Scope
- Supported Actors
- Request Header Parameters
- Sensitive Information Unmasking
- Supported OData Query Options
- Sequence of Interactions
- Data Dictionary
- Responses

Chapter 3

Use Case: Updating Worker Data

- Use Case Description

API Usage

Employees > Personal Information > Employee Info

Employees > Personal Information > Employment Info

Employees > Payroll > Payroll Info

Chapter 4

Use Case: Synchronizing Worker Data Using Notifications

Use Case Description

Supported Notifications

Employees > Personal Information > Employee Info

Employees > Personal Information > Employment Info

Employees > Payroll > Payroll Info

Chapter 5

Use Case: Retrieving Code Lists

Use Case Description

API Usage

Application Scope

Codelists

Chapter 6

Use Case: Retrieving Worker Information by Worker Indicative Data

Before You Begin

API Usage

Application Scope

Supported Actors

Sequence of Interactions

Data Dictionary

Responses

Chapter 7

Known Issues and Limitations

US874853: Get workers pagination returns 200 error response

Impacted APIs

Issue Description

Suggested Work Around

Issue: Workers and Worker demographics meta response is similar.

Impacted APIs

Issue Description

Suggested Work Around

Issue: Business Communication email add meta is not supported

Impacted APIs

Issue Description

Suggested Work Around

Issue: Business Communication email remove meta is not supported

Impacted APIs

Issue Description

Suggested Work Around

Issue: Worker Rehire meta API is not supported

Impacted APIs
Issue Description
Suggested Work Around
Issue: Worker Rehire Date change meta API is not supported
Impacted APIs
Issue Description
Suggested Workaround
Impacted APIs

Chapter 8
Data Dictionary
Summary
People> Directory> Click on any Employee > Personal Information > Employee Info
People> Directory> Click on any Employee > Payroll > Payroll Info

Chapter 9
Fields Not Supported for Data Retrieval

Chapter 10
Fields Not Supported for Data Update

Chapter 11
Frequently Asked Questions
Question 1: How to get homeWorkLocation data from the workers end point in ADP RUN?

Chapter 1

About the API

Summary

The Worker Management Application Programming Interface (API) supports the management of workers in an organization. It can be used to obtain a list of all workers in an organization and to get information about work assignments.

A worker is defined as a person who performs duties and responsibilities for an organization. In that capacity, a worker fills one or more positions through a work assignment. For a given work assignment, a worker is related to the organization as an employee or contractor.

The Worker Management API Guide for RUN Powered by ADP describes how your application can access and manage information about workers in the RUN Powered by ADP application. It helps you to determine which use case best meets your business needs. It also guides you through the implementation of each use case.

What's New in this Guide?

In this section, we will announce any new revisions to the Worker Management Application Programming Interface (API) and this guide.

May 2024

- Added new chapter as Chapter 11: Frequently Asked Questions.

June 2021

- Added Issue:Workers and Worker demographics meta response is same under Chapter 7: Known Issues and Limitations:

February 2021

- Added Event Notification support for Pay frequency change under Chapter 4.

December 2020

- **workerTypeCode** schema path along with enum values, which was missing earlier, is added under the Data Dictionary section, **Employees > Payroll > Payroll Info**, in chapter 8-Data Dictionary

June 2020

The following issues were added to Chapter 7: Known Issues and Limitations:

- Business Communication email add meta is not supported
- Business Communication email remove meta is not supported
- Worker Rehire meta API is not supported
- Worker Rehire Date change meta API is not supported

November 2023

Added support for some additional fields in UI for worker's API

- Seasonal Employee
- Statutory Employee
- Employment Type
- Last day worked
- Termination type

Supported Product Version and Customer Base

The Workers API is supported for all bundles within the RUN Powered by ADP application.

Process Overview

The following table shows an illustration of how your data connector application would be used by a client.

	Actor	Task Description
1	Client Practitioner	Triggers the API-based data exchange between your application and RUN Powered by ADP.
2	Your application	Retrieves worker information details based on your needs.
3	Your application	Retrieves event notifications and makes updates in your system according to your needs so the data is synchronized between your application and RUN Powered by ADP.
4	Your application	Sends worker updates to RUN Powered by ADP as your application collects the updates.
5	Client Practitioner	Verifies the information in RUN Powered by ADP.

Postman Collection

Postman allows you to import a collection of APIs, created by others, so you can try them out. For more information on Postman, see Making Your First API Call Using Postman.

To download API collections for the Worker Management API from the ADP GitHub library and import them to Postman, go to Worker Management API Postman Collection.

Before You Begin

ADP provides a comprehensive set of Worker APIs to stay in synch with RUN Powered by ADP and do the following:

- Retrieve worker information
- Update worker information
- Retrieve worker information change notifications

The amount of data retrieved by your application may vary based on the target ADP system and the ADP system configurations. ADP provides an API to discover the fields available from the target ADP system. Additionally, API controls are in place allowing you to select or filter the requested data based on your needs.

About Basic Worker Demographic Information

If your application requires basic worker demographic information without Personally Identifiable Information (PII) and Sensitive Personal Information (SPI) data listed in the following tables, ADP provides APIs you can implement to access that information. Worker demographic information commonly requested includes the following:

- Name
- Address
- Communication profile
- Hire date
- Work status

- Work assignment information (such as job title, manager/reports to information, and custom fields)

About Full Worker Information

If your application requires Personally Identifiable Information (PII) and Sensitive Personal Information (SPI) data, in addition to the information included in Basic Worker Demographic Information, then ADP provides a separate set of APIs you can leverage.

About Personally Identifiable Information

Field Name	Schema Location	Description
Birth Date	/workers/person/birthDate	Specifies the birth date of the person. Follows the ISO-8601:2000 format.
Government ID	/workers/person/governmentIDs	Provides a list of government identifiers, such as a national identity number or a Social Security Number (SSN).

About Sensitive Personal Information

Field Name	Schema Location	Description
Additional Remunerations	/workers/workAssignments/additionalRemunerations	Provides a list of pay compensations associated to a given work assignment. Additional remuneration includes all other forms of compensation beyond the base pay associated to a given work assignment.
Base Remuneration	/workers/workAssignments/baseRemuneration	Specifies base or primary pay, such as salary or wage, associated to a work assignment.

Recommended Reading

Before you begin, see Working with Common API Operations for RUN Powered by ADP.

Chapter 2

Use Case: Retrieving Worker Information

Use Case Description

This use case retrieves a single worker or a collection of workers with PII or SPI data.

API Usage

Method	URI	Description	Sample Response Payload
GET	/hr/v2/workers	Requests the list of all available workers and all the employee details in an organization.	Retrieve-Full-workers-information-http-200-response.json
GET	/hr/v2/workers/{aoid}	Requests a specific worker.	Retrieve-individual-worker-information-http-200-response.json
GET	/hr/v2/workers/meta	Requests meta for workers.	Retrieve-Workers-meta-http-200-response.json

Application Scope

The canonical uniform resource identifier (URI) corresponding to the API needs to be added in the Consumer Application Registry (CAR) for the subscription following which a user can access this API and make successful API calls.

The following canonical needs to be added to your application scope to enable this use case:

/hr/workerInformationManagement/workerManagement/workerProfileManagement/worker.read

Supported Actors

Request Parameter roleCode Value	Usage
Practitioner	Retrieves a list of all available worker information as a practitioner. A system user is considered a practitioner.

Request Header Parameters

Parameter Name	Required (Y/N)	Usage	Sample
Accept	Y	To reveal masked data.	application/json;masked=false

Sensitive Information Unmasking

To establish compliance with data security best-practices, our Worker V2 API only returns the month and day of the **Birth Date** and the last four numbers of the **SSN**, unless you specify you want to see the values unmasked in your Hypertext Transfer Protocol (HTTP) request. To see these values unmasked, simply add the following header to your HTTP request:

Accept: application/json;masked=false

Supported OData Query Options

This use case supports Query String Options as defined by Open Data Protocol (OData). For more information about OData, see the Introduction to ADP API Open Data Protocol.

Query String Option	Description	Example
$top	Requests the number of items in the queried collection to be included in the result.	hr/v2/workes?$top=100
$skip	Specifies the number of items in the queried collection to be skipped and not included in the result.	/hr/v2/workers?$top=100&$skip=100
$select	Selects a subset of properties to include in the response.	/hr/v2/workers?$select=workers/person/legalName,workers/person/legalAddress
count	Returns the total number of employees in response	/hr/v2/workers?count=true
$filter	Filters a collection of resources addressed by a request Uniform Resource Locator (URL). Only items for which the expression evaluates to true are included in the response.	/hr/v2/workers?$filter=workerID/idValue lt '4'

Note

Supported OData parameter (e.g, **$select, $filter**) information can be retrieved from the worker meta call response.

Sequence of Interactions



The following are the sequence of interactions to retrieve worker information for a collection of workers:

1. Your consumer application makes a request for an initial collection of workers to the ADP API endpoint.
2. The ADP API endpoint responds to your consumer application with a collection of workers.
3. Your consumer application makes a request for a subsequent collection of workers to the ADP API endpoint.
4. The ADP API endpoint responds to your consumer application with a collection of workers.

Your consumer application repeats steps 3 and 4 until a 204 No Content HTTP response status code is returned.

Data Dictionary

See Chapter 8 - Data Dictionary.

Responses

You may encounter exceptions outside your common success scenarios. You must account for these exceptions during your initial development.

For more information, see API Common Exceptions and Tips for Handling.

Response Code	Condition	messageTxt	GitHub Sample Request Payload	GitHub Sample Response Payload	Tips to Handle
200 OK	Retrieves all the available workers the requester is authorized to view.	NA	NA	Retrieve-Full-workers-information-http-200-response.json	

Response Code	Condition	messageTxt	GitHub Sample Request Payload	GitHub Sample Response Payload	Tips to Handle
200 OK	Retrieves single worker's details.	NA	NA	Retrieve-individual-worker-information-http-200-response.json	
200 OK	Retrieves partial masked data (SSN and DOB).	NA	NA	Retrieve-partial-masked-data-for-DOB-and-SSN-http-200-response	
200 OK	Retrieves Unmasked data (SSN and DOB).	NA	NA	Retrieve-Unmasked-data-for-DOB-and-SSN-http-200-response.json	To retrieve the unmasked data in the API response, include the header **Accept:application/json;masked=false** in the headers of the API Request call.
200 OK	Retrieves the top five employees.	NA	NA	Retrieve-top-5-employees-http-200-response.json	
200 OK	Retrieves the worker response using the **top** and **skip** parameters.	NA	NA	worker-skipResponse-200-response.json	When the end of the page is reached using **top** and **skip**, the Workers response gives a 200 status code with an empty body.
200 OK	Retrieves the employee details based on the select query. For example: /hr/v2/workers?$select=workers/person/legalName,workers/person/legalAddress	NA	NA	Retrieve-employee-details-based-on-select-query-http-200-response.json	
200 OK	Retrieves the employee details based on the filter query. For example: hr/v2/workers?$filter=workerID/idValue eq '21'	NA	NA	Retrieve-employee-details-based-on-filter-http-200-response.json	

Response Code	Condition	messageTxt	GitHub Sample Request Payload	GitHub Sample Response Payload	Tips to Handle
400 Bad Request	Incorrect query parameters in the request.	"userMessage": {"messageTxt": "Expression expected at position 0 in '/workers/AssociateOID eq 'G4073G9Z62SL2NFM'."}	NA	workers-IncorrectQueryParam-400-response.json	User to provide valid query parameters in the request.
404 Not Found	Invalid Associate Object ID (AOID) in the request.	"userMessage": {"messageTxt": "The specified resource does not exist or you do not have access to it."}	NA	workers-InvalidAOID-404-response.json	User to provide the valid AOID in the request.

Chapter 3

Use Case: Updating Worker Data

Use Case Description

This use case updates data for a worker. See Common API Operations for RUN Powered by ADP to understand how to construct a request for common operations.

API Usage

The tables in the following sections list all supported notifications. The following describes how the tables are set-up:

- Table titles list the navigation path within RUN Powered by ADP.
- **Field Name –** Lists the field where you can use the API to perform an insert, update, and/or delete operation using the POST method.
- **Application Scope** – Lists the canonical ID.
- **API and Event Type –** Lists the URI for the request.
- **GITHUB Sample Payloads** – Provides the location where the sample request and response payloads are posted.

Employees > Personal Information > Employee Info

Field Name	Application Scope	API and Event Type	Description	GITHUB Sample Payloads
First Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.legalName.change	/events/hr/v1/worker.legal-name.change	Updates a worker's first name.	Legal-name change Request Legal-name change Response
Middle Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.legal		Updates a worker's middle name.	

Field Name	Application Scope	API and Event Type	Description	GITHUB Sample Payloads
	Name.change			
Last Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.legalName.change	/events/hr/v1/worker.legal-name.change	Updates a worker's last name.	
Preferred Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.preferredName.change	/events/hr/v1/worker.preferred-name.change	Updates a worker's preferred name.	Preferred name change Request Preferred name change Response
Alternate Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.formerName.change	/events/hr/v1/worker.former-name.change	Updates a worker's alternate name.	Former name change Request Former name change Response
Address line 1 Address line 2 City State / Province Zip code	/hr/workerInformationManagement/workerManagement/addressManagement/worker.legalAddress.change	/events/hr/v1/worker.legal-address.change	Changes a worker's legal address.	Legal address change Request Legal address change Response
Home	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.landline.add	/events/hr/v1/worker.personal-communication.landline.add	Adds a worker's personal landline number.	PersonalCommunication landline add Request PersonalCommunication landline add Response
Home	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.landline.change	/events/hr/v1/worker.personal-communication.landline.change	Updates a worker's personal landline number.	PersonalCommunication landline change Request PersonalCommunication landline change Response
Home	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.landline.remove	/events/hr/v1/worker.personal-communication.landline.remove	Removes a worker's personal landline number.	PersonalCommunication landline remove Request PersonalCommunication landline remove Response
Mobile	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.mobile.add	/events/hr/v1/worker.personal-communication.mobile.add	Adds a worker's personal mobile number.	PersonalCommunication mobile add Request PersonalCommunica

Field Name	Application Scope	API and Event Type	Description	GITHUB Sample Payloads
				tion mobile add Response
Mobile	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.mobile.change	/events/hr/v1/worker.personal-communication.mobile.change	Changes a worker's Personal Mobile number.	PersonalCommunication mobile change Request PersonalCommunication mobile change Response
Mobile	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.mobile.remove	/events/hr/v1/worker.personal-communication.mobile.remove	Removes a worker's Personal Mobile number.	PersonalCommunication mobile remove Request PersonalCommunication mobile remove Response
Personal Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.email.add	/events/hr/v1/worker.personal-communication.email.add	Adds a worker's personal eMail address.	PersonalCommunication email add Request PersonalCommunication email add Response
Personal Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.email.change	/events/hr/v1/worker.personal-communication.email.change	Updates a worker's personal eMail address.	PersonalCommunication email change Request PersonalCommunication email change Response
Personal Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.email.remove	/events/hr/v1/worker.personal-communication.email.remove	Removes a worker's personal eMail address.	PersonalCommunication email remove Request PersonalCommunication email remove Response
Work Phone	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.landline.add	/events/hr/v1/worker.business-communication.landline.add	Adds a worker's business landline number.	BusinessCommunication landline add Request BusinessCommunication landline add Response
Work Phone	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.landline.change	/events/hr/v1/worker.business-communication.landline.change	Updates a worker's business landline number.	BusinessCommunication landline change Request BusinessCommunication landline change Response

Field Name	Application Scope	API and Event Type	Description	GITHUB Sample Payloads
Work Phone	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.landline.remove	/events/hr/v1/worker.business-communication.landline.remove	Removes a worker's business landline number.	BusinessCommunication landline remove Request BusinessCommunication landline remove Response
Work Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.email.add	/events/hr/v1/worker.business-communication.email.add	Adds a worker's business eMail address.	BusinessCommunication email add Request BusinessCommunication email add Response
Work Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.email.change	/events/hr/v1/worker.business-communication.email.change	Updates a worker's business eMail for a worker.	BusinessCommunication email change Request BusinessCommunication email change Response
Work Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.email.remove	/events/hr/v1/worker.business-communication.email.remove	Removes a worker's business eMail.	BusinessCommunication email remove Request BusinessCommunication email remove Response

Employees > Personal Information > Employment Info

Field Name	Application Scope	API and Event Type	Description	GITHUB Sample Payload
Social Security Number	/hr/workerInformation Management/ workerManagement/ associate Management/ worker.governmentID.change	/events/hr/v1/worker. government-id.change	Updates a worker's Government ID.	Government id change Request Government id change Response
Hire Date	/hr/workerInformation Management/ workerDate Management/ rehireDate Management/ worker.workeRehire Date.change	/events/hr/v1/worker. worker-rehire-date.change	Updates a worker's Rehire Date.	Rehire date change Request Rehire date change Response

Field Name	Application Scope	API and Event Type	Description	GITHUB Sample Payload
Hire Date	/hr/workerInformation Management/ workerDate Management/ originalHireDate Management/worker.workerOriginalHire Date.change	/events/hr/v1/worke r. worker-original-hire-date.change	Updates a worker's Original Hire Date.	Original hire date change Request Original hire date change Response
Terminatio n Date	/hr/workerInformation Management/ workerDate Management/ terminationDate Management/ worker.worker TerminationDate. change	/events/hr/v1/worke r. worker-termination-date.change	Updates a worker's Termination Date.	Termination date change Request Termination date change Response
Birth Date	/hr/workerInformation Management/ workerMana gement/ associate Management/ worker.birthdate. change	/events/hr/v1/worke r. birth-date.change	Updates a worker's birth date.	Birthdate change Request Birthdate change Response
Gender	/hr/workerInformation Management/ workerManagement/ associate Management/ worker.gender.change	/events/hr/v1/worke r. gender.change	Updates a worker's gender.	Gender change Request Gender change Response
Ethnicity	/hr/workerInformation Management/ workerManagement/ associate Management/ worker.ethnicity. change	/events/hr/v1/worke r. ethnicity.change	Updates a worker's ethnicity.	Ethnicity change Request Ethnicity change Response
Rehire	/hr/workerInformation Management/ workerMana gement/ lifecycleManagement/worker.rehire	/events/hr/v1/worke r. rehire	Rehires a worker.	Rehire Request Rehire Response
Terminate	/hr/workerInformation Management/ workerMana gement/ lifecycleManagement/worker.terminate	/events/hr/v1/worke r.terminate	Terminates a worker.	Terminate Request.json Terminate Response.json

Employees > Payroll > Payroll Info

Field Name	Application Scope	API and Event Type	Description	GITHUB Sample Payload

Field Name	Application Scope	API and Event Type	Description	GITHUB Sample Payload
Monthly Salary / Pay Rate	/hr/workerInformation Management/ workerManagement/ workAssignment Management/worker. workAssignment. baseRemuneration.change	/events/hr/v1/worker. work-assignment.base-remuneration.change	Updates a worker's base remuneration.	Base remuneration change Request Base remuneration change Response
Hourly Rate / Pay Rate 2-5	/hr/workerInformation Management/ workAssignment Management/work AssignmentManagement/ worker.workAssignment. additionalRemuneration.add	/events/hr/v1/worker. work-assignment. additional-remuneration.add	Adds a worker's additional remuneration.	Additional remuneration add Request Additional remuneration add Response
Hourly Rate / Pay Rate 2-5	/hr/workerInformation Management/ workAssignment Management/work AssignmentManagement/ worker.workAssignment. additionalRemuneration.change	/events/hr/v1/worker. work-assignment. additional-remuneration.change	Updates a worker's additional remuneration.	Additional remuneration change Request Additional remuneration change Response
Hourly Rate / Pay Rate 2-5	/hr/workerInformation Management/ workAssignment Management/work AssignmentManagement/ worker.workAssignment. additionalRemuneration.remove	/events/hr/v1/worker. workassignment. additional-remuneration.remove	Removes Additional Remuneration for a worker.	Additional remuneration remove Request Additional remuneration remove Response
Standard hours per Pay Period	/hr/workerInformation Management/ workAssignment Management/work AssignmentManagement/ worker.workAssignment. standardHours.change	/events/hr/v1/worker. work-assignment.standard-hours.change	Updates a worker's Standard Hours.	Standard hours change Request Standard hours change Response
Departmen t	/hr/workerInformation Management/work AssignmentManagement/ workAssignment Management/worker.work Assignment.homeWork Location.change	/events/hr/v1/worker. work-assignment.home-work-location.change	Updates a worker's Department.	Home work location change Request Home work location change Response
Employee Time Clock Id	/hr/workerInformation Management/worker Management/customField Management/worker. customField.code.change	/events/hr/v1/worker. custom-field.code.change	Updates an Employee Time Clock Id for a worker.	Custom field code change Request Custom field code change Response

The fields in the following table are not supported for update

Screen Location	Field
Employees > Personal Information > Employmee Info> Preferred or chosen identity	Formated Name & Given Name
Employees > Personal Information > Employmee Info> Home Address	Internal Notes
Employees > Personal Information > Employmee Info> Home Address	Apt, suite, floor, room or PO box
Employees > Personal Information > Employment Info> Work Address	ALL
Employees > Personal Information > Employment Info> Contact Info	EXT
Employees > Personal Information > Employment Info> Hiring info> Status	Leave of Absene
Employees > Personal Information > Employment Info> Hiring info	Comapany paid pension & Statutory employee
Employess> payroll> Payroll Information> Payroll Info	Employment type
Employess> payroll> Payroll Information> Payroll Info	Basis of pay
Employess> payroll> Payroll Information> Payroll Info	Pay schedule
Employess> payroll> Payroll Information> Payroll Info	Seasonal Employee

Chapter 4

Use Case: Synchronizing Worker Data Using Notifications

Use Case Description

ADP applications trigger notifications when data is updated, and your application could subscribe interested notifications to sync up data. For more information about ADP event notifications, see Event and Event Notification Guide. You should also refer to Processing Notification Messages for RUN Powered by ADP to understand the common resources provided.

Supported Notifications

The tables in the following sections list all supported notifications. The following describes how the tables are set-up:

- Table titles list the navigation path within RUN Powered by ADP.
- **Field Name –** Lists the field where you can use the API to perform an insert, update, and/or delete operation using the POST method.
- **Application Scope** – Lists the canonical ID.
- **GITHUB Sample Payloads** – Provides the location where the sample request and response payloads are posted.

Employees > Personal Information > Employee Info

Field Name	Application Scope	GITHUB Sample Payload
First Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.legalName.change.eventNotify.subscribe	HR-Worker-Legal-Name-Change-GetEventNotification-Response.json
Middle Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.legalName.change.eventNotify.subscribe	
Last Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.legalName.change.eventNotify.subscribe	
Preferred Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.preferredName.change.eventNotify.subscribe	HR-Worker-Preferred-Name-Change-GetEventNotification-Response.json
Alternate Name	/hr/workerInformationManagement/workerManagement/associateManagement/worker.formerName.change.eventNotify.subscribe	HR-Worker-FormerName-Change-GetEventNotification-Response.json
Address line 1 Address line 2 City State / Province Zip code	/hr/workerInformationManagement/workerManagement/addressManagement/worker.legalAddress.change.eventNotify.subscribe	HR-Worker-Legal-Address-Change-GetEventNotification-Response.json
Home	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.landline.add.eventNotify.subscribe	HR-Worker-PersonalCommunication-landline-add-GetEventNotification-Response.json
Home	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.landline.change.eventNotify.subscribe	HR-Worker-PersonalCommunication-landline-change-GetEventNotification-Response.json
Home	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.landline.remove.eventNotify.subscribe	HR-Worker-PersonalCommunication-landline-remove-GetEventNotification-Response.json
Mobile	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.mobile.add.eventNotify.subscribe	HR-Worker-PersonalCommunication-Mobile-add-GetEventNotification-Response.json
Mobile	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.mobile.change.eventNotify.subscribe	HR-Worker-PersonalCommunication-Mobile-change-GetEventNotification-Response.json
Mobile	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.mobile.remove.eventNotify.subscribe	HR-Worker-PersonalCommunication-Mobile-remove-GetEventNotification-Response.json

Field Name	Application Scope	GITHUB Sample Payload
Personal Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.email.add.eventNotify.subscribe	HR-Worker-PersonalCommunication-email-add-GetEventNotification-Response.json
Personal Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.email.change.eventNotify.subscribe	HR-Worker-PersonalCommunication-email-change-GetEventNotification-Response.json
Personal Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.personalCommunication.email.remove.eventNotify.subscribe	HR-Worker-PersonalCommunication-email-remove-GetEventNotification-Response.json
Work Phone	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.landline.add.eventNotify.subscribe	HR-Worker-BusinessCommunication-landline-add-GetEventNotification-Response.json
Work Phone	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.landline.change.eventNotify.subscribe	HR-Worker-BusinessCommunication-landline-change-GetEventNotification-Response.json
Work Phone	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.landline.remove.eventNotify.subscribe	HR-Worker-BusinessCommunication-landline-remove-GetEventNotification-Response.json
Work Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.email.add.eventNotify.subscribe	HR-Worker-BusinessCommunication-email-add-GetEventNotification-Response.json
Work Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.email.change.eventNotify.subscribe	HR-Worker-BusinessCommunication-email-change-GetEventNotification-Response.json
Work Email	/hr/workerInformationManagement/workerManagement/communicationManagement/worker.businessCommunication.email.remove.eventNotify.subscribe	HR-Worker-BusinessCommunication-email-remove-GetEventNotification-Response.json

Employees > Personal Information > Employment Info

Field Name	Application Scope	GITHUB Sample Payload
Social Security Number	/hr/workerInformationManagement/workerManagement/associateManagement/worker.governmentID.change.eventNotify.subscribe	HR-Worker-GovernmentId-Change-GetEventNotification-Response.json
Hire Date	/hr/workerInformationManagement/workerDateManagement/originalHireDateManagement/worker.workerOriginalHireDate.change.eventNotify.subscribe	HR-Worker-OriginalHireDate-Change-GetEventNotification-Response.json
Rehire Date	/hr/workerInformationManagement/workerDateManagement/rehireDateManag	HR-Worker-ReHireDate-Change-

Field Name	Application Scope	GITHUB Sample Payload
	ement/worker.workerRehireDate.change.eventNotify.subscribe	GetEventNotification-Response.json
Termination Date	/hr/workerInformationManagement/workerDateManagement/terminationDate Management/worker.workerTerminationDate.change.eventNotify.subscribe	HR-Worker-TerminateDate-Change-GetEventNotification-Response.json
Birth Date	/hr/workerInformationManagement/workerManagement/associateManagement /worker.birthdate.change.eventNotify.subscribe	HR-Worker-BirthDate-Change-GetEventNotification-Response.json
Gender	/hr/workerInformationManagement/workerManagement/associateManagement /worker.gender.change.eventNotify.subscribe	HR-Worker-Gender-Change-GetEventNotification-Response.json
Ethnicity	/hr/workerInformationManagement/workerManagement/associateManagement /worker.ethnicity.change.eventNotify.subscribe	HR-Worker-Ethnicity-Change-GetEventNotification-Response.json
Rehire	/hr/workerInformationManagement/workerManagement/lifecycleManagement/ worker.rehire.eventNotify.subscribe	HR-Worker-Rehire-GetEventNotification-Response.json
Hire	/hr/workerInformationManagement/workerManagement/lifecycleManagement/ worker.hire.eventNotify.subscribe **Note:** The Worker Hire event is only supported when a practitioner completes the onboarding process within RUN Powered by ADP in the New Hire Wizard.	HR-Worker-hire-GetEventNotification-Response.json
Terminate	/hr/workerInformationManagement/workerManagement/lifecycleManagement/ worker.terminate.eventNotify.subscribe	HR-Worker-Terminate-GetEventNotification-Response.json

Employees > Payroll > Payroll Info

Field Name	Application Scope	GITHUB Sample Payload
Monthly Salary / Pay Rate	/hr/workerInformationManagement/workerManagement/workAssignm entManagement/worker.workAssignment.baseRemuneration.change.ev entNotify.subscribe	HR-Worker-Base-Remuneration-change-GetEventNotification-Response.json
Hourly Rate / Pay Rate 2-9	/hr/workerInformationManagement/workAssignmentManagement/workAssignmentMa nagement/worker.workAssignment.additionalRemuneration.add.eventNotify.subscribe	HR-Worker-Additional-Remuneration-Add-GetEventNotification-Response.json
Hourly Rate / Pay Rate 2-9	/hr/workerInformationManagement/workAssignmentManagement/workAssignmentMa nagement/worker.workAssignment.additionalRemuneration.change.eventNotify.subscr ibe	HR-Worker-Additional-Remuneration-change-GetEventNotification-Response.json
Hourly Rate / Pay Rate 2-9	/hr/workerInformationManagement/workAssignmentManagement/workAssignmentMa nagement/worker.workAssignment.additionalRemuneration.remove.eventNotify.subscr ibe	HR-Worker-Additional-Remuneration-remove-

Field Name	Application Scope	GITHUB Sample Payload
		GetEventNotification-Response.json
Standard Hours per Pay Period	/hr/workerInformationManagement/workAssignmentManagement/workAssignmentManagement/worker.workAssignment.standardHours.change.eventNotify.subscribe	HR-Worker-StandardHours-Change-GetEventNotification-Response.json
Department	/hr/workerInformationManagement/workAssignmentManagement/workAssignmentManagement/worker.workAssignment.homeWorkLocation.change.eventNotify.subscribe	HR-Worker-Department-Change-GetEventNotification-Response.json
Employee Clock Time Id	/hr/workerInformationManagement/workerManagement/customFieldManagement/worker.customField.code.change.eventNotify.subscribe	HR-Worker-CustomFieldCode-Change-GetEventNotification-Response.json
Pay frequency **Note:** Event Notification is supported only through RUN Powered By ADP UI	/payroll/payrollManagement/payrollConfigurationManagement/payrollProfileManagement/workerPayCycle.change.eventNotify.subscribe	Payroll-Worker-PayCycle-Change-GetEventNotification-Response.json

Fields Not Supported

Screen Location	Field
Employees > Personal Information > Employee Info> Preferred pr chosen identity	Gender
Employees > Personal Information > Employee Info> Preferred pr chosen identity	Pronouns
Employees > Personal Information > Employee Info> Additional Info	Internal notes
Employees > Personal Information > Employment Info> Work Address	All
Employees > Personal Information > Employment Info> Hiring Info	Company paid pension
Employees > Personal Information > Employment Info> Hiring Info	Statutory employee

Chapter 5

Use Case: Retrieving Code Lists

Use Case Description

Codelists make up the selection lists for many of the fields in RUN Powered by ADP. The Codelist API allows your application to retrieve a list of codes for a specific field, so it can be used for insert and update operations.

API Usage

Method	URI	Description
GET	/codelists/payroll/v3/payroll-instruction-management/{code-type}/run/	This API exposes values for a specific list field.

Application Scope

The following canonicals need to be added to your application scope to enable this use case:

/payroll/payrollManagement/payrollInstructionManagement/codeListViewing/codelist.read

Codelists

Name	URI	RUN Powered by ADP Screen	GitHub Sample Response Payload
TaxFilingStatusCodes	/codelists/payroll/v3/payroll-instruction-management/federal-tax-filing-status/run	**Employees > Payroll > Tax Info > Federal Tax**	Codelists FederalTaxFilingStatus Response.json
TaxWithholdingStatus Codes	codelists/payroll/v3/payroll-instruction-management/federal-tax-withholding-status/run	**Employees > Payroll > Tax Info > Federal Tax**	Codelists FederalTaxWithholdingStatus Response.json

Chapter 6

Use Case: Retrieving Worker Information by Worker Indicative Data

Use Case: Retrieving Worker Information by Worker Indicative Data

Before You Begin

Worker indicative data (such as SSN, workerID) may be leveraged to retrieve a single worker or a collection of workers.

API Usage

Link to API Explorer: Workers Data Integration Management

Method	URI	Description
POST	/events/hr/v1/worker.read	Retrieves worker information based on the indicative data posted.

Method	URI	Description
GET	/events/hr/v1/worker.read/meta	Retrieves worker read meta. Note The **worker.read** metadata API provides a list of resources which could be used for query by the requestor. **TIP:** Verify the resource is part of the meta before using it in the **worker.read** query to retrieve a worker.

Application Scope

The following canonical needs to be added to your application scope to enable this use case:

/hr/workerInformationManagement/workerManagement/lifecycleManagement/worker.read

Supported Actors

ADP APIs enforce data entitlement and access control. The following actors are supported for this use case.

Request Parameter roleCode Value	Usage
Practitioner	Retrieves worker information as a practitioner. A practitioner can usually access information for a broader collection of workers. This includes data elements not exposed to other actors.

Sequence of Interactions

The following are the sequence of interactions to retrieve worker information using worker indicative data:

1. Your consumer application makes a request for /events/hr/v1/worker.read/meta to the ADP API endpoint.
2. The ADP API endpoint responds to your consumer application with worker read metadata.
3. Your consumer application verifies if the resources to be used in worker search is part of the resources returned in the metadata payload. It does one of the following:
    - If no, your consumer application executes exception handling.

      Tip: You could provide the supported resources for the search back to the end user.

    - If yes, proceed to the next step.
4. Your consumer application posts a payload with worker indicative data using /events/hr/v1/worker.read to the ADP API endpoint.
5. The ADP API endpoint responds to your consumer application with worker information for a single worker or a collection of workers. This is based on the indicative data posted to the ADP API endpoint.

   Note: The workers' array is returned under the events/data/output path.

Data Dictionary

See Appendix A: Data Dictionary on page for data retrieval.

Note: All listed fields are supported for this use case.

Responses

You may encounter exceptions outside your common success scenarios. You must account for these exceptions during your initial development.

For more information, see API Common Exceptions and Tips for Handling.

Response Code	Response Condition	messageTxt	Tips to Handle
200 OK	Retrieves worker information based on below query parameter "**queryParameter**": "$filter=workerID/idValue eq '0CP6FN95C'"	NA	
200 Ok	Retrieves worker information based on below query parameter "**queryParameter**": "$filter=person/governmentIDs[0]/idValue eq 'xxx-xx-xxx' and person/governmentIDs[0]/nameCode eq 'SSN'"	NA	
400 Bad Request	Retrieve the worker information with invalid query parameter	"**userMessage**": { "messageTxt": "queryParameter is invalid." }	

Chapter 7

Known Issues and Limitations

US874853: Get workers pagination returns 200 error response

Impacted APIs

Method	URI	roleCode Value
GET	/hr/v2/workers	Practitioner

Issue Description

After the last page is reached when paginating through workers (using **$top** and **$skip** parameters), instead of a 204 response, a 200 response will be returned with an empty workers array.

Suggested Work Around

To stop and check if the response workers array is empty, add logic for pagination.

Issue: Workers and Worker demographics meta response is similar.

Impacted APIs

Method	URI	roleCode Value
GET	/hr/v2/worker-demographics/meta	Practitioner

Issue Description

worker-demographics meta includes below fields schema, which are not returned in API response.

- BirthDate
- GovernmentIDs
- BaseRemuneration
- AdditionalRemunerations

Suggested Work Around

NA

Issue: Business Communication email add meta is not supported

Impacted APIs

Method	URI	roleCode Value
GET	/events/hr/v1/worker.business-communication.email.add/meta	Practitioner

Issue Description

The Business Communication email adds meta API is returning a 404 Not Found with the following error message:

```
{
"message": "No HTTP resource was found that matches the request URI
'http://essapi.iat.es.oneadp.com:8241/runessmobileapi/events/hr/v1/worker.business-communication.email.add/meta'.",
"messageDetail": "No action was found on the controller 'WorkerEventsMeta' that matches the name 'BusinessEmailAdd'."
}
```

Suggested Work Around

There are no suggested workarounds available.

Issue: Business Communication email remove meta is not supported

Impacted APIs

Method	URI	roleCode Value
GET	/events/hr/v1/worker.business-communication.email.remove/meta	Practitioner

Issue Description

The Business Communication email remove meta API is returning a 404 Not Found with the following error message:

```
{
"message": "No HTTP resource was found that matches the request URI
'http://essapi.iat.es.oneadp.com:8241/runessmobileapi/events/hr/v1/worker.business-communication.email.remove/meta'.",
"messageDetail": "No action was found on the controller 'WorkerEventsMeta' that matches the name 'BusinessEmailRemove'."
}
```

Suggested Work Around

NA

Issue: Worker Rehire meta API is not supported

Impacted APIs

Method	URI	roleCode Value
GET	/events/hr/v1/worker.rehire/meta	Practitioner

Issue Description

The Worker Rehire meta API is returning a 405 method not allowed with the following error message:

```
{
"message": "The requested resource does not support http method 'GET'."
}
```

Suggested Work Around

There are no workarounds available.

Issue: Worker Rehire Date change meta API is not supported

Impacted APIs

Method	URI	roleCode Value
GET	/events/hr/v1/worker.worker-rehire-date.change/meta	Practitioner

Issue Description

The Worker Rehire meta API is returning a 500 Internal server Error.

Suggested Workaround

There are no workarounds available.

Issue: Formatted Name and Given Name of Preferred Name section is not supported for post event notification

Impacted APIs

Method	URI	roleCode Value
GET	/events/hr/v1/worker.preferred-name.change	Practitioner

Chapter 8

Data Dictionary

Summary

The Data Dictionary provides the schema resource to application user interface field mapping. Resources listed in the following table can be accessed through workers.

People> Directory> Click on any Employee > Personal Information > Employee Info

The fields listed in the following table can be found in RUN Powered by ADP by selecting **People(LeftMenu)> Directory**>**Employee> Personal Information >Employee Info, Employee> Personal Information >Employment Info** and **Employee > Payroll > Payroll Info**.

Schema Location	Field Name	Note
/workers/associateOID	Not Displayed	
/workers/workerID/idValue	Not Displayed	
/workers/workerID/schemeCode/shortName	Not Displayed	
/workers/person/birthDate	**Date of birth**	
/workers/person/genderCode	**Gender for insurance/compliance**	
/workers/person/genderCode/shortName		
/workers/person/genderCode/longName		
/workers/person/genderCode/codeValue		
/workers/person/genderSelfIdentityCode	**Gender**	

Schema Location	Field Name	Note
/workers/person/genderSelfIdentityCode/codeValue		
/workers/person/genderSelfIdentityCode/shortName		
/workers/person/genderSelfIdentityCode/longName		
/workers/person/preferredGenderPronounCode	Pronouns	
/workers/person/preferredGenderPronounCode/codeValue		
/workers/person/preferredGenderPronounCode/shortName		
/workers/person/preferredGenderPronounCode/longName		
/workers/person/ethnicityCode	Not displayed	
/workers/person/preferredName	Not Displayed	If no information is provided, the employee's legal identity will be used.
/workers/person/preferredName/givenName	First name/Company name for 1099	
/workers/person/preferredName/familyName1	Last name	
/workers/person/preferredName/middleName	Middle initial	
/workers/person/preferredName/formattedName	First name	
/workers/person/formerNames	Middle initial	
/workers/person/formerNames/formattedName		
/workers/person/governmentIDs	Not Displayed	
/workers/person/governmentIDs/idValue	Social security no	
/workers/person/governmentIDs/nameCode	Not Displayed	
/workers/person/governmentIDs/nameCode/codeValue	Not Displayed	EX: SSN,TIN
/workers/person/governmentIDs/nameCode/shortName	Not Displayed	

Schema Location	Field Name	Note
/workers/person/governmentIDs/countryCode	Not Displayed	
/workers/person/legalName	Not Displayed	
/workers/person/legalName/givenName	**First name/Company name for 1099**	
/workers/person/legalName/middleName	**Middle initial**	
/workers/person/legalName/familyName1	**Last name**	
/workers/person/legalAddress	Not Displayed	
/workers/person/legalAddress/lineOne	**Search home address**	
/workers/person/legalAddress/lineTwo	**Apt, suite, floor, room or PO box**	
/workers/person/legalAddress/cityName	**City**	
/workers/person/legalAddress/countrySubdivisionLevel1	**State/Province**	
/workers/person/legalAddress/countrySubdivisionLevel1/ codeValue		
/workers/person/legalAddress/countrySubdivisionLevel1/ subdivisionType		
/workers/person/legalAddress/countryCode	Not Displayed	
/workers/person/legalAddress/postalCode	**Zip**	
/workers/person/communication	Not Displayed	
/workers/person/communication/landlines	Not Displayed	
/workers/person/communication/landlines/nameCode/ codeValue	Not Displayed	Ex: Personal
/workers/person/communication/landlines/dialNumber	**Additional phone number**	
/workers/person/communication/landlines/formattedNumber	**Additional phone number**	

Schema Location	Field Name	Note
/workers/person/communication/mobiles	Not Displayed	
/workers/person/communication/mobiles/nameCode/ codeValue	Not Displayed	Ex: Personal
/workers/person/communication/mobiles/countryDialing		
/workers/person/communication/mobiles/dialNumber	**Phone number**	
/workers/person/communication/mobiles/formattedNumber	**Phone number**	
/workers/person/communication/emails	Not Displayed	
/workers/person/communication/emails/emailUri	**Email**	
/workers/person/communication/emails/nameCode/ codeValue	Not Displayed	Ex: Personal
/workers/workAssignments/assignedWorkLocations	Not Displayed	
/workers/workAssignments/assignedWorkLocations/address	Not Displayed	
/workers/workAssignments/assignedWorkLocations/address/ nameCode	Not Displayed	
/workers/workAssignments/assignedWorkLocations/address/ nameCode/longName	Not Displayed	
/workers/workAssignments/assignedWorkLocations/address/ lineOne	**Address line 1**	
/workers/workAssignments/assignedWorkLocations/address/ lineTwo	**Address line 2**	
/workers/workAssignments/assignedWorkLocations/address/ cityName	**city**	
/workers/workAssignments/assignedWorkLocations/address/ countryCode	Not Displayed	
/workers/workAssignments/assignedWorkLocations/address/ postalCode	**Zip code**	
/workers/workAssignments/assignedWorkLocations/address/ countrySubdivisionLevel1	**State/Province**	

Schema Location	Field Name	Note
/workers/workAssignments/assignedWorkLocations/address/countrySubdivisionLevel1/codeValue		
/workers/workAssignments/assignedWorkLocations/address/countrySubdivisionLevel1/subdivisionType		
/workers/workAssignments/assignedWorkLocations/address/countrySubdivisionLevel1/shortName		
/workers/businessCommunication/landlines	Work	
/workers/businessCommunication/landlines/dialNumber		
/workers/businessCommunication/landlines/ formattedNumber		
/workers/businessCommunication/landlines/extension	Ext	
/workers/businessCommunication/emails	Work	
/workers/businessCommunication/emails/emailUri		
/workers/workAssignments/workerTypeCode/shortName	Employment type	Applicable only for **Contractor** Ex: Individual Contractor with SSN

People> Directory> Click on any Employee > Personal Information >Employment Info

Schema Location	Field Name	Notes
/workers/businessCommunication/landlines	Work phone	
/workers/businessCommunication/landlines/dialNumber		
/workers/businessCommunication/landlines/formattedNumber		
/workers/businessCommunication/landlines/extension	Ext	

Schema Location	Field Name	Notes
/workers/businessCommunication/emails	**Work email**	
/workers/businessCommunication/emails/emailUri		
/workers/workerStatus/statusCode	Not Displayed	
/workers/workerStatus/statusCode/codeValue	Not Displayed	Ex: A
/workers/workerStatus/statusCode/shortName	**Status**	
/workers/workerDates	Not Displayed	
/workers/workerDates/adjustedServiceDate	**Hire date**	
/workers/workerDates/rehireDate	**Hire date**	
/workers/workerDates/originalHireDate	**Hire date**	
/workers/workerDates/terminationDate	**Termination date**	
/workers/customFieldGroup/indicatorFields/nameCode/codeValue/	**Statutory employee**	codeValue for this field is **"STATUTORY_EMPLOYEE"** and the **indicatorValue** will determine the value
/workers/workAssignments/assignmentLastDayWorkedDate	**Last day worked**	
/workers/workerStatus/reasonCode	**Termination type**	

People> Directory> Click on any Employee > Payroll > Payroll Info

Schema Location	Field Name	Note
/workers/workAssignments/workerTypeCode	Not Displayed	
/workers/workAssignments/workerTypeCode/codeValue	Not Displayed	Values: "W2", "1099"
/workers/workAssignments/workerTypeCode/shortName	Not Displayed	Values: "Employee", "Contractor"

Schema Location	Field Name	Note
/workers/workAssignments/workLevelCode	Not Displayed	
/workers/workAssignments/workLevelCode/codeValue	**Employment type**	
/workers/workAssignments/workLevelCode/shortName	Not Displayed	
/workers/workAssignments/remunerationBasisCode	Not Displayed	
/workers/workAssignments/remunerationBasisCode/codeValue	Not Displayed	
/workers/workAssignments/remunerationBasisCode/shortName	**Pay type**	
/workers/workAssignments/payCycleCode	Not Displayed	
/workers/workAssignments/payCycleCode/codeValue	Not Displayed	
/workers/workAssignments/payCycleCode/shortName	**Pay schedule**	
/workers/workAssignments/standardPayPeriodHours	Not Displayed	
/workers/workAssignments/standardPayPeriodHours/hoursQuantity	**Standard hours per pay period**	
/workers/workAssignments/homeOrganizationalUnits/	Not Displayed	
/workers/workAssignments/homeOrganizationalUnits/nameCode	Not Displayed	
/workers/workAssignments/homeOrganizationalUnits/nameCode/codeValue	Not Displayed	
/workers/workAssignments/homeOrganizationalUnits/nameCode/shortName	**Department**	
/workers/workAssignments/homeOrganizationalUnits/typeCode	Not Displayed	
/workers/workAssignments/homeOrganizationalUnits/typeCode/codeValue	Not Displayed	
/workers/workAssignments/homeOrganizationalUnits/typeCode/shortName	Not Displayed	

Schema Location	Field Name	Note
/workers/workAssignments/assignedOrganizationalUnits	Not Displayed	
/workers/workAssignments/assignedOrganizationalUnits/nameCode	Not Displayed	
/workers/workAssignments/assignedOrganizationalUnits/nameCode/codeValue	Not Displayed	
/workers/workAssignments/assignedOrganizationalUnits/nameCode/shortName	**Department**	
/workers/workAssignments/assignedOrganizationalUnits/nameCode/longName	Not Displayed	
/workers/workAssignments/assignedOrganizationalUnits/typeCode	Not Displayed	
/workers/workAssignments/assignedOrganizationalUnits/typeCode/codeValue	Not Displayed	
/workers/workAssignments/assignedOrganizationalUnits/typeCode/shortName	Not Displayed	
/workers/workAssignments/assignedOrganizationalUnits/typeCode/longName	Not Displayed	
/workers/workAssignments/baseRemuneration	Not Displayed	
/workers/workAssignments/baseRemuneration/payPeriodRateAmount	Not Displayed	
/workers/workAssignments/baseRemuneration/payPeriodRateAmount/amountValue	**Bi-Weekly salary/pay rate**	
/workers/workAssignments/baseRemuneration/payPeriodRateAmount/currencyCode	Not Displayed	
/workers/workAssignments/baseRemuneration/payPeriodRateAmount/nameCode	Not Displayed	
/workers/workAssignments/baseRemuneration/payPeriodRateAmount/nameCode/codeValue	Not Displayed	

Schema Location	Field Name	Note
/workers/workAssignments/baseRemuneration/payPeriodRateAmount/nameCode/shortName	Not Displayed	
/workers/workAssignments/baseRemuneration/payPeriodRateAmount/nameCode/longName	Not Displayed	
/workers/workAssignments/additionalRemunerations	Not Displayed	
/workers/workAssignments/additionalRemunerations/nameCode	Not Displayed	
/workers/workAssignments/additionalRemunerations/nameCode/codeValue	Not Displayed	
/workers/workAssignments/additionalRemunerations/nameCode/shortName	Not Displayed	
/workers/workAssignments/additionalRemunerations/nameCode/longName	Not Displayed	
/workers/workAssignments/additionalRemunerations/rate	Not Displayed	
/workers/workAssignments/additionalRemunerations/rate/amountValue	**Hourly Rate/Pay rate 2/3/4/5**	
/workers/workAssignments/additionalRemunerations/rate/currencyCode	Not Displayed	
/workers/workAssignments/additionalRemunerations/rate/nameCode	Not Displayed	
/workers/workAssignments/additionalRemunerations/rate/nameCode/codeValue	Not Displayed	
/workers/workAssignments/additionalRemunerations/rate/nameCode/shortName	Not Displayed	
/workers/workAssignments/additionalRemunerations/rate/baseUnitCode	Not Displayed	
/workers/workAssignments/additionalRemunerations/rate/baseUnitCode/codeValue	Not Displayed	

Schema Location	Field Name	Note
/workers/customFieldGroup	Not Displayed	
/workers/customFieldGroup/codeFields	Not Displayed	
/workers/customFieldGroup/codeFields/codeValue	**Employee Time Clock ID**	
/workers/customFieldGroup/codeFields/nameCode	Not Displayed	
/workers/customFieldGroup/codeFields/nameCode/codeValue	Not Displayed	
/workers/customFieldGroup/codeFields/nameCode/shortName	Not Displayed	
/workers/workAssignments/workerTimeProfile/	**timeZoneCode**	This is the eTimeCard Bundle.
/workers/customFieldGroup/indicatorFields/nameCode/codeValue/	**Seasonal employee**	codeValue for this field is **"SEASONAL_EMPLOYEE"** and the **indicatorValue** will determine the value

Chapter 9

Fields Not Supported for Data Retrieval

The fields in the following table are not supported for retrieval.

Screen Location	Field
Employees > Personal Information > Employment Info	**Length of service**
Employees > Personal Information > Employment Info	**Job tax credit**
Employees > Personal Information > Employment Info	**Company paid pension**
Employees > Personal Information > Employment Info	**Is Employee Hispanic or Latino?**
Employees > Personal Information > Employment Info	**Current job category**
Employees > Personal Information > Employment Info	**Ethnicity identified by**

Screen Location	Field
Employees > Personal Information > Employmee Info	Internal notes
Employees > Payroll > Payroll Info	Workers' comp class

Chapter 10

Fields Not Supported for Data Update

The fields in the following table are not supported for update

Screen Location	Field
Employees > Personal Information > Employment Info	Employee Status
Employees > Personal Information > Payroll Info	Pay Type

Chapter 11

Frequently Asked Questions

Question 1: How to get homeWorkLocation data from the workers end point in ADP RUN?

Answer: We can get the homework location details for an employee under "workers/workAssignments/homeWorkLocation" path through the workers API. It will provide these info when you assign a Job to an employee, and that Job has an associated Location.

```
"homeWorkLocation": {
"address": {
"cityName": "Newyork",
"countryCode": "US"
}
},
```

Below is the UI navigation which are associated with the above ask.
Employee > Human Resources > Job Info > Work Location
Employee > Payroll Info > Department