

COMFY PROGRAMS

Anjan Srihari

What is this?

THIS IS A LIST OF PROGRAMS NECESSARY FOR PROPER FUNCTIONING OF THE I3 RICE. DOWNLOAD ALL BEFORE STARTING THE RICE.

BEFORE_ALL = the username must be anjan.

MORE THAN PRIME REQUIREMENT = zsh with oh_my_zsh installed.

- How to install zsh and oh my zsh:

install the package zsh for the distro.

AUTOMATED:

```
curl -L http://install.ohmyz.sh | sh (or)
```

```
wget --no-check-certificate http://instal.oh.myz.sh -O- | sh
```

MANUAL INSTALL:

```
sudo pacman -S zsh
```

```
sudo apt install zsh
```

```
git clone git://github.com/robbyrussel/oh-my-zsh.git ~/.oh-my-zsh
```

```
cp ~/.zshrc ~/.zshrc.orig
```

```
cp ~/.oh_my_zsh/templates/zshrc.zsh-template ~/.zshrc
```

```
chsh -s /bin/zsh
```

then restart.

PRIME REQUIREMENT == “PYTHON 3”. THE LATEST BLOODY THING. AND ALSO THE LATEST VERSION OF CMAKE. “<https://cmake.org/files/v3.10/cmake-3.10.2.tar.gz>” curl or wget it. if necessary

Required Programs

- **INTERNET** = qutebrowser //Do require gst plugins, good, bad, ugly, base.// also make sure to place the qutebrowser folder into the .config file to restore all quickmarks
- **COMPOSITOR** = compton
- **SOUND** = pulseaudio

- **WALLPAPER** = feh
- **COLORSCHEME** = pywal (dylananaraps)
- **TERMINAL** = termite // if by some misfortune on a non arch based distro, install “vte-ng” as well from github
- **TERMINAL ALTERNATE** = urxvt (on most distributions program to download is rxvt-unicode)
- **FILEBROWSER** = ranger
- **SYSTEM MONITOR** = glances
- **TERMINAL BLING** = neofetch
- **FOR INTERNET** = “NetworkManager” nmcli, nm-applet etc
- **BRIGHTNESS CONTROL** = redshift
- **CALCULATOR** = speedcrunch
- **STATUS BAR** = polybar (the polybar config might require change of monitor definition)
- **APPLICATION LAUNCHER** = rofi
- **FONTS** = Inconsolata, IBM Plex, Adobe Source Code Pro, font-awesome, powerline fontset (github), Hack, Monospace
- **JUST CAUSE IT’S IN THE CONFIG** = gimp
- **FOR TIMER(CRON)** = anacron, fcron will also do. // just lookup the gentoo cron guide. “<https://wiki.gentoo.org/wiki/Cron>”
- **VIM BEAUTY** = amix/vimrc “<https://github.com/amix/vimrc>” // add to vimrc “colorscheme peachpuff”

DIRECTORIES & FILE PLACEMENTS

- flash_win.sh —> /home/anjan/flash_win.sh
- script.sh —> /home/anjan/script.sh
- wallpaper.service, wallpaper.timer —> /etc/systemd/system/wallpaper.service, wallpaper.timer backup.service/timer —> /etc/systemd/system/backup.service/timer
- backup.sh —> /home/anjan/backup.sh \$(for the systemd service and the cronjob)

SETUP the crontab in personal folder

wallpapers —> /home/anjan/wallpapers music —> /home/anjan/Music/MUSIX/ .Xdefaults —> /home/anjan/ “Xdefaults for urxvt, cause backups are always nice”

ALIASES FOR THE MAX COMFORT

- alias vimrc = “vim ~/.vimrc”
- alias zshconfig = “vim ~/.zshrc”
- alias ohmyzsh = “vim ~/.oh-my-zsh”

- alias e = “exit”
- alias timer_list = “systemctl list-timers”
- alias .. = “cd ..”
- alias r = “ranger”
- alias v = “vim”
- alias i3-config = “vim ~/.config/i3/config”
- alias termite-conf = vim /home/anjan/.config/termite/config = alias bling = “clear
&& neofetch -w3m”