

Software Requirements Specification for Software Engineering: subtitle describing software

Team #2, Campus Connections

Waseef Nayeem

Zihao Du

Matthew Miller

Firas Elayan

Abhiram Neelamraju

Michael Kim

October 2, 2023

Contents

1	Purpose of the Project	vi
1.1	User Business	vi
1.2	Goals of the Project	vi
2	Stakeholders	vii
2.1	Client	vii
2.2	Customer	vii
2.3	Other Stakeholders	vii
2.4	Hands-On Users of the Project	viii
2.5	Personas	viii
2.6	Priorities Assigned to Users	viii
2.7	User Participation	viii
2.8	Maintenance Users and Service Technicians	viii
3	Mandated Constraints	viii
3.1	Solution Constraints	viii
3.2	Implementation Environment of the Current System	viii
3.3	Partner or Collaborative Applications	viii
3.4	Off-the-Shelf Software	viii
3.5	Anticipated Workplace Environment	ix
3.6	Schedule Constraints	ix
3.7	Budget Constraints	ix
3.8	Enterprise Constraints	ix
4	Naming Conventions and Terminology	ix
4.1	Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project	ix
5	Relevant Facts And Assumptions	ix
5.1	Relevant Facts	ix
5.2	Business Rules	ix
5.3	Assumptions	ix
6	The Scope of the Work	x
6.1	The Current Situation	x
6.2	The Context of the Work	xi
6.3	Work Partitioning	xiii

6.4	Specifying a Business Use Case (BUC)	xiii
7	Business Data Model and Data Dictionary	xv
7.1	Business Data Model	xv
7.2	Data Dictionary	xv
8	The Scope of the Product	xvii
8.1	Product Boundary	xvii
8.2	Product Use Case Table	xvii
8.3	Individual Product Use Cases (PUC's)	xix
9	Functional Requirements	xxiv
9.1	Functional Requirements	xxiv
10	Look and Feel Requirements	xxiv
10.1	Appearance Requirements	xxiv
10.2	Style Requirements	xxiv
11	Usability and Humanity Requirements	xxiv
11.1	Ease of Use Requirements	xxiv
11.2	Personalization and Internationalization Requirements	xxiv
11.3	Learning Requirements	xxiv
11.4	Understandability and Politeness Requirements	xxiv
11.5	Accessibility Requirements	xxiv
12	Performance Requirements	xxv
12.1	Speed and Latency Requirements	xxv
12.2	Safety-Critical Requirements	xxv
12.3	Precision or Accuracy Requirements	xxv
12.4	Robustness or Fault-Tolerance Requirements	xxv
12.5	Capacity Requirements	xxv
12.6	Scalability or Extensibility Requirements	xxv
12.7	Longevity Requirements	xxv
13	Operational and Environmental Requirements	xxv
13.1	Expected Physical Environment	xxv
13.2	Wider Environment Requirements	xxvi
13.3	Requirements for Interfacing with Adjacent Systems	xxvi
13.4	Productization Requirements	xxvi

13.5 Release Requirements	xxvi
14 Maintainability and Support Requirements	xxvi
14.1 Maintenance Requirements	xxvi
14.2 Supportability Requirements	xxvi
14.3 Adaptability Requirements	xxvi
15 Security Requirements	xxvi
15.1 Access Requirements	xxvi
15.2 Integrity Requirements	xxvii
15.3 Privacy Requirements	xxvii
15.4 Audit Requirements	xxvii
15.5 Immunity Requirements	xxvii
16 Cultural Requirements	xxviii
16.1 Cultural Requirements	xxviii
17 Compliance Requirements	xxviii
17.1 Legal Requirements	xxviii
17.2 Standards Compliance Requirements	xxviii
18 Open Issues	xxviii
19 Off-the-Shelf Solutions	xxviii
19.1 Ready-Made Products	xxviii
19.2 Reusable Components	xxviii
19.3 Products That Can Be Copied	xxviii
20 New Problems	xxix
20.1 Effects on the Current Environment	xxix
20.2 Effects on the Installed Systems	xxix
20.3 Potential User Problems	xxix
20.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product	xxx
20.5 Follow-Up Problems	xxx
21 Tasks	xxx
21.1 Project Planning	xxx
21.2 Planning of the Development Phases	xxx

22 Migration to the New Product	xxx
22.1 Requirements for Migration to the New Product	xxx
22.2 Data That Has to be Modified or Translated for the New System	xxx
23 Costs	xxx
24 User Documentation and Training	xxxi
24.1 User Documentation Requirements	xxxi
24.2 Training Requirements	xxxi
25 Waiting Room	xxxi
26 Ideas for Solution	xxxi

Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

1 Purpose of the Project

1.1 User Business

The project being outlined in this document is an social media application with location-specific features for McMaster University to allow the university's students to connect with each other. The project will allow for interaction between users, in addition to allowing users to find information on different parts of the main campus of McMaster University, including on-campus events and room availability in buildings.

1.2 Goals of the Project

- 1.1 **Accurate Data Collection** The product must collect location and directional data to accurately ascertain the position of the user in the building and campus. This will allow the user to interact with the system and other users of the product to enhance social interactions. The error of data must be less than 5
- 1.2 **Ease of Use** The product must be user friendly and convenient to use, as many university applications are not used or underused due to the complexity and difficult operation. The end user must be able to easily download and learn the application without external guidance. At least 90
- 1.3 **Availability** The product must be able to support its users unless there is a planned maintenance or external failures. This is important as the product is using real-time data and significant delays or down-times will impact the accuracy and usability of the product.
- 1.4 **Reliable Data Communication** The product must have good and secure data communication to support the real-time nature of the product. This is important as the product is using real-time data and significant delays will impact the accuracy and usability of the product. The product must be able to provide the desired output within 5 seconds with good university WiFi connection.
- 1.5 **Protection of Personal Information** The product must keep all personal data provided by users secure in the database. Personal data

will be collected securely and only used for product functions. The application must support the removal of user data upon request. This is important because users will complete a consent form that acknowledges their privacy.

- 1.6 **User Communication** The product must be able to support user-to-user communication. It should provide a friend system for users to add new friends, send messages and emojis to friends and share current location and status (in lecture/event or free) with their friends. This is important because the main purpose of the project is to allow users to connect with peers effectively.
- 1.7 **Interactable Campus Buildings** The product must be able to provide interactions between users and campus buildings. It must show the availability of the lecture halls and information about ongoing events in a building since one of the purposes of the project is to help users utilize campus resources effectively.
- 1.8 **Immersive User Experience** The product should provide an immersive user experience to the users with some XR technologies. At least 90% should find the product much more attractive and immersive than other university applications when conducting the user survey. An immersive user experience is one of the unique selling points of our product.

2 Stakeholders

2.1 Client

Insert your content here.

2.2 Customer

Insert your content here.

2.3 Other Stakeholders

Insert your content here.

2.4 Hands-On Users of the Project

Insert your content here.

2.5 Personas

Insert your content here.

2.6 Priorities Assigned to Users

Insert your content here.

2.7 User Participation

Insert your content here.

2.8 Maintenance Users and Service Technicians

Insert your content here.

3 Mandated Constraints

3.1 Solution Constraints

Insert your content here.

3.2 Implementation Environment of the Current System

Insert your content here.

3.3 Partner or Collaborative Applications

Insert your content here.

3.4 Off-the-Shelf Software

Insert your content here.

3.5 Anticipated Workplace Environment

Insert your content here.

3.6 Schedule Constraints

Insert your content here.

3.7 Budget Constraints

Insert your content here.

3.8 Enterprise Constraints

Insert your content here.

4 Naming Conventions and Terminology

4.1 Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project

Insert your content here.

5 Relevant Facts And Assumptions

5.1 Relevant Facts

- The two main platforms for AR are ARKit by Apple for Apple devices, and ARCore by Google for Android devices

5.2 Business Rules

-

5.3 Assumptions

-

6 The Scope of the Work

6.1 The Current Situation

Currently, students do not have effective ways to connect with peers of same interest and resources available on campus. One of the most accessible tools for students to utilize campus resources is Oscarplus. However it is for McMaster students and Alumni only, and does not support interactions between users – users cannot see if their friends and classmates are joining the events nor send/read comments from others.

As for room availability information, there is no official management system for visitors and students. Students always occupy empty rooms their found to meet with friends and classmates. Due to poor management and messy process, it is usually very difficult to find an appropriate place for team discussion and club events.




Figure 1: Context Diagram

6.2 The Context of the Work

The context diagram depicted below illustrates the interactions of the system with adjacent external systems and services.




Figure 2: Current Event Registration Situation

6.3 Work Partitioning

Table 1: Business Event List

Event Name	Input/Output	Summary
Provide lecture schedule	IN: Lecture schedule	Give schedule of lectures when there is an update and after every semester
Provide event schedule	IN: Event schedule	Give schedule of campus events periodically and when there is an update
Record user data	OUT: User data	Record user related data, including user settings, user friends and registered events
Record lecture data	OUT: Event data	Record lecture data, including lecture name, time, duration and location
Record event data	OUT: Event data	Record event data, including event name, time, duration and location
Display event schedule	IN: event data, OUT: event data filtered by location	Display events that are going to be held in in a given building
Display lecture schedule	IN: lecture data, OUT: lecture data filtered by location	Display lectures that are going to be held in in a given building

6.4 Specifying a Business Use Case (BUC)

The following is an activity diagram for the Display event schedule process. The trigger of this business user case will be user interaction, and input will

be campus event data from database. What will be displayed is a schedule of events held inside a specific building with detailed event information.




Figure 3: Activity diagram for Display Event Schedule Process

7 Business Data Model and Data Dictionary

7.1 Business Data Model

The following UML class diagram shows all types of business data that will be used in this project.

All the classes represent corresponding business data, all these entries and their attributes will be defined and explained in the data dictionary. class are defined in the data dictionary.




Figure 4: UML class model

7.2 Data Dictionary

This section will include definition of all classes in UML class model and their attributes. Some self-explanatory attributes like name will be ignored.

Table 2: Data Dictionary

Name	Content	Type
Lecture	McMaster course data	Class
Lecture.Instructor	Course instructor	Attribute
Lecture.Time	Course schedule	*HH/MM/SS 24 hour clock*
Lecture.Classroom	Course location	Room
Event	McMaster on-campus event data	Class
Event.Category	Held by which department	Attribute
Event.Time	Event time	*HH/MM/SS 24 hour clock*
Lecture.Location	Event location	Room
User	User account data, friends data, location, event & lecture attendance	Class
User.Location	Geographic location	Attribute
User.Status	Online or not	Boolean, Attribute
User.EventsJoined	List of event	Event, Attribute
User.LecturesTaken	List of lecture	Lecture, Attribute
User.Friends	List of friends	User , Attribute
Building	McMaster main campus building	Class
Building.Abbreviation	Abbreviation of building name	Attribute
Building.Location	Geographic location	Attribute
Room	Room inside a building	Class
Room.Capacity	Room capacity	Number, Attribute

8 The Scope of the Product

8.1 Product Boundary

The use case diagram depicted below identifies the boundaries between the users and the product.




Figure 5: Use Case Diagram

8.2 Product Use Case Table

Table 3: Product Use Case

PUC No	PUC Name	Actor/s	Input & Output
1	Create Account	User	Username & Password (in)
2	Update Password	User	Username & New Password (in)
3	Update User Status	User	New Status (in)
4	Login	User	Username & Password (in), Login Response (out)
5	Add New Friend	User	Friend Username (in), Friend Request (out)
6	Delete Friend	User	Friend Username (in), Confirmation Message (out)
7	Message Friend	User	Message Content (in), Message Sent Notification (out)
8	View Event Details	User	User Interaction (in), Event Information (out)
9	Interest/Disinterest Event	User	User Interaction & Event Name (in)
10	Add/Remove attended lecture	User	User Interaction & Lecture Name (in)
11	Retrieve Event Schedule	System	New Schedule (out)
12	Retrieve Lecture Schedule	System	New Schedule (out)
13	Load Building Information	System	Location & Sensor data (in), Building Name (out)

8.3 Individual Product Use Cases (PUC's)

Use case #1: Create Account

Precondition: None

Trigger: The user clicks on create account button

Outcome

1. User provides the required information
2. System verifies all required information has been provided
3. System securely registers user information
4. User is redirected back to the Home page

Postcondition: The user has successfully created an account and account information is stored and secured in a database.

Use case #2: Update Password

Precondition: The user has already created an account

Trigger: The user clicks on change password button

Outcome

1. User navigates to change password page
2. User provides old password
3. User provides new password
4. System verifies old password is correct and new password is valid
5. System updates password of current user in the database
6. User is redirected back to the Home page

Postcondition: The user has successfully changed the password.

Use case #3: Update User Status

Precondition: The user has already created an account

Trigger: The user clicks on change status button

Outcome

1. User navigates to change status page

2. User updates status to a new status
3. System updates user status and redirects back to the Home page

Postcondition: The user status has been changed successfully.

Use case #4: Login

Precondition: The user has already created an account

Trigger: The user clicks on login button on the home page

Outcome

1. User navigates to login page
2. System verifies all required information has been provided and matches the database record
3. User is redirected to the home page as a logged-in user

Postcondition: The user has successfully logged in to the created account with all settings and connections loaded from the database.

Use case #5: Add New Friend

Precondition: The user has already logged in

Trigger: The user searches for another user and sends a friend request

Outcome

1. User searches for another user
2. User sends a friend request
3. System sends the request and user information to the destined user
4. Destined user accepts/rejects the request
5. User receives a notification

Postcondition: The user gets a new connection in their friends list.

Postcondition 2: The user is rejected and gets a notification about that.

Use case #6: Delete Friend

Precondition: The user has already logged in and has at least one friend

Trigger: The user clicks delete button on friend page

Outcome

1. User searches for a friend
2. User deletes the friend
3. System sends a confirmation prompt
4. User continues to delete
5. User receives a notification

Postcondition: The friend is deleted from user's friends list.

Use case #7: Message Friend

Precondition: The user has already logged in and has at least one friend

Trigger: The user texts a friend on friend page

Outcome

1. User searches for a friend
2. User start to text the friend
3. System sends message to the destined friend

Postcondition: The friend receives a message from the user.

Use case #8: View Event Details

Precondition: The user has already logged in and necessary sensors are working properly

Trigger: The user clicks on an event

Outcome

1. User moves the device to target a building on campus
2. User finds a list of events
3. User clicks on one of the event
4. System displays more information about the event

Postcondition: The content, time and location of the event are displayed.

Use case #9: Interest/Disinterest Event

Precondition: The user has already logged in and had a target building

Trigger: The user clicks on interest/disinterest button

Outcome

1. User browses the event list of the target
2. User navigates to an event detail page with a specific name
3. User clicks on the corresponding button
4. System sends the request to the database
5. System displays the new state of the event

Postcondition: The user event list in the database is updated and the UI changes correspondingly.

Use case #10: Add/Remove Attended lecture

Precondition: The user has already logged in and had a target building

Trigger: The user clicks on add/remove button

Outcome

1. User browses the lecture list of the target
2. User navigates to a lecture detail page with a specific course code
3. User clicks on the corresponding button
4. System sends the request to the database
5. System displays the new state of the lecture

Postcondition: The user lecture list in the database is updated and the UI changes correspondingly.

Use case #11: Retrieve Event Schedule

Precondition: None

Trigger: A request to update schedule is sent or trigger by the system timer

Outcome

1. System sends a request to the on-campus schedule interface
2. System gets the up-to-date schedule
3. System stores the new schedule to the database

Postcondition: The new schedule is stored in the database and will be utilized later.

Use case #12: Retrieve Lecture Schedule

Precondition: None

Trigger: A request to update schedule is sent or trigger by the system timer

Outcome

1. System sends a request to lecture schedule interface
2. System gets the up-to-date schedule
3. System stores the new schedule to the database

Postcondition: The new schedule is stored in the database and will be utilized later.

Use case #13: Load Building Information

Precondition: None

Trigger: Location Share is allowed and sensors are working properly

Outcome

1. System gets geographic location and sensor data from the device
2. System finds the most likely building on campus
3. System displays building information

Postcondition: The system provides information of the building the user locates now.

9 Functional Requirements

9.1 Functional Requirements

Insert your content here.

10 Look and Feel Requirements

10.1 Appearance Requirements

Insert your content here.

10.2 Style Requirements

Insert your content here.

11 Usability and Humanity Requirements

11.1 Ease of Use Requirements

Insert your content here.

11.2 Personalization and Internationalization Requirements

Insert your content here.

11.3 Learning Requirements

Insert your content here.

11.4 Understandability and Politeness Requirements

Insert your content here.

11.5 Accessibility Requirements

Insert your content here.

12 Performance Requirements

12.1 Speed and Latency Requirements

Insert your content here.

12.2 Safety-Critical Requirements

Insert your content here.

12.3 Precision or Accuracy Requirements

Insert your content here.

12.4 Robustness or Fault-Tolerance Requirements

Insert your content here.

12.5 Capacity Requirements

Insert your content here.

12.6 Scalability or Extensibility Requirements

Insert your content here.

12.7 Longevity Requirements

Insert your content here.

13 Operational and Environmental Requirements

13.1 Expected Physical Environment

- The product will be installed on the user's smartphone (iPhone or Android) and be used around the main campus of McMaster University

13.2 Wider Environment Requirements

- The product must interface with the latest three major releases of iOS and Android OS (as of October 2023)

13.3 Requirements for Interfacing with Adjacent Systems

-

13.4 Productization Requirements

-

13.5 Release Requirements

- The product must be downloadable through the App Store and Google Play Store

14 Maintainability and Support Requirements

14.1 Maintenance Requirements

Insert your content here.

14.2 Supportability Requirements

Insert your content here.

14.3 Adaptability Requirements

Insert your content here.

15 Security Requirements

15.1 Access Requirements

There will be three levels of access.

The first will be before login and account creation, where anyone can access. They must not have access to anything beyond the login, account creation, and account recovery pages.

The second will be after login that verifies their identity, where the user has provided information matching the McMaster student or faculty member with McMaster email account. Only the user can access this page.

The third level will be the administrator account, used for adding, deleting, or editing official events. This account can be accessed by login that verifies that they are the maintainer, this will be used by the maintainers to check the functionality of the product and pull logs that are not accessible to users.

15.2 Integrity Requirements

Insert your content here.

15.3 Privacy Requirements

All data collected must be encrypted on disk in the server by standard encryption algorithm. All data collected must be encrypted on transit by industry standard encryption algorithm.

The product will require users to agree on the terms prior to account creation and additional data submission. The product must erase all data if the user requests, or when account is deleted. Additionally, accounts that are inactive for a certain period of time will have their account deleted after notice to prevent unnecessary data being held.

15.4 Audit Requirements

N/A (This currently does not apply)

15.5 Immunity Requirements

The product must only use open source libraries with many users and continuous security updates. The product must undergo

16 Cultural Requirements

16.1 Cultural Requirements

-

17 Compliance Requirements

17.1 Legal Requirements

Insert your content here.

17.2 Standards Compliance Requirements

Insert your content here.

18 Open Issues

Insert your content here.

19 Off-the-Shelf Solutions

19.1 Ready-Made Products

Insert your content here.

19.2 Reusable Components

Insert your content here.

19.3 Products That Can Be Copied

Insert your content here.

20 New Problems

20.1 Effects on the Current Environment

This application will help students improve certain processes they use to follow and these changes will impact the users. However, the application will not take place of any existing official tools.

Expand Networking

Students will be able to expand networking even more when registering events and attending lectures through this application.

Event Registration

Students will be able to get more information about the events they want to join from peers and alumni, which will allow them find events and clubs of their interest more effectively.

Available Room Management

Student can facilitate this application to get information about available empty rooms while youth visiting the campus can find lectures they'd like to attend on the other hand.

20.2 Effects on the Installed Systems

The application will be completely stand alone and will not be interfacing with any existing systems. As described in the previous section, this application should not affect or take place of any existing system.

20.3 Potential User Problems

Any potential adverse reactions related to using the device in which application is being launched on (mobile device or tablet) would extend to the use of this application. Any adverse reactions of Virtual Reality and Augment Reality, like nausea, dizziness and disorientation would be introduced to the use of the application as well.

20.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product

Insert your content here.

20.5 Follow-Up Problems

Insert your content here.

21 Tasks

21.1 Project Planning

Insert your content here.

21.2 Planning of the Development Phases

Insert your content here.

22 Migration to the New Product

22.1 Requirements for Migration to the New Product

Insert your content here.

22.2 Data That Has to be Modified or Translated for the New System

Insert your content here.

23 Costs

Insert your content here.

24 User Documentation and Training

24.1 User Documentation Requirements

Insert your content here.

24.2 Training Requirements

Insert your content here.

25 Waiting Room

Insert your content here.

26 Ideas for Solution

Insert your content here.

Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

1. What knowledge and skills will the team collectively need to acquire to successfully complete this capstone project? Examples of possible knowledge to acquire include domain specific knowledge from the domain of your application, or software engineering knowledge, mechatronics knowledge or computer science knowledge. Skills may be related to technology, or writing, or presentation, or team management, etc. You should look to identify at least one item for each team member.
2. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?