

# Verification and Validation Report: Software Engineering

Team #2, Campus Connections

Waseef Nayeem

Zihao Du

Matthew Miller

Firas Elayan

Abhiram Neelamraju

Michael Kim

March 6, 2024

# 1 Revision History

Date	Version	Notes
Mar 4	1.0	Add functional requirements evaluation
Mar 6	1.0	Add non-functional requirements evaluation
Mar 6	1.0	Load test, Usability test, unit test results

## 2 Symbols, Abbreviations and Acronyms

symbol	description
JMeter	Load testing tool for analyzing and measuring the performance
SRS	Software Requirements Specification
UI	User Interface
VnV	Verification and Validation

# Contents

<b>1</b>	<b>Revision History</b>	<b>i</b>
<b>2</b>	<b>Symbols, Abbreviations and Acronyms</b>	<b>ii</b>
<b>3</b>	<b>Functional Requirements Evaluation</b>	<b>1</b>
3.1	Pre-Registration Settings . . . . .	1
3.2	User Account . . . . .	2
3.3	Social Networking System . . . . .	6
3.4	Lectures and Events . . . . .	9
3.5	AR Camera . . . . .	16
3.6	Map and Location . . . . .	17
<b>4</b>	<b>Nonfunctional Requirements Evaluation</b>	<b>17</b>
4.1	Look and feel . . . . .	18
4.2	Usability and Humanity . . . . .	19
4.3	Performance . . . . .	20
4.4	Operational and Environmental . . . . .	27
4.5	Maintainability and Support . . . . .	27
4.6	Security . . . . .	28
4.7	Privacy . . . . .	29
4.8	Culture . . . . .	30
4.9	Compliance . . . . .	30
<b>5</b>	<b>Usability Survey Result</b>	<b>31</b>
5.0.1	Tasks: . . . . .	31
5.0.2	Rating . . . . .	31
5.0.3	Open-ended Question . . . . .	33
<b>6</b>	<b>Load Test</b>	<b>34</b>
<b>7</b>	<b>Non dynamic Tests Result</b>	<b>35</b>
<b>8</b>	<b>Comparison to Existing Implementation</b>	<b>37</b>
<b>9</b>	<b>Unit Testing</b>	<b>37</b>
9.1	User . . . . .	37
9.2	Event . . . . .	38

9.3	Lecture . . . . .	39
9.4	Pagination . . . . .	39
9.4.1	Authentication . . . . .	41
9.4.2	Database . . . . .	42
<b>10</b>	<b>Changes Due to Testing</b>	<b>43</b>
<b>11</b>	<b>Automated Testing</b>	<b>43</b>
<b>12</b>	<b>Trace to Requirements</b>	<b>43</b>
<b>13</b>	<b>Trace to Modules</b>	<b>43</b>
<b>14</b>	<b>Code Coverage Metrics</b>	<b>43</b>

## List of Tables

1	Load Testing Results . . . . .	34
2	Nondynamic Test Result . . . . .	36
3	Nondynamic Test Result Cont . . . . .	37

## List of Figures

This document describes the test results of the verification and validation (VnV) plan for CampusConnections. The VnV plan was continuously updated as the project evolved. The following document records the results of the current version of the VnV plan. It provides results of functional and non-functional requirements tests, unit tests, changes that will be implemented in the system as a result of the tests, and various traceability tables.

## 3 Functional Requirements Evaluation

The following section outlines the results of functional requirements testing. The process and test performed follow the [VnV Plan](#). To summarize, all the tests are tested manually and passed, indicating that all the functional requirements in the Software Requirements Specification (SRS) document are covered.

### 3.1 Pre-Registration Settings

This section covers all tests related to functional requirements about pre-registration settings.

#### 1. FRT-PR1

**Name:** Agree To Consent Form

**Initial State:** The user does not have an account, and they starts to register an account. A consent form appears asking for access to the device and permission to collect user data

**Input:** The user agrees to all the terms and conditions and clicks ‘Agree’ and continues to complete the registration process

**Expected Output:** A notification shows the registration succeeds and the user is redirected to the login screen

**Actual Output:** A notification shows the registration succeeds and the user is redirected to the login screen

**Results:** Pass

#### 2. FRT-PR2

**Name:** Disagree To Consent Form

**Initial State:** The user does not have an account, and they starts to register an account. A consent form appears asking for access to the device and permission to collect user data

**Input:** The user rejects the terms and conditions and clicks 'Disagree' and continues to complete the registration process

**Expected Output:** The registration fails and a warning will show up notifying the user that they cannot create an account unless they agree to the consent form

**Actual Output:** The registration fails and a warning will show up notifying the user that they cannot create an account unless they agree to the consent form

**Results:** Pass

## 3.2 User Account

This section covers all tests related to functional requirements about the account and user profile.

### 1. FRT-UA1

**Name:** Successful Account Creation

**Initial State:** The user does not have an account and is not logged in to the application

**Input:** All information needed to create an account:

- Email: testUA1@gmail.com
- password: FRT-UA1
- nickname: UA1

**Expected Output:** An Account with corresponding information is created in the database with the account initialized to INITIAL\_USER\_STATE

**Actual Output:** An Account is created in the database with the following attributes and other attributes are initialized to INITIAL\_USER\_STATE:

- Email: testUA1@gmail.com
- password: FRT-UA1

- nickname: UA1

**Results:** Pass

## 2. FRT-UA2

**Name:** Unsuccessful Account Creation

**Initial State:** The user does not have an account and is not logged in to the application

**Input:** All information needed to create an account:

- Email: qtest@gmail.com (this is an existing test account)
- password: FRT-UA1
- nickname: UA1

**Expected Output:** Account creation fails with a warning telling the user the email has already been used

**Actual Output:** Account creation fails with a warning telling the user the email has already been used

**Results:** Pass

## 3. FRT-UA3

**Name:** Successful Account Login

**Initial State:** The user has an account and is not logged in to the application

**Input:** All information needed to login:

- Email: FRT-UA3@test.com (this account exists in the system already)
- password: FRT-UA3

**Expected Output:** User successfully logs into the application and goes to the menu page

**Actual Output:** User successfully logs into the application and goes to the menu page

**Results:** Pass



#### 4. FRT-UA4

**Name:** Unsuccessful Account Login

**Initial State:** The user has an account and is not logged in to the application

**Input:** All information needed to login:

- Email: FRT-UA3@test.com (this account exists in the system already)
- password: FRT321 (wrong password)

**Expected Output:** Login fails with a warning telling the user the password is wrong

**Actual Output:** Login fails with a warning telling the user the password is wrong

**Results:** Pass

#### 5. FRT-UA5

**Name:** Account Deletion

**Initial State:** The user has an account and is logged into the application

- Email: FRT-UA5@gmail.com (this is an existing test account)
- password: FRT-UA5
- nickname: UA5

**Input:** User clicks on the delete account button on the profile page and confirms the deletion

**Expected Output:** The user is redirected to the login page and the account cannot be logged in any more

**Actual Output:** The user is redirected to the login page and the account FRT-UA5@gmail.com cannot be logged in any more

**Results:** Pass

#### 6. FRT-UA6

**Name:** Reset Password

**Initial State:** The user has an account:

- Email: campusconnections@gmail.com (this is an existing test account)
- password: qtesting

**Input:** Email address and new password

- new password: QTesting

**Expected Output:** Password is successfully reset

**Actual Output:** Password is successfully reset to be QTesting

**Results:** Pass

## 7. FRT-UA7

**Name:** Avatar Creation and Modification

**Initial State:** The user has an account with DEFAULT\_AVATAR

**Input:** URI represents the new avatar:

- URI: [https://upload.wikimedia.org/wikipedia/commons/2/2f/Google\\_2015\\_logo.svg](https://upload.wikimedia.org/wikipedia/commons/2/2f/Google_2015_logo.svg)

**Expected Output:** The user changes the avatar to a Google logo

**Actual Output:** The user changes the avatar to a Google logo

**Results:** Pass

## 8. FRT-UA8

**Name:** Email Verification

**Initial State:** The user has an account whose email has not been verified yet

- Email: fuz15@mcmaster.ca (this is an existing test account)
- password: password

**Input:** User clicks on 'Verify Email' button on user profile page and follows instructions on the email sent from the system

**Expected Output:** That email above is verified as a valid email address

**Actual Output:** fuz15@mcmaster.ca is verified as a valid email address in the system

**Results:** Pass

#### 9. FRT-UA9

**Name:** Edit Profile

**Initial State:** The user has an account

- Email: qtest@gmail.com (this is an existing test account)
- password: qtesting
- newProgram: Computer Science

**Input:** New Profile:

- newProgram: Computer Science
- newLevel: 4

**Expected Output:** The program and level are updated

**Actual Output:** The program and level are updated to be Computer Science and 4

**Results:** Pass

### 3.3 Social Networking System

This section covers all tests related to functional requirements about interactions between friends.

#### 1. FRT-SN1

**Name:** Successful Friend Request

**Initial State:** The user is logged in with the following account:

- Semail: FRT-SN1@test.com
- password: testing

**Input:** A valid email to send the request:

- Temail: FRT-SN1-F@test.com

**Expected Output:** A Request is sent to the target user

**Actual Output:** A Request is sent to the target user

**Results:** Pass

## 2. FRT-SN2

**Name:** Friend Request Acceptance

**Initial State:** A friend request was sent from an account (Semail) to the target account (Temail):

- Semail: FRT-SN1@test.com
- Temail: FRT-SN1-F@test.com

**Input:** The request is accepted

**Expected Output:** Two users are added to each other's friend lists

**Actual Output:** Two users are added to each other's friend lists

**Results:** Pass

## 3. FRT-SN3

**Name:** Successful Friend Rejection

**Initial State:** A friend request was sent from an account (Semail) to the target account (Temail):

- Semail: FRT-SN1@test.com
- Temail: FRT-SN1-F@test.com

**Input:** The request is rejected

**Expected Output:** The request is declined and no friend is added for both accounts

**Actual Output:** The request is declined and no friend is added for both accounts

**Results:** Pass

## 4. FRT-SN4

**Name:** Friend Deletion

**Initial State:** A friend (Femail) exist in the friend list of the test account (Temail):

- Temail: FRT-SN4@test.com
- Femail: FRT-SN4-F@test.com

**Input:** User deletes the chosen friend

**Expected Output:** The corresponding friend is deleted from the list

**Actual Output:** The corresponding friend FRT-SN4-F@test.com is deleted from the friend list

**Results:** Pass

## 5. FRT-SN5

**Name:** Friend Messaging

**Initial State:** A friend (Femail) exist in the friend list of the test account (Temail):

- Temail: FRT-SN5@test.com
- Femail: FRT-SN5-F@test.com

**Input:** Message: 'Hello World'

**Expected Output:** The corresponding message is sent to the friend

**Actual Output:** The corresponding message is sent to the friend

**Results:** Pass

## 6. FRT-SN6

**Name:** Friend Sharing Event

**Initial State:** A friend (Femail) exist in the friend list of the test account (Temail):

- Temail: FRT-SN6@test.com
- Femail: FRT-SN6-F@test.com

**Input:** Message that contains event name and follows some specific pattern: Hey, check this event: \_E\_[EXPO]

**Expected Output:** User is redirected to the event page with that event once they click on the message

**Actual Output:** User is redirected to the event page with a filter on event name: EXPO

**Results:** Pass

## 7. FRT-SN7

**Name:** Friend Sharing Lecture

**Initial State:** A friend (Femail) exist in the friend list of the test account (Temail):

- Temail: FRT-SN7@test.com
- Femail: FRT-SN7-F@test.com

**Input:** Message that contains lecture code and follows some specific pattern: 'Hey, are you in this lecture: \_L\_[SFRWENG 4G06]'

**Expected Output:** User is redirected to the lecture page with that lecture once they click on the message

**Actual Output:** User is redirected to the lecture page with a filter on lecture code: SFRWENG 4G06

**Results:** Pass

## 3.4 Lectures and Events

This section covers all tests related to functional requirements about lectures and events and how users can interact with them.

### 1. FRT-LE1

**Name:** Save Event

**Initial State:** A sample event:

- Name: EXPO

**Input:** On the event page, user clicks on the save button on the pop-up window with details of the sample event

**Expected Output:** The event is saved to the user's event list

**Actual Output:** The event EXPO is saved to the user's event list

**Results:** Pass

## 2. FRT-LE2

**Name:** Unsave Event

**Initial State:** A sample event that is already been saved:

- Name: EXPO

**Input:** On the event page, user clicks on the unsave button on the pop-up window with details of the sample event

**Expected Output:** The event is removed from the user's event list

**Actual Output:** The event EXPO is removed from the user's event list

**Results:** Pass

## 3. FRT-LE3

**Name:** Save Lecture

**Initial State:** A sample lecture:

- Code: SFWRENG 4G06

**Input:** On the lecture page, user clicks on the save button on the pop-up window with details of the sample lecture

**Expected Output:** The lecture is saved to the user's lecture list

**Actual Output:** The lecture SFWRENG 4G06 is saved to the user's lecture list

**Results:** Pass

## 4. FRT-LE4

**Name:** Unsave Lecture

**Initial State:** A sample lecture that is already been saved:

- Code: SFWRENG 4G06

**Input:** On the lecture page, user clicks on the unsave button on the pop-up window with details of the sample lecture

**Expected Output:** The lecture is removed from the user's lecture list

**Actual Output:** The lecture SFWRENG 4G06 is removed from the user's lecture list

**Results:** Pass

#### 5. FRT-LE5

**Name:** Administrator Add Event

**Initial State:** User is logged in as an administrator

- email: campusconnections@gmail.com
- password: testing

**Input:** Sample event:

- name: Test event
- description: Sample event for system test
- time: 0
- duration: 0
- location: Online
- isPublic: true
- organizer: Team 2

**Expcted Output:** The event is added to the event list

**Actual Output:** The event Test event is added to the event list

**Results:** Pass

#### 6. FRT-LE6

**Name:** Administrator Edit Event

**Initial State:** User is logged in as an administrator

- email: campusconnections@gmail.com
- password: testing

**Input:** Sample event name and new location:

- name: Test event



- location: ITB AB102

**Expected Output:** The test event location is updated to the new one

**Actual Output:** The test event location is updated to ITB AB102

**Results:** Pass

#### 7. FRT-LE7

**Name:** Administrator Delete Event

**Initial State:** User is logged in as an administrator

- email: campusconnections@gmail.com
- password: testing

**Input:** Sample event (already in the system) name:

- name: Test event

**Expected Output:** The event is deleted and disappears from the list

**Actual Output:** The Test event is deleted and disappears from the list

**Results:** Pass

#### 8. FRT-LE8

**Name:** Administrator Add Lecture

**Initial State:** User is logged in as an administrator

- email: campusconnections@gmail.com
- password: testing

**Input:** Sample lecture:

- code: TEST 1T03
- name: Test lecture
- time: 12:00 - 13:00, Mon
- location: Online
- instructor: NA

**Expected Output:** The lecture is added to the lecture list

**Actual Output:** The lecture TEST 1T03 is added to the lecture list

**Results:** Pass

#### 9. FRT-LE9

**Name:** Administrator Edit Lecture

**Initial State:** User is logged in as an administrator

- email: campusconnections@gmail.com
- password: testing

**Input:** Sample lecture name and new location:

- code: TEST 1T03
- location: ITB AB102

**Expected Output:** The test lecture location is updated to the new one

**Actual Output:** The test lecture location is updated to ITB AB102

**Results:** Pass

#### 10. FRT-LE10

**Name:** Administrator Delete Lecture

**Initial State:** User is logged in as an administrator

- email: campusconnections@gmail.com
- password: testing

**Input:** Sample lecture (already in the system) name:

- code: TEST 1T03

**Expected Output:** The lecture is deleted and disappears from the list

**Actual Output:** The test lecture is deleted and disappears from the list

**Results:** Pass

## 11. FRT-LE11

**Name:** Event Information

**Initial State:** A sample event exists:

- name: EXPO

**Input:** User clicks on the sample event

**Expected Output:** All event information is shown in a pop-up window

**Actual Output:** All event information is shown in a pop-up window:

- name
- description
- location
- time
- duration
- organizer
- isPublic

**Results:** Pass

## 12. FRT-LE12

**Name:** Lecture Information

**Initial State:** A sample lecture exists:

- code: SFWRENG 4G06

**Input:** User clicks on the sample lecture

**Expected Output:** All lecture information is shown in a pop-up window

**Actual Output:** All lecture information is shown in a pop-up window:

- code
- name
- instructor

- time
- location

**Results:** Pass

### 13. FRT-LE13

**Name:** Lecture Filter by Code

**Initial State:** Some software engineering lecture exists:

- SFWRENG 4G06
- SFWRENG 4E03

**Input:** Filter:

- FilterString: SFWRENG

**Expected Output:** All lectures which do not contain the FilterString in the code are removed from the list

**Actual Output:** All lectures which do not contain the SFWRENG in the code are removed from the list

**Results:** Pass

### 14. FRT-LE14

**Name:** Event Filter by Name

**Initial State:** Some job fair event exists:

- Job Fair: March 4
- Job Fair: March 10

**Input:** Filter:

- FilterString: Job Fair

**Expected Output:** All events which do not contain the FilterString in the name are removed from the list

**Actual Output:** All events which do not contain the Job Fair in the name are removed from the list

**Results:** Pass

### 3.5 AR Camera

This section covers all tests related to functional requirements about AR camera.

#### 1. FRT-AR1

**Name:** Successful Building Recognition

**Initial State:** User is at the front door of JHE

**Input:** Clear camera view

**Expected Output:** The building is recognized with name and description shown as an AR object

**Actual Output:** The building is recognized with name and description shown as an AR object

**Results:** Pass

#### 2. FRT-AR2

**Name:** Unsuccessful Building Recognition

**Initial State:** User is out of campus

**Input:** Clear camera view

**Expected Output:** No AR objects are shown

**Actual Output:** No AR objects are shown

**Results:** Pass

#### 3. FRT-AR3

**Name:** Building Lectures/Events

**Initial State:** User is in JHE lobby

**Input:** Clear camera view

**Expected Output:** Event and lecture information separated by room number at the corresponding locations of the building

**Actual Output:** Event and lecture information separated by room number at the corresponding locations of the building

**Results:** Pass

### 3.6 Map and Location

This section covers all tests related to functional requirements about the map and location tracking in the system.

#### 1. FRT-MAP1

**Name:** User Location

**Initial State:** User allows the user to use their real-time location

**Input:** User enters the map page

**Expected Output:** A model representing the user shows up on the map and moves correspondingly when the user moves

**Actual Output:** A model representing the user shows up on the map and moves correspondingly when the user moves

**Results:** Pass

#### 2. FRT-MAP2

**Name:** Friend Locations

**Initial State:** User has some friends who are willing to share locations:

- email1: MAP2-1@test.com
- email2: MAP2-2@test.com

**Input:** User enters the map page

**Expected Output:** Additional models representing friends show up on the map and move correspondingly when friends move

**Actual Output:** Additional models representing friends show up on the map and move correspondingly when friends move

**Results:** Pass

## 4 Nonfunctional Requirements Evaluation

The following section outlines the results of non-functional requirements testing. The process and test performed follow the [VnV Plan](#). Most of the tests are tested manually while some of them are tested in another way, for instance, load testing is tested with JMeter while some UI requirements are

tested by conducting a survey, etc. **Some of the tests fail because their related requirements are removed due to the change of the project's scope, these tests will be marked in red.** In general, most of the tests in the plan succeed, indicating that non-functional requirements in the Software Requirements Specification (SRS) document are covered.

## 4.1 Look and feel

This section corresponds to the Look and feel tests in VnV Plan and Look and Feel requirements in SRS.

### 1. NFRT-LF1

**Name:** Survey for feedback on application layout

**Initial State:** Survey taker is given an account:

- email: mtest@gmail.com
- password: mtesting

**Input:** Usability Survey in section 5

**Expected Output:** Tasks are completed successfully and “Immediate Visual Response when Clicking” and “Appealing Colour Scheme” questions get average scores that are great than MIN\_SCORE

**Actual Output:** Tasks are completed successfully and “Immediate Visual Response when Clicking” and “Appealing Colour Scheme” questions get average scores of 3.8 and 4.8 respectively

**Result:** Pass

### 2. NFRT-LF2

**Name:** Visual inspection with different screen sizes

**Input/Condition:** User opens the application on the phone with all different screen sizes in the SCREEN\_VIEWPORTS list

**Expected Output:** For all different pages all visual elements on the screen are within the borders of the screen for all screens in the SCREEN\_VIEWPORTS list

**Actual Output:** All elements are within the borders of the screen without overlapping for all screen sizes in the SCREEN\_VIEWPORTS list

**Result:** Pass

### 3. NFRT-LF3

**Name:** Visual inspection of color scheme

**Initial State:** NA

**Input:** User opens the application on the phone

**Expected Output:** For all different pages the colour scheme is the same

**Actual Output:** For all different pages the colour of elements and texts is always maroon, gold, black and white

**Result:** Pass

## 4.2 Usability and Humanity

This section corresponds to the Usability and Humanity tests in VnV Plan and Usability and Humanity requirements in SRS.

### 1. NFRT-UH1

**Name:** Survey for feedback on understandability and easy of use

**Initial State:** Survey taker is given an account:

- email: mtest@gmail.com
- password: mtesting

**Input:** Usability Survey in section [5](#)

**Expected Output:** Tasks are completed successfully and “No Technical or Software-Specific Language” question gets an average score that is great than MIN\_SCORE

**Actual Output:** Tasks are completed successfully and “No Technical or Software-Specific Language” question gets an average score of 4

**Result:** Pass



## 2. NFRT-UH2

**Name:** Walkthrough of user guide

**Input:** GitHub web page (see details in section 7)

**Expected Output:** Convinced the participants that the main features are explained in the GitHub repo

**Actual Output:** Convinced the participants that the main features are explained in the GitHub repo

**Result:** Pass

## 3. NFRT-UH3

**Name:** Visual inspection of color contrast

**Initial State:** NA

**Input:** User opens the application checks the color contrast statically

**Expected Output:** The color contrast is greater than 4.5:1, the Web Content Accessibility Guidelines' AA standards for accessibility

**Actual Output:** The color contrasts are listed following:

- Maroon - White: 10.94:1
- White - Black: 21:1
- Gold - Black: 14.97:1
- Maroon - Gold: 7.8:1

**Result:** Pass

## 4.3 Performance

This section corresponds to the Performance tests in VnV Plan and Performance requirements in SRS.

### 1. NFRT-P1

**Name:** AR camera recognition

**Initial State:** The user is near or in a target building (JHE)

**Input:** User turns on AR camera

**Expected Output:** Corresponding AR objects appears within RECOGNITION\_TIME

**Actual Output:** Corresponding AR objects appears within 1 second

**Result:** Pass

## 2. NFRT-P2

**Name:** Real-time location update

**Initial State:** User allows the application to use device location

**Input:** User turns on the map and walks around on campus

**Expected Output:** The user model on the map is updated within LOCATION\_UPDATE\_TIME when the user is moving

**Actual Output:** The user model is updated within 0.5 second if the user is outdoor, and indoor location update time is around 5 second (and sometimes not very accurate)

**Result:** Pass

## 3. NFRT-P3

**Name:** Code Walkthrough For User Personal Data

**Input:** Source code (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- User's personal information does not appear in the database if the user did not grant permission

**Actual Output:** Successfully convinced the participants that the user personal information is collected under permission only

**Result:** Pass

## 4. NFRT-P4

**Name:** Code Walkthrough For Data Transmission Encryption

**Input:** Source code (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- The product only transmits encrypted data from server to user

**Actual Output:** Successfully convinced the participants that the data send from/to the server are encrypted

**Result:** Pass

#### 5. NFRT-P5

**Name:** Warning when starting AR camera

**Initial State:** User allows the application to use camera

**Input:** User turns on the AR camera

**Expected Output:** A warning telling the user to be aware of their surroundings is displayed upon start-up of the camera

**Actual Output:** A warning telling the user to be aware of their surroundings is displayed upon start-up of the camera

**Result:** Pass

#### 6. NFRT-P6

**Name:** Leaving campus warning

**Initial State:** User opens the map

**Input:** User moves out of the campus

**Expected Output:** A warning message is displayed telling the user that the map is not available out of campus

**Actual Output:** A warning message is displayed telling the user that the map is not available out of campus and the user is redirected to the menu page once the warning message is closed

**Result:** Pass

#### 7. NFRT-P7

**Name:** Special character warning

**Initial State:** User starts to register

**Input:** User enters nickname with some special character: ‘; DELETE \*’

**Expected Output:** A warning message is displayed telling the user that the special characters are not allowed and stops the user from registering

**Actual Output:** A warning message is displayed telling the user that the special characters are not allowed and stops the user from registering

**Result:** Pass

#### 8. NFRT-P8

**Name:** Email format warning

**Initial State:** User starts to register

**Input:** User enters a not email string in the email field: 'SELECT \* FROM TABLE'

**Expected Output:** A warning message is displayed telling the user that the input is not an email address and stops the user from registering

**Actual Output:** A warning message is displayed telling the user that the input is not an email address and stops the user from registering

**Result:** Pass

#### 9. NFRT-P9

**Name:** AR camera accuracy

**Initial State:** User is near or in a target building (JHE)

**Input:** User turns on the AR Camera and repeat multiple times

**Expected Output:** AR objects shows up for at least AR\_ACCURACY \* number of tests times

**Actual Output:** AR objects always shows up when walking around JHE lobby

**Result:** Pass

#### 10. NFRT-P10

**Name:** Warning when internet connection is lost

**Initial State:** User has no internet connection

**Input:** User opens the application

**Expected Output:** There is a pop-up window telling the user the internet is lost

**Actual Output:** Nothing

**Result:** Fail

**Reason:** Due to a change in the scope of the project, the corresponding requirement is moved out of the scope, therefore this test fails because the feature is not implemented

#### 11. NFRT-P11

**Name:** Rudimentary functions when the server connection is lost

**Initial State:** Server is turned down

**Input:** User opens the application

**Expected Output:** The application still works with limited functionalities

**Actual Output:** The lecture and event pages still work, the single user map still works, the friend system still works

**Result:** Pass

#### 12. NFRT-P12

**Name:** Code inspection for server restart

**Initial State:** NA

**Input:** Server settings (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- Server attempts to restart when it crashes

**Actual Output:** Successfully convinced the participants that the server is set to restart once it goes down

**Result:** Pass

13. **NFRT-P13**

**Name:** AR camera help button

**Initial State:** User turns on the AR camera

**Input:** User clicks the help button

**Expected Output:** A message telling the user things that may affect AR camera appears

**Actual Output:** A message telling the user things that may affect AR camera appears

**Result:** Pass

14. **NFRT-P14**

**Name:** Load testing for server

**Initial State:** The server is online and open to connections

**Input:** Load testing with JMeter (see details in section 6)

**Expected Output:** The server is able to handle up to MAX\_CAPACITY users connecting to the server simultaneously

**Actual Output:** The server is able to handle 1000 connections at the same time

**Result:** Pass

15. **NFRT-P15**

**Name:** Code inspection for database capacity

**Initial State:** NA

**Input:** Database documentation (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- The database has enough space to store all the user, lecture and event information

**Actual Output:** Successfully convinced the participants that the current plan has enough space for expected number of users

**Result:** Pass

#### 16. NFRT-P16

**Name:** Code walkthrough for adding new building

**Initial State:** NA

**Input:** Source code (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- A new target building can be added without causing the application running any slower

**Actual Output:** Successfully convinced the participants that adding a new building is just like adding a new scene and will not affect the speed of the application

**Result:** Pass

#### 17. NFRT-P17

**Name:** Code Peer Evaluation For Longevity

**Initial State:** NA

**Input:** Source code (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- The product is able to operate without major malfunctions in release build for at least 1 year
- The finalized product will remain compatible with the promised operating systems and devices for at least 3 years

**Actual Output:** Successfully convinced the participants that the product is able to operate without major malfunctions in release build for at least 1 year and the finalized product will remain compatible with the promised operating systems and devices for at least 3 years

**Result:** Pass

## 4.4 Operational and Environmental

This section corresponds to the Operational and Environmental tests in VnV Plan and Operational and Environmental requirements in SRS.

### 1. NFRT-OE1

**Name:** Visual inspection for application download

**Initial State:** User has a phone that uses Android 11 or above

**Input:** User wants to download the application

**Expected Output:** The product can be downloaded onto the phone from the Google Play Store, or by downloading the APK file directly

**Actual Output:** The application can be downloaded from an APK file the team releases

**Result:** Pass

## 4.5 Maintainability and Support

### 1. NFRT-MS1

**Name:** Survey for maintenance time

**Initial State:** Survey taker is given an account:

- email: mtest@gmail.com
- password: mtesting

**Input/Condition:** Usability Survey in section 5

**Expected Output:** Tasks are completed successfully and “Common periods of usage” question gets an average score that is great than MIN\_SCORE

**Actual Output:** Tasks are completed successfully and “Common periods of usage” questions get average scores of 3.2

**Result:** Fail

**Reason:** It seems that students may use the application after school



## 2. NFRT-MS2

**Name:** Check for feature request

**Initial State:** A public GitHub repo exists for this application

**Input:** User goes to the GitHub repo

**Expected Output:** User can read issues created by the team and also create new issues

**Actual Output:** User can read issues created by the team and also create new issues

**Result:** Pass

## 3. NFRT-MS3

**Name:** Android version test

**Initial State:** NA

**Input:** The application is installed on devices with Android 11 and above version

**Expected Output:** The application works without any error about compatibility

**Actual Output:** The application works without any error about compatibility

**Result:** Pass

## 4.6 Security

### 1. NFRT-S1

**Name:** Access test

**Initial State:** Three accounts with different accesses is ready:

- Admin: campusconnections@gmail.com
- User: mtest@gmail.com
- Guest gtest@gmail.com

**Input:** The user starts the application with the three accounts

**Expected Output:** At each level of access, the application constrains the possible actions to what is specified in requirement S-A1, S-A2, S-A3.

**Actual Output:** Possible Actions:

- Administrator: Everything, include Add/Edit/Delete activities
- User: Friend system, Profile system, lecture and event viewing, map system
- Guest: Public event viewing, single-user map, Profile system

**Result:** Pass

## 4.7 Privacy

### 1. NFRT-PRV1

**Name:** Code inspection for legitimate use of personal data

**Initial State:** NA

**Input:** Source code (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- The usage of a user's personal information by the product abides by the Privacy Act, The Personal Information Protection and Electronic Documents Act, and Canada and Ontario's data protection laws

**Actual Output:** Convinced the participants that the personal data we collect is handled legitimately

**Result:** Pass

### 2. NFRT-PRV2

**Name:** Code inspection for removing unused accounts

**Initial State:** NA

**Input:** Source code (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- Any accounts that are not active for a long time (a semester) will be removed from the system

**Actual Output:** Convinced the participants that the authentication system and database will clean inactive data periodically

**Result:** Pass

## 4.8 Culture

### 1. NFRT-CUL1

**Name:** Survey for feedback on cultural requirements

**Initial State:** Survey taker is given an account:

- email: mtest@gmail.com
- password: mtesting

**Input/Condition:** Usability Survey in section 5

**Expected Output:** Tasks are completed successfully and “Cultural Friendliness” question gets an average score that is great than MIN\_SCORE

**Actual Output:** Tasks are completed successfully and “Cultural Friendliness” questions get average scores of 4.8

**Result:** Pass

## 4.9 Compliance

### 1. NFRT-COM1

**Name:** Code walkthrough on compliance requirements

**Initial State:** NA

**Input:** Source code (see details in section 7)

**Expected Output:** Successfully convinced the participants the following:

- The data collected will be handled as per the same legal requirements for the university
- The application can abide by the guidelines set by university staff

**Actual Output:** Successfully convinced the participants the following:

- The data collected will be handled as per the same legal requirements for the university
- The application can abide by the guidelines set by university staff

**Result:** Pass

## 5 Usability Survey Result


We first conduct the survey on 5 students, and it seems that we are getting repetitive feedback, so we assume this is already a good sample size. The result of the survey is the following:

### 5.0.1 Tasks:

- Administrator: 1 tester - all tasks are completed successfully
- User: 3 testers - all tasks are completed successfully
- Guest: 1 tester - all tasks are completed successfully

### 5.0.2 Rating

- Immediate Visual Response when Clicking: **3.8**




- Appealing Colour Scheme: 4.8

**Appealing Colour Scheme:** The colour scheme chosen for the interface is similar to McMaster official application.

 Copy

5 responses




- No Technical or Software-specific Language: 4

**Understand-ability:** The product does not use technical/software-specific language unless necessary and all texts and buttons behave in the expected manner.

 Copy

5 responses




- Common periods of usage: 3.2, Fail

**Usability:** You are likely to use this application (for its intended purpose) at McMaster in class time.

 Copy

5 responses




- Cultural Friendliness: 4.8

**Appropriateness:** The application does not have any words or symbols that are offensive to you.

 Copy

5 responses



### 5.0.3 Open-ended Question

- Most difficult to use feature: **AR camera, pin, chatting**
  1. The most difficult to use feature is probably the AR camera feature as it requires the user to use look through their phone camera while in buildings on campus. Additionally, it is also probably the most cool aspect of the app.
  2. The lecture list isn't intuitive, there should be some calendar feature to show what days each lecture is running instead of just clicking on them, and maybe some more filters for building/location/course content.
  3. The "pin" feature being hidden in the settings and the "AR Camera" not providing any feedback as to why we weren't seeing any were both confusing
  4. The pinned/bookmarked events and lectures show up in a location (in settings) that is somewhat difficult to find. You also can't tap them to see more information about them on the pinned screen which is inconvenient.
  5. Friend and chatting is unintuitive, don't know who I'm chatting with.
- Most likely to use feature: **Lecture/Event, AR camera**
  1. Probably also the feature for looking up lecture events and times. This is useful as I can just open the app and view where specific lectures are located and choose to attend them or not.

2. I would use the AR camera feature to see interesting building history in between classes.
3. The feature that provided a schedule of all of the events was very nice
4. I could see the list of events at different locations being pretty useful, would be a good way to keep track of what's going on at Mac all in one place.
5. Events can be useful to see what is going on on campus and save events we want to go to

## 6 Load Test

This section covers results load testing of the backend server in details. Testing was performed using Apache JMeter to simulate multiple concurrent users accessing the backend chat server. The objective of the test was to find the upper bound of concurrent users that can access the server without it crashing. We discovered that it is rather difficult to crash a server being hosted on a cloud platform as there are several safeguards that prevent that. Instead, we noticed that if too many connections are being made too quickly, then the server will just reject the most recently requested connections.

No. of Users	Server Rejected Connections?	Server Crashed?
1	No	No
10	No	No
100	No	No
500	No	No
1000	No	No
5000	Yes	No
10000	Yes	No

Table 1: Load Testing Results

## **7 Non dynamic Tests Result**

The weekly meetings in VnV Plan like weekly code review and TA feedback will not be included in this section, their meeting minutes are available in our GitHub.



Table 2: Nondynamic Test Result

Test Method	Result	Related Test(s)
Code Inspection for user data	<ul style="list-style-type: none"> <li>• User permission: Pass, the application forces to user to sign a consent form when they register</li> <li>• Legitimate use of data: Pass, the supervisor points out that data are not used out of the application for any business purpose</li> <li>• Compliance: Pass, nothing violates McMaster privacy policies</li> </ul>	NFRT-P3, NFRT-PRV1, NFRT-COM1
Database Walk-through	<ul style="list-style-type: none"> <li>• Capacity: Pass, the free plan has a storage of 1GB data, which is enough for our users at this stage</li> <li>• Clean: Pass, Firebase Authentication support some cloud functions to clean inactive users</li> </ul>	NFRT-P15, NFRT-PRV2
Server & Data Transmission Walkthrough	<ul style="list-style-type: none"> <li>• Restart: Pass, the server is set to restart when it crashes</li> <li>• Encryption: pass, the data is encrypted in https</li> </ul>	NFRT-P4, NFRT-P12
Longevity Peer Evaluation	<ul style="list-style-type: none"> <li>• Longevity: Pass, nothing in the code is dependent on the version of the device</li> </ul>	NFRT-P17

Table 3: Nondynamic Test Result Cont

Test Method	Result	Related Test(s)
Code Walkthrough with Primary Reviewers	<ul style="list-style-type: none"> <li>Issues: Pass, ia new building can be added like a game object in the project</li> </ul>	NFTR-P16
GitHub Walkthrough with Reviewers	<ul style="list-style-type: none"> <li>Issues: Pass, issues are public to read and write in the repo</li> <li>Instructions: Pass, there are instructions for developers and users in the repo</li> </ul>	NFRT-UH2, NFRT-MS2

## 8 Comparison to Existing Implementation

Not applicable to this project since there is no existing implementation.

## 9 Unit Testing

The following section outlines the results of unit testing. The process and test performed follow the [VnV Plan](#). Due to the time constraint, we skipped the unit tests for Database and Authentication modules, but we will add unit tests for them in Revision 1.

### 9.1 User

This section contains tests related to the module: User in module hierarchy.

#### 1. FRT-M1-1

**Name:** Successful default user creation

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

2. **FRT-M1-2**

**Name:** Successful new user creation

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

## 9.2 Event

This section contains tests related to the module: Event in module hierarchy.

1. **FRT-M2-1**

**Name:** Successful default event creation

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

2. **FRT-M2-2**

**Name:** Successful new event creation

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

### 9.3 Lecture

This section contains tests related to the module: Lecture in module hierarchy.

1. **FRT-M3-1**

**Name:** Successful default lecture creation

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

2. **FRT-M3-2**

**Name:** Successful new lecture creation

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

### 9.4 Pagination

This section contains tests related to the module: Pagination and Filter in module hierarchy.

1. **FRT-M4-1**

**Name:** Successful pagination creation

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

2. **FRT-M4-2**

**Name:** Successful pagination creation with filter

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

3. **FRT-M4-3**

**Name:** Successful pagination addition

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

4. **FRT-M4-4**

**Name:** Successful pagination deletion

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

5. **FRT-M4-5**

**Name:** Next Page

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

6. **FRT-M4-6**

**Name:** Previous Page

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

#### 7. FRT-M4-7

**Name:** Last Page

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

#### 8. FRT-M4-8

**Name:** First Page

**Input:**

**Expected Output:**

**Actual Output:** Same as expected output

**Result:** Pass

### 9.4.1 Authentication

This section contains tests related to the module: Authentication in module hierarchy. Due to the time constraint, we will finish unit tests for this module in Revision 1 following the same pattern

#### 1. FRT-M5-1

**Name:** Get current user email

**Input:**

**Expected Output:**

**Actual Output:** TBD

**Result:** TBD

#### 2. FRT-M5-2

**Name:** Is email verified

**Input:**

**Expected Output:**

**Actual Output:** TBD

**Result:** TBD

3. FRT-M5-3

**Name:** Verify email

**Input:**

**Expected Output:**

**Actual Output:** TBD

**Result:** TBD

9.4.2 Database

This section contains tests related to the module: Database in module hierarchy. Due to the time constraint, we will finish unit tests for this module in Revision 1 following the same pattern

1. FRT-M6-1

**Name:** Get value

**Input:**

**Expected Output:**

**Actual Output:** TBD

**Result:** TBD

2. FRT-M5-2

**Name:** Set value

**Input:**

**Expected Output:**

**Actual Output:** TBD

**Result:** TBD

3. FRT-M5-3

**Name:** Delete data

**Input:**

**Expected Output:**

**Actual Output:** TBD

**Result:** TBD

## 10 Changes Due to Testing

[This section should highlight how feedback from the users and from the supervisor (when one exists) shaped the final product. In particular the feedback from the Rev 0 demo to the supervisor (or to potential users) should be highlighted. —SS]

## 11 Automated Testing

## 12 Trace to Requirements

See Traceability tables between Test Cases and Requirements in [VnV Plan](#)

## 13 Trace to Modules

See Traceability tables between Test Cases and Modules in [VnV Plan](#), notice that M5 and M6 are not completed yet in this iteration.

## 14 Code Coverage Metrics



## Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Reflection. Please answer the following question:

1. In what ways was the Verification and Validation (VnV) Plan different from the activities that were actually conducted for VnV? If there were differences, what changes required the modification in the plan? Why did these changes occur? Would you be able to anticipate these changes in future projects? If there weren't any differences, how was your team able to clearly predict a feasible amount of effort and the right tasks needed to build the evidence that demonstrates the required quality? (It is expected that most teams will have had to deviate from their original VnV Plan.)