

# Project Title: System Verification and Validation Plan for Software Engineering

Team #2, Campus Connections

Waseef Nayeem

Zihao Du

Matthew Miller

Firas Elayan

Abhiram Neelamraju

Michael Kim

November 3, 2023

## Revision History

Date	Version	Notes
Oct 29	1.0	Add Functional Requirements Tests
Oct 31	1.0	Add Non-Functional Requirement Tests
Nov 1	1.0	Add Unit Tests
Nov 3	1.0	Add Tables And More Tests

# Contents

<b>1</b>	<b>Symbols, Abbreviations, and Acronyms</b>	<b>iv</b>
<b>2</b>	<b>General Information</b>	<b>1</b>
2.1	Summary . . . . .	1
2.2	Objectives . . . . .	1
2.3	Relevant Documentation . . . . .	3
<b>3</b>	<b>Plan</b>	<b>3</b>
3.1	Verification and Validation Team . . . . .	4
3.2	SRS Verification Plan . . . . .	4
3.3	Design Verification Plan . . . . .	4
3.4	Verification and Validation Plan Verification Plan . . . . .	4
3.5	Implementation Verification Plan . . . . .	4
3.6	Automated Testing and Verification Tools . . . . .	4
3.7	Software Validation Plan . . . . .	5
<b>4</b>	<b>System Test Description</b>	<b>5</b>
4.1	Tests for Functional Requirements . . . . .	5
4.1.1	Pre-Game Settings . . . . .	6
4.1.2	User Account . . . . .	7
4.1.3	Social Networking System . . . . .	11
4.1.4	AR Campus . . . . .	14
4.1.5	Lectures and Events . . . . .	15
4.2	Tests for Nonfunctional Requirements . . . . .	19
4.2.1	Look and Feel . . . . .	19
4.2.2	Usability and Humanity . . . . .	21
4.2.3	Performance . . . . .	22
4.2.4	Operational and Environmental . . . . .	29
4.2.5	Maintainability and Support . . . . .	30
4.2.6	Security . . . . .	31
4.2.7	Cultural . . . . .	32
4.2.8	Compliance . . . . .	33
4.3	Traceability Between Test Cases and Requirements . . . . .	34

<b>5</b>	<b>Unit Test Description</b>	<b>39</b>
5.1	Unit Testing Scope . . . . .	39
5.2	Tests for Functional Requirements . . . . .	39
5.2.1	User Module . . . . .	40
5.2.2	Friend Module . . . . .	41
5.2.3	Building Module . . . . .	42
5.2.4	Event Module . . . . .	43
5.2.5	Lecture Module . . . . .	44
5.3	Tests for Nonfunctional Requirements . . . . .	45
5.3.1	Database Module . . . . .	45
5.3.2	Database Module . . . . .	46
5.4	Traceability Between Test Cases and Modules . . . . .	46
<b>6</b>	<b>Nondynamic Test Plan</b>	<b>47</b>
<b>7</b>	<b>Appendix</b>	<b>49</b>
7.1	Symbolic Parameters . . . . .	49
7.2	Usability Survey Questions? . . . . .	49

## List of Tables

1	Traceability Between Functional Test Cases and Functional Requirements, FR-1 to FR-3 . . . . .	34
2	Traceability Between Functional Test Cases and Functional Requirements, FR-4 to FR-5 . . . . .	35
3	Traceability Between Nonfunctional Test Cases and Nonfunctional Requirements, LF-A1 to UH-A1 . . . . .	36
4	Traceability Between Nonfunctional Test Cases and Nonfunctional Requirements, P-SL1 to P-RF4 . . . . .	37
5	Traceability Between Nonfunctional Test Cases and Nonfunctional Requirements, MS-M1 to CUL-C2 . . . . .	38
6	Traceability Between Test Cases and Modules . . . . .	47
7	Nondynamic Test Plan . . . . .	48
8	<b>Symbolic Parameter Table</b> . . . . .	49

# 1 Symbols, Abbreviations, and Acronyms

symbol	description
VnV	Verification and Validation
AR	Augmented Reality
SRS	Software Requirement Specification
CAPTCHA	Human Verification Test
MIS	Module Interface Specification
Vuforia	AR software development kit
UTF	Unity Test Framework
GPS	Global Positioning System
Apache JMeter	A load testing tool for performance analysis

This document describes the verification and validation plan for CampusConnection. Within this document, there will be plans to verify the SRS document, the design plan, the VnV plan, the implementation plan, and the software validation plan. Furthermore, this document will list specific system tests that cover all functional and non-function requirements we mentioned in the SRS, along with a traceability table between test cases and requirements to bind all requirements with tests.

This document also includes unit tests, but since the design documentation like MIS is not ready yet, we will only cover the most important modules and its corresponding methods test. The team will iterate on the VnV plan and have a more detailed version with test code when the modules are specified in the design document.

## **2 General Information**

### **2.1 Summary**

The software being tested is a social media application which also uses Augmented Reality features to allow McMaster University students to connect with each other. The software has many different functions to be able to accomplish its goals. These are some of the important functions:

- Allowing the users to create and manage their account.
- Allowing the users to add, manage and message friends.
- Allowing the users with administrator access to add and manage events and lectures.
- Allowing the users to view ongoing events and pin and unpin them based on interest.
- Identifying major campus buildings through the user's location and camera view, and using the information to display relevant lectures, events and their timings.

### **2.2 Objectives**

In order to develop the software to meet its goals and create a complete product, there are many qualities that are important for our project such as:

- Correctness of the software in achieving its designated functions
- An easily navigable User Interface adaptable to different screen sizes
- Sufficient speed and reliability of the building recognition features
- Sufficient speed and reliability in sending and receiving messages
- Adequate accuracy in tracking the user's location
- Appropriate abundance of security requirements regarding critical information such as location and personal data.
- Infrastructure to support a passable scale of total concurrent users and total user data storage

While we would want to satisfy as many positive qualities as possible, due to limited resources, there will be some objectives that we will be leaving out since they are out of scope such as :

- Project longevity requirements:

This is because the longevity requirements were written with the assumption that the product will be supported even after the duration of the course for years to come which is something that is not possible to verify or guarantee and is out of the scope.

- Testing learning requirements:

We will be producing material to make it easier to understand and use our product but to test every piece of supporting documentation and tutorial content would require long testing sessions with volunteers which can be out of the scope. Instead, since we will be testing our user interface, we could use the feedback obtained there to improve our learning specific content as well.

We will be prioritizing reliability in our listed qualities over performance since we want our software to be correct and consistent over fast and unreliable. While we still want to maximize performance where possible, it is difficult to predict exactly how well we will meet our performance criteria since we will be limited by many factors out of our control such as external libraries.

We will also be assuming that any external libraries we depend on (such as Vuforia) will have already been verified by the implementation team due to our lack of control over them.

## 2.3 Relevant Documentation

Many of the other documents associated with our project are relevant to the Verification and Validation plan such as:

- Development Plan:

The Development Plan contains the roles and responsibilities of each member, which outlines the tester of each components. It also includes the tools and technologies that will be used to facilitate testing

[Development Plan](#)

- Software Requirement Specification (SRS):

The SRS has a lot of components relevant to the VnV plan. The functional requirements are important in identifying the primary functions of the the project while the non functional requirements are critical in identifying the main qualities and objectives of the product. It also contains constraint and assumption information which can help identify out-of-scope objectives.

[Software Requirement Specification \(SRS\)](#)

- Hazard Analysis (HA):

The HA document contains the Failure Mode and Effect Analysis (FMEA) which is incredibly useful in understanding the possible failures and their consequences. This can help us assign priorities to different failures that can be translated into priorities for different qualities identified earlier in the document. It also contains more detailed safety and security requirements that we can use to verify our project.

[Hazard Analysis](#)

## 3 Plan

[\[Introduce this section. You can provide a roadmap of the sections to come. —SS\]](#)



### **3.1 Verification and Validation Team**

[Your teammates. Maybe your supervisor. You should do more than list names. You should say what each person's role is for the project's verification. A table is a good way to summarize this information. —SS]

### **3.2 SRS Verification Plan**

[List any approaches you intend to use for SRS verification. This may include ad hoc feedback from reviewers, like your classmates, or you may plan for something more rigorous/systematic. —SS]

[Maybe create an SRS checklist? —SS]

### **3.3 Design Verification Plan**

[Plans for design verification —SS]

[The review will include reviews by your classmates —SS]

[Create a checklists? —SS]

### **3.4 Verification and Validation Plan Verification Plan**

[The verification and validation plan is an artifact that should also be verified. Techniques for this include review and mutation testing. —SS]

[The review will include reviews by your classmates —SS]

[Create a checklists? —SS]

### **3.5 Implementation Verification Plan**

[You should at least point to the tests listed in this document and the unit testing plan. —SS]

[In this section you would also give any details of any plans for static verification of the implementation. Potential techniques include code walk-throughs, code inspection, static analyzers, etc. —SS]

### **3.6 Automated Testing and Verification Tools**

[What tools are you using for automated testing. Likely a unit testing framework and maybe a profiling tool, like ValGrind. Other possible tools include

a static analyzer, make, continuous integration tools, test coverage tools, etc. Explain your plans for summarizing code coverage metrics. Linters are another important class of tools. For the programming language you select, you should look at the available linters. There may also be tools that verify that coding standards have been respected, like flake9 for Python. —SS]

[If you have already done this in the development plan, you can point to that document. —SS]

[The details of this section will likely evolve as you get closer to the implementation. —SS]

### 3.7 Software Validation Plan

[If there is any external data that can be used for validation, you should point to it here. If there are no plans for validation, you should state that here. —SS]

[You might want to use review sessions with the stakeholder to check that the requirements document captures the right requirements. Maybe task based inspection? —SS]

[For those capstone teams with an external supervisor, the Rev 0 demo should be used as an opportunity to validate the requirements. You should plan on demonstrating your project to your supervisor shortly after the scheduled Rev 0 demo. The feedback from your supervisor will be very useful for improving your project. —SS]

[For teams without an external supervisor, user testing can serve the same purpose as a Rev 0 demo for the supervisor. —SS]

[This section might reference back to the SRS verification section. —SS]

## 4 System Test Description

### 4.1 Tests for Functional Requirements

The following section includes system tests for functional requirements defined in the [SRS](#) document. In order to cover all the functional requirements, these subsections match exactly the subsections in the SRS document, which cover all the different components of this application. These tests will ensure all requirements are fulfilled and the application works as we expected.

Most of the following tests will be run manually while some of them will be automated.

#### 4.1.1 Pre-Game Settings

This section includes all test cases related to what users can do before they start to use the application. This will include the requirement for the consent form and user privacy protection (FR-1-1). In order to plan the game, the user must agree to the terms and conditions in the consent form.

##### 1. FRT-PG1

**Name:** Agree To Consent Form

**Control:** Manual

**Initial State:** The user is not logged in to the application, and all features in the application are not accessible to the user. A consent form appears asking for access to the device and permission to collect user data

**Input:** The user agrees to all the terms and conditions and clicks 'Agree'

**Output:** The user is redirected to the login screen

**Test Case Derivation:** It is a must to request users' consent before collecting their information or using any hardware component

**How test will be performed:** The tester will first clear the app cache and data. Then the tester will run the application, accept the consent form and verify login screen shows up

**Related Requirement(s):** FR-1-1

##### 2. FRT-PG2

**Name:** Disagree To Consent Form

**Control:** Manual

**Initial State:** The user is not logged in to the application, and all features in the application are not accessible to the user. A consent form appears asking for access to the device and permission to collect user data

**Input:** The user rejects the terms and conditions and clicks 'Disagree'

**Output:** The user is not redirected to the login screen

**Test Case Derivation:** It is a must to request users' consent before collecting their information or using any hardware component

**How test will be performed:** The tester will first clear the app cache and data. Then the tester will run the application, reject the consent form and verify login screen does not show up

**Related Requirement(s):** FR-1-1

#### 4.1.2 User Account

This section includes all test cases related to user accounts. This will include the requirements for account creation (FR-2-1), login (FR-2-3), deletion (FR-2-2) and email verification (FR-2-8), along with user avatar settings (FR-2-6, FR-2-7). User accounts and virtual avatars are necessary for all users who want to use this application.

##### 1. FRT-UA1

**Name:** Successful Account Creation

**Control:** Manual

**Initial State:** The user does not have an account and is not logged in to the application

**Input:** All information needed to create an account

**Output:** An Account with corresponding information is created in the database with the account initialized to INITIAL\_USER\_STATE

**Test Case Derivation:** User account operations are the foundation of the application. All functionalities work only with an existing account. Also, it is essential to ensure the account information reflects the input information when creating accounts

**How test will be performed:** The tester will create an account with all information and verify that the account can be logged into

**Related Requirement(s):** FR-2-1

##### 2. FRT-UA2

**Name:** Unsuccessful Account Creation

**Control:** Manual

**Initial State:** The user does not have an account and is not logged in to the application

**Input:** All information needed to create an account, including an existing username

**Output:** Account creation fails with an error message telling the user the username already exists

**Test Case Derivation:** Username is the identifier of a user account, which should be unique

**How test will be performed:** The tester will create an account with an existing username and verify that the creation fails

**Related Requirement(s):** FR-2-1

### 3. FRT-UA3

**Name:** Successful Account Login

**Control:** Automated

**Initial State:** The user has an account and is not logged in to the application

**Input:** Username and valid password

**Output:** User successfully logs into the application

**Test Case Derivation:** User account operations are the foundation of the application. All functionalities work only with an existing account. Also, it is essential to verify that users can log in with only the correct password

**How test will be performed:** The tester will create an automated test that inputs a valid password and verifies that the login is completed

**Related Requirement(s):** FR-2-3

### 4. FRT-UA4

**Name:** Unsuccessful Account Login

**Control:** Automated

**Initial State:** The user has an account and is not logged in to the application

**Input:** Username and wrong password

**Output:** Login fails with an error message telling the user the password is wrong

**Test Case Derivation:** User account operations are the foundation of the application. All functionalities work only with an existing account. Also, it is essential to verify that users can log in with only the correct password

**How test will be performed:** The tester will create an automated test that inputs an invalid password and verifies that a corresponding error is returned

**Related Requirement(s):** FR-2-3

#### 5. FRT-UA5

**Name:** Account Deletion

**Control:** Manual

**Initial State:** The user has an account and is logged into the application

**Input:** Corresponding user request

**Output:** Data pertaining to the given username is deleted

**Test Case Derivation:** User account operations are the foundation of the application. When users want to quit, they should be able to delete all related information in the application by deleting their account

**How test will be performed:** The tester will delete the test account and verify the account does not exist anymore in-game

**Related Requirement(s):** FR-2-2

#### 6. FRT-UA6

**Name:** Reset Account Password

**Control:** Automated

**Initial State:** The user has an account

**Input:** New password and answers to security questions for password recovery

**Output:** Password is successfully reset

**Test Case Derivation:** In case the user misplaces or forgets the password, they can still get their account back

**How test will be performed:** The tester will first reset the password. Then the tester will try to log in with the new password and verify the new password works properly

**Related Requirement(s):** FR-2-4

#### 7. FRT-UA7

**Name:** Human Verification Test

**Control:** Manual

**Initial State:** The user does not have an account and is not logged into the application

**Input:** All information needed to create an account

**Output:** The tester passes the test and creates an account successfully

**Test Case Derivation:** To prevent malicious automated systems from creating bot accounts

**How test will be performed:** The tester will verify the CAPTCHA test appears and functions well when creating an account

**Related Requirement(s):** FR-2-5

#### 8. FRT-UA8

**Name:** Avatar Creation and Modification

**Control:** Manual

**Initial State:** The user has an account with INITIAL\_AVATAR

**Input:** Avatar and corresponding user request

**Output:** User creates an avatar and changes it

**Test Case Derivation:** To help users enjoy social networking when using this application, users shall be able to personalize their account, therefore it is necessary to verify they can create an avatar and change it whenever they want

**How test will be performed:** The tester will create an avatar from the initial one and modify it. Then the tester will verify the changes are visible for all friends from another test account

**Related Requirement(s):** FR-2-6, FR-2-7

#### 9. FRT-UA9

**Name:** Email verification

**Control:** Manual

**Initial State:** The user adds McMaster email to user profile

**Input:** User verifying after receiving the verification email

**Output:** User email is verified and all access is granted for the account

**Test Case Derivation:** The user has to be identified as a McMaster student to have enough access to all functionalities (Event and Lecture information). So it is essential to test the email verification functionality

**How test will be performed:** The tester will add a test McMaster email to the test account and verify the email can be verified and all functionalities work for the account after email verification

**Related Requirement(s):** FR-2-8

### 4.1.3 Social Networking System

This section includes all test cases related to the social networking system. This will include the requirements for adding (FR-3-1), deleting (FR-3-2), messaging friends of the user (FR-3-3, FR-3-4) and sharing location (FR-3-5). Expanding student social network is the most significant motivation of this application and it is necessary to verify all associated requirements are fully fulfilled.

#### 1. FRT-SN1

**Name:** Successful Friend Request

**Control:** Manual

**Initial State:** The user is logged in

**Input:** A valid username and corresponding user request

**Output:** A Request is sent to the given user

**Test Case Derivation:** Users should be able to make friends on this social media platform by searching for names and sending requests



**How test will be performed:** The tester will first send a friend request to a test account. Then the tester will verify that test account receives a friend request

**Related Requirement(s):** FR-3-1

## 2. FRT-SN2

**Name:** Friend Request Acceptance

**Control:** Manual

**Initial State:** A friend request was sent

**Input:** User accepts the request

**Output:** Two users are added to each other's friend lists

**Test Case Derivation:** Users should be able to expand networking by accepting friend requests

**How test will be performed:** The tester will first accept the request. Then the tester will verify that the two accounts become friends of each other

**Related Requirement(s):** FR-3-1

## 3. FRT-SN3

**Name:** Friend Request Rejection

**Control:** Manual

**Initial State:** A friend request was sent

**Input:** User rejects the request

**Output:** The request is declined and no friend is added to the list

**Test Case Derivation:** Users should be able to decline friend requests from strangers

**How test will be performed:** The tester will first reject the request. Then the tester will verify that no friendship relation is generated between the two accounts

**Related Requirement(s):** FR-3-1

#### 4. FRT-SN4

**Name:** Friend Deletion

**Control:** Manual

**Initial State:** A friend exists in the friend list

**Input:** User deletes the chosen friend

**Output:** The corresponding friend is deleted from the list

**Test Case Derivation:** Users should be able to remove friends from their list to make space for new friends

**How test will be performed:** The tester will delete a test friend account and verify the friend is removed from the list

**Related Requirement(s):** FR-3-2

#### 5. FRT-SN5

**Name:** Friend Messaging

**Control:** Manual

**Initial State:** A friend exists in the friend list

**Input:** Audio/text message to send

**Output:** The corresponding message is sent to the friend

**Test Case Derivation:** Chatting with friends is the core functionality of expanding social networks. Friends should be able to send and receive messages from each other

**How test will be performed:** The tester will send an audio and text message to another test friend account. Then the tester will verify the other account received the correct message

**Related Requirement(s):** FR-3-3, FR-3-4

#### 6. FRT-SN6

**Name:** Friend Location Sharing

**Control:** Manual

**Initial State:** A friend exists in the friend list

**Input:** User Location

**Output:** User location is visible to the corresponding friend

**Test Case Derivation:** Users shall be able to share their current location with friends to meet in person. It is essential to verify the location is accurate and up-to-date

**How test will be performed:** The tester will share the location with a friend, and then verify the location is visible and accurate (accuracy of GPS\_ACCURACY) from the other test account

**Related Requirement(s):** FR-3-5

#### 4.1.4 AR Campus

This section includes all test cases related to campus navigation with AR technology. This will include the requirements for building recognition (FR-4-1) and demonstration building information (FR-4-2, FR-4-3). Augmented reality provides an immersive user experience and it is the unique selling point of the application.

##### 1. FRT-AR1

**Name:** Successful Building Recognition

**Control:** Manual

**Initial State:** User looks at a building on campus

**Input:** Clear Camera view

**Output:** The building is recognized and its name is given

**Test Case Derivation:** Building recognition is the essential functionality for AR technology applied in this application. The building should be recognizable from a certain angle when users look at their camera

**How test will be performed:** The tester will walk around a building on campus and look into the camera, verifying the building is recognized and a list of events/lectures is displayed on the screen

**Related Requirement(s):** FR-4-1, FR-4-2, FR-4-3

##### 2. FRT-AR2

**Name:** Unsuccessful Building Recognition

**Control:** Manual

**Initial State:** User looks at a building off-campus

**Input:** Camera view

**Output:** The building is not recognized correctly

**Test Case Derivation:** Building recognition is the essential functionality for AR technology applied in this application. The building should be recognizable from a certain angle when users look at their camera

**How test will be performed:** The tester will walk around a building that is not on campus and look into the camera, verifying the building is not recognized or the system recognizing it as a school building

**Related Requirement(s):** FR-4-1, FR-4-2, FR-4-3

#### 4.1.5 Lectures and Events

This section includes all test cases related to events and lectures happening on campus. This will include the requirements for events and lectures themselves, users interacting with these properties, and the power of administration accounts (All FR-5 requirements in the SRS document). The test cases ensure that the lectures and events information is accurate and helpful for all users.

##### 1. FRT-LE1

**Name:** Interest/Disinterest Event

**Control:** Manual

**Initial State:** An event exists in a specific building

**Input:** Corresponding user request

**Output:** The event with all necessary information is added/removed from the user's event list

**Test Case Derivation:** The user should be able to interact with events available on campus and share their activities with friends. Therefore, they should be able to switch between 'interest' and 'disinterest' states for all events

**How test will be performed:** The tester will pin and unpin the event and verify the event shows up and disappears from the user's interested event list. Then the tester will verify the event has all associated information including club/departments, location and time

**Related Requirement(s):** FR-5-1, FR-5-2, FR-5-7

## 2. FRT-LE2

**Name:** Pin/unpin Lectures

**Control:** Manual

**Initial State:** A lecture with all necessary information exists in a specific building

**Input:** Corresponding user request

**Output:** The lecture is added/removed from the user's lecture list

**Test Case Derivation:** The user should be able to interact with lectures shown in the app and share their schedule with friends. Therefore, they should be able to switch between 'pinned' and 'unpinned' states for all lectures

**How test will be performed:** The tester will pin and unpin the lecture and verify the lecture shows up and disappears from the user's pinned lecture list. Then the tester will verify the event has all associated information including instructor, location and time

**Related Requirement(s):** FR-5-3, FR-5-4, FR-5-8

## 3. FRT-LE3

**Name:** Administrator Add Events

**Control:** Manual

**Initial State:** User is logged in as an admin

**Input:** Sample event with all necessary information

**Output:** The event is posted on the building and is available for all users to pin

**Test Case Derivation:** Administrators work as a source of truth in this application, therefore they shall be able to create new events for all users

**How test will be performed:** The tester will log in as an administrator and add the sample event. Then the tester will verify the event shown in the corresponding building is available for all users

**Related Requirement(s):** FR-5-5

#### 4. FRT-LE4

**Name:** Administrator Change Events

**Control:** Manual

**Initial State:** User is logged in as an admin

**Input:** New event information and corresponding user request

**Output:** The posted event information is updated

**Test Case Derivation:** Administrators work as a source of truth in this application, therefore they shall be able to update event information to get users noticed

**How test will be performed:** The tester will log in as an administrator and update the sample event. Then the tester will verify the event shown in the corresponding building is updated for all users

**Related Requirement(s):** FR-5-5

#### 5. FRT-LE5

**Name:** Administrator Delete Events

**Control:** Manual

**Initial State:** User is logged in as an admin

**Input:** Existing event and corresponding user request

**Output:** The event is deleted

**Test Case Derivation:** Administrators work as a source of truth in this application, therefore they shall be able to clean out-of-date event

**How test will be performed:** The tester will log in as an administrator and delete the sample event. Then the tester will verify the event shown in the corresponding building is deleted for all users

**Related Requirement(s):** FR-5-5

#### 6. FRT-LE6

**Name:** Administrator Add Lectures

**Control:** Manual

**Initial State:** User is logged in as an admin

**Input:** Sample lecture with all necessary information

**Output:** The lecture is posted on the building and is available for all users to pin

**Test Case Derivation:** Administrators work as a source of truth in this application, therefore they shall be able to create new lectures for all users when new semesters come

**How test will be performed:** The tester will log in as an administrator and add the sample lecture. Then the tester will verify the lecture shown in the corresponding building is available for all users

**Related Requirement(s):** FR-5-6

#### 7. FRT-LE7

**Name:** Administrator Change Lecture

**Control:** Manual

**Initial State:** User is logged in as an admin

**Input:** New lecture information and corresponding user request

**Output:** The posted lecture information is updated

**Test Case Derivation:** Administrators work as a source of truth in this application, therefore they shall be able to update lecture information to get users noticed

**How test will be performed:** The tester will log in as an administrator and update the sample lecture. Then the tester will verify the lecture shown in the corresponding building is updated for all users

**Related Requirement(s):** FR-5-6

#### 8. FRT-LE8

**Name:** Administrator Delete Lectures

**Control:** Manual

**Initial State:** User is logged in as an admin

**Input:** Existing lecture and corresponding user request

**Output:** The lecture is deleted

**Test Case Derivation:** Administrators work as a source of truth in this application, therefore they shall be able to clean out-of-date lectures after each semester

**How test will be performed:** The tester will log in as an administrator and delete the sample lecture. Then the tester will verify the lecture shown in the corresponding building is deleted for all users

**Related Requirement(s):** FR-5-6

## 4.2 Tests for Nonfunctional Requirements

The following section includes tests for non-functional requirements defined in the [SRS](#) document. Areas of testing follow the subsections of requirements in the previous document, which mainly include Look and Feel, Usability and Humanity, Performance and Security.

Usability requirements will be tested by asking users to do a survey, whose content can be found in section [7.2](#). Most of the tests here are dynamic and will be done manually or automatically, but there are some tests that need non-dynamic testing like peer code review or code walkthrough.

### 4.2.1 Look and Feel

#### 1. NFRT-LF1

**Name:** Survey for feedback on application layout

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has an account

**Input/Condition:** User is logged into the homepage and pokes around the application

**Output/Result:** Get feedback and verify layout is user-friendly. The average individual score is over MIN\_SCORE in the "User-friendly Layout", "Intuitive icons", "Immediate Visual Response when Clicking" and "Appealing Colour Scheme" categories of the User Experience Survey



**How test will be performed:** A survey will be given to at least SURVEY\_SAMPLE\_SIZE users where they will give feedback to different elements of the interface. All of the survey takers are selected randomly from McMaster University

**Related Requirement(s):** LF-A1, LF-A2, LF-S2

## 2. NFRT-LF2

**Name:** Visual Inspection with different screen sizes

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has the application downloaded on their phone

**Input/Condition:** User has the application open on their phone

**Output/Result:** For all different pages all visual elements on the screen are within the borders of the screen for all screens in the SCREEN\_VIEWPORTS list

**How test will be performed:** The application will be opened on all screens in the SCREEN\_VIEWPORTS list. The testers will visually inspect each page and each screen to make sure that all visual elements on the screen are within its borders

**Related Requirement(s):** LF-A3

## 3. NFRT-LF3

**Name:** Visual inspection of color scheme

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has the application downloaded on their phone

**Input/Condition:** User has the application open on their phone

**Output/Result:** For all different pages the colour scheme is the same

**How test will be performed:** The testers will visually inspect each page to make sure that the colour scheme on each page is the same

**Related Requirement(s):** LF-S1

#### 4.2.2 Usability and Humanity

##### 1. NFRT-UH1

**Name:** Survey for feedback on application layout

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has an account

**Input/Condition:** User is logged into the homepage and pokes around the application

**Output/Result:** Get feedback and verify layout is user-friendly. The average individual score is over MIN\_SCORE in the “Easy to Navigate”, “Helpful Tutorial” and “No Technical or Software-Specific Language” categories of the User Experience Survey

**How test will be performed:** A survey will be given to at least SURVEY\_SAMPLE\_SIZE users where they will give feedback to different elements of the interface. All of the survey takers are selected randomly from McMaster University

**Related Requirement(s):** UH-EOU1, UH-L2, UH-UP1

##### 2. NFRT-UH2

**Name:** Visual inspection of user profile

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has the application downloaded on their phone

**Input/Condition:** User has the application open on their phone

**Output/Result:**

- The name, time, and location of all pinned events and lectures are displayed on a user’s personal page
- The user is able to update their USER\_PROFILE and avatar

**How test will be performed:** The testers will open the application on one device and go to the user profile page. The testers will visually inspect the page to check that the above conditions are satisfied.

**Related Requirement(s):** UH-PI1, UH-PI2

### 3. NFRT-UH3

**Name:** Visual inspection of tutorial

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has the application downloaded on their phone

**Input/Condition:** User has the application open on their phone

**Output/Result:** A tutorial explaining the features of the application appears on first launch, and is available upon request from the user

**How test will be performed:** The testers will open the application on one device and visually inspect the application to check that the tutorial appears on first launch and is available upon request

**Related Requirement(s):** UH-L1

### 4.2.3 Performance

#### 1. NFRT-P1

**Name:** Weak network strength Notification

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has the application downloaded on their phone

**Input/Condition:** User enters a zone with weak internet connection

**Output/Result:** A notification in the application appears saying the network strength weak or the server connection is poor

**How test will be performed:** The testers will open the application on one device and visually inspect the application sending a message when the network strength is weak

**Related Requirement(s):** P-RF1

#### 2. NFRT-P2

**Name:** Error Message when internet connection is lost

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has the application downloaded on their phone

**Input/Condition:** User loses internet connection

**Output/Result:** An error message stating that there is no internet connection is displayed

**How test will be performed:** The testers will open the application on one device and visually inspect the application to check the error message appears when the application fails to connect to the internet

**Related Requirement(s):** P-RF3

### 3. NFRT-P3

**Name:** AR incompatibility Warning

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has the application downloaded on their phone which is not compatible with AR features

**Input/Condition:** User uses the AR feature

**Output/Result:** A warning message is displayed telling the user AR is not available

**How test will be performed:** The testers will open the application on a device not compatible with AR functions and visually inspect the error message appears when AR feature is used

**Related Requirement(s):** P-RF5

### 4. NFRT-P4

**Name:** Message when starting AR

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has the application downloaded on their phone

**Input/Condition:** User uses the AR feature

**Output/Result:** A message telling the user to be aware of their surroundings is displayed upon startup.

**How test will be performed:** The testers will open the AR feature on one device and visually inspect the application to check that the message is shown

**Related Requirement(s):** P-RF4

#### 5. NFRT-P5

**Name:** Rudimentary functions when internet connection is lost

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has no internet connection

**Input/Condition:** User opens the application

**Output/Result:** The application still works with limited functionalities (personal profile and events view)

**How test will be performed:** The testers will open the application with offline mode and check the personal profile and pinned events/lectures are still available

**Related Requirement(s):** P-RF6

#### 6. NFRT-P6

**Name:** Building Recognition Response Time

**Type:** Non-functional, Dynamic, Manual

**Initial State:** The product is installed

**Input/Condition:** The user opens the AR feature and points the camera to a building on campus

**Output/Result:** The popup response following successful image recognitions appears within RECOGNITION\_TIME

**How test will be performed:** The tester will start a timer when the recognition process starts and end the timer when the recognition is successful. Then the tester can verify if the time is within RECOGNITION\_TIME

**Related Requirement(s):** P-SL1

#### 7. NFRT-P7

**Name:** Message Sent Response Time

**Type:** Non-functional, Dynamic, Manual

**Initial State:** Two test accounts are friends of each other

**Input/Condition:** A message is sent from one account to the other

**Output/Result:** The user receives a message within MESSAGE\_TIME after being sent by another user

**How test will be performed:** The tester will start a timer when the message is sent and end the timer when the message is received. Then the tester can verify if the time is within MESSAGE\_TIME

**Related Requirement(s):** P-SL2

#### 8. NFRT-P8

**Name:** Location Sharing Update Time

**Type:** Non-functional, Dynamic, Manual

**Initial State:** Two test accounts are friends of each other, one account starts location sharing

**Input/Condition:** The device sharing its location moves in a period of time

**Output/Result:** The user's updated location must appear on their friends' device within LOCATION\_UPDATE\_TIME of the location change

**How test will be performed:** The tester will start a timer when the device moves and end the timer when the location change is shown on the other device. Then the tester can verify if the time is within LOCATION\_UPDATE\_TIME

**Related Requirement(s):** P-SL3

#### 9. NFRT-P9

**Name:** Messaging When Location Sharing Is Not Working

**Type:** Non-functional, Dynamic, Manual

**Initial State:** Two test accounts are friends of each other, one of them cannot share location

**Input/Condition:** The one device that cannot share location messages the other one

**Output/Result:** The message is sent successfully

**How test will be performed:** The tester will turn off the location permission and send a message. Then the tester will verify the message is sent without a problem

**Related Requirement(s):** P-RF2

#### 10. NFRT-P10

**Name:** Code Walkthrough For User Personal Data

**Type:** Non-functional, Static, Manual

**Input/Condition:** Source code

**Output/Result:** Successfully convinced the stakeholders and users the following:

- User's personal information does not appear in the database if the user did not grant permission

**How test will be performed:** A code walkthrough will be held by the developers to show that database storing is only possible when the user grants permission

**Related Requirement(s):** P-SC1

#### 11. NFRT-P11

**Name:** Code Inspection For Legitimate Use Of Personal Data

**Type:** Non-functional, Static, Manual

**Input/Condition:** Source code

**Output/Result:** Successfully convinced the stakeholders and users the following:

- The usage of a user's persona information by the product abides by the Privacy Act, The Personal Information Protection and Electronic Documents Act, and Canada and Ontario's data protection laws

**How test will be performed:** A code inspection will be held with supervisor's attendance to show the usage of personal data is legitimate

**Related Requirement(s):** P-SC3

#### 12. NFRT-P12

**Name:** Code Walkthrough For Data Transmission

**Type:** Non-functional, Static, Manual

**Input/Condition:** Source code

**Output/Result:** Successfully convinced the stakeholders and users the following:

- The product does not execute any code that involves the transmission of information outside of the product

**How test will be performed:** A code walkthrough will be held by the developers to show that the application does not transmit data while not in use

**Related Requirement(s):** P-SC4

### 13. NFRT-P13

**Name:** Code Walkthrough For Database

**Type:** Non-functional, Static, Manual

**Input/Condition:** Source code

**Output/Result:** Successfully convinced the stakeholders and users the following:

- Information for an event added to the database is still present at least 3 months after its addition

**How test will be performed:** A code walkthrough will be held by the developers to show that the database is reliable and the tables will be kept for at least 3 months

**Related Requirement(s):** P-C2

### 14. NFRT-P14

**Name:** Code Peer Evaluation For Longevity

**Type:** Non-functional, Static, Manual

**Input/Condition:** Source code

**Output/Result:** Successfully convinced the stakeholders and users the following:

- The product is able to operate without major malfunctions in release build for at least 1 year
- The finalized product will remain compatible with the promised operating systems and devices for at least 3 years



**How test will be performed:** The testers will hold a peer evaluation session for the other developers to inspect the source code and make sure it can operate and remain compatible with promised operating systems for a long time

**Related Requirement(s):** P-L1, P-L2

15. **NFRT-P15**

**Name:** New Building Addition

**Type:** Non-functional, Dynamic, Manual

**initial State:** The tester has developer permission

**Input/Condition:** All information about the new building (location, name, image, etc.)

**Output/Result:** A new building is added without huge drawbacks in performance

**How test will be performed:** The tester will add a dummy new building and test if the all the time requirements mentioned in the Speed and Latency Requirements (P-SL1, P-SL2, P-SL3) are still fulfilled.

**Related Requirement(s):** P-SE3

16. **NFRT-P16**

**Name:** Building Identification

**Type:** Non-functional, Dynamic, Manual

**Initial State:** The user has the product launched on their device

**Input/Condition:** The product is scanning a building on campus

**Output/Result:** The product identifies a building with a success rate of at least 80 percent

**How test will be performed:** Testers will scan buildings with the product multiple times and calculate the percentage of successful scans

**Related Requirement(s):** P-PA1

17. **NFRT-P17**

**Name:** Load Testing for Server Capacity

**Type:** Non-functional, Dynamic, Automatic

**Initial State:** The server is online and ready to connect to

**Input/Condition:** Load testing tool simulates there are MAX\_CAPACITY users simultaneously accessing the server

**Output/Result:** The server is able to handle all the users connecting to the server at once

**How test will be performed:** Testers use Apache JMeter for the load test simulation

**Related Requirement(s):** P-C1, P-SE1

#### 18. NFRT-P18

**Name:** Load Testing for Database Capacity

**Type:** Non-functional, Dynamic, Automatic

**Initial State:** The database is online and ready to connect to

**Input/Condition:** Load testing tool simulates there is information for MAX\_USER\_LOAD users stored in the database

**Output/Result:** The database can handle all the data that it contains

**How test will be performed:** Testers use Apache JMeter for the load test simulation

**Related Requirement(s):** P-SE2

### 4.2.4 Operational and Environmental

#### 1. NFRT-OE1

**Name:** Visual inspection for application download

**Type:** Non-functional, Manual

**Initial State:** User has a phone that uses Android 11 or above

**Input/Condition:** User's phone is turned on and unlocked

**Output/Result:** The product can be downloaded onto the phone from the Google Play Store, or by downloading the APK file directly

**How test will be performed:** The testers will check the Google Play Store for the product, or find an APK file for the product. The testers

will then download and install the product onto the phone from the Google Play Store or the APK file.

**Related Requirement(s):** OE-P1

## 2. NFRT-OE2

**Name:** Physical Environment and Adjacent Systems

**Type:** Non-functional, Manual

**Initial State:** NA

**Input/Condition:** NA

**Output/Result:** The application is proved to be able to installed on a phone and interface with Android 11 and above and ARCore

**How test will be performed:** These are fundamental tests for the application. Testing for these requirements are completed within the functional requirements tests above

**Related Requirement(s):** OE-EPE1, OE-IAS1, OE-IAS2

### 4.2.5 Maintainability and Support

#### 1. NFRT-MS1

**Name:** Survey For Maintenance Time

**Type:** Non-functional, Static, Manual

**Initial State:** NA

**Input/Condition:** Ask at least 50 users when they are less likely to use the application and collect the feedback

**Output/Result:** Periods of reduced usage is shown to arrange updates

**How test will be performed:** Testers ask at least 50 users when is a reduced usage period for them, and schedule coming updates during these periods

**Related Requirement(s):** MS-M1

#### 2. NFRT-MS2

**Name:** Peer Evaluation for Feature Request

**Type:** Non-functional, Static, Manual

**Initial State:** A public Git repo for this application

**Input/Condition:** An issue is created

**Output/Result:** All functionalities of this repo work normally

**How test will be performed:** Testers will ask for a peer evaluation on this application repo, and the other developers will verify there is a user manual and issues can be used for feature request or bug report

**Related Requirement(s):** MS-S1, MS-S2

### 3. NFRT-MS3

**Name:** Android Version Test

**Type:** Non-functional, Dynamic, Manual

**Initial State:** The application is installed on devices with Android 11 and above version

**Input/Condition:** The application is opened

**Output/Result:** The application works normally

**How test will be performed:** Testers will install the application on different Android version (11 and above) and verify the application can run properly

**Related Requirement(s):** MS-A1

## 4.2.6 Security

### 1. NFRT-S1

**Name:** Access Test

**Type:** Non-functional, Dynamic, Manual

**Initial State:** The product is downloaded onto a supported device

**Input/Condition:** The product is launched

**Output/Result:** At each level of access, the product constrains the possible actions to what is specified in requirement S-A1.

**How test will be performed:**

- (a) The tester will download the product to a supported device and launch the product.
- (b) The product will begin at the first level of access, which should only allow the user to view the login, account creation, and account recovery pages.
- (c) The tester will log in or create an account to move to the second level of access (McMaster student/faculty member).
- (d) The tester will test that actions only possible at the third level of access (adding/deleting/editing events, pull logs not accessible to users) are not possible to do at this level.
- (e) The tester will log out of the account and log in as an administrator, moving to the third level of access.
- (f) The tester will test that actions only possible at this level of access (adding/deleting/editing events, pull logs not accessible to users) are possible to do.

**Related Requirement(s):** S-A1

#### 4.2.7 Cultural

##### 1. NFRT-CUL1

**Name:** Survey for feedback on cultural requirements

**Type:** Non-functional, Dynamic, Manual

**Initial State:** User has an account

**Input/Condition:** User is logged into the homepage and pokes around the application

**Output/Result:** Get feedback and verify layout is not culturally offensive. This test is a pass if average individual score is over MIN SCORE in the "Cultural Friendliness" categories of the User Experience Survey

**How test will be performed:** A survey will be given to at least SURVEY SAMPLE SIZE users where they will give feedback to different elements of the interface. All of the survey takers are selected randomly from McMaster University

**Related Requirement(s):** CUL-C1, CUL-C2

#### 4.2.8 Compliance

N/A

4.3 Traceability Between Test Cases and Requirements

Table 1: Traceability Between Functional Test Cases and Functional Requirements, FR-1 to FR-3

Test IDs	Functional Requirement IDs														
	FR1-1	FR2-1	FR2-2	FR2-3	FR2-4	FR2-5	FR2-6	FR2-7	FR2-8	FR3-1	FR3-2	FR3-3	FR3-4	FR3-5	
FRT-PG1	X														
FRT-PG2	X														
FRT-UA1		X													
FRT-UA2		X													
FRT-UA3				X											
FRT-UA4				X											
FRT-UA5			X												
FRT-UA6					X										
FRT-UA7						X									
FRT-UA8							X	X							
FRT-UA9									X						
FRT-SN1										X					
FRT-SN2										X					
FRT-SN3										X					
FRT-SN4											X				
FRT-SN5												X	X		
FRT-SN6														X	

Table 2: Traceability Between Functional Test Cases and Functional Requirements, FR-4 to FR-5

[illegible]



Table 3: Traceability Between Nonfunctional Test Cases and Non-functional Requirements, LF-A1 to UH-A1

Test IDs	Nonfunctional Requirement IDs											
	LF-A1	LF-A2	LF-A3	LF-S1	LF-S2	UH-EOU1	UH-PI1	UH-PI2	UH-L1	UH-L2	UH-UP1	UH-A1
NFRT-LF1	X	X			X							
NFRT-LF2			X									
NFRT-LF3				X								
NFRT-UH1						X				X	X	
NFRT-UH2							X	X				
NFRT-UH3	X								X			

Table 4: Traceability Between Nonfunctional Test Cases and Non-functional Requirements, P-SL1 to P-RF4

[illegible]

Table 5: Traceability Between Nonfunctional Test Cases and Non-functional Requirements, MS-M1 to CUL-C2

Test IDs	Nonfunctional Requirement IDs										
	MS-M1	MS-S1	MS-S2	MS-A1	S-A1	S-IG1	S-P1	S-P2	S-P3	CUL-C1	CUL-C2
NFRT-MS1	X										
NFRT-MS2		X	X								
NFRT-MS3				X							
NFRT-S1					X						
NFRT-CUL1										X	X

## 5 Unit Test Description

This section includes all unit tests for functional and non-functional requirements. Though most of the requirements will be tested manually, unit testing will still be utilized for some basic functionalities of all components. Since the team has not completed a detailed design document, this section cannot refer to all modules in [MIS](#). Instead it will refer to a list of core modules to be implemented:

- **M1** User
- **M2** Friend
- **M3** Building
- **M4** Event
- **M5** Lecture
- **M6** Database

It is the first draft of the implementation design, and a more detailed version of unit test will be added once the MIS is completed.

### 5.1 Unit Testing Scope

All modules defined above are within the testing scope. The scope of unit testing was limited to the components that could be automatically tested. The AR module is out of the scope since it is largely composed of a third-party library, Vuforia. It is a sophisticated AR software development kit, so we assumed that Vuforia's logic is correct and therefore shall not be tested. Also, the database module is out of the scope of functional requirement tests because it is largely composed of third-party database. But there are some non-functional requirements that can be tested

### 5.2 Tests for Functional Requirements

The following sections details unit tests for functional requirements. It is an essential aspect of testing as it verifies whether the modules are behaving correctly given the requirements in the SRS.

### 5.2.1 User Module

This section will contain all unit tests for module “User”. The tests are chosen based on common user flows and cover the most important methods of this module.

#### 1. FRT-M1-1

**Name:** Password Setting

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** There is an old password for an account

**Input:** New password

**Output:** The old password is replaced by the new one

**Test Case Derivation:** Verify the password reset functionality works well

**How test will be performed:** Create a test case in UTF that sets a new password for a user and verify the password has been changed

#### 2. FRT-M1-2

**Name:** Search For Valid Username

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** There are some valid users during the test

**Input:** One of the valid usernames

**Output:** The user is found from the list by its username

**Test Case Derivation:** Verify that user can search for a user by username

**How test will be performed:** Create a test case in UTF that searches for a existing username and verify the corresponding user is found

#### 3. FRT-M1-3

**Name:** Search For Invalid Username

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** There are some valid users during the test

**Input:** Invalid usernames

**Output:** No user is found

**Test Case Derivation:** Verify that user can search for a user by username

**How test will be performed:** Create a test case in UTF that searches for a non-existing username and verify no user is found

#### 4. FRT-M1-4

**Name:** Get Location

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** User agrees to share location

**Input:** User request

**Output:** Geographic position of the device with accuracy of GPS\_ACCURACY

**Test Case Derivation:** Verify that user can share their location accurately

**How test will be performed:** Create a test case in UTF that searches for a non-existing username and verify no user is found

### 5.2.2 Friend Module

This section will contain all unit tests for module “Friend”. The tests are chosen based on common user flows and cover the most important methods of this module.

#### 1. FRT-M2-1

**Name:** Send new message

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** There are two accounts being friends

**Input:** A message sent friend to the friend

**Output:** The Message is added to chat history

**Test Case Derivation:** Verify that messages can be sent and stored between friends

**How test will be performed:** Create a test case in UTF that messages a friend and verify the message is added to chat history

2. FRT-M2-2

**Name:** Receive new message

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** There are two accounts being friends

**Input:** A message sent from the friend

**Output:** The Message is added to chat history

**Test Case Derivation:** Verify that messages can be sent and stored between friends

**How test will be performed:** Create a test case in UTF that receives a message from a friend and verify the message is added to chat history

### 5.2.3 Building Module

This section will contain all unit tests for module “Building”. The tests are chosen based on common user flows and cover the most important methods of this module.

1. FRT-M3-1

**Name:** List Events

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** There are some events for this target building

**Input:** User request

**Output:** All events in the building are listed

**Test Case Derivation:** Verify that all events of the building are shown with nothing missing

**How test will be performed:** Create a test case in UTF where a user shares the location, verify the location information retrieved matches the expected GPS coordinates

2. FRT-M3-2

**Name:** List Lectures

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** There are some lectures for this target building

**Input:** User request

**Output:** All lectures in the building are listed

**Test Case Derivation:** Verify that all lectures of the building are shown with nothing missing

**How test will be performed:** Create a test case in UTF that has a building with a list of lectures, verify all lectures are displayed once lecture information is requested

### 3. FRT-M3-3

**Name:** Check User Location in Bounds

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** Building has a bounding box outlined by GPS coordinates

**Input:** User location

**Output:** True if the user location is within the bounding box, False otherwise

**Test Case Derivation:** Verify that the GPS building detection algorithm is correct

**How test will be performed:** Create a test case in UTF that has a building object with a bounding box and a user object with a dummy location, verify that the algorithm identifies cases where the user is within the bounding box

## 5.2.4 Event Module

This section will contain all unit tests for module “Event”. The tests are chosen based on common user flows and cover the most important methods of this module.

### 1. FRT-M4-1

**Name:** Successful New Event Creation

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** User is logged in as admin

**Input:** Event information including location, time and club/department



**Output:** Event is successfully added to the system

**Test Case Derivation:** Verify that new event can be added by an administrator only if all information is provided

**How test will be performed:** Create a test case in UTF that creates a new event with all information provided, verify the event is added to the event list

## 2. FRT-M4-2

**Name:** Unsuccessful New Event Creation

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** User is logged in as admin

**Input:** Event information with one of the following missing: location, time or club/department

**Output:** Event cannot be added to the system, an error pops up saying information missing

**Test Case Derivation:** Verify that new event can be added by an administrator only if all information is provided

**How test will be performed:** Create a test case in UTF that creates a new event with some necessary information missing, verify the event fails to be added to the event list

### 5.2.5 Lecture Module

This section will contain all unit tests for module “Lecture”. The tests are chosen based on common user flows and cover the most important methods of this module.

## 1. FRT-M5-1

**Name:** Successful New Lecture Creation

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** User is logged in as admin

**Input:** Lecture information including location, time and instructor

**Output:** Lecture is successfully added to the system

**Test Case Derivation:** Verify that new lecture can be added by an administrator only if all information is provided

**How test will be performed:** Create a test case in UTF that creates a new lecture with all information provided, verify the lecture is added to the lecture list

## 2. FRT-M5-2

**Name:** Unsuccessful New Lecture Creation

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** User is logged in as admin

**Input:** Lecture information with one of the following missing: location, time or instructor

**Output:** Lecture cannot be added to the system, an error pops up saying information missing

**Test Case Derivation:** Verify that new lecture can be added by an administrator only if all information is provided

**How test will be performed:** Create a test case in UTF that creates a new lecture with some necessary information missing, verify the lecture fails to be added to the lecture list

## 5.3 Tests for Nonfunctional Requirements

This application does not many non-functional requirements to be tested with unit testing. Most of non-functional requirements will be verified through system tests in section 4.2. The following section includes all non-functional requirements that are skipped in system test (like P-PA2, S-IG1, etc.).

### 5.3.1 Database Module

This section will contain all unit tests for module “Database”. No functional requirements will be tested here since it is a third party component and all the methods can be trusted.

## 1. FRT-M6-1

**Name:** Unique keys

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** Some user exists in the module

**Input:** A new user to be added with same username

**Output:** An error appears saying the username already exists

**Test Case Derivation:** Verify that the system prevents creating account with sample username

**How test will be performed:** Create a test case in UTF that adds a new user to the database and verify the request is rejected

### 5.3.2 Database Module

This section will contain a unit tests for module “User”. This test will verify the style test about color contrast. Since the module is mostly composed of a third party library, it is unnecessary to test all methods in functional requirement section.

#### 1. FRT-M1-5

**Name:** Color Contrast

**Type:** Functional, Dynamic, Automatic, Unit

**Initial State:** User is logged in

**Input:** The user change the page color

**Output:** The colour contrast for each page is calculated to be at least 4.5:1

**Test Case Derivation:** Verify that the page components are contrast enough for items on the screen to be more easily visible

**How test will be performed:** Create a test case in UTF that takes all the possible color combinations on each page as an input and calculates the contrast, and checks if that contrast is at least 4.5:1

## 5.4 Traceability Between Test Cases and Modules

Table 6: Traceability Between Test Cases and Modules

Test IDs	Module IDs					
	M1	M2	M3	M4	M5	M6
<b>FRT-M1-1</b>	X					
<b>FRT-M1-2</b>	X					
<b>FRT-M1-3</b>	X					
<b>FRT-M1-4</b>	X					
<b>FRT-M1-5</b>	X					
<b>FRT-M2-1</b>		X				
<b>FRT-M2-2</b>		X				
<b>FRT-M3-1</b>			X			
<b>FRT-M3-2</b>			X			
<b>FRT-M3-3</b>			X			
<b>FRT-M4-1</b>				X		
<b>FRT-M4-2</b>				X		
<b>FRT-M5-1</b>					X	
<b>FRT-M5-2</b>					X	
<b>FRT-M6-1</b>						X

## 6 Nondynamic Test Plan

This section summaries all the nondynamic test the team will conduct in section 4 system testing and section 5 unit testing. Most of the tests will be in the form of code review, document review or code walkthroughs.

Table 7: Nondynamic Test Plan

Test Method	Description	Related Requirement(s)
Code Inspection for user info	It will be held when the implementation is done with the attendance of the supervisor. It will convince people that the data collection is totally legitimate	P-SC3
Database Walk-through	A code walkthrough focusing on database connection and its storage. It will be held when the implementation is done and convince people that the database is reliable will not store information without user's permission	P-SC1, P-C2
Data Transmission Walkthrough	A code walkthrough focusing on data transmitting. It will be held when the implementation is done and convince people that the application transmit no data while no in use	P-SC4
Longevity Peer Evaluation	A peer evaluation session to convince people that the produce can operate for a long time. It will be held when the implementation is done by another developers' team. Though it does not 100% fulfill the requirements, it builds some confidence	P-L1, P-L2
Document Review	The peer evaluation happens after the deadline of all important documents. During the document review, the other team points out problems and improve document quality	All
Weekly Code Review	The developer will have weekly code review with the team for better code quality and formatting	All

## 7 Appendix

This is where you can place additional information.

### 7.1 Symbolic Parameters

The definition of the test cases will call for SYMBOLIC\_CONSTANTS. Their values are defined in this section for easy maintenance.

Table 8: Symbolic Parameter Table

Symbolic Parameter	Description	Value
INITIAL_USER_STATE	The default user state with all default user information	All entries empty except username and password
INITIAL_AVATAR	The default virtual avatar	An unisex virtual avatar with default settings
MIN_SCORE	The passing grade for a category in the survey	7/10
SURVEY_SAMPLE_SIZE	Size of the user experience survey	50
GPS_ACCURACY	Accuracy of location sharing	25 meter
SCREEN_VIEWPORTS	List of all popular mobile screen sizes	360X740, 390X844, 820X1180
USER_PROFILE	All information about the user	username, password, gender, age, email, area of study

### 7.2 Usability Survey Questions?

[This is a section that would be appropriate for some projects. —SS]

## **Appendix — Reflection**

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

## Appendix — Reflection

[This section is not required for CAS 741 —SS]

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

1. What knowledge and skills will the team collectively need to acquire to successfully complete the verification and validation of your project? Examples of possible knowledge and skills include dynamic testing knowledge, static testing knowledge, specific tool usage etc. You should look to identify at least one item for each team member.
2. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?