



LATIHAN PERTEMUAN 6










```
beatriceindry162000@cloudshell: <a (subtle-fulcrum-311410) $ ls
README-cloudshell.txt
beatriceindry162000@cloudshell:~ (subtle-fulcrum-311410)$
beatriceindry162000@cloudshell:~ <mark>(subtle-fulcrum-311410)</mark>$ git clone https://github.com/ahyarmuawwal/cloudphp
Cloning into 'cloudphp' ...
remote: Enumerating objects: 12, done.
remote: Counting objects: 100% (12/12), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 12 (delta 0), reused 12 (delta 0), pack-reused 0
Unpacking objects: 100% (12/12), done.
beatriceindry162000@cloudshell:~ (subtle-fulcrum-311410)$ s
beatriceindry162000@cloudshell:~ (subtle-fulcrum-311410) $ ls
cloudphp README-cloudshell.txt
beatriceindry162000@cloudshell:~ (subtle-fulcrum-311410)$
beatriceindry162000@cloudshell:~ (subtle-fulcrum-311410)  cd cloudphp
beatriceindry162000@cloudshell:~/cloudphp (subtle-fulcrum-311410)$
<?php
echo "hello kakak ahyar ganteng kan ?? ";
beatriceindry162000@cloudshell:~/cloudphp (subtle-fulcrum-311410)$
# Use the PHP 7.3 runtime (BETA) by replacing "php72" below with "php73"
runtime: php72
# Defaults to "serve index.php" and "serve public/index.php". Can be used to
# serve a custom PHP front controller (e.g. "serve backend/index.php") or to
# run a long-running PHP script as a worker process (e.g. "php worker.php").
# entrypoint: serve index.php
beatriceindry162000@cloudshell:~/cloudphp (subtle-fulcrum-311410)$
beatriceindry162000@cloudshell:~/cloudphp (subtle-fulcrum-311410) php -S localhost:8080
PHP 7.2.34-18+0~20210223.60+debian10~1.gbpb21322 Development Server started at Thu Apr 22 05:53:15 2021
Listening on http://localhost:8080
Document root is /home/beatriceindry162000/cloudphp
Press Ctrl-C to quit.
```



hello kakak ahyar ganteng kan ??

```
beatriceindry162000@cloudshell: (subtle-fulcrum-311410) gcloud app create
You are creating an app for project [subtle-fulcrum-311410].
WARNING: Creating an App Engine application for a project is irreversible and the region
cannot be changed. More information about regions is at
<https://cloud.google.com/appengine/docs/locations>.
Please choose the region where you want your App Engine application
located:
 [14] southamerica-east1 (supports standard and flexible and search api)
 [15] us-central (supports standard and flexible and search_api)
 [16] us-east1
                   (supports standard and flexible and search_api)
 [17] us-east4
                   (supports standard and flexible and search api)
 [18] us-west2
                   (supports standard and flexible and search api)
                   (supports standard and flexible and search api)
 [19] us-west3
 [20] us-west4
                   (supports standard and flexible and search_api)
 [21] cancel
Please enter your numeric choice: 1
Creating App Engine application in project [subtle-fulcrum-311410] and region [asia-east2]....done.
Success! The app is now created. Please use `gcloud app de{f p}loy` to deploy your first app.
beatriceindry162000@cloudshell:~ (subtle-fulcrum-311410)$
beatriceindry162000@cloudshell:~/cloudphp (subtle-fulcrum-311410)$ gcloud app deploy
Services to deploy:
                   [/home/beatriceindry162000/cloudphp/app.yaml]
descriptor:
source:
                   [/home/beatriceindry162000/cloudphp]
target project: [subtle-fulcrum-311410]
target service: [default]
target version: [20210422t084133]
target url:
                  [https://subtle-fulcrum-311410.df.r.appspot.com]
Do you want to continue (Y/n)? y
Beginning deployment of service [default]...
Created .gcloudignore file. See `gcloud topic gcloudignore` for details.
  = Uploading 8 files to Google Cloud Storage
File upload done.
```

Updating service [default]...

```
source:
                 [/home/beatriceindry162000/cloudphp]
                 [subtle-fulcrum-311410]
target project:
target service:
                 [default]
target version:
                 [20210422t085135]
target url:
                 [https://subtle-fulcrum-311410.df.r.appspot.com]
Do you want to continue (Y/n)? y
Beginning deployment of service [default]...
  Uploading O files to Google Cloud Storage
File upload done.
Updating service [default]...done.
Setting traffic split for service [default]...done.
Deployed service [default] to [https://subtle-fulcrum-311410.df.r.appspot.com]
You can stream logs from the command line by running:
  $ gcloud app logs tail -s default
To view your application in the web browser run:
  $ gcloud app browse
beatriceindry162000@cloudshell:~/cloudphp (subtle-fulcrum-311410)$
```



hello kakak ahyar ganteng kan ??

