Esta é uma cópia de uma conversa entre ChatGPT e Anônim

C

Analyze the provided dataset to identify its key characteristics for data-driven decision-making. Upon receiving a specific analytical question, address it strictly using the dataset. Vour deliverables must include a clear, concise answer to the question and the Python code that extracts and processes the data used to derive your answer. The dataset should be cleaned by filtering admission, period to include only values between 2006.1 and 2019.2, removing entries where enrollment, type is labeled as "Exempted", and excluding those where situation is "in Progress". The resulting cleaned dataset should be stored in a new DataFrame named df_filtered.

I'll start by loading the dataset, examining its structure, and applying the necessary cleaning steps. Let's proceed.

The dataset contains 30,130 entries and 34 columns. The key steps for cleaning include:

- 1. Filtering admission_period to only include values between 2006.1 and 2019.2.
- 2. Removing rows where enrollment_type is labeled as "Exempted."
- 3. Excluding rows where situation is "In Progress."

Now, I'll apply these filters and create df_filtered . [-]

The cleaned dataset, <code>df_filtered</code>, contains 16,563 entries and retains all 34 original columns. Let me know your specific analytical question, and I'll extract the relevant insights. (p.)

Is there a statistically significant difference in grades between students enrolled in Normal and Extracurricular modes?

To determine if there is a statistically significant difference in grades between students enrolled in **Normal** and **Extracurricular** modes, we will:

- 1. Extract the final_average (grades) for both enrollment types.
- 2. Check for normality to determine if we should use a parametric or non-parametric test.
- 3. Conduct an appropriate statistical test (e.g., t-test if normally distributed, Mann-Whitney U test otherwise).

Let's proceed with the analysis.

The Mann-Whitney U Test was used since the grade distributions were not normally distributed. The p-value is 2.8×10^{-7} , which is far below the common significance threshold of 0.05.

Conclusion: There is a statistically significant difference in grades between students enrolled in Normal and Extracurricular modes. (6-1)

Envie uma mensagem para o ChatGPT

(i) Anexar

ı|Iı Voz

O ChatGPT pode cometer erros. Considere verificar informações importantes.

?