

Dataset Analysis for Decision-Making

26/03/2025

HIV_Epidemiology... .csv
19.2 MB

Analyze the provided dataset to identify its key characteristics for data-driven decision-making. Upon receiving a specific analytical question, address it strictly using the dataset. Your deliverables must include a clear, concise answer to the question and the Python code that extracts and processes the data used to derive your answer.

qwen-max-latest

To analyze the dataset and address specific analytical questions, I will first load the dataset and examine its structure to understand its key characteristics. Then, I will proceed to answer any specific analytical question using Python code.

Step 1: Load and Explore the Dataset

I'll start by loading the dataset and inspecting its contents to identify its structure, columns, and data types.

```
python
1 import pandas as pd
2
3 # Load the dataset
4 file_path = 'HIV_Epidemiology_Children_Adolescents_2024_out.csv'
5 data = pd.read_csv(file_path)
6
7 # Display basic information about the dataset
8 print("Dataset Overview:")
9 print(data.info())
10
11 # Display the first few rows of the dataset
12 print("\nFirst 5 Rows of the Dataset:")
13 print(data.head())
```

Step 2: Identify Key Characteristics

From the output of `data.info()` and `data.head()`, I can determine:

- The number of rows and columns.
- Column names and their data types.
- Any missing values in the dataset.
- The general structure of the data (e.g., numerical vs. categorical variables).

Once I understand the dataset's structure, I can proceed to address a specific analytical question.

Step 3: Address a Specific Analytical Question

Please provide a specific analytical question you'd like me to address using this dataset. For example:

1. What is the total number of HIV cases among children and adolescents in 2024?
2. Which region has the highest prevalence of HIV among adolescents?
3. How does the distribution of HIV cases vary by age group?

Once you provide the question, I will write Python code to extract and process the relevant data and provide a clear, concise answer.

Is there a spatial relationship between new adolescent HIV infections and the prevalence of HIV among women within the same region?

qwen-max-latest

To address the question of whether there is a spatial relationship between new adolescent HIV infections and the prevalence of HIV among women within the same region, we need to:

1. Identify the relevant columns in the dataset that represent:
 - New adolescent HIV infections.
 - Prevalence of HIV among women.
 - Geographic regions.
2. Analyze the correlation or relationship between these variables at the regional level.

Here's how I will approach this:

Step 1: Load and Inspect Relevant Columns

I will first load the dataset and inspect the columns to confirm their names and ensure they contain the required data.

```
python
1 import pandas as pd
2
3 # Load the dataset
4 file_path = 'HIV_Epidemiology_Children_Adolescents_2024_out.csv'
5 data = pd.read_csv(file_path)
6
7 # Display column names to identify relevant fields
8 print("Column Names:")
9 print(data.columns)
```

Assuming the dataset contains columns such as:

- `Region` : Geographic region identifier.



- `New_Adolescent_Infections` : Number of new HIV infections among adolescents.
- `HIV_Prevalence_Women` : Prevalence of HIV among women (e.g., percentage or count).

If the column names differ, I will adjust the analysis accordingly.

Step 2: Aggregate Data by Region

To analyze the spatial relationship, I will group the data by `Region` and calculate the total new adolescent infections and HIV prevalence among women for each region.

```
python
1 # Group data by region and aggregate relevant metrics
2 regional_data = data.groupby('Region').agg({
3     'New_Adolescent_Infections': 'sum',
4     'HIV_Prevalence_Women': 'mean' # Assuming prevalence is a percentage or rate
5 }).reset_index()
6
7 # Display the aggregated data
8 print("\nAggregated Regional Data:")
9 print(regional_data.head())
```

Step 3: Analyze the Relationship

To determine if there is a spatial relationship, I will calculate the correlation between `New_Adolescent_Infections` and `HIV_Prevalence_Women` . A strong positive correlation would suggest a spatial relationship.

```
python
1 import numpy as np
2
3 # Calculate the correlation coefficient
4 correlation = np.corrcoef(
5     regional_data['New_Adolescent_Infections'],
6     regional_data['HIV_Prevalence_Women']
7 )[0, 1]
8
9 print(f"\nCorrelation between New Adolescent Infections and HIV Prevalence Among Women: {correlation}")
```

Step 4: Visualize the Relationship

To better understand the relationship, I will create a scatter plot of the two variables.

```
python
1 import matplotlib.pyplot as plt
2
3 # Scatter plot of the relationship
4 plt.figure(figsize=(8, 6))
5 plt.scatter(
6     regional_data['HIV_Prevalence_Women'],
7     regional_data['New_Adolescent_Infections'],
8     alpha=0.7
9 )
10 plt.title('Spatial Relationship Between Adolescent HIV Infections and HIV Prevalence Among Women')
11 plt.xlabel('HIV Prevalence Among Women')
12 plt.ylabel('New Adolescent HIV Infections')
13 plt.grid(True)
14 plt.show()
```

Step 5: Interpret the Results

- If the correlation coefficient (`correlation`) is close to 1, it indicates a strong positive spatial relationship.
- If it is close to 0, there is no significant spatial relationship.
- The scatter plot will visually confirm the nature of the relationship.

Final Deliverable

Once you confirm the exact column names in the dataset, I can execute the code above and provide the results, including the correlation coefficient and the scatter plot. Please provide the column names or any additional clarification if needed.

