# The luatexbase package

# Manuel Pégourié-Gonnard & Élie Roux Support: lualatex-dev@tug.org

v0.3 2010-05-27

#### Abstract

This package provides resource management for the LuaTeX macro programmer. It is divided in sub-packages which can be used independently if desired.

### Contents

1	Documentation	1
2	Implementation	2
	2.1 Preliminaries	2
	2.2 Packages loading	3
3	Test file	3

#### 1 Documentation

The luatexbase package consists of the following sub-packages:

luatexbase-compat: compatibility helpers for \directlua, primitive names and version information from Lua.

luatexbase-loader: extension of LuaTEX's Lua module loader (since version 0.60.0, this is more of a compatibility layer for older versions than a real extension).

luatexbase-regs: extented allocation scheme for registers and the like,  $\dot{a}$  la etex.

luatexbase-cctb: catcode table allocation.

luatexbase-attr: attribute allocation.

luatexbase-mcb: callbacks extensions allowing to register many functions in a single callback, and declare new callbacks for packages.

luatexbase-modutils: Lua module declaration, including version checks.

The package is mostly stable: it is unlikely that backward-incompatible changes will be made in the future, other than necessary for merging with luatex.sty, with which a few sub-packages strongly overlap. If they do happen, such changes will be announced on the development list, and clearly identified in the Changes file.

All sub-packages are tested with LuaT<sub>E</sub>X 0.25.4 to 0.60.x and formats based on Plain T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X, as included in T<sub>E</sub>X Live 2008, 2009, and 2010.

# 2 Implementation

```
1 (*texpackage)
```

### 2.1 Preliminaries

```
Reload protection, especially for Plain TEX.
```

```
\csname lltxb@core@loaded\endcsname
3 \expandafter\let\csname lltxb@core@loaded\endcsname\endinput
   Catcode defenses.
4 \begingroup
5 \catcode123 1 % {
    \catcode125 2 % }
    \catcode 35 6 % #
    \toks0{}%
    \left( x_{x}\right) 
10
    \def\y#1 #2 {%
      \toks0\expandafter{\the\toks0 \catcode#1 \the\catcode#1}%
      \left(x \right) = 1 
    \y 123 1 % {
13
    \y 125 2 % }
14
    \y 35 6 % #
15
    \y 10 12 % ^^J
16
    \y 34 12 % "
17
    \y 36 3 % $ $
18
    \y 39 12 % '
19
   \y 40 12 % (
20
    \y 41 12 %)
21
22
    \y 42 12 % *
23
   \y 43 12 % +
^{24}
   \y 44 12 %,
   \y 45 12 % -
25
   \y 46 12 % .
26
    \y 47 12 % /
27
    \y 60 12 % <
28
    \y 61 12 % =
29
    \y 64 11 % @ (letter)
30
        62 12 % >
31
    \v
    \y 95 12 % _ (other) \y 96 12 % '
    \edef\y#1{\endgroup\edef#1{\the\toks0\relax}\x}%
35 \expandafter\y\csname lltxb@core@AtEnd\endcsname
   Package declaration.
36 \setminus begingroup
    \expandafter\ifx\csname ProvidesPackage\endcsname\relax
37
      \def\x#1[#2]{\immediate\write16{Package: #1 #2}}
38
39
    \else
      \let\x\ProvidesPackage
40
   \fi
41
42 \expandafter\endgroup
43 \x{luatexbase}[2010/10/06 v0.3 Module utilities for LuaTeX]
```

Make sure LuaTeX is used.

```
44 \begingroup\expandafter\expandafter\expandafter\endgroup
45 \verb|\expandafter\ifx\csname| RequirePackage\endcsname\relax|
   \input ifluatex.sty
47 \ensuremath{\setminus} else
48
   \RequirePackage{ifluatex}
49 \fi
50 \  \
51
    \begingroup
      \expandafter\ifx\csname PackageError\endcsname\relax
52
         \def\x#1#2#3{\begingroup \newlinechar10
53
          \errhelp{#3}\errmessage{Package #1 error: #2}\endgroup}
54
      \else
55
56
         \let\x\PackageError
57
      \fi
    \expandafter\endgroup
58
    \x{luatexbase-attr}{LuaTeX is required for this package. Aborting.}{%
59
60
      This package can only be used with the LuaTeX engine^^J%
61
      (command 'lualatex' or 'luatex').^^J%
62
      Package loading has been stopped to prevent additional errors.}
63
    \lltxb@core@AtEnd
    \expandafter\endinput
64
65 \fi
```

## 2.2 Packages loading

```
66 \begingroup\expandafter\expandafter\expandafter\endgroup
67 \expandafter\ifx\csname RequirePackage\endcsname\relax
    \input luatexbase-compat.sty
68
69
    \input luatexbase-loader.sty
70
    \input luatexbase-regs.sty
    \input luatexbase-attr.sty
    \input luatexbase-cctb.sty
72
73
    \input luatexbase-mcb.sty
74
    \input luatexbase-modutils.sty
75 \else
    \RequirePackage{luatexbase-compat}
76
77
    \RequirePackage{luatexbase-loader}
    \RequirePackage{luatexbase-regs}
78
79
    \RequirePackage{luatexbase-attr}
    \RequirePackage{luatexbase-cctb}
80
    \RequirePackage{luatexbase-mcb}
    \RequirePackage{luatexbase-modutils}
83 \fi
   This is the end, my friend...the end.
84 \lltxb@core@AtEnd
85 (/texpackage)
```

## 3 Test file

Very minimal, just check that the package correctly loads.

```
86 (testplain)\input luatexbase.sty
```

 $87 \langle testlatex \rangle \ensuremath{\mbox{NequirePackage{luatexbase}}} \\ 88 \langle testplain \rangle \ensuremath{\mbox{bye}} \\ 89 \langle testlatex \rangle \ensuremath{\mbox{stop}}$