

受注管理アプリ-536155450 Documentation

Generated at:

2026/2/9 9:34:55



受注管理アプリ

Data Summary

22 Tables

634 Columns

8 Slices

UX Summary

74 Views

3 Format Rules

Behavior Summary

92 Actions

0 Workflow Rules

Short Name 受注管理アプリ

Version 1.000252

Default app folder /appsheet/data/受注管理アプリ-536155450

Runnable? Yes

Deployable? Yes

Personal use only? No

Data

Tables

Table name _Per User Settings

Table name	_Per User Settings
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	No
Data locale	en-US
Schema	_Per User Settings_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name 受注データ

Table name	受注データ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	受注データ_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	受注データ
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets? No

Table name 得意先マスタ

Table name	得意先マスタ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	得意先マスタ_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	得意先マスタ
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name 部門マスタ

Table name	部門マスタ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	部門マスタ_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	部門マスタ
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name プロジェクトマスタ

Table name	プロジェクトマスタ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	プロジェクトマスタ_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	プロジェクトマスタ
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name 担当者マスタ

Table name	担当者マスタ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	担当者マスタ_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	担当者マスタ
Data Source	google
Store for image and file capture	_Default

Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name 直送先マスタ

Table name	直送先マスタ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	直送先マスタ_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	直送先マスタ
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name 受注明細

Table name	受注明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	受注明細_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	受注明細
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name 受注備考

Table name	受注備考
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	受注備考_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	受注備考
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name 受注仕入

Table name	受注仕入
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	受注仕入_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	受注仕入

Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name メニュー

Table name	メニュー
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	メニュー_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet
Worksheet Name/Qualifier	メニュー
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name メニューカテゴリ

Table name	メニューカテゴリ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	メニューカテゴリ_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/appsheet/data/受注管理アプリ-536155450/受注データ.gsheet

Worksheet Name/Qualifier メニューカテゴリ

Data Source google

Store for image and file capture _Default

Column Order List _RowNumber

Partitioned across many files/sources? No

Partitioned across many worksheets? No

Table name 問い合わせ

Table name 問い合わせ

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Shared? Yes

Data locale ja-JP

Schema 問い合わせ_Schema

Are updates allowed? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Source Path 受注データ

Worksheet Name/Qualifier 問い合わせ

Data Source google

Store for image and file capture _Default

Column Order List _RowNumber

Partitioned across many files/sources? No

Partitioned across many worksheets? No

Table name 固定CCマスタ

Table name 固定CCマスタ

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Shared? Yes

Data locale ja-JP

Schema 固定CCマスタ_Schema

Are updates allowed? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Source Path 受注データ

Worksheet Name/Qualifier 固定CCマスタ

Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name 受注備考履歴

Table name	受注備考履歴
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Data locale	ja-JP
Schema	受注備考履歴_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	受注データ
Worksheet Name/Qualifier	受注備考履歴
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for メール送付_受注備考 - 1 Process Table

Table name	Process for メール送付_受注備考 - 1 Process Table
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Schema	Process for メール送付_受注備考 - 1 Process Table_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/ProcessStateTables/1e48f45e-c936-4f42-945a-ee4590b9a86e/087d4da8-ec86-4ba5-a7f9-1274a1769bd7/State Table
Data Source	native

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for 受注兼発注依頼書作成 Process Table

Table name	Process for 受注兼発注依頼書作成 Process Table
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Schema	Process for 受注兼発注依頼書作成 Process Table_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent /ProcessStateTables/1e48f45e-c936-4f42-945a- ee4590b9a86e/4bf294a5-e9b6-4eed-8cc9-f25cccf1f8e1/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ファイルパス設定 Output

Table name	ファイルパス設定 Output
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Schema	ファイルパス設定 Output_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent /ProcessStateTables/1e48f45e-c936-4f42-945a- ee4590b9a86e/4bf294a5-e9b6-4eed-8cc9- f25cccf1f8e1/StepOutput_ファイルパス設定
Source Path	ee4590b9a86e/4bf294a5-e9b6-4eed-8cc9- f25cccf1f8e1/StepOutput_ファイルパス設定
Data Source	native
Store for image and file capture	_Default

Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for 請求書作成 Process Table

Table name	Process for 請求書作成 Process Table
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Schema	Process for 請求書作成 Process Table_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/ProcessStateTables/1e48f45e-c936-4f42-945a-ee4590b9a86e/e516a30d-abed-4895-8c61-ff53fb16a22c/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ファイルパス設定 Output 2

Table name	ファイルパス設定 Output 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Schema	ファイルパス設定 Output 2_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/ProcessStateTables/1e48f45e-c936-4f42-945a-ee4590b9a86e/e516a30d-abed-4895-8c61-ff53fb16a22c/StepOutput_ファイルパス設定
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for メール送付_受注備考 2 t Process Table

Table name	Process for メール送付_受注備考 2 t Process Table
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Schema	Process for メール送付_受注備考 2 t Process Table_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/ProcessStateTables/1e48f45e-c936-4f42-945a-ee4590b9a86e/2e731a6d-876e-4294-94d1-4f4ab7c4e844/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for メール送付_受注備考 - 2 Process Table

Table name	Process for メール送付_受注備考 - 2 Process Table
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Shared?	Yes
Schema	Process for メール送付_受注備考 - 2 Process Table_Schema
Are updates allowed?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Path	/ProcessStateTables/1e48f45e-c936-4f42-945a-ee4590b9a86e/b4902dbd-f5c0-4bb4-a99d-0c73160cac5b/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets? No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Show
Type Qualifier	{"Category": "Text", "Content": "\These options control the content and behavior of the app\\", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: 担当者

Column name	担当者
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref
Type Qualifier	{"ReferencedTableName": "担当者マスター", "ReferencedRootTableName": "担当者マスター", "ReferencedType": "Text", "ReferencedTypeQualifier": "", "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable": true}

```
_If\"":null,\"Reset_If\"":null,\"Suggested_Values\"":null}","Reference
dKeyColumn":"担当者コード
\t","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto",
"Valid_If": "=SELECT(\n 担当者マスタ[担当者コード],\n
ISNOTBLANK([メールアドレ
ス])\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues": ["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"\\"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Type Qualifier	<code>Text"\\"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues": ["English","French","Tamil"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain "Text"\,\"IsMulticolumnKey\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}),"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Type Qualifier	<code>Text"\,\"IsMulticolumnKey\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}),"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value_S":null}
Read-Only	No
Hidden	Yes

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No

Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Schema Name 受注データ_Schema

Schema Name	受注データ_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Column 2: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: 受注日

Column name	受注日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 4: 納期

Column name	納期
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP

Searchable	No
Scannable	No
Sensitive data	No

Column 5: 得意先コード

Column name	得意先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 6: 得意先名

Column name	得意先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain  
Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_  
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Res  
et_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 直送先コード

Column name	直送先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_ nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Res et_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 直送先名

Column name	直送先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 先方担当者名

Column name	先方担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	Yes
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: 部門コード

Column name	部門コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref
Type Qualifier	{"ReferencedTableName":"部門マスター","ReferencedRootTableName":"部門マスター","ReferencedType":"Number","ReferencedTypeQualifier":{"\\".MaxValue\\":null,\\".MinValue\\":null,\\"StepValue\\":null,\\"NumericDigits\\":null,\\"ShowThousandsSeparator\\":true,\\"NumberDisplayMode\\":\\"Auto\\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}","ReferencedKeyColumn":"部門コード","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 11: 担当者コード

Column name	担当者コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "担当者マスター", "ReferencedRootTableName": "担当者マスター", "ReferencedType": "Text", "ReferencedTypeQualifier": {"\"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"PlainText\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null}, "ReferenceKeyColumn": "担当者コード", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 12: 摘要コード

Column name	摘要コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 13: 摘要名

Column name	摘要名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: 請求締日

Column name	請求締日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No

Spreadsheet formula IFERROR(VLOOKUP(RC4,'得意先マスター'!C1:C57,39), "")	
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	Yes
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: 回収種別 1

Column name	回収種別 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(VLOOKUP(RC4,'得意先マスター'!C1:C57,40), "")
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	Yes
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP

Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: 回収種別 2

Column name	回収種別 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(VLOOKUP(RC4,'得意先マスター'!C1:C57,41),"")
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	Yes
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: 種別境界額

Column name	種別境界額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(VLOOKUP(RC4,'得意先マスター'!C1:C57,47),"")
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	Yes
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: 出荷日

Column name	出荷日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: FM情報No

Column name	FM情報No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: FM出荷No

Column name	FM出荷No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: 作成者承認

Column name	作成者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null};"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: 営業担当者承認

Column name	営業担当者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</pre>
Type Qualifier	<pre>Text",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: 課長承認

Column name	課長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</pre>
Type Qualifier	<pre>Text",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP

Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: 部長承認

Column name	部長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum {"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":\n "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Edit able_If":null,"Reset_If":null,"Suggested_Values":null}),"EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: 社長承認

Column name	社長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum { "EnumValues": ["未", "済", "差し戻 し"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "B aseType": "Text", "BaseTypeQualifier": " {}\\MaxLength": null, "\\MinLength": null, "\\LongTextFormatting": " Plain
Type Qualifier	Text", "\\IsMulticolumnKey": false, "\\Valid_If": null, "\\Error_Messa ge_If_Invalid": null, "\\Show_If": null, "\\Required_If": null, "\\Editab le_If": null, "\\Reset_If": null, "\\Suggested_Values": null}, "EnumInpu tMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Sh ow_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Sugg ested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: 郵便番号

Column name	郵便番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_If": null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(VLOOKUP(RC6,'直送先マスタ'!C1:C24,8),"")
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: 住所 1

Column name	住所 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(VLOOKUP(RC6,'直送先マスタ'!C1:C24,9),"")
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: 住所2

Column name	住所2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(VLOOKUP(RC6,'直送先マスター'!C1:C24,10),"")
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: 会社TEL

Column name	会社TEL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(VLOOKUP(RC6,'直送先マスタ'!C1:C24,11),"")
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: 直送先コード_出荷明細

Column name	直送先コード_出荷明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	RC6

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: 直送先名称_出荷明細

Column name	直送先名称_出荷明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	R[1]C7
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes

Scannable	No
Sensitive data	No

Column 32: 受注兼フラグ

Column name	受注兼フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 33: 差し戻し理由

Column name	差し戻し理由
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: 納品時間

Column name	納品時間
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["午前中","14時～16時","16時～18時","18時以降"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":{},"Plain":{},"Text":{},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	<code>Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: 得意先名 2

Column name	得意先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: 直送先名 2

Column name	直送先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(VLOOKUP(RC6,'直送先マスタ'!C1:C24,3),"")
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: 受注兼ファイル

Column name	受注兼ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: 請求書フラグ

Column name	請求書フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: 請求書ファイル

Column name	請求書ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: レンタル開始日

Column name	レンタル開始日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: レンタル終了日

Column name	レンタル終了日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: 直送先担当者名

Column name	直送先担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: データステータス

Column name	データステータス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 44: 統合先受注No

Column name	統合先受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No

Scannable	No
Sensitive data	No

Column 45: 売上日

Column name	売上日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: 伝票No

Column name	伝票No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: 現場名

Column name	現場名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: レンタルID

Column name	レンタルID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: 出荷配送詳細(JSON)

Column name	出荷配送詳細(JSON)
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: 捺印用PDF

Column name	捺印用PDF
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: 配送方法

Column name	配送方法
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: Related 受注明細s

Column name	Related 受注明細s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	受注明細 entries that reference this entry in the 受注No column
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\\"ReferencedTableName\":"受注明細\","ReferencedRootTableName\":"受注明細\","ReferencedType\":"Text\","ReferencedTypeQualifier\":"\\\\"MaxLength\\":null,\\\\"MinLength\\":null,\\\\"LongTextFormatting\\":\\\\"PlainText\\\",\\\\"IsMulticolumnKey\\":false,\\\\"Valid_If\\":null,\\\\"Error_Message_If_Invalid\\":null,\\\\"Show_If\\":null,\\\\"Required_If\\":null,\\\\"Editable_If\\":null,\\\\"Reset_If\\":null,\\\\"Suggested_Values\\":null\}\,\"ReferencedKeyColumn\":"受注明細No\","IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":"Auto\","Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null\}","ItemSeparator":",","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("受注明細", "受注No")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 53: Related 受注備考s

Column name	Related 受注備考s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Description	受注備考 entries that reference this entry in the 受注No column
Type	List <pre>{"ElementType":"Ref","ElementTypeQualifier":" {"ReferencedTableName":"受注備考" , "ReferencedRootTableName":"受注備考" , "ReferencedType":"Text","ReferencedTypeQualifier":" {"MaxLength":null,"MinLength":null,"LongTextFormatting":" {"PlainText":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} , "ReferencedKeyColumn":" {"備考No":false,"IsAPartOf":false,"RelationshipName":null,"InputMode":" {"Auto":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} , "ItemSeparator":"," , "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} } } }</pre>
Type Qualifier	
App formula	REF_ROWS("受注備考", "受注No")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 54: Related 受注仕入s

Column name	Related 受注仕入s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	受注仕入 entries that reference this entry in the 受注No column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":{},"ReferencedTableName\":\"受注仕入\",\"ReferencedRootTableName\":\"受注仕入\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":{},\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":Plain,\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null,\"ReferencedKeyColumn\":\"仕入No\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}"}
App formula	REF_ROWS("受注仕入", "受注No")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 55: 合計金額

Column name	合計金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
App formula	=SUM([Related 受注明細s][受注金額])
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 56: V_営業担当者承認ボタン

Column name	V_営業担当者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""

Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 57: V_部長承認ボタン

Column name	V_部長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: V_社長承認ボタン

Column name	V_社長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: No

Column name	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number

Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value_s":null}
App formula	=COUNT(SELECT(受注データ_担当者[受注No], [_ROWNUMBER] <= [_THISROW].[_ROWNUMBER]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 60: No.

Column name	No.
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value_s":null}
App formula	=COUNT(SELECT(受注データ[_RowNumber], [_ROWNUMBER] <= [_THISROW].[_ROWNUMBER]))
Read-Only	Yes
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 61: 編集

Column name	編集
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes

Scannable	No
Sensitive data	No

Column 62: V_承認

Column name	V_承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("作：", [作成者承認], "担：", [営業担当者承認], "、課：", [部長承認], "、部：" , [部長承認], "、社：" , [社長承認])
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 63: V_部長差し戻しボタン

Column name	V_部長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: V_社長差し戻しボタン

Column name	V_社長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 65: V_営業担当者差し戻しボタン

Column name	V_営業担当者差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: V_出荷明細用

Column name	V_出荷明細用
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: V_作成者承認ボタン

Column name	V_作成者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: V_課長承認ボタン

Column name	V_課長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes

Scannable	No
Sensitive data	No

Column 69: V_作成者差し戻しボタン

Column name	V_作成者差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: V_課長差し戻しボタン

Column name	V_課長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: V_受注兼作成ボタン

Column name	V_受注兼作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: V_請求書作成ボタン

Column name	V_請求書作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 73: V_受注兼アプリボタン

Column name	V_受注兼アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 74: V_役職取得

Column name	V_役職取得
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TEXT(ANY(SELECT(担当者マスタ[役職], [担当者コード] = UserSettings("担当者"))))
Read-Only	Yes
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 75: V_注文書アプリボタン

Column name	V_注文書アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP

Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name 得意先マスタ_Schema

Schema Name	得意先マスタ_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 得意先コード

Column name	得意先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: 得意先名 1

Column name	得意先名 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 得意先名 2

Column name	得意先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes

Scannable	No
Sensitive data	No

Column 5: 会社敬称

Column name	会社敬称
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: フラグ

Column name	フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 会社メールアドレス

Column name	会社メールアドレス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 法人番号

Column name	法人番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 郵便番号

Column name	郵便番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Res

	et_If":null,"Suggested_Values":null}}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: 住所 1

Column name	住所 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 11: 住所 2

Column name	住所 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 12: 会社TEL

Column name	会社TEL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 13: 会社FAX

Column name	会社FAX
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 14: 先方担当者名

Column name	先方担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: 担当敬称

Column name	担当敬称
-------------	------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: 所属部署

Column name	所属部署
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: 役職

Column name	役職
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: 携帯番号

Column name	携帯番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: 担当メールアドレス

Column name	担当メールアドレス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 20: 担当TEL

Column name	担当TEL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 21: 担当FAX

Column name	担当FAX
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 22: 地域別コード

Column name	地域別コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 23: 業種別コード

Column name	業種別コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Column 24: 都道府県別コード

Column name	都道府県別コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	Yes

Column 25: 得区分 4 コード

Column name	得区分 4 コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 26: 得区分 5 コード

Column name	得区分 5 コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number <pre>{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 27: 主担当者コード

Column name	主担当者コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 28: 主部門コード

Column name	主部門コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number

Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 29: 適用壳価

Column name	適用壳価
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: 掛率

Column name	掛率
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 31: 実績管理

Column name	実績管理
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 32: 壳上日印字

Column name	壳上日印字
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 33: 税換算

Column name	税換算
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No

Scannable	No
Sensitive data	No

Column 34: 売単価換算

Column name	売単価換算
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 35: 社店コード

Column name	社店コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: 分類コード

Column name	分類コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: 伝票区分

Column name	伝票区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: 取引先コード

Column name	取引先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain  
Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: 請求先コード

Column name	請求先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: 請求締日

Column name	請求締日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 41: 回収種別 1

Column name	回収種別 1
-------------	--------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum {"EnumValues":["振込","手 形"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain
Type Qualifier	Text"\,\"IsMulticolumnKey":false,\\"Valid_If":null,\\"Error_Messa ge_If_Invalid":null,\\"Show_If":null,\\"Required_If":null,\\"Edita ble_If":null,\\"Reset_If":null,\\"Suggested_Values":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: 回収種別 2

Column name	回収種別 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["現金","振込","手 形"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain

	"Plain
	Text\"},\\"IsMulticolumnKey\":false,\\"Valid_If\":null,\\"Error_Message_If_Invalid\":null,\\"Show_If\":null,\\"Required_If\":null,\\"Editable_If\":null,\\"Reset_If\":null,\\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: 回収日

Column name	回収日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 44: 休日対応

Column name	休日対応
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 45: 休日カレンダー

Column name	休日カレンダー
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: 休日カレンダーネーム

Column name	休日カレンダーネーム
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: 回収方法

Column name	回収方法
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["その他","集金"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"Plain</code>
Type Qualifier	<code>Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: 種別境界額

Column name	種別境界額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 49: 与信限度額

Column name	与信限度額
-------------	-------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 50: 繰越残高

Column name	繰越残高
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 51: 税通知

Column name	税通知
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: 稅端数

Column name	税端数
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 53: 金額端数

Column name	金額端数
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 54: 使用区分

Column name	使用区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["許可","禁止"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"\\"MaxLength\":null,\\"MinLength\":null,\\"LongTextFormatting\\"\":\\"Plain</code>
Type Qualifier	<code>Text\","IsMulticolumnKey\":false,\\"Valid_If\":null,\\"Error_Message_If_Invalid\":null,\\"Show_If\":null,\\"Required_If\":null,\\"Editable_If\":null,\\"Reset_If\":null,\\"Suggested_Values\":null\}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 55: 企業コード 1

Column name	企業コード 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 56: 企業コード 2

Column name	企業コード 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 57: 会社口座コード

Column name	会社口座コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: 会社口座名

Column name	会社口座名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: 得意先備考

Column name	得意先備考
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name 部門マスタ_Schema

Schema Name	部門マスタ_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Au

to","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value_s":null}	
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 部門コード

Column name	部門コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value_s":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: 部門名

Column name	部門名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 倉庫コード

Column name	倉庫コード
-------------	-------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Related 受注データs

Column name	Related 受注データs
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	受注データ entries that reference this entry in the 部門コード column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\\"ReferencedTableName\\"受注データ\\"",\\"ReferencedRootTableName\\"受注データ\\"",\\"ReferencedType\\"Text\",\\\"ReferencedTypeQualifier\\"\\\\"MaxLength\\\":null,\\\\"MinLength\\\":null,\\\\"LongTextFormatting\\\":\\\\"PlainText\\\\",\\\\"IsMulticolumnKey\\\":false,\\\\"Valid_If\\\":null,\\\\"ErrorMessage_If_Invalid\\\":null,\\\\"Show_If\\\":null,\\\\"Required

```
_If\\\"":null,\\\"Editable_If\\\"":null,\\\"Reset_If\\\"":null,\\\"Suggested_Values\\\"":null}),"ReferencedKeyColumn":\"受注No",\"IsAPartOf":false,"RelationshipName":null,"InputMode":\"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}" ,  
,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

App formula	REF_ROWS("受注データ", "部門コード")
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name プロジェクトマスター_Schema

Schema Name	プロジェクトマスター_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row

Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 7° ポジ エクトコード

Column name	7° ポジ エクトコード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: プロパティ名

Column name	プロパティ名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 使用区分

Column name	使用区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Related 受注明細s

Column name	Related 受注明細s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	受注明細 entries that reference this entry in the プロジェクトコード column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":`{\\"ReferencedTableName\\":\\"受注明細\\",\\"ReferencedRootTableName\\":\\"受注明細\\",\\"ReferencedType\\":\\"Text\\",\\"ReferencedTypeQualifier\\":`{\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"Plain Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null}`}

```
_If\\\"":null,\\\"Editable_If\\\"":null,\\\"Reset_If\\\"":null,\\\"Suggested_Values\\\"":null}),"ReferencedKeyColumn":\"受注明細  
No",\"IsAPartOf":false,"RelationshipName":null,"InputMode":\"Auto\",\"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}"  
,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

App formula	REF_ROWS("受注明細", "フロジ エトコード")
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name 担当者マスタ_Schema

Schema Name	担当者マスタ_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row

Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value_S":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 担当者コード

Column name	担当者コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: 担当者名

Column name	担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 部門コード

Column name	部門コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 5: 役職

Column name	役職
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	EnumList
Type Qualifier	{"ItemSeparator":null,"EnumValues":["社長","部長","課長","営業担当者"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":{},"PlainText":{},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null}

	"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: メールアドレス

Column name	メールアドレス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 権限

Column name	権限
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 固定CC

Column name	固定CC
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	EnumList {"ItemSeparator":null,"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Ref","BaseTypeQualifier": {"\\"ReferencedTableName\":\\"固定CCマスター\\"",\\"ReferencedRootTableName\":\\"固定CCマスター\\"",\\"ReferencedType\":\\"Email\\"",\\"ReferencedTypeQualifier\": {\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\",\\"ReferencedKeyColumn\":\\"メールアドレス\\"",\\"IsAPartOf\":false,\\"RelationshipName\":null,\\"InputMode\":\\"Auto\\"",\\"Valid_If\":null,\\"Error_Message_If_Invalid\":null,\\"Show_If\":null,\\"Required_If\":null,\\"Editable_If\":null,\\"Reset_If\":null,\\"Suggested_Values\":null\}",\\"EnumInputMode\":\\"Dropdown\\"",\\"Valid_If\":\\"=固定CCマスター[メールアドレス]\\"",\\"Error_Message_If_Invalid\":null,\\"Show_If\":null,\\"Required_If\":null,\\"Editable_If\":null,\\"Reset_If\":null,\\"Suggested_Values\":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 9: 氏名

Column name	氏名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: フリガナ

Column name	フリガナ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: 部署

Column name	部署
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["本社","東京本社","九州支店","その他"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"Plain</code>
Type Qualifier	<code>Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes

Scannable	No
Sensitive data	No

Column 12: 部署2

Column name	部署2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["顧客サービス部","営業部","開発部","製造部"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":\\"Plain\"},</pre>
Type Qualifier	Text\",\\\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: 部署3

Column name	部署3
-------------	-----

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Related 受注データs

Column name	Related 受注データs
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	受注データ entries that reference this entry in the 担当者コード column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\\"ReferencedTableName\\"受注データ\\"",\\"ReferencedRootTableName\\"受注データ\\"",\\"ReferencedType\\"Text\",\\\"ReferencedTypeQualifier\\"\\\\"MaxLength\\\\"":null,\\"\\\"MinLength\\\\"":null,\\"\\\"LongTextFormatting\\\\"":\\\\"Plain Text\\\\"",\\"\\\"IsMulticolumnKey\\\\"":false,\\"\\\"Valid_If\\\\"":null,\\"\\\"Error_Message_If_Invalid\\\\"":null,\\"\\\"Show_If\\\\"":null,\\"\\\"Required_If\\\\"":null,\\"\\\"Editable_If\\\\"":null,\\"\\\"Reset_If\\\\"":null,\\"\\\"Sugges

	ted_Values\\\"":null\}\\",\"ReferencedKeyColumn\":\"受注 No\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode \":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Sh ow_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":nu ll,\"Suggested_Values\":null}","ItemSeparator":", ,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Re quired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\": null}
App formula	REF_ROWS("受注データ", "担当者コード")
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 15: Related _Per User Settings

Column name	Related _Per User Settings
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	_Per User Settings entries that reference this entry in the 担当者 column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName\":\"_Per User Settings\",\"ReferencedRootTableName\":\"_Per User Settings\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifi er\":\"

```
{
  "MaxLength": null,
  "MinLength": null,
  "LongTextFormatting": "PlainText",
  "IsMulticolumnKey": false,
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
} \"
  "ReferencedKeyColumn": "_THISUSER",
  "IsAPartOf": false,
  "RelationshipName": null,
  "InputMode": "Auto",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
}" ,  

  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
}
```

App formula	REF_ROWS("_Per User Settings", "担当者")
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 16: V_担当者表示用

Column name	V_担当者表示用
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null} \" "ReferencedKeyColumn": "_THISUSER", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }" , "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUBSTITUTE(TEXT(LIST([氏名], [部署], [部署2], [部署3])), " ", " / ")
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Related 受注備考履歴

Column name	Related 受注備考履歴
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	受注備考履歴 entries that reference this entry in the 处理担当者 column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\\"ReferencedTableName\\":\"受注備考履歴\\",\\"ReferencedRootTableName\\":\"受注備考履歴\\",\\"ReferencedType\\":\"Text\",\\\"ReferencedTypeQualifier\\\":\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"PlainText\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\",\\\"ReferencedKeyColumn\\\":\"受注備考履歴ID\\\",\\\"IsAPartOf\\\":false,\\\"RelationshipName\\\":null,\\\"InputMode\\\"}

```
:\\"Auto\\",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","ItemSeparator":"",
    \",\"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

App formula	REF_ROWS("受注備考履歴", "処理担当者")
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name 直送先マスタ_Schema

Schema Name	直送先マスタ_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number

Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 直送先コード

Column name	直送先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 直送先名 1

Column name	直送先名 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 直送先名 2

Column name	直送先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 会社敬称

Column name	会社敬称
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["様","御中"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show

```
w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: フィルタ

Column name	フィルタ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 会社メールアドレス

Column name	会社メールアドレス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 法人番号

Column name	法人番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 郵便番号

Column name	郵便番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: 住所 1

Column name	住所 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 11: 住所 2

Column name	住所 2
-------------	------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 12: 会社TEL

Column name	会社TEL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 13: 会社FAX

Column name	会社FAX
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 14: 先方担当者名

Column name	先方担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: 担当敬称

Column name	担当敬称
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: 所属部署

Column name	所属部署
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: 役職

Column name	役職
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: 携帯番号

Column name	携帯番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: 担当メールアドレス

Column name	担当メールアドレス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 20: 担当TEL

Column name	担当TEL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: 担当FAX

Column name	担当FAX
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: 得意先コード

Column name	得意先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP

Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: 使用区分

Column name	使用区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	<p>Enum</p> <pre>{"EnumValues":["許可","禁止"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":{},"Plain":true,"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	<p>Text</p> <pre>"Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: 企業コード 1

Column name	企業コード1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: 企業コード2

Column name	企業コード2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name 受注明細_Schema

Schema Name	受注明細_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 受注明細No

Column name	受注明細No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Ref
Type Qualifier	{"ReferencedTableName":"受注データ","ReferencedRootTableName":"受注データ","ReferencedType":"Text","ReferencedTypeQualifier":"\\"MaxLength\":null,\\"MinLength\":null,\\"LongTextFormatting\\"\":\"PlainText\","\\IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"受注No","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 4: 商品コード

Column name	商品コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 5: マスター区分

Column name	マスター区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 6: 商品名

Column name	商品名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 倉庫コード

Column name	倉庫コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 8: 入数

Column name	入数
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 9: 箱数

Column name	箱数
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 10: 数量

Column name	数量
-------------	----

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 11: 単位

Column name	単位
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues": ["台", "個", "式"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": {"MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}}

```
w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: 単価

Column name	単価
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 13: 受注金額

Column name	受注金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 14: 原単価

Column name	原単価
-------------	-----

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 15: 原価金額

Column name	原価金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 16: 粗利益

Column name	粗利益
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 17: 外税額

Column name	外税額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 18: 内税額

Column name	内税額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 19: 税区分

Column name	税区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 20: 税込区分

Column name	税込区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 21: 備考

Column name	備考
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: 標準価格

Column name	標準価格
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 23: 自動発注区分

Column name	自動発注区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 24: 売単価

Column name	壳单価
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 25: 壳価金額

Column name	壳価金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 26: 規格・型番

Column name	規格・型番
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 27: 色

Column name	色
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: サイズ

Column name	サイズ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: 計算式コード

Column name	計算式コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 30: 商品項目 1

Column name	商品項目 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 31: 商品項目 2

Column name	商品項目 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number

Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 32: 商品項目 3

Column name	商品項目 3
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 33: 壳上項目 1

Column name	壳上項目 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 34: 壳上項目 2

Column name	壳上項目 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 35: 壳上項目 3

Column name	壳上項目 3
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 36: 税率

Column name	税率
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No

Scannable	No
Sensitive data	No

Column 37: 伝票消費税額

Column name	伝票消費税額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 38: プロジェクトコード

Column name	プロジェクトコード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref
Type Qualifier	{"ReferencedTableName":"プロジェクトマスター","ReferencedRootTableName":"プロジェクトマスター","ReferencedType":"Number","ReferencedTypeQualifier":"",".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}

	cDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}","ReferencedKeyColumn": "7° ロジ エトロー ド","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 39: 受注No2

Column name	受注No2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: 明細納期

Column name	明細納期
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 41: データ区分

Column name	データ区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 42: 商品名 2

Column name	商品名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: 单位区分

Column name	单位区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP

Searchable	No
Scannable	No
Sensitive data	No

Column 44: ロットNo

Column name	ロットNo
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 45: 売上税種別

Column name	売上税種別
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"R

	{"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 46: 原価税込区分

Column name	原価税込区分
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 47: 原価税率

Column name	原価税率
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 48: 原価税種別

Column name	原価税種別
-------------	-------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 49: 出荷済数

Column name	出荷済数
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 50: シリアルNo

Column name	シリアルNo
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: 種別

Column name	種別
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name 受注備考_Schema

Schema Name	受注備考_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number

Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 備考No

Column name	備考No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	=[受注No] & RIGHT("000" & (COUNT(SELECT([備考No], [_THISROW].[受注No] = [受注No])) + 1), 3)
System Defined?	No

Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "受注デー タ", "ReferencedRootTableName": "受注デー タ", "ReferencedType": "Text", "ReferencedTypeQualifier": " \\\"MaxLength\\": null, \\\"MinLength\\": null, \\\"LongTextFormatting\\": " Plain Text\\", \\\"IsMulticolumnKey\\": false, \\\"Valid_If\\": null, \\\"Error_Messa ge_If_Invalid\\": null, \\\"Show_If\\": null, \\\"Required_If\\": null, \\\"Edita ble_If\\": null, \\\"Reset_If\\": null, \\\"Suggested_Values\\": null}, "Reference dKeyColumn": "受注 No", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto" , "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Re quired_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 4: カテゴリ

Column name	カテゴリ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["出荷","請求","その他"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"\\"MaxLength\":null,\\"MinLength\":null,\\"LongTextFormatting\":\\"Plain</code>
Type Qualifier	<code>Text\","IsMulticolumnKey":false,\\"Valid_If\":null,\\"Error_Message_If_Invalid\":null,\\"Show_If\":null,\\"Required_If\":null,\\"Editable_If\":null,\\"Reset_If\":null,\\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 5: 備考

Column name	備考
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 日時

Column name	日時
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=NOW()

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 7: 状況

Column name	状況
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["未処理","完了"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\"Plain</pre>
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}","EnumInputMode": "Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	=未処理

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 8: メール送付

Column name	メール送付
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues": ["未","済"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": "Plain Text\"},\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Type Qualifier	<code>Text\"},\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	=未
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 9: 追加CC

Column name	追加CC
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	EnumList <pre>{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Ref","BaseTypeQualifier":"","ReferencedTableName":"担当者マスター","ReferencedRootTableName":"担当者マスター","ReferencedType":"Text","ReferencedTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":null,"PlainText":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}},{"ReferencedKeyColumn":"担当者コード","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}],"EnumInputMode":"Auto","Valid_If":SELECT(\n 担当者マスター[担当者コード],\n ISNOTBLANK([メールアドレ\nス])\n), "Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: V_状況完了ボタン

Column name	V_状況完了ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: V_メール送付ボタン

Column name	V_メール送付ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: V_CC追加ボタン

Column name	V_CC追加ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Related 受注備考履歴s

Column name	Related 受注備考履歴s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	受注備考履歴 entries that reference this entry in the 受注備考ID column
Type	List <pre>{"ElementType":"Ref","ElementTypeQualifier":" {"\\"ReferencedTableName\\":\\"受注備考履歴 \\",\\"ReferencedRootTableName\\":\\"受注備考履歴 \\",\\"ReferencedType\\":\\"Text\\",\\"ReferencedTypeQualifier\\": {\\"MaxLength\\\":null,\\"MinLength\\\":null,\\"LongTextFor matting\\\":\\\\"Plain Text\\\",\\"IsMulticolumnKey\\\":false,\\"Valid_If\\\":null,\\"Er ror_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required _If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Sugges ted_Values\\\":null\\"},\\"ReferencedKeyColumn\\":\\"受注備考履歴 ID\\",\\"IsAPartOf\\":\false,\\"RelationshipName\\":\null,\\"InputMode\" :\\"Auto\\",\\"Valid_If\\":\null,\\"Error_Message_If_Invalid\\":\null,\\"Sho w_If\\":\null,\\"Required_If\\":\null,\\"Editable_If\\":\null,\\"Reset_If\\":\null ,\\"Suggested_Values\\":\null\\"},\"ItemSeparator\":", \",\"Valid_If\\":\null,\\"Error_Message_If_Invalid\\":\null,\\"Show_If\\":\null,\\"Req uires_If\\":\null,\\"Editable_If\\":\null,\\"Reset_If\\":\null,\\"Suggested_Values\": null\\"}</pre>
Type Qualifier	REF_ROWS("受注備考履歴", "受注備考ID")
App formula	REF_ROWS("受注備考履歴", "受注備考ID")
Read-Only	Yes

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name 受注仕入_Schema

Schema Name	受注仕入_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 仕入No

Column name	仕入No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "受注データ", "ReferencedRootTableName": "受注データ", "ReferencedType": "Text", "ReferencedTypeQualifier": "", "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferencedKeyColumn": "受注No", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 4: 仕入先

Column name	仕入先
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 品名

Column name	品名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 手配日

Column name	手配日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 単価

Column name	単価
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 金額

Column name	金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name メニュー_Schema

Schema Name	メニュー_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: メニューID

Column name	メニューID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	UUID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: メニュータイトル

Column name	メニュータイトル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 遷移先

Column name	遷移先
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 画像

Column name	画像
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Drawing
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 6: 表示順

Column name	表示順
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 7: URL

Column name	URL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: カテゴリ

Column name	カテゴリ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "メニュー", "ReferencedRootTableName": "メニュー", "ReferencedType": "Text", "ReferencedTypeQualifier": null, "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain", "Text": null, "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferencedKeyColumn": "カテゴリ名", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 説明

Column name	説明
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name メニューカテゴリ_Schema

Schema Name	メニューカテゴリ_Schema
-------------	-----------------

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: カテゴリID

Column name	カテゴリID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}

```
{"nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: カテゴリ名

Column name	カテゴリ名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 画像

Column name	画像
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Related メニュー

Column name	Related メニュー
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Description	メニュー entries that reference this entry in the カテゴリ column
Type	List <pre>{"ElementType":"Ref","ElementTypeQualifier":" {"\\"ReferencedTableName\\":\\"メニュー\", "\\"ReferencedRootTableName\\":\\"メニュー\", "\\"ReferencedType\\":\\"Text\", \"ReferencedTypeQualifier\\":\" {\\"MaxLength\\\":null,\\"MinLength\\\":null,\\"LongTextFormatting\\\":\\\"Plain Text\\\", \\"IsMulticolumnKey\\\":false,\\"Valid_If\\\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null\}\", \"ReferencedKeyColumn\\":\\"メニューID\", \"IsAPartOf\\\":false,\\"RelationshipName\":null,\\"InputMode\\":\\"Auto\", \"Valid_If\\\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null\}", \"ItemSeparator\":\",\", \"Valid_If\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null\}</pre>
Type Qualifier	
App formula	REF_ROWS("メニュー", "カテゴリ")
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	ja-JP
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name 問い合わせ_Schema

Schema Name	問い合わせ_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 問い合せID

Column name	問い合わせID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 3: 氏名

Column name	氏名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 修正要望

Column name	修正要望
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 送信日

Column name	送信日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name 固定CCマスター_Schema

Schema Name	固定CCマスター_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number

Type Qualifier	{".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: メールアドレス

Column name	メールアドレス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 3: 表示名

Column name	表示名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name 受注備考履歴_Schema

Schema Name	受注備考履歴_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: _RowNumber

Column name	_RowNumber
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Description	Number of this row
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	No
Scannable	No
Sensitive data	No

Column 2: 受注備考履歴ID

Column name	受注備考履歴ID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	Yes
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 受注備考ID

Column name	受注備考ID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "受注備考", "ReferencedRootTableName": "受注備考", "ReferencedType": "Text", "ReferencedTypeQualifier": {"\\"MaxLength\\": null, "\\"MinLength\\": null, "\\"LongTextFormatting\\": "Plain Text"}, "\\"IsMulticolumnKey\\": false, "\\"Valid_If\\": null, "\\"Error_Message_If_Invalid\\": null, "\\"Show_If\\": null, "\\"Required_If\\": null, "\\"Editable_If\\": null, "\\"Reset_If\\": null, "\\"Suggested_Values\\": null}, "ReferenceKeyColumn": "備考 No", "IsAPartOf": true, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 処理日時

Column name	処理日時
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=NOW()
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 处理担当者

Column name	处理担当者
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "担当者マスター", "ReferencedRootTableName": "担当者マスター", "ReferencedType": "Text", "ReferencedTypeQualifier": "", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain", "Text": "", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferenceIdKeyColumn": "担当者コード", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 处理内容

Column name	处理内容
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	ja-JP
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for メール送付_受注備考 - 1 Process Table_Schema

Schema Name	Process for メール送付_受注備考 - 1 Process Table_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: Instance Id

Column name	Instance Id
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: 備考No

Column name	備考No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "受注データ", "ReferencedRootTableName": "受注データ", "ReferencedType": "Text", "ReferencedTypeQualifier": null, "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain", "Text": null, "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferenceKeyColumn": "受注No", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	受注
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 4: カテゴリ

Column name	カテゴリ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["出荷","請求","その他"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":{},"Plain":true}</pre>
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}),"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 備考

Column name	備考
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 日時

Column name	日時
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 状況

Column name	状况
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["未處理","完了"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"\\"MaxLength\":null,\\"MinLength\":null,\\"LongTextFormatting\":\\"Plain</pre>
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: メール送付

Column name	メール送付
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues": ["未","済"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	Text <pre>Text",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 追加CC

Column name	追加CC
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	EnumList
Type Qualifier	<pre>{"ItemSeparator":null,"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType": "Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>

```
eType":"Ref","BaseTypeQualifier":"
{"ReferencedTableName":"担当者マスタ"
,"ReferencedRootTableName":"担当者マスタ"
,"ReferencedType":"Text","ReferencedTypeQualifier":"
{"MaxLength":null,"MinLength":null,"LongTextFormatting":"
"Plain
Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}),"ReferencedKeyColumn":"担当者コード"
,"IsAPartOf":false,"RelationshipName":null,"InputMode":"
"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}","EnumInputMode":"
"Auto","Valid_If":"
"SELECT(\n 担当者マスタ[担当者コード],\n ISNOTBLANK([メールアドレ
ス])\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: V_状況完了ボタン

Column name	V_状況完了ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: V_メール送付ボタン

Column name	V_メール送付ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: V_CC追加ボタン

Column name	V_CC追加ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Related 受注備考履歴s

Column name	Related 受注備考履歴s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {"\\"ReferencedTableName\\"",\"受注備考履歴\", \\",\"ReferencedRootTableName\\"",\"受注備考履歴\", \\",\"ReferencedType\\"",\"Text\",\"ReferencedTypeQualifier\\"",\"\\\"\\\"MaxLength\\\"\\\"":null,\\"\\\"\\\"MinLength\\\"\\\"":null,\\"\\\"\\\"LongTextFormatting\\\"\\\"":\\\"\\\"PlainText\\\"\\\",\\\"\\\"IsMulticolumnKey\\\"\\\"":false,\\"\\\"Valid_If\\\"\\\"":null,\\"\\\"Error_Message_If_Invalid\\\"\\\"":null,\\"\\\"Show_If\\\"\\\"":null,\\"\\\"Required_If\\\"\\\"":null,\\"\\\"Editable_If\\\"\\\"":null,\\"\\\"Reset_If\\\"\\\"":null,\\"\\\"Suggested_Values\\\"\\\"":null},\"ReferencedKeyColumn\\"",\"受注備考履歴ID\\"",\"IsAPartOf\\"",false,\"RelationshipName\\"",null,\"InputMode\\"",\"Auto\\"",\"Valid_If\\"",null,\"Error_Message_If_Invalid\\"",null,\"Show_If\\"",null,\\"Required_If\\"",null,\\"Editable_If\\"",null,\\"Reset_If\\"",null,\\"Suggested_Values\\"",null}),"ItemSeparator":",\\"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for 受注兼発注依頼書作成 Process Table_Schema

Schema Name	Process for 受注兼発注依頼書作成 Process Table_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: Instance Id

Column name	Instance Id
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 受注日

Column name	受注日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 納期

Column name	納期
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 得意先コード

Column name	得意先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 得意先名

Column name	得意先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 直送先コード

Column name	直送先コード
-------------	--------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 直送先名

Column name	直送先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 先方担当者名

Column name	先方担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: 部門コード

Column name	部門コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Ref
Type Qualifier	{"ReferencedTableName": "部門マスター", "ReferencedRootTableName": "部門マスター", "ReferencedType": "Number", "ReferencedTypeQualifier": "{}", ".MaxValue": null, ".MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayStyle": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferencedKeyColumn": "部門コード", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: 担当者コード

Column name	担当者コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref
Type Qualifier	{"ReferencedTableName": "担当者マスター", "ReferencedRootTableName": "担当者マスター", "ReferencedType": "Text", "ReferencedTypeQualifier": "{}", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain"}

Text\" , "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null} , "Reference_dKeyColumn": "担当者コード", "IsAPartOf":false, "RelationshipName":null, "InputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null}	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: 摘要コード

Column name	摘要コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: 摘要名

Column name	摘要名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: 請求締日

Column name	請求締日
-------------	------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: 回収種別 1

Column name	回収種別 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: 回収種別 2

Column name	回収種別 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: 種別境界額

Column name	種別境界額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: 出荷日

Column name	出荷日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: FM情報No

Column name	FM情報No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: FM出荷No

Column name	FM出荷No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: 作成者承認

Column name	作成者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum {"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":null,"Plain Text"\\"},\\"IsMulticolumnKey":false,\\"Valid_If":null,\\"Error_Message_If_Invalid":null,\\"Show_If":null,\\"Required_If":null,\\"Editable_If":null,\\"Reset_If":null,\\"Suggested_Values":null}},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}
Type Qualifier	Text\\"},\\"IsMulticolumnKey":false,\\"Valid_If":null,\\"Error_Message_If_Invalid":null,\\"Show_If":null,\\"Required_If":null,\\"Editable_If":null,\\"Reset_If":null,\\"Suggested_Values":null}},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: 営業担当者承認

Column name	営業担当者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Type Qualifier	<code>Text",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: 課長承認

Column name	課長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable _If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Type Qualifier	<code>Text",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable _If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: 部長承認

Column name	部長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":\"PlainText\", "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: 社長承認

Column name	社長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":\"PlainText\", "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	aseType": "Text", "BaseTypeQualifier": "
	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain
	Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: 郵便番号

Column name	郵便番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: 住所 1

Column name	住所 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: 住所 2

Column name	住所2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: 会社TEL

Column name	会社TEL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: 直送先コード_出荷明細

Column name	直送先コード_出荷明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: 直送先名称_出荷明細

Column name	直送先名称_出荷明細
-------------	------------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: 受注兼フラグ

Column name	受注兼フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: 差し戻し理由

Column name	差し戻し理由
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: 納品時間

Column name	納品時間
-------------	------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum {"EnumValues":["午前中","14時～16時","16時～18時","18時以降"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"Plain"}
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: 得意先名 2

Column name	得意先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: 直送先名 2

Column name	直送先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 37: 受注兼ファイル

Column name	受注兼ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 38: 請求書フラグ

Column name	請求書フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 39: 請求書ファイル

Column name	請求書ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 40: レンタル開始日

Column name	レンタル開始日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: レンタル終了日

Column name	レンタル終了日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: 直送先担当者名

Column name	直送先担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: データステータス

Column name	データステータス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: 統合先受注No

Column name	統合先受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: 売上日

Column name	売上日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: 伝票No

Column name	伝票No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: 現場名

Column name	現場名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: レンタルID

Column name	レンタルID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: 出荷配送詳細(JSON)

Column name	出荷配送詳細(JSON)
-------------	--------------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: 捺印用PDF

Column name	捺印用PDF
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: 配送方法

Column name	配送方法
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: Related 受注明細s

Column name	Related 受注明細s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\\\"ReferencedTableName\\\"受注備考\\\",\\\"ReferencedRootTableName\\\"受注明細\\\",\\\"ReferencedType\\\"Text\\\",\\\"ReferencedTypeQualifier\\\":\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\"\\\"PlainText\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null\\\"},\\\"ReferencedKeyColumn\\\"受注明細No\\\",\\\"IsAPartOf\\\":false,\\\"RelationshipName\\\":null,\\\"InputMode\\\"Auto\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null\\\"},\\\"ItemSeparator\\\":\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null\\\"}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 53: Related 受注備考s

Column name	Related 受注備考s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\\\"ReferencedTableName\\\"受注備考\\\"}

```

\" , \"ReferencedRootTableName\": \"受注備考
\" , \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \""
{ \\"MaxLength\\\": null, \\"MinLength\\\": null, \\"LongTextFor
matting\\\": \\"Plain
Text\\\", \\"IsMulticolumnKey\\\": false, \\"Valid_If\\\": null, \\"Er
ror_Message_If_Invalid\\\": null, \\"Show_If\\\": null, \\"Required
_If\\\": null, \\"Editable_If\\\": null, \\"Reset_If\\\": null, \\"Sugges
ted_Values\\\": null} , \"ReferencedKeyColumn\": \"備考
No\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode
\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Sh
ow_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": nu
ll, \"Suggested_Values\": null} , \"ItemSeparator\": ,
\"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Re
quired_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\":
null}

```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 54: Related 受注仕入s

Column name	Related 受注仕入s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List
Type Qualifier	{"ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"受注仕入 \", \"ReferencedRootTableName\": \"受注仕入 \", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \"" }

```
{
  "MaxLength": null,
  "MinLength": null,
  "LongTextFormatting": "PlainText",
  "IsMulticolumnKey": false,
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
} \"
  "ReferencedKeyColumn": "仕入No",
  "IsAPartOf": false,
  "RelationshipName": null,
  "InputMode": "Auto",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
} \"
  "ItemSeparator": ",",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 55: 合計金額

Column name	合計金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue": null, ".MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: V_営業担当者承認ボタン

Column name	V_営業担当者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 57: V_部長承認ボタン

Column name	V_部長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: V_社長承認ボタン

Column name	V_社長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: No

Column name	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Column 60: No.

Column name	No.
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: 編集

Column name	編集
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 62: V_承認

Column name	V_承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 63: V_部長差し戻しボタン

Column name	V_部長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: V_社長差し戻しボタン

Column name	V_社長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 65: V_営業担当者差し戻しボタン

Column name	V_営業担当者差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: V_出荷明細用

Column name	V_出荷明細用
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: V_作成者承認ボタン

Column name	V_作成者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: V_課長承認ボタン

Column name	V_課長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 69: V_作成者差し戻しボタン

Column name	V_作成者差し戻しボタン
-------------	--------------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: V_課長差し戻しボタン

Column name	V_課長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: V_受注兼作成ボタン

Column name	V_受注兼作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: V_請求書作成ボタン

Column name	V_請求書作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 73: V_受注兼アプリボタン

Column name	V_受注兼アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 74: V_役職取得

Column name	V_役職取得
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 75: V_注文書アプリボタン

Column name	V_注文書アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 76: ファイルパス設定

Column name	ファイルパス設定
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref {"ReferencedTableName":"ファイルパス設定Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":null,"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null,"ReferenceId":null,"IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name ファイルパス設定 Output_Schema

Schema Name	ファイルパス設定 Output_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: Instance Id

Column name	Instance Id
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 受注日

Column name	受注日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 納期

Column name	納期
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 得意先コード

Column name	得意先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 得意先名

Column name	得意先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 直送先コード

Column name	直送先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 直送先名

Column name	直送先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 先方担当者名

Column name	先方担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: 部門コード

Column name	部門コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref
Type Qualifier	{"ReferencedTableName":"部門マスター","ReferencedRootTableName":"部門マスター","ReferencedType":"Number","ReferencedTypeQualifier":{"\".MaxValue\":null,\".MinValue\":null,\"StepValue\":null,\"NumericalDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"部門コード","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: 担当者コード

Column name	担当者コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <pre>{"ReferencedTableName":"担当者マスター","ReferencedRootTableName":"担当者マスター","ReferencedType":"Text","ReferencedTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain", "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}","ReferenceKeyColumn":"担当者コード","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: 摘要コード

Column name	摘要コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: 摘要名

Column name	摘要名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: 請求締日

Column name	請求締日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: 回収種別 1

Column name	回収種別 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: 回収種別 2

Column name	回収種別 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: 種別境界額

Column name	種別境界額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: 出荷日

Column name	出荷日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: FM情報No

Column name	FM情報No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: FM出荷No

Column name	FM出荷No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: 作成者承認

Column name	作成者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</pre>
Type Qualifier	<pre>Text",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: 営業担当者承認

Column name	営業担当者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain", "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "EnumInputMode": "Auto", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: 課長承認

Column name	課長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain", "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "EnumInputMode": "Auto", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	baseType": "Text", "BaseTypeQualifier": "
	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain
	Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: 部長承認

Column name	部長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType": "Text", "BaseTypeQualifier": "{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain\"}, \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: 社長承認

Column name	社長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"\\"MaxLength\":null,\\"MinLength\":null,\\"LongTextFormatting\\"\":\\"Plain</pre>
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: 郵便番号

Column name	郵便番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: 住所1

Column name	住所1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: 住所2

Column name	住所2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: 会社TEL

Column name	会社TEL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: 直送先コード_出荷明細

Column name	直送先コード_出荷明細
-------------	-------------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: 直送先名称_出荷明細

Column name	直送先名称_出荷明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: 受注兼フラグ

Column name	受注兼フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: 差し戻し理由

Column name	差し戻し理由
-------------	--------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: 納品時間

Column name	納品時間
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["午前中","14時～16時","16時～18時","18時以降"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: 得意先名 2

Column name	得意先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 36: 直送先名 2

Column name	直送先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: 受注兼ファイル

Column name	受注兼ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 38: 請求書フラグ

Column name	請求書フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number {".MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 39: 請求書ファイル

Column name	請求書ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 40: レンタル開始日

Column name	レンタル開始日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: レンタル終了日

Column name	レンタル終了日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: 直送先担当者名

Column name	直送先担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: データステータス

Column name	データステータス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: 統合先受注No

Column name	統合先受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: 売上日

Column name	壳上日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: 伝票No

Column name	伝票No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: 現場名

Column name	現場名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: レンタルID

Column name	レンタルID
-------------	--------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: 出荷配送詳細(JSON)

Column name	出荷配送詳細(JSON)
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: 捺印用PDF

Column name	捺印用PDF
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: 配送方法

Column name	配送方法
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: Related 受注明細s

Column name	Related 受注明細s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName": "受注明細", "ReferencedRootTableName": "受注明細", "ReferencedType": "Text", "ReferencedTypeQualifier": {"MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferencedKeyColumn": "受注明細No", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ItemSeparator": ",", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Req

	uired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 53: Related 受注備考s

Column name	Related 受注備考s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List <pre>{"ElementType":"Ref","ElementTypeQualifier":" {\\"ReferencedTableName\\":\\"受注備考\\", \\"ReferencedRootTableName\\":\\"受注備考\\", \\"ReferencedType\\":\\"Text\\",\\"ReferencedTypeQualifier\\":\\"" {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"PlainText\\", \\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"ErrorMessage_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null\}\\", \\"ReferencedKeyColumn\\":\\"備考No\\", \\"IsAPartOf\\":false,\\"RelationshipName\\":null,\\"InputMode\\":\\"Auto\\", \\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null\}\\", \\"ItemSeparator\\":",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null\}\\" }</pre>
Type Qualifier	

Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 54: Related 受注仕入s

Column name	Related 受注仕入s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List <pre>{"ElementType":"Ref","ElementTypeQualifier":" {"ReferencedTableName":"受注仕入", "ReferencedRootTableName":"受注仕入", "ReferencedType":"Text","ReferencedTypeQualifier":" {"MaxLength":null,"MinLength":null,"LongTextFormatting":" "Plain Text", "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "ReferencedKeyColumn":" 仕入No", "IsAPartOf":false,"RelationshipName":null,"InputMode":" Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "ItemSeparator":",", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	
Read-Only	Yes
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 55: 合計金額

Column name	合計金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Column 56: V_営業担当者承認ボタン

Column name	V_営業担当者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 57: V_部長承認ボタン

Column name	V_部長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: V_社長承認ボタン

Column name	V_社長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: No

Column name	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: No.

Column name	No.
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: 編集

Column name	編集
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 62: V_承認

Column name	V_承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 63: V_部長差し戻しボタン

Column name	V_部長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: V_社長差し戻しボタン

Column name	V_社長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 65: V_営業担当者差し戻しボタン

Column name	V_営業担当者差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: V_出荷明細用

Column name	V_出荷明細用
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: V_作成者承認ボタン

Column name	V_作成者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: V_課長承認ボタン

Column name	V_課長承認ボタン
-------------	-----------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 69: V_作成者差し戻しボタン

Column name	V_作成者差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: V_課長差し戻しボタン

Column name	V_課長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: V_受注兼作成ボタン

Column name	V_受注兼作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: V_請求書作成ボタン

Column name	V_請求書作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 73: V_受注兼アプリボタン

Column name	V_受注兼アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 74: V_役職取得

Column name	V_役職取得
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 75: V_注文書アプリボタン

Column name	V_注文書アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for 請求書作成 Process Table_Schema

Schema Name	Process for 請求書作成 Process Table_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: Instance Id

Column name	Instance Id
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 受注日

Column name	受注日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 納期

Column name	納期
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 得意先コード

Column name	得意先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 得意先名

Column name	得意先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 直送先コード

Column name	直送先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 直送先名

Column name	直送先名
-------------	------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 先方担当者名

Column name	先方担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: 部門コード

Column name	部門コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "部門マスター", "ReferencedRootTableName": "部門マスター", "ReferencedType": "Number", "ReferencedTypeQualifier": {"\\"MaxValue\\": null, \\"MinValue\\": null, \\"StepValue\\": null, \\"NumericalDigits\\": null, \\"ShowThousandsSeparator\\": true, \\"NumberDisplayMode\\": \\"Auto\", \\"Valid_If\\": null, \\"Error_Message_If_Invalid\\": null, \\"Show_If\\": null, \\"Required_If\\": null, \\"Editable_If\\": null, \\"Reset_If\\": null, \\"Suggested_Values\\": null}, "ReferencedKeyColumn": "部門コード", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: 担当者コード

Column name	担当者コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <code>{"ReferencedTableName": "担当者マスター", "ReferencedRootTableName": "担当者マスター", "ReferencedType": "Text", "ReferencedTypeQualifier": {"MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain"}, "Text": "", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferencedKeyColumn": "担当者コード", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: 摘要コード

Column name	摘要コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: 摘要名

Column name	摘要名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: 請求締日

Column name	請求締日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: 回収種別 1

Column name	回収種別 1
-------------	--------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: 回収種別 2

Column name	回収種別 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: 種別境界額

Column name	種別境界額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: 出荷日

Column name	出荷日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: FM情報No

Column name	FM情報No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: FM出荷No

Column name	FM出荷No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: 作成者承認

Column name	作成者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum

Type Qualifier	{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: 営業担当者承認

Column name	営業担当者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}

```
tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: 課長承認

Column name	課長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <pre>{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":{},"Plain":{},"Text":{},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}</pre>
Type Qualifier	<pre>Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: 部長承認

Column name	部長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain</code>
Type Qualifier	<code>Text"\\"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: 社長承認

Column name	社長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":\br/>"Plain</code>
Type Qualifier	<code>Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Edita ble_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: 郵便番号

Column name	郵便番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: 住所1

Column name	住所1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: 住所2

Column name	住所2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: 会社TEL

Column name	会社TEL
-------------	-------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: 直送先コード_出荷明細

Column name	直送先コード_出荷明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: 直送先名称_出荷明細

Column name	直送先名称_出荷明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: 受注兼フラグ

Column name	受注兼フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: 差し戻し理由

Column name	差し戻し理由
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: 納品時間

Column name	納品時間
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["午前中","14時～16時","16時～18時","18時以降"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":\\"Plain</code>
Type Qualifier	<code>Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 35: 得意先名 2

Column name	得意先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: 直送先名 2

Column name	直送先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: 受注兼ファイル

Column name	受注兼ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 38: 請求書フラグ

Column name	請求書フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 39: 請求書ファイル

Column name	請求書ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 40: レンタル開始日

Column name	レンタル開始日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: レンタル終了日

Column name	レンタル終了日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: 直送先担当者名

Column name	直送先担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: データステータス

Column name	データステータス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: 統合先受注No

Column name	統合先受注No
-------------	---------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: 壳上日

Column name	壳上日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: 伝票No

Column name	伝票No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: 現場名

Column name	現場名
-------------	-----

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: レンタルID

Column name	レンタルID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: 出荷配送詳細(JSON)

Column name	出荷配送詳細(JSON)
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: 捺印用PDF

Column name	捺印用PDF
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: 配送方法

Column name	配送方法
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: Related 受注明細s

Column name	Related 受注明細s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	<pre>{"ElementType":"Ref","ElementTypeQualifier":" {"ReferencedTableName\":\"受注明細 \","ReferencedRootTableName\":\"受注明細 \","ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":" {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormat\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\"Valid_If\\\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null\}\",\"ReferencedKeyColumn\":\"受注明細 No\","IsAPartOf\\\":false,\"RelationshipName\\\":null,\"InputMode \":\"Auto\","Valid_If\\\":null,\"Error_Message_If_Invalid\\\":null,\"Show_If\\\":null,\"Required_If\\\":null,\"Editable_If\\\":null,\"Reset_If\\\":null,\\"Suggested_Values\\\":null\}","ItemSeparator":", \",\"Valid_If\\\":null,\"Error_Message_If_Invalid\\\":null,\"Show_If\\\":null,\"Required_If\\\":null,\"Editable_If\\\":null,\"Reset_If\\\":null,\"Suggested_Values\\\":null\}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 53: Related 受注備考s

Column name	Related 受注備考s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List <pre>{"ElementType":"Ref","ElementTypeQualifier":" {\\"ReferencedTableName\\":\\"受注備考 \\",\\"ReferencedRootTableName\\":\\"受注備考 \\",\\"ReferencedType\\":\\"Text\\",\\"ReferencedTypeQualifier\\":\\"" {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\"Valid_If\\\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null},\\"ReferencedKeyColumn\\":\\"備考 No\\",\\"IsAPartOf\\\":false,\\"RelationshipName\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null}","ItemSeparator":", ",\\"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	<pre>No\\",\\"IsAPartOf\\\":false,\\"RelationshipName\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null}","ItemSeparator":", ",\\"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 54: Related 受注仕入s

Column name	Related 受注仕入s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List <pre>{"ElementType":"Ref","ElementTypeQualifier":" {\\"ReferencedTableName\\":\\"受注仕入 \\",\\"ReferencedRootTableName\\":\\"受注仕入 \\",\\"ReferencedType\\":\\"Text\\",\\"ReferencedTypeQualifier\\":\\"" {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\"Valid_If\\\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null},\\"ReferencedKeyColumn\\":\\"仕入 No\\",\\"IsAPartOf\\\":false,\\"RelationshipName\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\\":null,\\"Error_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required_If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Suggested_Values\\\":null}","ItemSeparator":", ",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</pre>
Type Qualifier	<pre>Read-Only Hidden Label Formula version Reset on edit? System Defined? Key Part of Key? Fixed definition? Editable Initial Value? Virtual? Searchable Scannable</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 55: 合計金額

Column name	合計金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: V_営業担当者承認ボタン

Column name	V_営業担当者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 57: V_部長承認ボタン

Column name	V_部長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: V_社長承認ボタン

Column name	V_社長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: No

Column name	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: No.

Column name	No.
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number <pre>{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: 編集

Column name	編集
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 62: V_承認

Column name	V_承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 63: V_部長差し戻しボタン

Column name	V_部長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: V_社長差し戻しボタン

Column name	V_社長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 65: V_営業担当者差し戻しボタン

Column name	V_営業担当者差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: V_出荷明細用

Column name	V_出荷明細用
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: V_作成者承認ボタン

Column name	V_作成者承認ボタン
-------------	------------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: V_課長承認ボタン

Column name	V_課長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 69: V_作成者差し戻しボタン

Column name	V_作成者差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: V_課長差し戻しボタン

Column name	V_課長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: V_受注兼作成ボタン

Column name	V_受注兼作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: V_請求書作成ボタン

Column name	V_請求書作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 73: V_受注兼アプリボタン

Column name	V_受注兼アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 74: V_役職取得

Column name	V_役職取得
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 75: V_注文書アプリボタン

Column name	V_注文書アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 76: ファイルパス設定

Column name	ファイルパス設定
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref

Type Qualifier	{"ReferencedTableName": "ファイルパス設定 Output 2", "ReferencedRootTableName": null, "ReferencedType": "Text", "ReferencedTypeQualifier": {"\\"MaxLength\\": null, "\\"MinLength\\": null, "\\"LongTextFormatting\\": "\\"Plain Text\\", "\\"IsMulticolumnKey\\": false, "\\"Valid_If\\": null, "\\"Error_Message_If_Invalid\\": null, "\\"Show_If\\": null, "\\"Required_If\\": null, "\\"Editable_If\\": null, "\\"Reset_If\\": null, "\\"Suggested_Values\\": null}, "ReferencedKeyColumn": "Instance Id", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name ファイルパス設定 Output 2_Schema

Schema Name	ファイルパス設定 Output 2_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: Instance Id

Column name	Instance Id
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 受注日

Column name	受注日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 納期

Column name	納期
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 得意先コード

Column name	得意先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 得意先名

Column name	得意先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 直送先コード

Column name	直送先コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: 直送先名

Column name	直送先名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 先方担当者名

Column name	先方担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: 部門コード

Column name	部門コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref

Type Qualifier	{"ReferencedTableName": "部門マスター", "ReferencedRootTableName": "部門マスター", "ReferencedType": "Number", "ReferencedTypeQualifier": "{}", ".MaxValue": null, ".MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferencedKeyColumn": "部門コード", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: 担当者コード

Column name	担当者コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref
Type Qualifier	{"ReferencedTableName": "担当者マスター", "ReferencedRootTableName": "担当者マスター", "ReferencedType": "Text", "ReferencedTypeQualifier": "{}", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain", "Text": "", "IsMulticolumnKey": false, "Valid_If": null, "Error_Messa

```
ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}),"Reference dKeyColumn":"担当者コード","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: 摘要コード

Column name	摘要コード
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: 摘要名

Column name	摘要名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: 請求締日

Column name	請求締日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: 回収種別 1

Column name	回収種別 1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: 回収種別 2

Column name	回収種別 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: 種別境界額

Column name	種別境界額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: 出荷日

Column name	出荷日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: FM情報No

Column name	FM情報No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: FM出荷No

Column name	FM出荷No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: 作成者承認

Column name	作成者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum {"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":null,"Plain Text"\\"},\\"IsMulticolumnKey":false,\\"Valid_If":null,\\"Error_Message_If_Invalid":null,\\"Show_If":null,\\"Required_If":null,\\"Editable_If":null,\\"Reset_If":null,\\"Suggested_Values":null}},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}
Type Qualifier	Text\\"},\\"IsMulticolumnKey":false,\\"Valid_If":null,\\"Error_Message_If_Invalid":null,\\"Show_If":null,\\"Required_If":null,\\"Editable_If":null,\\"Reset_If":null,\\"Suggested_Values":null}},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: 営業担当者承認

Column name	営業担当者承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\" Plain Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Type Qualifier	<code>Text",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: 課長承認

Column name	課長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["未","済","差し戻 し"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"B aseType":"Text","BaseTypeQualifier": {"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\": "Plain Text"},\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Type Qualifier	<code>Text",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Messa ge_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editab le_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}","EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: 部長承認

Column name	部長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":\"PlainText\", "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: 社長承認

Column name	社長承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum
Type Qualifier	{"EnumValues":["未","済","差し戻し"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":\"PlainText\", "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	aseType": "Text", "BaseTypeQualifier": "
	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain
	Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: 郵便番号

Column name	郵便番号
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: 住所1

Column name	住所1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: 住所2

Column name	住所2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: 会社TEL

Column name	会社TEL
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: 直送先コード_出荷明細

Column name	直送先コード_出荷明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: 直送先名称_出荷明細

Column name	直送先名称_出荷明細
-------------	------------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: 受注兼フラグ

Column name	受注兼フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: 差し戻し理由

Column name	差し戻し理由
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: 納品時間

Column name	納品時間
-------------	------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum {"EnumValues":["午前中","14時～16時","16時～18時","18時以降"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"Plain"}
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: 得意先名 2

Column name	得意先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: 直送先名 2

Column name	直送先名 2
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 37: 受注兼ファイル

Column name	受注兼ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 38: 請求書フラグ

Column name	請求書フラグ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 39: 請求書ファイル

Column name	請求書ファイル
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 40: レンタル開始日

Column name	レンタル開始日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: レンタル終了日

Column name	レンタル終了日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: 直送先担当者名

Column name	直送先担当者名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: データステータス

Column name	データステータス
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: 統合先受注No

Column name	統合先受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: 売上日

Column name	売上日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: 伝票No

Column name	伝票No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: 現場名

Column name	現場名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: レンタルID

Column name	レンタルID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: 出荷配送詳細(JSON)

Column name	出荷配送詳細(JSON)
-------------	--------------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: 捺印用PDF

Column name	捺印用PDF
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: 配送方法

Column name	配送方法
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: Related 受注明細s

Column name	Related 受注明細s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\\\"ReferencedTableName\\\"受注備考\\\",\\\"ReferencedRootTableName\\\"受注明細\\\",\\\"ReferencedType\\\"Text\\\",\\\"ReferencedTypeQualifier\\\":\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\"\\\"PlainText\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null\\\"},\\\"ReferencedKeyColumn\\\"受注明細No\\\",\\\"IsAPartOf\\\":false,\\\"RelationshipName\\\":null,\\\"InputMode\\\"Auto\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null\\\"},\\\"ItemSeparator\\\":\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null\\\"}
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 53: Related 受注備考s

Column name	Related 受注備考s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\\\"ReferencedTableName\\\"受注備考\\\"}

	<code>\",\"ReferencedRootTableName\":\"受注備考 \",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFor matting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Er ror_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required _If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Sugges ted_Values\\\":null}\",\"ReferencedKeyColumn\":\"備考 No\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode \":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Sh ow_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":nu ll,\"Suggested_Values\":null}","ItemSeparator":", ,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Re quired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": null}</code>
Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 54: Related 受注仕入s

Column name	Related 受注仕入s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List
Type Qualifier	<code>{"ElementType":"Ref","ElementTypeQualifier": {\\"ReferencedTableName\":\"受注仕入 \",\"ReferencedRootTableName\":\"受注仕入 \",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"</code>

```
{
  "MaxLength": null,
  "MinLength": null,
  "LongTextFormatting": "PlainText",
  "IsMulticolumnKey": false,
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
} \"
  "ReferencedKeyColumn": "仕入No",
  "IsAPartOf": false,
  "RelationshipName": null,
  "InputMode": "Auto",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
},
  "ItemSeparator": ",",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
}
```

Read-Only	Yes
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 55: 合計金額

Column name	合計金額
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue": null, ".MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No

Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: V_営業担当者承認ボタン

Column name	V_営業担当者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 57: V_部長承認ボタン

Column name	V_部長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: V_社長承認ボタン

Column name	V_社長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: No

Column name	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Column 60: No.

Column name	No.
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Number
Type Qualifier	{".MaxValue":null,".MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: 編集

Column name	編集
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 62: V_承認

Column name	V_承認
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 63: V_部長差し戻しボタン

Column name	V_部長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: V_社長差し戻しボタン

Column name	V_社長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 65: V_営業担当者差し戻しボタン

Column name	V_営業担当者差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: V_出荷明細用

Column name	V_出荷明細用
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: V_作成者承認ボタン

Column name	V_作成者承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: V_課長承認ボタン

Column name	V_課長承認ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 69: V_作成者差し戻しボタン

Column name	V_作成者差し戻しボタン
-------------	--------------

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: V_課長差し戻しボタン

Column name	V_課長差し戻しボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: V_受注兼作成ボタン

Column name	V_受注兼作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: V_請求書作成ボタン

Column name	V_請求書作成ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 73: V_受注兼アプリボタン

Column name	V_受注兼アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 74: V_役職取得

Column name	V_役職取得
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 75: V_注文書アプリボタン

Column name	V_注文書アプリボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for メール送付_受注備考 2 t Process Table_Schema

Schema Name	Process for メール送付_受注備考 2 t Process Table_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: Instance Id

Column name	Instance Id
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: 問い合せID

Column name	問い合わせID
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 氏名

Column name	氏名
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: 修正要望

Column name	修正要望
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 送信日

Column name	送信日
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for メール送付_受注備考 - 2 Process Table_Schema

Schema Name	Process for メール送付_受注備考 - 2 Process Table_Schema
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Column 1: Instance Id

Column name	Instance Id
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: 備考No

Column name	備考No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: 受注No

Column name	受注No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Ref <pre>{"ReferencedTableName":"受注データ","ReferencedRootTableName":"受注データ","ReferencedType":"Text","ReferencedTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferenceKeyColumn":"受注No","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: カテゴリ

Column name	カテゴリ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues":["出荷","請求","その他"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"Plain</code>
Type Qualifier	<code>Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null\\}"},\"EnumInputMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null\\}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: 備考

Column name	備考
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: 日時

Column name	日時
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	DateTime

Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: 状況

Column name	状況
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum {"EnumValues":["未処理","完了"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{},"MaxLength":null,"MinLength":null,"LongTextFormatting":{},"Plain":{},"Text":{},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	Text","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: メール送付

Column name	メール送付
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Enum <code>{"EnumValues": ["未","済"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text"}, "IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} , "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Type Qualifier	<code>Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: 追加CC

Column name	追加CC
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	<p>EnumList</p> <pre>{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Ref","BaseTypeQualifier":"","ReferencedTableName":"担当者マスター","ReferencedRootTableName":"担当者マスター","ReferencedType":"Text","ReferencedTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":Plain,"Text":null,"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}},{"ReferencedKeyColumn":"担当者コード","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}],"EnumInputMode":"Auto","Valid_If":SELECT(\n 担当者マスター[担当者コード],\n ISNOTBLANK([メールアドレ\nス]))\n),"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: V_状況完了ボタン

Column name	V_状況完了ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: V_メール送付ボタン

Column name	V_メール送付ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: V_CC追加ボタン

Column name	V_CC追加ボタン
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Related 受注備考履歴s

Column name	Related 受注備考履歴s
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Type	List <pre>{"ElementType":"Ref","ElementTypeQualifier":" {"ReferencedTableName\":\"受注備考履歴 \","ReferencedRootTableName\":\"受注備考履歴 \","ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":" {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFor matting\\":\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\"Valid_If\\\":null,\\"Er ror_Message_If_Invalid\\\":null,\\"Show_If\\\":null,\\"Required _If\\\":null,\\"Editable_If\\\":null,\\"Reset_If\\\":null,\\"Sugges ted_Values\\\":null}\",\"ReferencedKeyColumn\":\"受注備考履歴 ID\","IsAPartOf":false,\"RelationshipName\":null,\"InputMode\" :\"Auto\","Valid_If\\\":null,\"Error_Message_If_Invalid\\\":null,\"Sho w_If\\\":null,\"Required_If\\\":null,\"Editable_If\\\":null,\"Reset_If\\\":null ,\\"Suggested_Values\\\":null}","ItemSeparator":", \",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Re quired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\": null}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Slices

Slice Name 明細作成

Slice Name	明細作成
Slice Columns	_RowNumber 受注明細No 受注No 商品コード マスター区分 商品名 倉庫コード 入数 箱数 数量 単位 単価 受注金額 原単価 原価金額 粗利益 外税額 内税額 税区分 税込区分 備考 標準価格 自動発注区分 売単価 売価金額 規格・型番 色 サイズ 計算式コード 商品項目 1 商品項目 2

商品項目 3	
売上項目 1	
売上項目 2	
売上項目 3	
税率	
伝票消費税額	
フリゲートコード	
受注No2	
明細納期	
データ区分	
商品名 2	
単位区分	
ロットNo	
売上税種別	
原価税込区分	
原価税率	
原価税種別	
出荷済数	
シリアルNo	
種別	
Row filter condition	=[数量]<>0
Update mode	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Table	受注明細
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Slice Actions	**auto**

Slice Name 受注データ_承認

Slice Name	受注データ_承認
Slice Columns	<p>_RowNumber</p> <p>受注No</p> <p>担当者コード</p> <p>作成者承認</p> <p>営業担当者承認</p> <p>課長承認</p> <p>部長承認</p> <p>社長承認</p> <p>V_作成者承認ボタン</p> <p>V_営業担当者承認ボタン</p> <p>V_課長承認ボタン</p> <p>V_部長承認ボタン</p> <p>V_社長承認ボタン</p>

郵便番号	
住所1	
住所2	
会社TEL	
直送先コード_出荷明細	
直送先名称_出荷明細	
差し戻し理由	
V_作成者差し戻しボタン	
V_営業担当者差し戻しボタン	
V_課長差し戻しボタン	
V_部長差し戻しボタン	
V_社長差し戻しボタン	
納品時間	
得意先名2	
V_承認	
直送先名2	
得意先名	
直送先名	
受注兼ファイル	
受注兼フラグ	
請求書フラグ	
請求書ファイル	
レンタル開始日	
レンタル終了日	
直送先担当者名	
データステータス	
統合先受注No	
売上日	
伝票No	
現場名	
レンタルID	
出荷配送詳細(JSON)	
捺印用PDF	
配送方法	
Update mode	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Table	受注データ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Slice Actions	**auto**

Slice Name 受注データ_担当者

Slice Name 受注データ_担当者

Slice Columns

_RowNumber
受注No
V_受注兼アプリボタン
受注日
納期
得意先コード
直送先コード
先方担当者名
部門コード
担当者コード
摘要コード
摘要名
請求締日
回収種別1
回収種別2
種別境界額
出荷日
FM情報No
FM出荷No
部長承認
社長承認
Related 受注明細s
Related 受注備考s
Related 受注仕入s
合計金額
V_営業担当者承認ボタン
V_部長承認ボタン
V_社長承認ボタン
No
郵便番号
住所1
住所2
会社TEL
No.
編集
直送先コード_出荷明細
直送先名称_出荷明細
V_承認
差し戻し理由
V_部長差し戻しボタン
V_社長差し戻しボタン
V_営業担当者差し戻しボタン
納品時間

	得意先名 2
	直送先名 2
	得意先名
	直送先名
	V_出荷明細用
	受注兼ファイル
	受注兼フラグ
	請求書フラグ
	請求書ファイル
	レンタル開始日
	レンタル終了日
	直送先担当者名
	データステータス
	統合先受注No
	売上日
	伝票No
	現場名
	レンタルID
	出荷配送詳細(JSON)
	捺印用PDF
	配送方法
Row filter condition	=[担当者コード] = UserSettings("担当者")
Update mode	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Table	受注データ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Slice Actions	**auto**

Slice Name 受注明細_担当者

Slice Name	受注明細_担当者
Slice Columns	_RowNumber 受注明細No 受注No 商品コード マスター区分 商品名 倉庫コード 入数 箱数 数量 単位 単価

受注金額
原単価
原価金額
粗利益
外税額
内税額
税区分
税込区分
備考
標準価格
自動発注区分
売単価
売価金額
規格・型番
色
サイズ
計算式コード
商品項目 1
商品項目 2
商品項目 3
売上項目 1
売上項目 2
売上項目 3
税率
伝票消費税額
プロセスコード
受注No2
明細納期
データ区分
商品名 2
単位区分
ロットNo
売上税種別
原価税込区分
原価税率
原価税種別
出荷済数
シリアルNo
種別

Row filter condition	=IN([受注No], 受注データ_担当者[受注No])
Update mode	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Table	受注明細

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Slice Actions	**auto**

Slice Name 受注備考_担当者

Slice Name	受注備考_担当者
	_RowNumber
	備考No
	受注No
	カテゴリ
	備考
	日時
Slice Columns	状況
	メール送付
	V_状況完了ボタン
	V_メール送付ボタン
	追加CC
	V_CC追加ボタン
	Related 受注備考履歴s
Row filter condition	=IN([受注No], 受注データ_担当者[受注No])
Update mode	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Table	受注備考
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Slice Actions	**auto**

Slice Name 表示用カテゴリ

Slice Name	表示用カテゴリ
	_RowNumber
	カテゴリID
Slice Columns	カテゴリ名
	画像
	Related メニューS
Row filter condition	=OR([カテゴリ名] <> "3.マスター", ANY(SELECT(担当者マスター[権限], [担当者コード] = UserSettings("担当者"))) = "管理者")
Update mode	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Table	メニューカテゴリ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Slice Actions	**auto**

Slice Name Slice_CC入力用

Slice Name	Slice_CC入力用
Slice Columns	_RowNumber 備考No 追加CC Related 受注備考履歴s
Update mode	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Table	受注備考
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Slice Actions	**auto**

Slice Name 受注データ_営業事務

Slice Name	受注データ_営業事務
Slice Columns	_RowNumber 受注No V_受注兼アプリボタン 受注日 納期 得意先コード 直送先コード 先方担当者名 部門コード 担当者コード 摘要コード 摘要名 請求締日 回収種別 1 回収種別 2 種別境界額 出荷日 FM情報No FM出荷No 部長承認 社長承認 Related 受注明細s Related 受注備考s Related 受注仕入s 合計金額 V_営業担当者承認ボタン V_部長承認ボタン V_社長承認ボタン No

郵便番号	
住所1	
住所2	
会社TEL	
No.	
編集	
直送先コード_出荷明細	
直送先名称_出荷明細	
V_承認	
差し戻し理由	
V_部長差し戻しボタン	
V_社長差し戻しボタン	
V_営業担当者差し戻しボタン	
納品時間	
得意先名2	
直送先名2	
得意先名	
直送先名	
V_出荷明細用	
受注兼ファイル	
受注兼フラグ	
請求書フラグ	
請求書ファイル	
レンタル開始日	
レンタル終了日	
直送先担当者名	
データステータス	
統合先受注No	
売上日	
伝票No	
現場名	
レンタルID	
出荷配送詳細(JSON)	
捺印用PDF	
配送方法	
Row filter condition	= [データステータス] = "提出済み"
Update mode	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Source Table	受注データ
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Slice Actions	**auto**

UX

Views

View name アプリに関する問い合わせ・要望

View name	アプリに関する問い合わせ・要望
Created by	App owner
View type	form
Position	left
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction": "**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name メインメニュー

View name	emainメニュー
Created by	App owner
View type	card
ActionType	Square Image
Position	left most
View configuration	{"Layout":{"style":{"type":"style","color": {"type":"variable","value":"primaryText","id":"7169c5f7-dbee-4c27-a791-511f7aa9c621"},"border": {"type":"variable","value":"cardBorderStyle","id":"f9076ec2-0ce1-4f43-aa33-931db7a81a6b"},"borderRadius": {"type":"variable","value":"cardBorderRadius","id":"6e963164-4fdb-4465-98b7-39a473ed83b9"},"borderColor": {"type":"variable","value":"cardOutline","id":"16a98c4c-cc48-41a2-ae6d-617de4d9b573"},"display":"flex","flexDirection":"column","backgroundColor": {"type":"variable","value":"mainContentBackground","id":"bd58227d-e947-4c65-889b-1e4e256752e3"},"fontSize":16,"highlightedUpdate": {"type":"style","border":

```
{"type":"variable","value":"cardBorderStyleSelected","id":"9b25ff41-e47d-47a9-8196-f7fff56315cf"},"borderColor": {"type":"variable","value":"focusColor","id":"4ad754d3-e83d-4a28-91a6-bc371cc9f3c6"},"id":"8be221c0-7fdb-43ce-86f9-7a17df1d6011"}, "id":"bf49015e-053c-4635-b2bf-a3afe738ec61"}, "children": [{"style": {"type": "style", "display": "flex", "alignItems": "center", "padding": 8, "cursor": "pointer", "backgroundColor": {"type": "variable", "value": "mainContentBackground", "id": "0cadcd2ef-e515-4884-8ba4-d900d3144ba4"}, "borderRadius": {"type": "variable", "value": "cardBorderRadius", "id": "4e8f1eea-7107-4c27-b488-f03ae18bc8b0"}, "transition": "background 0.8s", "hover": {"type": "style", "background": {"type": "variable", "value": "cardHoverBackground", "id": "d220ae1c-9b38-45ec-b75a-b03d8592fede"}, "boxShadow": {"type": "variable", "value": "cardHoverShadow", "id": "d220ae1c-9b38-45ec-b75a-b03d8592fede"}, "transition": "background 0.8s", "id": "b10155de-960d-4680-99ab-12250e16f9ee"}, "highlighted": {"type": "style", "background": {"type": "variable", "value": "tableRowFocus", "id": "d220ae1c-9b38-45ec-b75a-b03d8592fed3"}, "id": "b10155de-960d-4680-99ab-12250e16f94e"}, "highlightedUpdate": {}}, "down": {"type": "style", "background": {"type": "variable", "value": "cardHoverBackground", "id": "21f41bc4-1d8f-4212-a6e4-057bd3a8fe0b"}, "transition": "background 0.8s", "id": "9205c7a9-35ed-4237-b9c8-92d448dc9b11"}, "id": "41561a21-2f97-490c-9ca2-d0f862f55568"}, "children": [{"value": "画像", "child": {"id": "mainImage", "type": "image", "style": {"type": "style", "overflow": "hidden", "width": 70, "height": 70, "borderRadius": "2px", "objectFit": "cover", "flex": "0 0 70px", "alignItems": "center", "justifyContent": "center", "id": "bc54d99e-c9a5-4f7c-bc5a-7ff388247636"}}, "id": "28502c76-f322-4bee-a3dd-3517932edb72", "type": "binding"}], "style": {"type": "style", "display": "flex", "flexDirection": "column", "marginLeft": 16, "flexShrink": 1, "flexGrow": 0, "overflow": "hidden", "id": "1b750d3d-d245-4672-a22d-e194832d833c"}, "children": [{"value": "カテゴリ名", "child": {"id": "labelText", "type": "text", "style": {"type": "style", "id": "507ee6fc-c860-445f-880a-c8682b6bd878"}, "ignore": false}, "id": "3f58a5eb-8102-4b18-b70c-81c3721275d3", "type": "binding", "ignore": false}, {"child": {"id": "subtitleText", "type": "text", "style": {"type": "style", "opacity": 0.6, "fontSize": 12, "maxHeight": 40, "id": "0211ba9-6-1cee-43ff-a277-dc8081acdd07"}, "ignore": true}, "id": "af00a19c-2913-"}]
```

```
444c-a6cf-f10de41f6961","type":"binding"}],"id":"cc8e8bdf-8cbf-45fd-9bf6-3cc2da557703","type":"container"}, {"style": {"type": "style", "justifyContent": "flex-end", "flexGrow": 1, "display": "flex", "id": "03e8ac10-f699-4b0e-b962-c2f9b1beb94e"}, "children": [{"style": {"type": "style", "color": {"id": "ellipsisColor", "type": "variable", "value": "primaryText"}, "id": "8b08656d-9f66-48c3-8fb9-d9be8cb69378"}, "items": [{"style": {"type": "style", "id": "771c2038-f239-4584-9a68-8e870783c818"}, "onClick": {"value": "\u2264 ニュ\u0301ー", "id": "8969b669-2c65-49b4-8068-f388d058d3af"}, "type": "action"}, {"icon": {"type": "constant", "value": "fa-paper-plane", "id": "e1d07767-257b-4bd2-80c4-cfe0773a3bde"}, "text": {"value": "\u2264 ニュ\u0301ー", "id": "ae79459c-e025-4fb9-b8a5-a67c1951a6fa"}, "type": "actionDisplayText"}, {"id": "cb2b0d60-7def-4900-93be-de47d032c897"}, {"type": "systemAction"}, {"style": {"type": "style", "id": "cda5f0a8-23ef-44a3-9ac3-4b25a63c857f"}, "onClick": {"value": "Edit", "id": "9164b27a-0247-493c-91fe-5759897fd40b"}, "type": "action"}, {"icon": {"type": "constant", "value": "fa-edit", "id": "c7e376a4-a10d-4255-a9d2-8e38bef4cea"}, "text": {"value": "Edit", "id": "9414fa56-e4d7-4ac7-942db88c1433122b"}, "type": "actionDisplayText"}, {"id": "e09dfed3-b0ba-4a3a-9d32-f1f34f7b82cb"}, {"type": "systemAction"}, {"style": {"type": "style", "id": "f62e1913-b059-422a-a0ce-c6c1ed939c19"}, "onClick": {"value": "Delete", "id": "b4573f97-1ca8-48ea-bffb-e03966b053c9"}, "type": "action"}, {"icon": {"type": "constant", "value": "fa-trash-alt", "id": "67e305c4-18ca-47c6-b221-38bb5634e8bd"}, "text": {"value": "Delete", "id": "b75ef34e-a76d-4ce7-8ab8-5be5dc3ad59b"}, "type": "actionDisplayText"}, {"id": "c65d949d-a0ae-44ef-a7a0-1c3be8b647eb"}, {"type": "systemAction"}]}, {"id": "cdf524ff-9a78-4f03-8b01-e5bde99d56fc"}, {"type": "ellipsisMenu"}], "id": "c0bf415a-39e0-4d21-990a-f3fc8afae169"}, {"type": "container"}, {"onClick": {"value": "\u2264 ニュ\u0301ー", "id": "bfaf6abf-c1a8-4e20-b27f-24e65c0da7a1"}, {"type": "action", "ignore": false}, {"id": "357a17b3-b454-405e-9a77-59fd604173ce"}, {"type": "container", "ignore": false}], "name": "list", "variables": [{"name": "imageName", "value": "https://www.appsheet.com/Content/editor/img/empty-media-template.png"}, {"name": "labelName", "value": "Title goes here"}], "version": 0, "id": "a89b72c9-97cf-43a7-8b48-b3daf0733a83"}, {"type": "container", "ignore": false}, {"MainDeckImageColumn": "**auto**", "ImageShape": "Square"}]
```

```
Image","PrimaryDeckHeaderColumn": "**auto**","SecondaryDeckHeaderColumn": "**auto**","DeckSummaryColumn": "**auto**","DeckNestedTableColumn": null,"ShowActionBar": true,"ActionColumns": [],"ActionBarEntries": [],"GroupBy": [],"GroupAggregate": "NONE","SortBy": [],"PrimarySortColumn": null,"IsPrimarySortDescending": false,"Events": [],"Icon": "fa-list-ul","IconRunnerUps": null,"MenuOrder": 1}
```

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name Settings

View name	Settings
Created by	App owner
View type	form
Position	menu
View configuration	{"ColumnOrder": null,"AutoSave": false,"AutoReopen": false,"FinishView": "メインメニュー", "RowKey": "onlyvalue", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "FormSaved", "EventAction": "**auto**"}], "Icon": "fa-gear", "IconRunnerUps": null, "MenuOrder": 1000}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	⚙️
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name Form_CC入力

View name	Form_CC入力
Created by	App owner
View type	form
Position	ref
View configuration	{"ColumnOrder": null,"AutoSave": false,"AutoReopen": false,"FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "FormSaved", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon 

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name プロジェクトマスタ

View name プロジェクトマスタ

Created by App owner

View type table

Position ref

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
```

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon 

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name プロジェクトマスタ_Detail

View name プロジェクトマスタ_Detail

Created by System

View type detail

ActionType Automatic

Position ref

```
{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon 

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name プロジェクトマスタ_Form

View name プロジェクトマスタ_Form

Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction": "**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name メニュー

View name	メニュー
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"7169c5f7-dbee-4c27-a791-511f7aa9c621"},"border":{"type":"variable","value":"cardBorderStyle","id":"da01ffca-3460-4114-879e-cb406069f7b9"},"borderRadius":{"type":"variable","value":"cardBorderRadius","id":"f57cdfb1-8c21-4456-afd3-ac646853caa1"},"borderColor":{"type":"variable","value":"cardOutline","id":"dcf20edc-a546-45e5-87b4-6d35147afb1a"},"display":"flex","flexDirection":"column","backgroundColor":{"type":"variable","value":"mainContentBackground","id":"bd58227de947-4c65-889b-1e4e256752e3"},"fontSize":16,"highlightedUpdate":{"type":"style","border":{"type":"variable","value":"cardBorderStyleSelected","id":"c8a619ee-09c2-48aa-a06d-2f4293ab9bd8"},"borderColor":{"type":"variable","value":"focusColor","id":"c80d7ac6-32ff-409e-9a79-9d6c1d2a07d2"},"id":"d7e64ba3-6b54-4405-99d7-19862d451a12"},"id":"bf49015e-053c-4635-b2bf-a3afe738ec61"},"children":[{"style":{"type":"style","display":"flex","alignItems":"center","padding":8,"cursor":

```
"pointer","backgroundColor":  
{"type":"variable","value":"mainContentBackground","id":"0cadcd2ef-e515-4884-8ba4-d900d3144ba4"},"borderRadius":  
{"type":"variable","value":"cardBorderRadius","id":"4843ad87-eb7d-4f12-b5b6-fd8d106fb3ca"},"transition":"background 0.8s","hover":  
{"type":"style","background":  
{"type":"variable","value":"cardHoverBackground","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede"},"boxShadow":  
{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede"},"transition":"background  
0.8s","id":"b10155de-960d-4680-99ab-12250e16f9ee"},"highlighted":  
{"type":"style","background":  
{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-b75a-b03d8592fed3"},"id":"b10155de-960d-4680-99ab-  
12250e16f94e"},"highlightedUpdate":{},"down":  
{"type":"style","background":  
{"type":"variable","value":"cardHoverBackground","id":"21f41bc4-1d8f-4212-a6e4-057bd3a8fe0b"},"transition":"background  
0.8s","id":"9205c7a9-35ed-4237-b9c8-  
92d448dc9b11"},"id":"41561a21-2f97-490c-9ca2-d0f862f55568"},"children":[{"value":"画像","child":  
{"id":"mainImage","type":"image","style":  
{"type":"style","overflow":"hidden","width":70,"height":70,"borderRadius":  
"2px","objectFit":"cover","flex":0  
0  
70px,"alignItems":"center","justifyContent":"center","id":"bc54d99e-c9a5-4f7c-bc5a-7ff388247636}},"id":"28502c76-f322-4bee-a3dd-  
3517932edb72","type":"binding"}, {"style":  
{"type":"style","display":"flex","flexDirection":"column","marginLeft":16,  
flexShrink":1,"flexGrow":0,"overflow":"hidden","id":"1b750d3d-d245-  
4672-a22d-e194832d833c"},"children":[{"value":"メニュー タイト  
ル","child": {"id":"labelText","type":"text","style":  
{"type":"style","id": "507ee6fc-c860-445f-880a-c8682b6bd878"}}, {"id": "3f58a5eb-8102-4b18-b70c-  
81c3721275d3","type":"binding"}, {"value":"説明","child":  
{"id":"subtitleText","type":"text","style":  
{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id": "0211ba96-1cee-43ff-a277-dc8081acdd07"}, "ignore":false}, {"id": "af00a19c-2913-444c-a6cf-f10de41f6961,"type":"binding", "ignore":false}], "id": "cc8e8bdf-8cbf-45fd-9bf6-3cc2da557703","type":"container"}, {"style":  
{"type":"style","justifyContent":"flex-end","flexGrow":1,"display":"flex","id": "03e8ac10-f699-4b0e-b962-c2f9b1beb94e"}],"children": [{"style": {"type": "style", "color":
```

```
{"id":"ellipsisColor","type":"variable","value":"primaryText"},"id":"dcd082c2-f931-4c66-80f0-a1cac2b39788"},"items":[{"style":{"type":"style","id":"771c2038-f239-4584-9a68-8e870783c818"}, "onClick": {"value": "対応するVIEW", "id": "8969b669-2c65-49b4-8068-f388d058d3af", "type": "action"}, "icon": {"type": "constant", "value": "fa-paper-plane", "id": "e1d07767-257b-4bd2-80c4-cfe0773a3bde"}, "text": {"value": "対応するVIEW", "id": "ae79459c-e025-4fbdb8a5-a67c1951a6fa", "type": "actionDisplayText"}, "id": "cb2b0d60-7def-4900-93be-de47d032c897", "type": "systemAction"}], {"style": {"type": "style", "id": "cda5f0a8-23ef-44a3-9ac3-4b25a63c857f"}, "onClick": {"value": "Webアプリ遷移", "id": "9164b27a-0247-493c-91fe-5759897fd40b", "type": "action"}, "icon": {"type": "constant", "value": "fa-paper-plane", "id": "c7e376a4-a10d-4255-a9d2-8e38bef4cea"}, "text": {"value": "Webアプリ遷移", "id": "9414fa56-e4d7-4ac7-942d-b88c1433122b", "type": "actionDisplayText"}, "id": "e09dfed3-b0ba-4a3a-9d32-f1f34f7b82cb", "type": "systemAction"}], {"style": {"type": "style", "id": "f62e1913-b059-422a-a0ce-c6c1ed939c19"}, "onClick": {"value": "遷移テスト", "id": "b4573f97-1ca8-48ea-bffb-e03966b053c9", "type": "action"}, "icon": {"type": "constant", "value": "fa-paper-plane", "id": "67e305c4-18ca-47c6-b221-38bb5634e8bd"}, "text": {"value": "遷移テスト", "id": "b75ef34e-a76d-4ce7-8ab8-5be5dc3ad59b", "type": "actionDisplayText"}, "id": "c65d949d-a0ae-44ef-a7a0-1c3be8b647eb", "type": "systemAction"}], {"id": "cdf524ff-9a78-4f03-8b01-e5bde99d56fc", "type": "ellipsisMenu"}], {"id": "c0bf415a-39e0-4d21-990a-f3fc8afae169", "type": "container"}], "onClick": {"value": "遷移テスト", "id": "bfaf6abf-c1a8-4e20-b27f-24e65c0da7a1", "type": "action", "ignore": false}, "id": "357a17b3-b454-405e-9a77-59fd604173ce", "type": "container", "ignore": false}], "name": "list", "variables": [{"name": "imageName", "value": "https://www.appsheet.com/Content/editor/img/empty-media-template.png"}, {"name": "labelName", "value": "Title goes here"}], "version": 0, "id": "a89b72c9-97cf-43a7-8b48-b3daf0733a83", "type": "container", "ignore": false}, "MainDeckImageColumn": {"**auto**", "ImageShape": "Square Image"}, "PrimaryDeckHeaderColumn": {"**auto**"}, "SecondaryDeckHeaderColumn": {"**auto**"}, "DeckSummaryColumn": {"**auto**"}, "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns":}
```

	[],"ActionBarEntries":[],"GroupBy":[{"Column":"カテゴリー","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[{"Column":"表示順","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name メニュー_Detail

View name	メニュー_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name メニュー_Form

View name	メニュー_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "FormSaved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon 

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name メニュー_INLINE

View name メニュー_INLINE

Created by System

View type table

Position ref

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
```

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon 

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name メニューカテゴリ_Detail

View name メニューカテゴリ_Detail

Created by System

View type detail

ActionType Automatic

Position ref

```
{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon 

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name メニューカテゴリ_Form

View name メニューカテゴリ_Form

Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction": "**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 一覧

View name	一覧
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 備考

View name	備考
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["V_メール送付ボタン","V_CC追加ボタン","受注No","備考","日時","状況","V_状況完了ボタン","追加CC"],"GroupBy":[{"Column":"カテゴリ","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events"}

```
:[{"EventType":"Row Selected","EventAction": "***auto***"}, "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ

View name	受注データ
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["編集", "V_出荷明細用", "No.", "V_受注兼アプリボタン", "V_請求書作成ボタン", "請求書ファイル", "V_注文書アプリボタン", "受注No", "統合先受注No", "V_承認", "得意先コード", "得意先名", "得意先名 2", "担当者コード", "出荷日", "納期", "納品時間", "直送先コード", "直送先名", "直送先名 2", "先方担当者名", "郵便番号", "住所 1", "住所 2", "会社TEL", "受注日", "部門コード", "摘要コード", "摘要名", "請求締日", "回収種別 1", "回収種別 2", "種別境界額", "FM情報No", "FM出荷No", "合計金額"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "***auto***"}, "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}]
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_Detail

View name	受注データ_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "***auto***", "DetailContentColumn": "***none***", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["受注No", "得意先コード", "担当者コード", "出荷日", "納期", "直送先コード", "先方担当者名", "郵便番号", "住所 1", "住所 2", "会社TEL", "受注日", "請求締日", "回収種別 1", "回収種別 2", "種別境界額", "部門コード", "摘要コード", "摘要名", "FM情報No", "FM出荷No", "部長承認", "社長承認", "合計金額"]}

```
額"]],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":30,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_Form

View name	受注データ_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["受注No","受注日","納期","得意先コード","得意先名","直送先コード","直送先名","先方担当者名","部門コード","担当者コード","摘要コード","摘要名","請求締日","回収種別1","回収種別2","種別境界額","出荷日","FM情報No","FM出荷No","郵便番号","住所1","住所2","会社TEL","直送先コード_出荷明細","直送先名称_出荷明細","納品時間","得意先名2","直送先名2","レンタル開始日","レンタル終了日","合計金額","V_営業担当者承認ボタン","V_部長承認ボタン","V_社長承認ボタン","No","No.","編集","V_部長差し戻しボタン","V_社長差し戻しボタン","V_営業担当者差し戻しボタン","V_出荷明細用","V_作成者承認ボタン","V_課長承認ボタン","V_作成者差し戻しボタン","V_課長差し戻しボタン","V_受注兼作成ボタン","V_請求書作成ボタン","V_受注兼アプリボタン"],"AutoSize":false,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction": "**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_Inline

View name	受注データ_Inline
Created by	System
View type	table

Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	田
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_営業事務

View name	受注データ_営業事務
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["編集集","V_出荷明細用","V_受注兼アプリボタン","No","受注No","V_承認","得意先コード","得意先名","得意先名 2 ","担当者コード","出荷日","納期","納品時間","直送先コード","直送先名","直送先名 2 ","先方担当者名","郵便番号","住所 1 ","住所 2 ","会社TEL","受注日","部門コード","摘要コード","摘要名","請求締日","回収種別 1 ","回収種別 2 ","種別境界額","FM情報No","FM出荷No","合計金額"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	≡
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_承認

View name	受注データ_承認
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["受注No","担当者コード","V_作成者承認ボタン","V_作成者差し戻しボタン","作成者承認","V_営業担当者承認ボタン","V_営業担当者差し戻し"]}

```
ボタン","営業担当者承認","V_課長承認ボタン","V_課長差し戻しボタン","課長承認","V_部長承認ボタン","V_部長差し戻しボタン","部長承認","V_社長承認ボタン","V_社長差し戻しボタン","社長承認"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_承認_Detail

View name	受注データ_承認_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["部長承認","社長承認","受注No","担当者コード","V_部長承認ボタン","V_社長承認ボタン"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_承認_Form

View name	受注データ_承認_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form"}]}

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_担当者

View name	受注データ_担当者
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["編集","V_出荷明細用","V_受注兼アプリボタン","No","受注No","V_承認","得意先コード","得意先名","得意先名 2 ","担当者コード","出荷日","納期","納品時間","直送先コード","直送先名","直送先名 2 ","先方担当者名","郵便番号","住所 1 ","住所 2 ","会社TEL","受注日","部門コード","摘要コード","摘要名","請求締日","回収種別 1 ","回収種別 2 ","種別境界額","FM情報No","FM出荷No","合計金額"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_担当者_Detail

View name	受注データ_担当者_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration

```
{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注データ_担当者_Form

View name

受注データ_担当者_Form

Created by

System

View type

form

Position

ref

View configuration

```
{"ColumnOrder": ["受注No", "受注日", "納期", "得意先コード", "得意先名", "直送先コード", "直送先名", "先方担当者名", "部門コード", "担当者コード", "摘要コード", "摘要名", "請求締日", "回収種別1", "回収種別2", "種別境界額", "出荷日", "FM情報No", "FM出荷No", "郵便番号", "住所1", "住所2", "会社TEL", "直送先コード_出荷明細", "直送先名称_出荷明細", "納品時間", "得意先名2", "直送先名2", "レンタル開始日", "レンタル終了日", "合計金額", "V_営業担当者承認ボタン", "V_部長承認ボタン", "V_社長承認ボタン", "No", "No.", "編集", "V_部長差し戻しボタン", "V_社長差し戻しボタン", "V_営業担当者差し戻しボタン", "V_出荷明細用"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注仕入

View name

受注仕入

Created by

App owner

View type

table

Position

ref

View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注仕入_Detail

View name	受注仕入_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	►
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注仕入_Form

View name	受注仕入_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注仕入_INLINE

View name

受注仕入_INLINE

Created by

System

View type

table

Position

ref

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
```

View configuration

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考

View name

受注備考

Created by

App owner

View type

dashboard

Position

ref

```
{"ViewEntries":[{"ViewName":"受注データ","ViewSize":"Wide"}, {"ViewName":"受注明細","ViewSize":"Small"}, {"ViewName":"備考","ViewSize":"Small"}], "InteractiveMode":true, "ShowTabs":false, "Events":[], "Icon":"fa-list-ul", "IconRunnerUps":null, "MenuOrder":1}
```

View configuration

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考_DETAIL

View name

受注備考_DETAIL

Created by

System

View type

detail

ActionType

Automatic

Position

ref

View configuration

```
{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考_Form

View name

受注備考_Form

Created by

System

View type

form

Position

ref

```
{"ColumnOrder": ["受注No", "カテゴリ", "備考", "V_状況完了ボタン", "V_メール送付ボタン"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
```

View configuration

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考_Inline

View name

受注備考_Inline

Created by

System

View type

table

Position

ref

```
{"ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1}
```

View configuration

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考_営業事務

View name	受注備考_営業事務
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["受注No"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考_担当者

View name	受注備考_担当者
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["V_メール送付ボタン","V_CC追加ボタン","受注No","備考","日時","状況","V_状況完了ボタン","追加CC"],"GroupBy":[{"Column":"カテゴリ","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考履歴_Detail

View name	受注備考履歴_Detail
Created by	System
View type	detail

ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考履歴_Form

View name	受注備考履歴_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注備考履歴_Inline

View name	受注備考履歴_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["受注備考ID", "処理日時", "処理担当者", "処理内容"], "GroupBox": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": []}

```
:[{"EventType":"Row Selected","EventAction": "***auto***"}, "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	田
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注兼

View name	受注兼
Created by	App owner
View type	dashboard
Position	ref
View configuration	{"ViewEntries": [{"ViewName": "受注データ", "ViewSize": "Wide"}, {"ViewName": "受注明細", "ViewSize": "Small"}, {"ViewName": "備考", "ViewSize": "Small"}], "InteractiveMode": true, "ShowTabs": false, "Events": [], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	≡
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注兼_営業事務

View name	受注兼_営業事務
Created by	App owner
View type	dashboard
Position	ref
View configuration	{"ViewEntries": [{"ViewName": "受注データ_営業事務", "ViewSize": "Wide"}, {"ViewName": "受注明細_営業事務", "ViewSize": "Small"}, {"ViewName": "受注備考_営業事務", "ViewSize": "Small"}], "InteractiveMode": true, "ShowTabs": false, "Events": [], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	≡
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注兼_担当者

View name	受注兼_担当者
Created by	App owner
View type	dashboard

Position	ref
View configuration	{"ViewEntries":[{"ViewName":"受注データ_担当者","ViewSize":"Wide"}, {"ViewName":"受注明細_担当者","ViewSize":"Small"}, {"ViewName":"受注備考_担当者","ViewSize":"Small"}], "InteractiveMode":true, "ShowTabs":false, "Events":[], "Icon":"fa-list-ul", "IconRunnerUps":null, "MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注兼コメント

View name	受注兼コメント
Created by	App owner
View type	dashboard
Position	ref
View configuration	{"ViewEntries":[{"ViewName":"受注データ","ViewSize":"Tall"}], "InteractiveMode":true, "ShowTabs":false, "Events":[], "Icon":"fa-list-ul", "IconRunnerUps":null, "MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注明細

View name	受注明細
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default", "EnableQuickEdit":false, "ColumnOrder":["商品コード", "商品名", "数量", "単位", "単価", "受注金額", "原価金額"], "GroupBy":[], "GroupAggregate":"NONE", "SortBy":[], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events":[{"EventType":"Row Selected", "EventAction": "**auto**"}], "Icon":"fa-list-ul", "IconRunnerUps":null, "MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注明細_Detail

View name	受注明細_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 10, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": {}, "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注明細_Form

View name	受注明細_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "FormSaved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注明細_Inline

View name	受注明細_Inline
Created by	System
View type	table
Position	ref

View configuration

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注明細_營業事務

View name

受注明細_營業事務

Created by

App owner

View type

table

Position

ref

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
```

View configuration

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注明細_担当者

View name

受注明細_担当者

Created by

App owner

View type

table

Position

ref

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
```

View configuration

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注明細_担当者_Detail

View name	受注明細_担当者_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": {}, "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 受注明細_担当者_Form

View name	受注明細_担当者_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 問い合わせ_Detail

View name	問い合わせ_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration

```
{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 問い合わせ_Form

View name

問い合わせ_Form

Created by

System

View type

form

Position

ref

View configuration

```
{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 固定CCマスタ

View name

固定CCマスタ

Created by

App owner

View type

table

Position

ref

View configuration

```
{"ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}
```

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Icon



Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 固定CCマスタ_Detail

View name	固定CCマスタ_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":{},"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 固定CCマスタ_Form

View name	固定CCマスタ_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"FormSaved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	📝
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 得意先マスタ

View name	得意先マスタ
Created by	App owner

View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[{"Column":"回収種別","Order":"Ascending"}],"GroupAggregate":"COUNT","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 得意先マスタ_Detail

View name	得意先マスタ_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 得意先マスタ_Form

View name	得意先マスタ_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form"}]}

```
Saved","EventAction": "***auto***"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
```

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent



Icon

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 承認

View name 承認

Created by App owner

View type dashboard

Position ref

```
{"ViewEntries":[{"ViewName":"受注データ_承認","ViewSize":"Tall"}, {"ViewName":"受注明
```

```
細","ViewSize":"Wide"}],"InteractiveMode":true,"ShowTabs":false,"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
```

View configuration

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent



Icon

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 担当者マスタ

View name 担当者マスタ

Created by App owner

View type table

Position ref

```
{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[], "GroupBy":[], "GroupAggregate":"NONE", "SortBy":[] , "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events": [{"EventType":"Row Selected", "EventAction": "***auto***"}], "Icon":"fa-list-ul", "IconRunnerUps":null, "MenuOrder":1}
```

View configuration

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent



Icon

Menu order Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 担当者マスタ_Detail

View name 担当者マスタ_Detail

Created by System

View type detail

ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 担当者マスタ_Form

View name	担当者マスタ_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 明細作成

View name	明細作成
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 明細作成_Detail

View name	明細作成_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 明細作成_Form

View name	明細作成_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"FormSaved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	📝
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 直送先マスタ

View name	直送先マスタ
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 直送先マスタ_Detail

View name	直送先マスタ_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": []}, {"PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 直送先マスタ_Form

View name	直送先マスタ_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Aut

Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 表示用カテゴリ_Detail

View name	表示用カテゴリ_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 表示用カテゴリ_Form

View name	表示用カテゴリ_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	

Menu order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 部門マスタ

View name	部門マスタ
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction": "**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 部門マスタ_Detail

View name	部門マスタ_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	☰
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

View name 部門マスタ_Form

View name	部門マスタ_Form
Created by	System
View type	form

Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":":**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"FormSaved","EventAction":":**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Icon	
Menu order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Format Rules

Rule name 営業担当者承認_未

Rule name	営業担当者承認_未
Format these columns and actions	_action_営業担当者承認
For this data	受注データ
If this condition is true	=["営業担当者承認"]="未"
Rule order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Rule name 部長承認_未

Rule name	部長承認_未
Format these columns and actions	V_部長承認ボタン
For this data	受注データ
If this condition is true	=["部長承認"]="未"
Rule order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Is this format rule disabled?	No

Like this

```
{"textColor":"red","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
```

Visible?

```
Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
```

Rule name 社長承認_未

Rule name	社長承認_未
Format these columns and actions	V_社長承認ボタン __action__社長承認
For this data	受注データ
If this condition is true	=[社長承認]="未"
Rule order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Is this format rule disabled?	No
Like this	<pre>{"textColor":"red","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</pre>
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Behavior

Actions

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{ "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	

For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	+
For a record of this table	受注データ
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	trash

For a record of this table	得意先マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	得意先マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Call Phone (郵便番号)

Action name	Call Phone (郵便番号)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Number":"[郵便番号]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Attach to column	郵便番号
Set this column	郵便番号
Only if this condition is true	NOT(ISBLANK([郵便番号]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	得意先マスタ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Send SMS (郵便番号)

Action name	Send SMS (郵便番号)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Number": "[郵便番号]","Message": "", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	郵便番号
Set this column	郵便番号
Only if this condition is true	NOT(ISBLANK([郵便番号]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	得意先マスタ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Compose Email (担当メールアドレス)

Action name	Compose Email (担当メールアドレス)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"EmailTo": "[担当メールアドレス]", "Subject": null, "Body": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	担当メールアドレス
Set this column	担当メールアドレス
Only if this condition is true	NOT(ISBLANK([担当メールアドレス]))
Disable automatic updates?	No
Action icon	
For a record of this table	得意先マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	

For a record of this table	得意先マスター
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	部門マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Disable automatic updates?	No
Action icon	
For a record of this table	部門マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	部門マスター
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Disable automatic updates?	No
Action icon	
For a record of this table	プロジェクトマスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	プロジェクトマスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}

Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	+
For a record of this table	プロジェクトマスター
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":""}, "ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	trash
For a record of this table	担当者マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay"}, "NeedsConfirmation":false}

	e,"ConfirmationMessage":","", "ModifiesData":true,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	担当者マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":","", "ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	担当者マスター
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (部門コード)

Action name	View Ref (部門コード)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	部門コード
Set this column	部門コード
Only if this condition is true	NOT(ISBLANK([部門コード]))
Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (担当者コード)

Action name	View Ref (担当者コード)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E9%83%A8%E9%96%80%E3%83%9E%E3%82%B9%E3%82%BF&row=\")", "EncodeURL":true}, {"Prominence":"Display_Inline", "NeedsConfirmation":false, "ConfirmationMessage":"","ModifiesData":false, "BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	担当者コード
Set this column	担当者コード
Only if this condition is true	NOT(ISBLANK([担当者コード]))
Disable automatic updates?	No
Action icon	

For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	直送先マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Disable automatic updates?	No
Action icon	
For a record of this table	直送先マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	直送先マスター
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Call Phone (郵便番号)

Action name	Call Phone (郵便番号)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Number": "[郵便番号]", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}

Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	郵便番号
Set this column	郵便番号
Only if this condition is true	NOT(ISBLANK([郵便番号]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	直送先マスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Send SMS (郵便番号)

Action name	Send SMS (郵便番号)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Number": "[郵便番号]", "Message": "", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	郵便番号
Set this column	郵便番号
Only if this condition is true	NOT(ISBLANK([郵便番号]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	直送先マスター
Does this action apply to the whole table?	No

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":","", "ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注明細
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":","", "ModifiesData":true,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注明細

Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":","", "ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	+
For a record of this table	受注明細
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (受注No)

Action name	View Ref (受注No)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E5%8F%97%E6%B3%A8%E3%83%87%E3%83%BC%E3%82%BF&row =\", ENCODEURL([受注No]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":","", "ModifiesData":false,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	受注No
Set this column	受注No

Only if this condition is true	NOT(ISBLANK([受注No]))
Disable automatic updates?	No
Action icon	
For a record of this table	受注明細
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (フロジ エクトコード)

Action name	View Ref (フロジ エクトコード)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E3%83%97%E3%83%AD%E3%82%B8%E3%82%A7%E3%82%AF%E3%83%88%E3%83%9E%E3%82%B9%E3%82%BF&row=\" , ENCODEURL([フロジ エクトコード])) , "Prominence":"Display_Inline" , "NeedsConfirmation":false , "ConfirmationMessage":"","ModifiesData":false , "BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	フロジ エクトコード
Set this column	フロジ エクトコード
Only if this condition is true	NOT(ISBLANK([フロジ エクトコード]))
Disable automatic updates?	No
Action icon	
For a record of this table	受注明細
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
-------------	--------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注備考
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注備考
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注備考
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注仕入
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注仕入
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注仕入
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (受注No)

Action name	View Ref (受注No)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E5%8F%97%E6%B3%A8%E3%83%87%E3%83%BC%E3%82%BF&row=\")", "EncodeUrl":true}, {"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	受注No
Set this column	受注No
Only if this condition is true	NOT(ISBLANK([受注No]))
Disable automatic updates?	No
Action icon	
For a record of this table	受注仕入
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (受注No)

Action name	View Ref (受注No)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E5%8F%97%E6%B3%A8%E3%83%87%E3%83%BC%E3%82%BF&row=\")", "EncodeUrl":true}, {"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
With these properties	

Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	受注No
Set this column	受注No
Only if this condition is true	NOT(ISBLANK([受注No]))
Disable automatic updates?	No
Action icon	
For a record of this table	受注備考
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	メニュー
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No

Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	メニュー
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	メニュー
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 対応するVIEW

Action name	対応するVIEW
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget": "="LINKTOVIEW([遷移先])","Prominence": "Display_Prominently","NeedsConfirmation": false,"ConfirmationMessage": "", "ModifiesData": false,"BulkApplicable": false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	遷移先
Only if this condition is true	=ISBLANK([URL])
Disable automatic updates?	No
Action icon	
For a record of this table	メニュー
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Webアプリ遷移

Action name	Webアプリ遷移
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget": "="[URL],"LaunchExternal": false,"Prominence": "Display_Prominentiy","NeedsConfirmation": false,"ConfirmationMessage": "", "ModifiesData": false,"BulkApplicable": false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	遷移先
Only if this condition is true	=[メニュータイトル] = "Webアプリ　TXT取り込み"
Disable automatic updates?	No
Action icon	
For a record of this table	メニュー

Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Open Url (URL)

Action name	Open Url (URL)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget": "[URL]", "LaunchExternal": false, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	URL
Set this column	URL
Only if this condition is true	NOT(ISBLANK([URL]))
Disable automatic updates?	No
Action icon	
For a record of this table	メニュー
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 遷移テスト

Action name	遷移テスト
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Actions": [{"ActionName": "対応するVIEW"}, {"ActionName": "Web アプリ遷移"}, {"ActionName": "出荷ダッシュボード"}]}

Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	メニュー
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 営業担当者承認

Action name	営業担当者承認
Bulk action?	Yes
Confirmation Message	承認しますか？
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Assignments": [{"ColumnToEdit": "営業担当者承認", "NewColumnName": "=済"}], "ColumnToEdit": "営業担当者承認", "NewColumnName": "=済", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": true, "ConfirmationMessage": "承認しますか？", "ModifiesData": true, "BulkApplicable": true}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_営業担当者承認ボタン
Set this column	営業担当者承認 =AND(OR([営業担当者承認] = "未", [営業担当者承認] = "差し戻し", [営業担当者承認] = ""), IN("営業担当者", LOOKUP(UserSettings("担当者"), "担当者マスター", "担当者コード", "役職")))
Only if this condition is true	
Disable automatic updates?	No
Action icon	
For a record of this table	受注データ

Does this action apply to the whole table?	No
To this value	=済
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 部長承認

Action name	部長承認
Bulk action?	Yes
Confirmation Message	承認しますか？
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments": [{"ColumnToEdit": "部長承認", "NewColumnName": "=済"}], "ColumnToEdit": "部長承認", "NewColumnName": "=済", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": true, "ConfirmationMessage": "承認しますか？", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_部長承認ボタン
Set this column	部長承認
Only if this condition is true	=AND(OR([部長承認] = "未", [部長承認] = "差し戻し", [部長承認] = ""), IN("部長", LOOKUP(UserSettings("担当者"), "担当者マスター", "担当者コード", "役職")))
Disable automatic updates?	No
Action icon	✓
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=済
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 社長承認

Action name	社長承認
Bulk action?	Yes

Confirmation Message	承認しますか？
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Assignments": [{"ColumnToEdit": "社長承認", "NewColumnName": "=済"}], "ColumnToEdit": "社長承認", "NewColumnName": "=済", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": true, "ConfirmationMessage": "承認しますか？", "ModifiesData": true, "BulkApplicable": true}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_社長承認ボタン
Set this column	社長承認 =AND(OR([社長承認] = "未", [社長承認] = "差し戻し", [社長承認] = ""), CONTAINS(TEXT(LOOKUP(UserSettings("担当者"), "担当者マスター", "担当者コード", "役職")), "社長"))
Only if this condition is true	
Disable automatic updates?	No
Action icon	<input checked="" type="checkbox"/>
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=済
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name メール送付のみ

Action name	メール送付のみ
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Assignments": [{"ColumnToEdit": "メール送付", "NewColumnName": "=済"}], "ColumnToEdit": "メール送付", "NewColumnName": "=済", "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
With these properties	

Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_メール送付ボタン
Set this column	メール送付
Only if this condition is true	=[メール送付]=未
Disable automatic updates?	No
Action icon	✉
For a record of this table	受注備考
Does this action apply to the whole table?	No
To this value	=済
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 備考確認のみ

Action name	備考確認のみ
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Assignments":[{"ColumnToEdit":"状況","NewColumnName": "=完了"}, {"ColumnToEdit": "状況", "NewColumnName": "=完了", "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}]} {"Assignments": [{"ColumnToEdit": "状況", "NewColumnName": "=完了", "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}], "Order": 1}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_状況完了ボタン
Set this column	状況
Only if this condition is true	=[状況]=未処理
Disable automatic updates?	No
Action icon	✓
For a record of this table	受注備考
Does this action apply to the whole table?	No
To this value	=完了

Visible?

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit_受注データ

Action name	Edit_受注データ
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	編集
Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 受注兼作成

Action name	受注兼作成
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"受注兼フラグ","NewColumnName": "[受注兼フラグ]+1"}],"ColumnToEdit":"受注兼フラグ","NewColumnName": "[受注兼フラグ]+1","InputParametersUsed":null,"Prominence": "Display_Inline","NeedsConfirmation":false,"ConfirmationMessage": "", "ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Attach to column	V_受注兼作成ボタン
Set this column	受注兼フラグ
Only if this condition is true	true
Disable automatic updates?	No
Action icon	↗
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=[受注兼フラグ]+1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 部長差し戻し

Action name	部長差し戻し
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"部長承認","NewColumnName": "差し戻し"}, {"ColumnToEdit": "差し戻し理由", "NewColumnName": "[INPUT].[差し戻し理由]"}, {"ColumnToEdit": "部長承認", "NewColumnName": "差し戻し"}, {"InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}]}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_部長差し戻しボタン
Set this column	部長承認
Only if this condition is true	=AND([部長承認] = "済", [社長承認] <> "済", CONTAINS([V_役職取得], "営業担当者"))
Disable automatic updates?	No
Action icon	↶
For a record of this table	受注データ
Does this action apply to the whole table?	No

To this value	=差し戻し
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 社長差し戻し

Action name	社長差し戻し
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"社長承認","NewColumnName": "=差し戻し"}, {"ColumnToEdit": "差し戻し理由", "NewColumnName": "[_INPUT].[差し戻し理由]"}, {"ColumnToEdit": "社長承認", "NewColumnName": "=差し戻し", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}]}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_社長差し戻しボタン
Set this column	社長承認
Only if this condition is true	=AND([社長承認] = "済", CONTAINS([V_役職取得], "社長"))
Disable automatic updates?	No
Action icon	↶
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=差し戻し
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 営業担当者差し戻し

Action name	営業担当者差し戻し
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"営業担当者承認","NewColumnName": "=差し戻し"}, {"ColumnToEdit": "差し戻し理由", "NewColumnName": "[_INPUT].[差し戻し理由]"}, {"ColumnToEdit": "営業担当者承認", "NewColumnName": "=差し戻し"}, {"ColumnToEdit": "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}]}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_営業担当者差し戻しボタン
Set this column	営業担当者承認
Only if this condition is true	=AND([営業担当者承認] = "済", [課長承認] <> "済", [部長承認] <> "済", [社長承認] <> "済", CONTAINS([V_役職取得], "営業担当者"))
Disable automatic updates?	No
Action icon	◀
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=差し戻し
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	🗑
For a record of this table	メニューカテゴリ

Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	メニューカテゴリ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	

For a record of this table	メニューカテゴリ
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name メニュー

Action name	メニュー
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget": "=LINKTOFILTEREDVIEW(\"メニュー\", [カテゴリ] = [_THISROW].[カテゴリ名])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	カテゴリ名
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	メニューカテゴリ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (カテゴリ)

Action name	View Ref (カテゴリ)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

With these properties

Do this

Attach to column

Set this column

Only if this condition is true

Disable automatic updates?

Action icon

For a record of this table

Does this action apply to the whole table?

Visible?

```
{"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E3%83%A1%E3%83%8B%E3%83%A5%E3%83%BC%E3%82%AB%E3%83%86%E3%82%B4%E3%83%AA&row=\", ENCODEURL([カテゴリ])
```

```
),"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
```

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

カテゴリ

カテゴリ

NOT(ISBLANK([カテゴリ]))

No



メニュー

No

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 出荷明細アプリへ移動

Action name

出荷明細アプリへ移動

Bulk action?

No

Modifies data?

No

Needs confirmation?

No

Prominence

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action order

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

```
{"NavigateTarget": "="https://script.google.com/macros/s/AKfy
cbyBDg6a7X2_iWxkredWHfLBjeJVN-
brZxHawfDHUkgDZjFJlqM1VZ3AHKiU2sUdwJglQ/exec" & "?"
juchuNo=\& ENCODEURL([受注
No]),"LaunchExternal":false,"Prominence":"Display_Inline","Need
sConfirmation":false,"ConfirmationMessage":"","ModifiesData":fa
lse,"BulkApplicable":false}
```

Do this

Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Attach to column

V_出荷明細用

Only if this condition is true

true

Disable automatic updates?

No

Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 作成者承認

Action name	作成者承認
Bulk action?	Yes
Confirmation Message	承認しますか？
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"作成者承認","NewColumnName": "=済"}],"ColumnToEdit":"作成者承認","NewColumnName": "=済","InputParametersUsed":null,"Prominence": "Display_Inline","NeedsConfirmation":true,"ConfirmationMessage": "承認しますか？","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_作成者承認ボタン
Set this column	作成者承認
Only if this condition is true	=OR([作成者承認] = "未", [作成者承認] = "差し戻し")
Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=済
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 課長承認

Action name	課長承認
Bulk action?	Yes

Confirmation Message	承認しますか？
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"課長承認","NewColumnName": "=済"}],"ColumnToEdit":"課長承認","NewColumnName": "=済","InputParametersUsed":null,"Prominence": "Display_Inline","NeedsConfirmation":true,"ConfirmationMessage": "承認しますか？","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_課長承認ボタン
Set this column	課長承認
Only if this condition is true	=AND(OR([課長承認] = "未", [課長承認] = "差し戻し", [課長承認] = ""), IN("課長", LOOKUP(UserSettings("担当者"), "担当者マスター", "担当者コード", "役職")))
Disable automatic updates?	No
Action icon	<input checked="" type="checkbox"/>
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=済
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 課長差し戻し

Action name	課長差し戻し
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"課長承認","NewColumnName": "=差し戻し"}, {"ColumnToEdit": "差し戻し理由", "NewColumnName": "[INPUT].[差し戻し理由]"}, {"ColumnToEdit": "課長承認", "NewColumnName": "=差し戻し"}, "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": true, "ConfirmationMessage": "差し戻し理由を確認してから操作を行ってください。", "ModifiesData": true, "BulkApplicable": true}]}

	edsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_課長差し戻しボタン
Set this column	課長承認
Only if this condition is true	=AND([課長承認] = "済", [部長承認] <> "済", [社長承認] <> "済", CONTAINS([V_役職取得], "営業担当者"))
Disable automatic updates?	No
Action icon	◀
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=差し戻し
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 作成者差し戻し

Action name	作成者差し戻し
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"作成者承認","NewColumnName": "差し戻し"}, {"ColumnToEdit": "差し戻し理由", "NewColumnName": "[INPUT].[差し戻し理由]"}, {"ColumnToEdit": "作成者承認", "NewColumnName": "差し戻し"}, {"ColumnToEdit": "InputParametersUsed", "NewColumnName": null}, {"ColumnToEdit": "Prominence", "NewColumnName": "Display_Inline"}, {"ColumnToEdit": "NeedsConfirmation", "NewColumnName": false}, {"ColumnToEdit": "ConfirmationMessage", "NewColumnName": ""}, {"ColumnToEdit": "ModifiesData", "NewColumnName": true}, {"ColumnToEdit": "BulkApplicable", "NewColumnName": true}]}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_作成者差し戻しボタン
Set this column	作成者承認
Only if this condition is true	=AND([作成者承認] = "済", [営業担当者承認] = "未", [課長承認] = "未", [部長承認] = "未", [社長承認] = "未", LOOKUP(USEREMAIL(), "担当者マスター", "メールアドレス", "役職") = "確認者")
Disable automatic updates?	No

Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=差し戻し
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Action for ファイルパス設定

Action name	Action for ファイルパス設定
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent <pre>{"Assignments":[{"ColumnToEdit":"受注兼ファイル","NewColumnName":\"appsheet/data/受注管理アプリ-536155450/受注兼発送依頼書_ファイル保存場所\"&[受注No]&\\"-[受注兼フラグ]&\".xlsx\"}],"ColumnToEdit":"受注兼ファイル","NewColumnName":\"appsheet/data/受注管理アプリ-536155450/受注兼発送依頼書_ファイル保存場所\"&[受注No]&\\"-[受注兼フラグ]&\".xlsx\"},\"InputParametersUsed\":null,\"Prominence\":\"Display_Prominently\",\"NeedsConfirmation\":false,\"ConfirmationMessage\":\".\",\"ModifiesData\":true,\"BulkApplicable\":true}</pre>
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	受注No
Set this column	受注兼ファイル
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=\"appsheet/data/受注管理アプリ-536155450/受注兼発送依頼書_ファイル保存場所\"&[受注No]&\\"-[受注兼フラグ]&\".xlsx\"
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Open File (受注兼ファイル)

Action name	Open File (受注兼ファイル)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"FileTarget": "[受注兼ファイル]","Prominence": "Display_Inline","NeedsConfirmation": false,"ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent 受注兼ファイル 受注兼ファイル NOT(ISBLANK([受注兼ファイル]))
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	受注兼ファイル
Set this column	受注兼ファイル
Only if this condition is true	No
Disable automatic updates?	受注兼ファイル
Action icon	受注データ
For a record of this table	No
Does this action apply to the whole table?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Action for ファイルパス設定 2

Action name	Action for ファイルパス設定 2
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Assignments": [{"ColumnToEdit": "請求書ファイル", "NewColumnName": "=\\appsheet/data/受注管理アプリ-536155450/納品・請求・見積り書_ファイル保存場所\\&[受注No]\\&[[求書フラグ]]\\&.xlsx\\"]}, {"ColumnToEdit": "請求書ファイル", "NewColumnName": "=\\appsheet/data/受注管理アプリ-536155450/納品・請求・見積り書_ファイル保存場所\\&[受注No]\\&[[求書フラグ]]\\&.xlsx\\"}]}
With these properties	

[受注No]&"-\"&[[求書フラグ]&".xlsx\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":","",""ModifiesData":true,"BulkApplicable":true}	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	受注No
Set this column	請求書ファイル
Only if this condition is true	true
Disable automatic updates?	No
Action icon	↗
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	= "appsheet/data/受注管理アプリ-536155450/納品・請求・見積り書_ファイル保存場所/" & [受注No] & "-" & [[求書フラグ]] & ".xlsx"
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 納品・請求・見積書作成

Action name	納品・請求・見積書作成
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Assignments":[{"ColumnToEdit":"請求書フラグ","NewColumnName": "[請求書フラグ]+1"}, {"ColumnToEdit":"請求書フラグ","NewColumnName": "[請求書フラグ]+1"}],"InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":","",""ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_請求書作成ボタン
Set this column	請求書フラグ
Only if this condition is true	true

Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
To this value	=[請求書フラグ]+1
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Open File (請求書ファイル)

Action name	Open File (請求書ファイル)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"FileTarget": "[請求書ファイル]", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	請求書ファイル
Set this column	請求書ファイル
Only if this condition is true	NOT(ISBLANK([請求書ファイル]))
Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	問い合わせ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	問い合わせ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
-------------	-----

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	+
For a record of this table	問い合わせ
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 受注兼アプリへ移動

Action name	受注兼アプリへ移動
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"NavigateTarget": "=CONCATENATE(\n\"https://script.google.com/a/macros/osasise-work.jp/s/AKfycbwTbvUf9z_zFASmFdN1eq5M-unFogMErF7knK4xStP6dG5XIXJFcLYZzl1JVоРоhIQp/exec\", \n\"?orderNo=\", ENCODEURL([受注No]), \n\"&userRole=\", ENCODEURL(LOOKUP(USERSETTINGS(\"担当者\"), \"担当者マスター\"), \"担当者名\"), \"権限\")), \n\"&userName=\", ENCODEURL(USERSETTINGS(\"担当者\"))\n)\"}, \"LaunchExternal\": false, \"Prominence\": \"Display_Inline\", \"NeedsConfirmation\": false, \"ConfirmationMessage\": \"\", \"ModifiesData\": false, \"BulkApplicable\": false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_受注兼アプリボタン
Only if this condition is true	true

Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No

Visible? Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name CC追加

Action name	CC追加
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"NavigateTarget": "=LINKTOROW([備考No], \"Form_CC入力\")", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_CC追加ボタン
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	受注備考
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (担当者)

Action name	View Ref (担当者)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E6%8B%85%E5%BD%93%E8%80%85%E3%83%9E%E3%82%B9%E3%82%BF&row=\", ENCODEURL([担当者]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	担当者
Set this column	担当者
Only if this condition is true	NOT(ISBLANK([担当者]))
Disable automatic updates?	No
Action icon	
For a record of this table	_Per User Settings
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	固定CCマスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	固定CCマスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Compose Email (メールアドレス)

Action name	Compose Email (メールアドレス)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"EmailTo":"[メールアドレス]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	メールアドレス
Set this column	メールアドレス
Only if this condition is true	NOT(ISBLANK([メールアドレス]))

Disable automatic updates?	No
Action icon	✉
For a record of this table	固定CCマスター
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	+
For a record of this table	固定CCマスター
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Disable automatic updates?	No
Action icon	
For a record of this table	受注備考履歴
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	
For a record of this table	受注備考履歴
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}

Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Disable automatic updates?	No
Action icon	+
For a record of this table	受注備考履歴
Does this action apply to the whole table?	Yes
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name メール送信ログ

Action name	メール送信ログ
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"ReferencedTable":"受注備考履歴","Assignments":[{"ColumnToEdit":"受注備考ID","NewColumnName": "= _THISROW"}, {"ColumnToEdit":"処理担当者","NewColumnName": "=UserSettings(\"担当者\")"}, {"ColumnToEdit":"処理内容","NewColumnName": "=メール送付"}], "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Only if this condition is true	true
Disable automatic updates?	No
Action icon	↗
For a record of this table	受注備考
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 備考確認ログ

Action name	備考確認ログ
Bulk action?	Yes

Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"ReferencedTable":"受注備考履歴","Assignments": [{"ColumnToEdit":"受注備考ID","NewColumnName": "= _THISROW"}, {"ColumnToEdit":"処理担当者","NewColumnName": "=UserSettings(\"担当者\")"}, {"ColumnToEdit":"処理内容","NewColumnName": "=備考確認済"}], "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Only if this condition is true	true
Disable automatic updates?	No
Action icon	↗
For a record of this table	受注備考
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name メール送付

Action name	メール送付
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"Actions": [{"ActionName": "メール送信ログ"}, {"ActionName": "メール送付のみ"}], "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_メール送付ボタン
Only if this condition is true	= [メール送付] = 未

Disable automatic updates?	No
Action icon	✉
For a record of this table	受注備考
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 備考確認

Action name	備考確認
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"Actions":[{"ActionName":"備考確認ログ"},{"ActionName":"備考確認のみ"}],"Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	V_状況完了ボタン
Only if this condition is true	=[状況]=未処理
Disable automatic updates?	No
Action icon	✓
For a record of this table	受注備考
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (受注備考ID)

Action name	View Ref (受注備考ID)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E5%8F%97%E6%B3%A8%E5%82%99%E8%80%83&row=\", ENCODEURL([受注備考ID]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	受注備考ID
Set this column	受注備考ID
Only if this condition is true	NOT(ISBLANK([受注備考ID]))
Disable automatic updates?	No
Action icon	▶
For a record of this table	受注備考履歴
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name View Ref (処理担当者)

Action name	View Ref (処理担当者)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget":"CONCATENATE(\"#page=detail&table=%E6%8B%85%E5%BD%93%E8%80%85%E3%83%9E%E3%82%B9%E3%82%BF&row=\", ENCODEURL([処理担当者]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
With these properties	
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	処理担当者
Set this column	処理担当者
Only if this condition is true	NOT(ISBLANK([処理担当者]))

Disable automatic updates?	No
Action icon	
For a record of this table	受注備考履歴
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 出荷ダッシュボードWeb

Action name	出荷ダッシュボードWeb
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
With these properties	{"NavigateTarget": "=" [URL]","LaunchExternal":false,"Prominence": "Display_Prominent" y","NeedsConfirmation":false,"ConfirmationMessage": "", "Modifie sData":false,"BulkApplicable":false}
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	遷移先
Only if this condition is true	= [メニュータイトル] = "出荷ダッシュボード"
Disable automatic updates?	No
Action icon	
For a record of this table	メニュー
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name 注文書アプリへ移動

Action name	注文書アプリへ移動
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget": "=CONCATENATE(\n\"https://script.google.com/a/macros/osas-i-work.jp/s/AKfycbw3ia525qnIWULfPxS3FpB2qBHtqi6yoAh4h09RANmXogJU88cqzPGitSsSLOpqA0VNUA/exec\", \n\"?orderNo=\", ENCODEURL([受注No]), \n\"&userRole=\", ENCODEURL(LOOKUP(USERSETTINGS(\"担当者\"), \"担当者マスター\", \"担当者名\", \"権限\")), \n\"&userName=\", ENCODEURL(USERSETTINGS(\"担当者\"))\n)", "LaunchExternal": false, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent V_注文書アプリボタン
Only if this condition is true	true
Disable automatic updates?	No
Action icon	grid
For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent

Action name Open Url (捺印用PDF)

Action name	Open Url (捺印用PDF)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Action order	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent {"NavigateTarget": "[捺印用PDF]", "LaunchExternal": false, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
With these properties	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent 捺印用PDF
Do this	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
Attach to column	捺印用PDF
Set this column	捺印用PDF

Only if this condition is true	NOT(ISBLANK([捺印用PDF]))
Disable automatic updates?	No
Action icon	
For a record of this table	受注データ
Does this action apply to the whole table?	No
Visible?	Microsoft.AspNetCore.Mvc.ViewFeatures.StringHtmlContent
