

Turret Overhaul

Turret & Missile Balance Rework

Workshop User Guide / Change Overview / Turret & Missile Data Appendix

Data Date: 2026-04-30 / Final English Release Version

One-line Summary

This mod does not simply buff every weapon. It rebalances selected M / L turrets and mainline missiles around faction flavor and practical usability: turrets feel more reliable, missiles gain clearer faction identities, and stronger options receive matching price and production-cost adjustments.

Turret Core

Beam, pulse, M plasma, point-defense barrage lines, TER Proton Barrage and BOR specialty turrets receive clearer combat roles.

Missile Core

Guided and unguided ammo is faction-bound, with interception, cluster, starburst, scatter and ion-control roles added to the mainline missile ecosystem.

How to Read

The first pages explain the mod quickly; the appendix keeps exact vanilla-to-current values for turret and missile stats.

1. How to Read the Stats

Field	Meaning
Turret: Ammo / Recharge	Ammunition buffer size / ammo recharge time. Example: 10 / 6.5 means 10 buffered shots and 6.5 recharge time.
Turret: Projectile Speed / Range	Projectile speed / approximate practical range from speed and lifetime. Example: 5600 / ~6160 means speed 5600 and range about 6160.
Turret: Spread / Tracking	Lower spread is tighter. Tracking is turret turn rate / turning acceleration; higher values help against fast targets.
Missile: Ammo / Recharge / Salvo	Ammo buffer / recharge time. Salvo is how many missiles are fired in one attack action.
Missile: Avg. Speed / Lock-on / Shield Disruption	Avg. Speed is estimated by Range / Lifetime. Lock-on is lock time / lock distance. Shield Disruption is shieldddisruption.
Special Mechanics	Retarget = can retarget; Distribute / Detach = cluster or separation logic; Closed Loop = closed-loop production supplement.

2. Changed Scope Overview

Line	Changed Factions / Sizes	Direction
Beam Turrets	ARG M/L, TEL M/L	ARG gains tracking, faster cycles and slight damage improvements; TEL gains range, beam uptime and shield pressure. L beams also receive thicker visuals.

Line	Changed Factions / Sizes	Direction
Pulse Turrets	ARG/PAR/TEL/SPL M; ARG/PAR/TEL/SPL/TER/BOR L; TER M	General-purpose turrets become more reliable, while speed, spread, ammo, damage and tracking define faction flavor.
M Plasma Turrets	ARG/PAR/TEL/SPL	Medium plasma becomes a more usable anti-capital secondary gun: ARG stable, PAR precise, TEL durable shield pressure, SPL close/mid-range burst.
M Bolt / Neutron Gatling Line	ARG/PAR/TEL/SPL	ARG gets balanced point defense, PAR precision, TEL larger magazines and endurance, SPL high-pressure close-range barrage.
TER Proton Barrage	TER M/L	Keeps shield disruption and improves damage, recharge, spread and tracking for close-defense clearing without becoming a universal long-range gun.
BOR Specialty Turrets	BOR M Phase, M Ion Pulse, M Arc, L Phase, L Ion Flak, L Kinetic Ion Railgun	BOR focuses on stability, support, range and control instead of brute-force burst.
Mainline Missile Turrets	ARG/PAR/TEL/SPL/TER M/L Guided and Unguided; BOR M Guided and Unguided	Missiles use faction-bound ammo tags and gain faction-flavored names, encyclopedia entries, prices and special roles.

3. Missile System Overview

Item	Vanilla	This Mod
Turret Compatibility	Missile turrets use broad common ammo categories, so cross-faction ammo mixing is easy.	Turrets use faction-specific ammo tags. Example: ARG missile turrets only consume ARG mainline missile tags.
Coverage	Vanilla does not force mainline missiles into faction-specific lines.	ARG/PAR/TEL/SPL/TER cover M_01/_02 guided, M_01/_02 unguided, L guided and L unguided. BOR covers M guided and M unguided.
Ammo Content	Common light / medium / heavy guided and unguided missiles.	Adds ARG/PAR/TEL/SPL/TER/BOR names, encyclopedia entries, prices and faction-style values. Interception, smart guidance, starburst, scatter, true cluster and ion-control roles are integrated into faction ammo lines. SPL also gains the Rainsplit Saturation Rocket.
Special Roles	Mainline missiles do not have strong faction-specific interception, starburst, scatter, cluster or ion-control roles.	ARG focuses on interception and true cluster rockets; PAR gains smart precision and salvo/cluster rockets; TEL gains anchorline / contract endurance; SPL gains starburst, scatter and saturation rockets; TER gains Aegis / Command Chain / Long Lance reliability; BOR gains ion-control missiles.
Production	Most missiles use common production, while DLC closed-loop handling is separate.	Non-TER custom missiles include closed-loop production. TER custom missiles keep Earth production and Metallic Microlattice materials.
Ware Registration	Ware registration is split between base game and DLC tables.	Custom missile wares are unified into the main libraries/wares.xml registration so shipyards and test facilities can read the ammo correctly.
Launcher Differences	M/L launchers are mostly separated by capacity, with weak faction identity.	Faction launchers differ via rotation speed, storage and weapon angle: TEL is big-storage / slow-turning, SPL is fast-turning / wide-spread, PAR and TER are tighter, ARG is stable, BOR M lines are smoother.
Deferred Content	Special missiles remain in broad vanilla categories.	Torpedoes, heat-seekers, a full independent swarm ecosystem, and cross-faction menus are deferred.

4. Turret Detailed Stat Comparison

2.1 Beam Turrets

Turret	Vanilla	Current	Role / Notes
ARG M Beam	Range: 4800 Beam Duration: 2.5 Cycle: 8.0 Hull / Shield: 116/38 Tracking: 120/180 Avg. Price: 32368	Range: 5200 Beam Duration: 2.8 Cycle: 7.2 Hull / Shield: 125/44 Tracking: 145/235 Avg. Price: 36000	Small all-round boost to range, damage, tracking and cycle efficiency; a steadier anti-fighter / anti-missile screen.
TEL M Beam	Range: 4800 Beam Duration: 2.5 Cycle: 8.0 Hull / Shield: 116/38 Tracking: 120/180 Avg. Price: 32368	Range: 5600 Beam Duration: 3.2 Cycle: 7.8 Hull / Shield: 124/52 Tracking: 130/205 Avg. Price: 38000	More range, beam uptime and shield damage, with only moderate tracking gains to preserve the TEL long-contact shield-pressure feel.
ARG L Beam	Range: 8400 Beam Duration: 4.0 Cycle: 14.0 Hull / Shield: 286/154 Tracking: 30/45 Avg. Price: 64735	Range: 8800 Beam Duration: 3.0 Cycle: 9.5 Hull / Shield: 300/190 Tracking: 44/72 Avg. Price: 76000	Much better cycle efficiency and tracking, with shorter beam-on time and about 15% thicker visuals; better at catching S/M targets.
TEL L Beam	Range: 8400 Beam Duration: 4.0 Cycle: 14.0 Hull / Shield: 286/154 Tracking: 30/45 Avg. Price: 64735	Range: 9400 Beam Duration: 4.6 Cycle: 13.2 Hull / Shield: 286/220 Tracking: 36/58 Avg. Price: 79000	Longer range, longer beam uptime and stronger shield pressure, with about 25% thicker visuals.

2.2 M Pulse Turrets

Turret	Vanilla	Current	Role / Notes
ARG M Pulse	Ammo / Recharge: 8/2.4 Projectile Speed / Range: 5000/~3500 Spread: 0.17 Fire Rate: 3.8 Damage: 18 Tracking: 180/270 Avg. Price: 24043	Ammo / Recharge: 8/2.0 Projectile Speed / Range: 5300/~3800 Spread: 0.15 Fire Rate: 4.4 Damage: 20 Tracking: 200/310 Avg. Price: 29000	No magazine increase; faster recharge and fire rate, plus better projectile speed, damage and tracking for a steadier general-purpose gun.
PAR M Pulse	Ammo / Recharge: 8/2.4 Projectile Speed / Range: 5000/~3500 Spread: 0.17 Fire Rate: 3.8 Damage: 18 Tracking: 180/270 Avg. Price: 15718	Ammo / Recharge: 8/2.1 Projectile Speed / Range: 6200/~3900 Spread: 0.10 Fire Rate: 4.0 Damage: 22 Tracking: 185/285 Avg. Price: 19000	Keeps the magazine, focuses on projectile speed, recharge, single-shot damage and precision.
TEL M Pulse	Ammo / Recharge: 8/2.4 Projectile Speed / Range: 5000/~3500 Spread: 0.17 Fire Rate: 3.8 Damage: 18 Tracking: 180/270 Avg. Price: 15718	Ammo / Recharge: 10/2.4 Projectile Speed / Range: 4900/~3900 Spread: 0.18 Fire Rate: 4.2 Damage: 19 Tracking: 185/280 Avg. Price: 18500	Magazine rises to 10 while recharge stays 2.4; slightly better rate and range, trading agility for sustained coverage.

Turret	Vanilla	Current	Role / Notes
SPL M Pulse	Ammo / Recharge: 8/2.4 Projectile Speed / Range: 5000/~3500 Spread: 0.17 Fire Rate: 3.8 Damage: 18 Tracking: 180/270 Avg. Price: 16503	Ammo / Recharge: 8/1.8 Projectile Speed / Range: 5600/~3248 Spread: 0.22 Fire Rate: 4.8 Damage: 20 Tracking: 220/335 Avg. Price: 21500	No magazine increase; faster recharge, fire rate and tracking, but wider spread for close/mid-range pressure.
TER M Pulse	Ammo / Recharge: 16/5.0 Projectile Speed / Range: 6500/~3471 Fire Rate: 3.0 Damage: 40 Tracking: 180/270 Avg. Price: 48085	Ammo / Recharge: 18/4.6 Projectile Speed / Range: 6500/~3998 Fire Rate: 3.0 Damage: 46 Tracking: 200/300 Avg. Price: 56000	More ammo, faster recharge, higher single-shot damage, longer range and better tracking; a disciplined mid-range pressure gun.

2.3 L Pulse / BOR L Phase

Turret	Vanilla	Current	Role / Notes
ARG L Pulse	Ammo / Recharge: 8/7 Projectile Speed / Range: 5000/~5000 Spread: 0.33 Fire Rate: 1.4 Damage: 380 Tracking: 26/40 Avg. Price: 48085	Ammo / Recharge: 10/6.5 Projectile Speed / Range: 5600/~6160 Spread: 0.28 Fire Rate: 1.15 Damage: 420 Tracking: 30/48 Avg. Price: 56000	More ammo, range, accuracy, damage and tracking; a more dependable fleet-support turret.
PAR L Pulse	Ammo / Recharge: 8.5 Projectile Speed / Range: 5000/~4750 Spread: 0.18 Fire Rate: 0.6 Damage: 204 Tracking: 35/52 Avg. Price: 48085	Ammo / Recharge: 8.0 Projectile Speed / Range: 5800/~5800 Spread: 0.12 Fire Rate: 0.55 Damage: 230 Tracking: 39/60 Avg. Price: 59000	Higher projectile speed, range, accuracy and single-shot damage for precision heavy pulse fire.
TEL L Pulse	Ammo / Recharge: 4/3 Projectile Speed / Range: 5000/~5000 Spread: 0.30 Fire Rate: 1.1 Damage: 264 Tracking: 26/40 Avg. Price: 31435	Ammo / Recharge: 6/3.4 Projectile Speed / Range: 5200/~5980 Spread: 0.28 Fire Rate: 1.0 Damage: 300 Tracking: 30/46 Avg. Price: 39000	More ammo, range and damage while keeping the sustained TEL fire-support role.
SPL L Pulse	Ammo / Recharge: 8/5 Projectile Speed / Range: 5000/~5000 Spread: 0.38 Fire Rate: 0.8 Damage: 272 Tracking: 35/52 Avg. Price: 33007	Ammo / Recharge: 10/4.8 Projectile Speed / Range: 6000/~6000 Spread: 0.36 Fire Rate: 0.65 Damage: 300 Tracking: 42/64 Avg. Price: 44000	Stronger close/mid-range heavy pressure, with better ammo, speed, recharge, damage and tracking.
TER L Pulse	Ammo / Recharge: 6500/~6500 Spread: 0.16 Fire Rate: 2.6 Damage: 372 Tracking: 38/57 Avg. Price: 96170	Ammo / Recharge: 7000/~7350 Spread: 0.12 Fire Rate: 2.2 Damage: 440 Tracking: 42/64 Avg. Price: 112000	Higher projectile speed, tighter spread, stronger single-shot output and better tracking; reinforces the TER high-end heavy pulse identity.
BOR L Phase	Ammo / Recharge: 10/5 Projectile Speed / Range: 2500/~6000 Spread: 0.15 Fire Rate: 1.0 Hull / Shield: 290/290 Tracking: 30/50 Avg. Price: 89524	Ammo / Recharge: 12/4.8 Projectile Speed / Range: 2800/~7000 Spread: 0.12 Fire Rate: 1.2 Hull / Shield: 320/320 Tracking: 34/56 Avg. Price: 102000	Improved long-line phase support with better ammo, recharge, speed, range, damage and tracking.

2.4 M Plasma Turrets

Turret	Vanilla	Current	Role / Notes
ARG M Plasma	Ammo / Recharge: 2/7 Projectile Speed / Range: 1000/~5500 Spread: 0.8 Fire Rate: 3.0 Damage: 750 Tracking: 60/120 Avg. Price: 64935	Ammo / Recharge: 3/6.8 Projectile Speed / Range: 1150/~6325 Spread: 0.65 Fire Rate: 2.8 Damage: 800 Tracking: 70/140 Avg. Price: 73000	More stable medium anti-capital secondary fire with extra ammo, range, accuracy, damage and tracking.
PAR M Plasma	Ammo / Recharge: 2/7 Projectile Speed / Range: 1000/~5500 Spread: 0.8 Fire Rate: 3.0 Damage: 750 Tracking: 40/60 Avg. Price: 57343	Ammo / Recharge: 2/6.8 Projectile Speed / Range: 1250/~7000 Spread: 0.45 Fire Rate: 2.9 Damage: 900 Tracking: 48/72 Avg. Price: 69000	Precision heavy hit: no ammo stacking, but better speed, range, accuracy and single-shot damage.
TEL M Plasma	Ammo / Recharge: 2/7 Projectile Speed / Range: 1000/~5500 Spread: 0.8 Fire Rate: 3.0 Damage: 750 Tracking: 40/60 Avg. Price: 57343	Ammo / Recharge: 3/6.6 Projectile Speed / Range: 1050/~6825 Spread: 0.72 Fire Rate: 2.9 Damage: 790 Shield: Tracking: 44/68 Avg. Price: 67000	More ammo, longer reach and stronger shield pressure while staying relatively steady.
SPL M Plasma	Ammo / Recharge: 2/7 Projectile Speed / Range: 1000/~5500 Spread: 0.8 Fire Rate: 3.0 Damage: 750 Tracking: 40/60 Avg. Price: 60210	Ammo / Recharge: 4/6.5 Projectile Speed / Range: 1350/~6480 Spread: 0.70 Fire Rate: 2.4 Damage: 780 Tracking: 75/150 Avg. Price: 76000	More ammo, much better projectile speed and tracking, leaning into close/mid-range burst.

2.5 M Bolt / Neutron Gatling Line

Turret	Vanilla	Current	Role / Notes
ARG M Bolt	Ammo / Recharge: 30/6.5 Projectile Speed / Range: 2100/~3100 Spread: 0.42 Fire Rate: 16 Damage: 26 Tracking: 140/210 Avg. Price: 40693	Ammo / Recharge: 42/5.8 Projectile Speed / Range: 2600/~3770 Spread: 0.36 Fire Rate: 18 Damage: 28 Tracking: 170/260 Avg. Price: 48000	More ammo, faster recharge, higher fire rate, better speed, spread and tracking for steadier point defense.
PAR M Bolt	Ammo / Recharge: 30/6.5 Projectile Speed / Range: 2100/~3100 Spread: 0.42 Fire Rate: 16 Damage: 26 Tracking: 140/210 Avg. Price: 40693	Ammo / Recharge: 36/6.2 Projectile Speed / Range: 3000/~3900 Spread: 0.24 Fire Rate: 16 Damage: 32 Tracking: 155/235 Avg. Price: 50000	Slight ammo increase, much better speed, accuracy and single-shot damage for point-kill behavior.
TEL M Bolt	Ammo / Recharge: 30/6.5 Projectile Speed / Range: 2100/~3100 Spread: 0.42 Fire Rate: 16 Damage: 26 Tracking: 140/210 Avg. Price: 40693	Ammo / Recharge: 52/5.4 Projectile Speed / Range: 2350/~3995 Spread: 0.40 Fire Rate: 17 Damage: 27 Tracking: 150/225 Avg. Price: 47000	Very large magazine, faster recharge and longer reach for TEL-style sustained barrage.

Turret	Vanilla	Current	Role / Notes
SPL M Neutron Gatling	Ammo / Recharge: 80/8 Projectile Speed / Range: 2500/~3300 Spread: 0.50 Fire Rate: 18 Damage: 18 Tracking: 140/210 Avg. Price: 51468	Ammo / Recharge: 90/7.5 Projectile Speed / Range: 3300/~4125 Spread: 0.48 Fire Rate: 20 Damage: 26 Tracking: 165/250 Avg. Price: 65000	Higher ammo, speed, rate, damage and tracking while keeping the wide-spread high-pressure barrage identity.

2.6 TER Proton Barrage

Turret	Vanilla	Current	Role / Notes
TER M Proton Barrage	Ammo / Recharge: 24/5.0 Projectile Speed / Range: 2300/~3000 Spread: 0.60 Fire Rate: 5 Damage: 78 Shield Disruption: 10 Tracking: 80/120 Avg. Price: 98035	Ammo / Recharge: 24/4.8 Projectile Speed / Range: 2400/~3202 Spread: 0.56 Fire Rate: 5 Damage: 86 Shield Disruption: 10 Tracking: 90/135 Avg. Price: 112000	No magazine increase; improves recharge, single-shot damage, speed, range, spread and tracking for close-defense clearing.
TER L Proton Barrage	Ammo / Recharge: 32/6.2 Projectile Speed / Range: 2200/~5001 Spread: 0.58 Fire Rate: 4.5 Damage: 206 Shield Disruption: 10 Tracking: 34/52 Avg. Price: 196070	Ammo / Recharge: 34/5.9 Projectile Speed / Range: 2400/~5501 Spread: 0.54 Fire Rate: 4.55 Damage: 220 Shield Disruption: 10 Tracking: 40/58 Avg. Price: 224000	Small all-round lift for heavy close defense; it does not replace main guns.

2.7 BOR Specialty Turrets

Turret	Vanilla	Current	Role / Notes
BOR M Phase	DPS: 94 DPS Output / Damage: 10/4.0 Ammo / Recharge: 2400/~3840 Tracking: 120/180 Avg. Price: 26447	DPS: 108 DPS Output / Damage: 12/3.6 Ammo / Recharge: 2600/~4420 Tracking: 140/220 Avg. Price: 30000	Better ammo, recharge, speed, range, DPS and tracking for short/mid-range sustained support.
BOR M Ion Pulse	Hull / Shield: 306/204 Output / Damage: 6/14 Ammo / Recharge: 9000/~8100 Spread: 0.28 Avg. Price: 53919	Output / Damage: 330/230 Ammo / Recharge: 7/13 Projectile Speed / Range: 9600/~8640 Spread: 0.18 Avg. Price: 62000	Better ammo, recharge, speed, range, accuracy and damage while keeping shield / travel-drive disruption.
BOR L Ion Flak	Area Hull / Shield: 528/792 Output / Damage: 3/6 Ammo / Recharge: 3800/~5400 Spread: 1.3 Avg. Price: 141392	Output / Damage: 560/840 Ammo / Recharge: 4/5.2 Projectile Speed / Range: 4000/~6000 Spread: 1.25 Tracking: 56/84 Avg. Price: 154000	More ammo, faster recharge, higher area damage, longer range and better tracking for close-defense clearing.
BOR M Arc	Damage: 282 Output / Damage: 5/10 Ammo / Recharge: 2600/~2600 Fire Rate: 0.55 Tracking: 120/180 Avg. Price: 35604	Damage: 282 Output / Damage: 6/9 Ammo / Recharge: 2800/~2800 Fire Rate: 0.60 Tracking: 140/220 Avg. Price: 40000	Keeps single-shot damage, but improves ammo, recharge, speed, rate and tracking for better close-range control.

Turret	Vanilla	Current	Role / Notes
BOR L Kinetic Ion Railgun	Area Hull / Shield: 800/800 Output / Damage: 3/12 Ammo / Recharge: 5000/~9800 Spread: 1.8 Shield Disruption: 10 Tracking: 18/27 Avg. Price: 144469	Output / Damage: 840/840 Ammo / Recharge: 4/11 Projectile Speed / Range: 5200/~10192 Spread: 1.6 Shield Disruption: 10 Tracking: 20/30 Avg. Price: 160000	Slight improvements to ammo, recharge, speed, accuracy, damage and tracking while staying a long-range suppression weapon.

5. Missile Detailed Stat Comparison

This section covers mainline missile changes only. "Vanilla" refers to the corresponding vanilla common missile baseline for that slot, not to unrelated DLC special missiles.

S Guided Missiles

Baseline

Vanilla Baseline: Light Guided Missile. Baseline Overview: Damage 1200; Ammo 1; Reload 10s; Lifetime 12.5s; Range 12000m; Avg. Speed 960m/s; Lock-on 2s / 12000m; Durability 1; Countermeasure Resist 0.964; Avg. Price 1040.

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
ARG Sentry Light Interceptor Missile	Damage: 1200 -> 820 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 0.5s -> - Reload: 10s -> 1.5s	Lifetime: 12.5s -> 9.5s Range: 12000m -> 6600m Avg. Speed: 960m/s -> 694.7m/s Lock-on: 2s/12000m -> 0.9s/6600m Retarget: 0 -> 1 Durability: 1 -> 1 Countermeasure Resist: 0.964 -> 0.99	Avg. Price: 1040 -> 1480 Production: Energy Cells:13, Missile Components:4, Smart Chips:2 -> Energy Cells:15, Missile Components:5, Smart Chips:3 Closed Loop: Energy Cells:22 Special: Retarget
PAR Oracle Light Guided Missile	Damage: 1200 -> 840 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 0.5s -> - Reload: 10s -> 1.48s	Lifetime: 12.5s -> 12.5s Range: 12000m -> 5600m Avg. Speed: 960m/s -> 448m/s Lock-on: 2s/12000m -> 1.2s/5600m Retarget: 0 -> 1 Durability: 1 -> 1 Countermeasure Resist: 0.964 -> 0.997	Avg. Price: 1040 -> 1480 Production: Energy Cells:13, Missile Components:4, Smart Chips:2 -> Energy Cells:14, Missile Components:5, Smart Chips:3 Closed Loop: Energy Cells:23 Special: Retarget
SPL Fang Light Guided Missile	Damage: 1200 -> 840 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 0.5s -> - Reload: 10s -> 1.42s	Lifetime: 12.5s -> 10.8s Range: 12000m -> 5200m Avg. Speed: 960m/s -> 481.5m/s Lock-on: 2s/12000m -> 1.55s/5200m Durability: 1 -> 1 Countermeasure Resist: 0.964 -> 0.987	Avg. Price: 1040 -> 1440 Production: Energy Cells:13, Missile Components:4, Smart Chips:2 -> Energy Cells:15, Missile Components:5, Smart Chips:2 Closed Loop: Energy Cells:22 Special: None
TEL Contract Light Guided Missile	Damage: 1200 -> 760 Shield Disruption: - -> 3 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 0.5s -> - Reload: 10s -> 1.82s	Lifetime: 12.5s -> 12.6s Range: 12000m -> 5700m Avg. Speed: 960m/s -> 452.4m/s Lock-on: 2s/12000m -> 1.85s/5700m Durability: 1 -> 1 Countermeasure Resist: 0.964 -> 0.989	Avg. Price: 1040 -> 1330 Production: Energy Cells:13, Missile Components:4, Smart Chips:2 -> Energy Cells:14, Missile Components:4, Smart Chips:2 Closed Loop: Energy Cells:22 Special: None
TER Aegis Light Interceptor Missile	Damage: 1200 -> 840 Shield Disruption: - -> 3 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 0.5s -> - Reload: 10s -> 1.42s	Lifetime: 12.5s -> 12.8s Range: 12000m -> 6400m Avg. Speed: 960m/s -> 500m/s Lock-on: 2s/12000m -> 1.1s/6400m Retarget: 0 -> 1 Durability: 1 -> 1 Countermeasure Resist: 0.964 -> 0.999	Avg. Price: 1040 -> 1680 Production: Energy Cells:13, Missile Components:4, Smart Chips:2 -> Energy Cells:5, Metallic Microlattice:8 Special: Retarget

M Guided Missiles

Baseline

Vanilla Baseline: Medium Guided Missile. Baseline Overview: Damage 1100; Ammo 1; Reload 17s; Lifetime 17.5s; Range 12000m; Avg. Speed 685.7m/s; Lock-on 2s / 12000m; Durability 1; Countermeasure Resist 0.925; Avg. Price 2520.

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
ARG Sentry Interceptor Missile	Damage: 1100 -> 1320 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 1s -> 1s Reload: 17s -> 13.6s	Lifetime: 17.5s -> 17.4s Range: 12000m -> 12200m Avg. Speed: 685.7m/s -> 701.1m/s Lock-on: 2s/12000m -> 1.2s/12200m Retarget: 0 -> 1 Durability: 1 -> 1 Countermeasure Resist: 0.925 -> 0.965	Avg. Price: 2520 -> 3400 Production: Energy Cells:20, Missile Components:9, Smart Chips:4 -> Energy Cells:23, Missile Components:10, Smart Chips:5 Closed Loop: Energy Cells:30, Hull Parts:1 Special: Retarget
BOR Echo Ion Guided Missile	Damage: 1100 -> 1120 Shield Disruption: - -> 10 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 1s -> 1s Reload: 17s -> 15.4s	Lifetime: 17.5s -> 20.4s Range: 12000m -> 13600m Avg. Speed: 685.7m/s -> 666.7m/s Lock-on: 2s/12000m -> 1.6s/13600m Retarget: 0 -> 1 Durability: 1 -> 1 Countermeasure Resist: 0.925 -> 0.982	Avg. Price: 2520 -> 3580 Production: Energy Cells:20, Missile Components:9, Smart Chips:4 -> Energy Cells:22, Missile Components:10, Smart Chips:6 Closed Loop: Energy Cells:34, Hull Parts:1 Special: Retarget
PAR Oracle Smart Guided Missile	Damage: 1100 -> 1320 Shield Disruption: - -> 6 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 1s -> 1s Reload: 17s -> 14.2s	Lifetime: 17.5s -> 21.5s Range: 12000m -> 14000m Avg. Speed: 685.7m/s -> 651.2m/s Lock-on: 2s/12000m -> 1.25s/14000m Retarget: 0 -> 1 Durability: 1 -> 1 Countermeasure Resist: 0.925 -> 0.99	Avg. Price: 2520 -> 3650 Production: Energy Cells:20, Missile Components:9, Smart Chips:4 -> Energy Cells:23, Missile Components:10, Smart Chips:6 Closed Loop: Energy Cells:34, Hull Parts:1 Special: Retarget
SPL Fang Guided Missile	Damage: 1100 -> 1400 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 1s -> 1s Reload: 17s -> 13.2s	Lifetime: 17.5s -> 19s Range: 12000m -> 12800m Avg. Speed: 685.7m/s -> 673.7m/s Lock-on: 2s/12000m -> 1.55s/12800m Durability: 1 -> 1 Countermeasure Resist: 0.925 -> 0.942	Avg. Price: 2520 -> 3480 Production: Energy Cells:20, Missile Components:9, Smart Chips:4 -> Energy Cells:22, Missile Components:10, Smart Chips:4 Closed Loop: Energy Cells:31, Hull Parts:1 Special: None
TEL Contract Guided Missile	Damage: 1100 -> 1300 Shield Disruption: - -> 8 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 1s -> 1s Reload: 17s -> 15.6s	Lifetime: 17.5s -> 24.5s Range: 12000m -> 15000m Avg. Speed: 685.7m/s -> 612.2m/s Lock-on: 2s/12000m -> 1.9s/15000m Durability: 1 -> 3 Countermeasure Resist: 0.925 -> 0.975	Avg. Price: 2520 -> 3450 Production: Energy Cells:20, Missile Components:9, Smart Chips:4 -> Energy Cells:23, Missile Components:10, Smart Chips:4 Closed Loop: Energy Cells:32, Hull Parts:1 Special: None
TER Command Chain Guided Missile	Damage: 1100 -> 1320 Shield Disruption: - -> 7 Ammo / Recharge: 1/- -> 1/- Salvo: 1 -> 1 Volley Interval: 1s -> 1s Reload: 17s -> 13.6s	Lifetime: 17.5s -> 22.5s Range: 12000m -> 15200m Avg. Speed: 685.7m/s -> 675.6m/s Lock-on: 2s/12000m -> 1.15s/15200m Retarget: 0 -> 1 Durability: 1 -> 1 Countermeasure Resist: 0.925 -> 0.999	Avg. Price: 2520 -> 4300 Production: Energy Cells:20, Missile Components:9, Smart Chips:4 -> Energy Cells:13, Metallic Microlattice:16 Special: Retarget

L Guided Missiles

Baseline

Vanilla Baseline: Heavy Guided Missile. Baseline Overview: Damage 8400; Shield Disruption 10; Ammo 2 / □□ 21s; Salvo 1; Volley Interval 1.3s; Reload 1s; Lifetime 88s; Range 12000m; Avg. Speed 136.4m/s; Durability 90; Countermeasure Resist 0.984; Avg. Price 3447.

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
ARG Vanguard Heavy Guided Missile	Damage: 8400 -> 9300 Shield Disruption: 10 -> 13 Ammo / Recharge: 2/21 -> 2/20.5 Salvo: 1 -> 1 Volley Interval: 1.3s -> 1.15s Reload: 1s -> 1s	Lifetime: 88s -> 95s Range: 12000m -> 13000m Avg. Speed: 136.4m/s -> 136.8m/s Durability: 90 -> 90 Countermeasure Resist: 0.984 -> 0.99	Avg. Price: 3447 -> 4220 Production: Energy Cells:43, Missile Components:13, Smart Chips:6 -> Energy Cells:45, Missile Components:13, Smart Chips:6 Closed Loop: Energy Cells:62, Hull Parts:1 Special: None

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
PAR Oracle Heavy Smart Missile	Damage: 8400 -> 10400 Shield Disruption: 10 -> 14 Ammo / Recharge: 2/21 -> 2/19.5 Salvo: 1 -> 1 Volley Interval: 1.3s -> 1.0s Reload: 1s -> 1s	Lifetime: 88s -> 104s Range: 12000m -> 14400m Avg. Speed: 136.4m/s -> 138.5m/s Lock-on: - / - -> 2.4s / 14400m Retarget: 0 -> 1 Durability: 90 -> 90 Countermeasure Resist: 0.984 -> 0.998	Avg. Price: 3447 -> 5050 Production: Energy Cells:43, Missile Components:13, Smart Chips:6 -> Energy Cells:45, Missile Components:15, Smart Chips:8 Closed Loop: Energy Cells:68, Hull Parts:1 Special: Retarget
SPL Starbreaker Heavy Guided Missile	Damage: 8400 -> 13200 Shield Disruption: 10 -> 10 Ammo / Recharge: 2/21 -> 2/22.0 Salvo: 1 -> 1 Volley Interval: 1.3s -> 0.92s Reload: 1s -> 1s	Lifetime: 88s -> 52s Range: 12000m -> 12000m Avg. Speed: 136.4m/s -> 230.8m/s Lock-on: - / - -> 3.8s / 12000m Retarget: 0 -> 1 Durability: 90 -> 110 Countermeasure Resist: 0.984 -> 0.91	Avg. Price: 3447 -> 5400 Production: Energy Cells:43, Missile Components:13, Smart Chips:6 -> Energy Cells:54, Missile Components:16, Smart Chips:7 Closed Loop: Energy Cells:70, Hull Parts:1 Special: Retarget
TEL Contract Heavy Guided Missile	Damage: 8400 -> 9700 Shield Disruption: 10 -> 22 Ammo / Recharge: 2/21 -> 2/20.6 Salvo: 1 -> 1 Volley Interval: 1.3s -> 1.2s Reload: 1s -> 1s	Lifetime: 88s -> 112s Range: 12000m -> 15600m Avg. Speed: 136.4m/s -> 139.3m/s Durability: 90 -> 140 Countermeasure Resist: 0.984 -> 0.992	Avg. Price: 3447 -> 4800 Production: Energy Cells:43, Missile Components:13, Smart Chips:6 -> Energy Cells:50, Missile Components:14, Smart Chips:6 Closed Loop: Energy Cells:66, Hull Parts:1 Special: None
TER Long Lance Heavy Guided Missile	Damage: 8400 -> 10600 Shield Disruption: 10 -> 18 Ammo / Recharge: 2/21 -> 2/20.8 Salvo: 1 -> 1 Volley Interval: 1.3s -> 1.0s Reload: 1s -> 1s	Lifetime: 88s -> 112s Range: 12000m -> 16000m Avg. Speed: 136.4m/s -> 142.9m/s Lock-on: - / - -> 2.2s / 16000m Retarget: 0 -> 1 Durability: 90 -> 90 Countermeasure Resist: 0.984 -> 0.999	Avg. Price: 3447 -> 5900 Production: Energy Cells:43, Missile Components:13, Smart Chips:6 -> Energy Cells:18, Metallic Microlattice:24 Special: Retarget

S Unguided Rockets

Baseline

Vanilla Baseline: Light Unguided Rocket. Baseline Overview: Damage 550; Ammo 8 / ☐☐ 9s; Salvo 1; Reload 0.27s; Lifetime 4s; Range 2800m; Avg. Speed 700m/s; Durability 1; Countermeasure Resist 1; Avg. Price 580.

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
ARG Lancer Light Rocket	Damage: 550 -> 1220 Ammo / Recharge: 8/9 -> 1/- Salvo: 1 -> 1 Spread Angle: 1 -> - Volley Interval: - -> - Reload: 0.27s -> 1.32s	Lifetime: 4s -> 6.6s Range: 2800m -> 7600m Avg. Speed: 700m/s -> 1151.5m/s Durability: 1 -> 3 Countermeasure Resist: 1 -> 1	Avg. Price: 580 -> 740 Production: Energy Cells:10, Missile Components:4 -> Energy Cells:11, Missile Components:4 Closed Loop: Energy Cells:12 Special: None
PAR Judgment Light Rocket	Damage: 550 -> 1280 Ammo / Recharge: 8/9 -> 1/- Salvo: 1 -> 1 Spread Angle: 1 -> - Volley Interval: - -> - Reload: 0.27s -> 1.24s	Lifetime: 4s -> 6.5s Range: 2800m -> 7850m Avg. Speed: 700m/s -> 1207.7m/s Durability: 1 -> 3 Countermeasure Resist: 1 -> 1	Avg. Price: 580 -> 780 Production: Energy Cells:10, Missile Components:4 -> Energy Cells:11, Missile Components:5 Closed Loop: Energy Cells:13 Special: None
SPL Ripper Light Rocket	Damage: 550 -> 1400 Ammo / Recharge: 8/9 -> 1/- Salvo: 1 -> 1 Spread Angle: 1 -> - Volley Interval: - -> - Reload: 0.27s -> 1.08s	Lifetime: 4s -> 6.25s Range: 2800m -> 7350m Avg. Speed: 700m/s -> 1176m/s Durability: 1 -> 3 Countermeasure Resist: 1 -> 1	Avg. Price: 580 -> 860 Production: Energy Cells:10, Missile Components:4 -> Energy Cells:12, Missile Components:4 Closed Loop: Energy Cells:13 Special: None

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
TEL Anchorline Light Rocket	Damage: 550 -> 1180 Shield Disruption: - -> 2 Ammo / Recharge: 8/9 -> 1/ Salvo: 1 -> 1 Spread Angle: 1 -> - Volley Interval: - -> - Reload: 0.27s -> 1.38s	Lifetime: 4s -> 7.1s Range: 2800m -> 8200m Avg. Speed: 700m/s -> 1154.9m/s Durability: 1 -> 3 Countermeasure Resist: 1 -> 1	Avg. Price: 580 -> 760 Production: Energy Cells:10, Missile Components:4 -> Energy Cells:11, Missile Components:4 Closed Loop: Energy Cells:13 Special: None
TER Javelin Light Rocket	Damage: 550 -> 1300 Shield Disruption: - -> 2 Ammo / Recharge: 8/9 -> 1/ Salvo: 1 -> 1 Spread Angle: 1 -> - Volley Interval: - -> - Reload: 0.27s -> 1.18s	Lifetime: 4s -> 7s Range: 2800m -> 8350m Avg. Speed: 700m/s -> 1192.9m/s Durability: 1 -> 3 Countermeasure Resist: 1 -> 1	Avg. Price: 580 -> 900 Production: Energy Cells:10, Missile Components:4 -> Energy Cells:5, Metallic Microlattice:4 Special: None

M Unguided Rockets

Baseline

Vanilla Baseline: Medium Unguided Rocket. Baseline Overview: Damage 780; Ammo 4 / ☐☐ 12s; Salvo 2; Spread Angle 0.85; Volley Interval 0.5s; Reload 0.5s; Lifetime 10s; Range 5500m; Avg. Speed 550m/s; Durability 1; Countermeasure Resist 1; Avg. Price 1091.

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
ARG Lancer Heavy Rocket	Damage: 780 -> 860 Ammo / Recharge: 4/12 -> 4/11.4 Salvo: 2 -> 2 Spread Angle: 0.85 -> 0.72 Volley Interval: 0.5s -> 0.42s Reload: 0.5s -> 0.46s	Lifetime: 10s -> 10.8s Range: 5500m -> 5900m Avg. Speed: 550m/s -> 546.3m/s Durability: 1 -> 18 Countermeasure Resist: 1 -> 1	Avg. Price: 1091 -> 1320 Production: Energy Cells:18, Missile Components:8 -> Energy Cells:19, Missile Components:8 Closed Loop: Energy Cells:24 Special: None
BOR Tide Pattern Scatter Rocket	Damage: 780 -> 660 Shield Disruption: - -> 9 Ammo / Recharge: 4/12 -> 6/11.4 Salvo: 2 -> 3 Spread Angle: 0.85 -> 0.95 Volley Interval: 0.5s -> 0.18s Reload: 0.5s -> 0.34s	Lifetime: 10s -> 10.6s Range: 5500m -> 5900m Avg. Speed: 550m/s -> 556.6m/s Durability: 1 -> 20 Countermeasure Resist: 1 -> 1	Avg. Price: 1091 -> 1640 Production: Energy Cells:18, Missile Components:8 -> Energy Cells:20, Missile Components:9 Closed Loop: Energy Cells:26 Special: None
PAR Judgment Salvo Rocket	Damage: 780 -> 780 Shield Disruption: - -> 8 Ammo / Recharge: 4/12 -> 5/10.5 Salvo: 2 -> 3 Spread Angle: 0.85 -> 0.32 Volley Interval: 0.5s -> 0.28s Reload: 0.5s -> 0.38s	Lifetime: 10s -> 11.8s Range: 5500m -> 6400m Avg. Speed: 550m/s -> 542.4m/s Durability: 1 -> 18 Countermeasure Resist: 1 -> 1	Avg. Price: 1091 -> 1600 Production: Energy Cells:18, Missile Components:8 -> Energy Cells:19, Missile Components:10 Closed Loop: Energy Cells:26 Special: None
SPL Rainsplit Saturation Rocket	Damage: 780 -> 115 Ammo / Recharge: 4/12 -> 8/13.5 Salvo: 2 -> 12 Spread Angle: 0.85 -> 2.3 Volley Interval: 0.5s -> 0.035s Reload: 0.5s -> 0.14s	Lifetime: 10s -> 6.8s Range: 5500m -> 4300m Avg. Speed: 550m/s -> 632.4m/s Durability: 1 -> 7 Countermeasure Resist: 1 -> 1	Avg. Price: 1091 -> 1950 Production: Energy Cells:18, Missile Components:8 -> Energy Cells:23, Missile Components:12 Closed Loop: Energy Cells:28 Special: None
SPL Shardblade Scatter Rocket	Damage: 780 -> 430 Ammo / Recharge: 4/12 -> 6/10.8 Salvo: 2 -> 6 Spread Angle: 0.85 -> 1.7 Volley Interval: 0.5s -> 0.08s Reload: 0.5s -> 0.22s	Lifetime: 10s -> 8.5s Range: 5500m -> 5000m Avg. Speed: 550m/s -> 588.2m/s Durability: 1 -> 14 Countermeasure Resist: 1 -> 1	Avg. Price: 1091 -> 1750 Production: Energy Cells:18, Missile Components:8 -> Energy Cells:22, Missile Components:11 Closed Loop: Energy Cells:27 Special: None

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
TEL Anchorline Scatter Rocket	Damage: 780 -> 620 Shield Disruption: - -> 5 Ammo / Recharge: 4/12 -> 6/12.2 Salvo: 2 -> 4 Spread Angle: 0.85 -> 0.82 Volley Interval: 0.5s -> 0.22s Reload: 0.5s -> 0.38s	Lifetime: 10s -> 11.6s Range: 5500m -> 6800m Avg. Speed: 550m/s -> 586.2m/s Durability: 1 -> 20 Countermeasure Resist: 1 -> 1	Avg. Price: 1091 -> 1560 Production: Energy Cells:18, Missile Components:8 -> Energy Cells:20, Missile Components:10 Closed Loop: Energy Cells:26 Special: None
TER Javelin Heavy Rocket	Damage: 780 -> 1050 Shield Disruption: - -> 6 Ammo / Recharge: 4/12 -> 4/10.3 Salvo: 2 -> 2 Spread Angle: 0.85 -> 0.42 Volley Interval: 0.5s -> 0.3s Reload: 0.5s -> 0.36s	Lifetime: 10s -> 12.2s Range: 5500m -> 7000m Avg. Speed: 550m/s -> 573.8m/s Durability: 1 -> 20 Countermeasure Resist: 1 -> 1	Avg. Price: 1091 -> 1760 Production: Energy Cells:18, Missile Components:8 -> Energy Cells:8, Metallic Microlattice:7 Special: None

L Unguided Rockets

Baseline

Vanilla Baseline: Heavy Cluster Rocket. Baseline Overview: Damage 1000; Shield Disruption 10; Ammo 5 / ☐ 12s; Salvo 4; Spread Angle 1; Volley Interval 0.5s; Reload 1.2s; Lifetime 12s; Range 6500m; Avg. Speed 541.7m/s; Durability 50; Countermeasure Resist 1; Avg. Price 2532.

Missile	Firepower / Launch	Flight / Guidance / Survival	Price / Production / Special
ARG Lancer Cluster Rocket	Damage: 1000 -> 1160 Shield Disruption: 10 -> 10 Ammo / Recharge: 5/12 -> 6/12.0 Salvo: 4 -> 1 Spread Angle: 1 -> 0.55 Volley Interval: 0.5s -> 0.4s Reload: 1.2s -> 0.98s	Lifetime: 12s -> 34s Range: 6500m -> 7400m Avg. Speed: 541.7m/s -> 217.6m/s Durability: 50 -> 26 Countermeasure Resist: 1 -> 1	Avg. Price: 2532 -> 3320 Production: Energy Cells:42, Missile Components:19 -> Energy Cells:44, Missile Components:22 Closed Loop: Energy Cells:42, Hull Parts:1 Special: Distribute, Detach:missile_swarm_heavy_mk1_macro
PAR Judgment Cluster Rocket	Damage: 1000 -> 1250 Shield Disruption: 10 -> 14 Ammo / Recharge: 5/12 -> 6/11.5 Salvo: 4 -> 1 Spread Angle: 1 -> 0.35 Volley Interval: 0.5s -> 0.34s Reload: 1.2s -> 0.9s	Lifetime: 12s -> 36s Range: 6500m -> 7600m Avg. Speed: 541.7m/s -> 211.1m/s Durability: 50 -> 24 Countermeasure Resist: 1 -> 1	Avg. Price: 2532 -> 3500 Production: Energy Cells:42, Missile Components:19 -> Energy Cells:44, Missile Components:22 Closed Loop: Energy Cells:44, Hull Parts:1 Special: Distribute, Detach:missile_swarm_heavy_mk1_macro
SPL Swarmbreaker Heavy Scatter Rocket	Damage: 1000 -> 560 Shield Disruption: 10 -> 9 Ammo / Recharge: 5/12 -> 8/11.6 Salvo: 4 -> 8 Spread Angle: 1 -> 1.35 Volley Interval: 0.5s -> 0.09s Reload: 1.2s -> 0.78s	Lifetime: 12s -> 10.5s Range: 6500m -> 6200m Avg. Speed: 541.7m/s -> 590.5m/s Durability: 50 -> 18 Countermeasure Resist: 1 -> 1	Avg. Price: 2532 -> 3900 Production: Energy Cells:42, Missile Components:19 -> Energy Cells:52, Missile Components:23 Closed Loop: Energy Cells:49, Hull Parts:1 Special: None
TEL Anchorline Cluster Rocket	Damage: 1000 -> 1180 Shield Disruption: 10 -> 22 Ammo / Recharge: 5/12 -> 8/13.2 Salvo: 4 -> 1 Spread Angle: 1 -> 0.6 Volley Interval: 0.5s -> 0.35s Reload: 1.2s -> 1.12s	Lifetime: 12s -> 44s Range: 6500m -> 8200m Avg. Speed: 541.7m/s -> 186.4m/s Durability: 50 -> 32 Countermeasure Resist: 1 -> 1	Avg. Price: 2532 -> 3720 Production: Energy Cells:42, Missile Components:19 -> Energy Cells:50, Missile Components:23 Closed Loop: Energy Cells:47, Hull Parts:1 Special: Distribute, Detach:missile_swarm_heavy_mk1_macro
TER Javelin Cluster Rocket	Damage: 1000 -> 1320 Shield Disruption: 10 -> 18 Ammo / Recharge: 5/12 -> 6/11.2 Salvo: 4 -> 1 Spread Angle: 1 -> 0.45 Volley Interval: 0.5s -> 0.3s Reload: 1.2s -> 0.84s	Lifetime: 12s -> 40s Range: 6500m -> 8600m Avg. Speed: 541.7m/s -> 215m/s Durability: 50 -> 28 Countermeasure Resist: 1 -> 1	Avg. Price: 2532 -> 4100 Production: Energy Cells:42, Missile Components:19 -> Energy Cells:19, Metallic Microlattice:15 Special: Distribute, Detach:missile_swarm_heavy_mk1_macro

6. Not Changed in the First Release

Content	Status	Notes
M Shard / Shotgun Turret Line	Not changed in this release	Vanilla already has some faction differences here, so the first release does not push this line further.
M Flak / Anti-Air Turret Line	Not changed in this release	Current differences are serviceable, and further buffs may overlap too much with beam / point-defense roles.
L Plasma Turrets	Not changed in this release	Kept untouched for now to avoid over-inflating large-ship anti-capital firepower.
Mining Turrets	Not changed in this release	Not part of the core combat-balance target.
TER Meson Stream	Not changed in this release	A separate high-end weapon line; this release does not fold it into the turret rebalance.
TER Beam Turrets	Not changed in this release	This release focuses TER changes on pulse, Proton Barrage and mainline missiles.
BOR L Missile Line	Not covered in this release	BOR currently covers M guided and M unguided lines only; L missiles can be considered in a later pass.
Full Special-Missile Ecosystem	Partially started	Interception, cluster, starburst, scatter and ion-control roles are already integrated into faction ammo lines, with SPL gaining Rainsplit Saturation Rocket; more standalone swarm, torpedo and heat-seeker work is deferred.
K / X Related Turrets	Not covered in this release	The first release focuses on major player-equippable faction turret lines.
Cross-faction Missile Menu	Not included yet	The default faction-bound design is kept for now to avoid UI and compatibility complexity too early.

7. Design Takeaways

- Beam weapons are not made into anti-capital main guns; their improvements focus on tracking, cycle efficiency, range, shield pressure and visual readability for anti-fighter work.
- Pulse weapons become the reliable general-purpose line, with faction differences expressed through ammo, spread, projectile speed, damage and tracking.
- Only M plasma is adjusted in this release; L plasma remains untouched to avoid raising capital-ship anti-capital firepower too much at once.
- Bolt / Neutron Gatling weapons are no longer just reskins: TEL gets large magazines, PAR gets precision, SPL gets pressure, and ARG stays balanced.
- TER identity is concentrated in M/L Pulse and M/L Proton Barrage: expensive, precise and disciplined short/mid-range firepower.
- BOR identity focuses on control and sustained support rather than a single all-purpose brute-force turret.
- The missile line moves from generic ammo toward a clearer faction-ammo ecosystem: ARG stable interception, PAR precise smart missiles, TEL long-contract pressure, SPL high-risk burst/scatter, TER reliable command-chain missiles and BOR ion control.

Author Note

This PDF is written for Workshop subscribers: the early pages help players decide whether the mod fits their game, while the later tables preserve exact vanilla-to-current stat changes for checking and discussion. Future versions can keep the same structure for updates.