Reproducibility package for the Poverty, Prosperity and Planet Report 2026

README

Overview

This package fully reproduces all output of the Poverty, Prosperity and Planet Report 2026. The package consists of this ReadMe file, and a folder for the figures and statistics in each of the report's 4 chapters. Each chapter folder contains all relevant code, data and output files pertaining to that chapter.

Data

For Chapters 1, 2, and 4, the folder "1-data" consists of a "raw" and a "processed" folder. There are two versions of this replication package. The "raw" data folders can be accessed only World Bank internal users, while the data stored in "processed" has been cleaned and aggregated so that it is accessible to external users. All figures can be replicated with the "


Instructions for Replicators

1. Chapter 1
2. Chapter 2
3. Chapter 3: The data are in excel file, as described in the exhibits section below with exception for 3 figures where a short dofile retains a subset of data from the original data.
4. Chapter 4

Structure Chapters 1, 2, and 4

Each chapter folder consists of three sub-folders: 0-code, 1-data, 2-output. The 1-data folder consists of a "raw" (data to be processed, internal), and a "processed" (data that has been processed, external) folder.
In do-files, the prefix "1_" refers to files that load and clean raw data (e.g. "\Chapter 1\0-code\ch1_1b_povertydata") These are only accessible in the World Bank internal replication package.
The prefix "2_" refers to files that generate figures and tables for the respective chapters (e.g. "\Chapter 1\0-code\ch1_2_fig1_globalpoverty")

Official Use Only



LIST OF EXHIBITS

This following is a list of all figures for each chapter of the report.

For Chapters 1, 2, and 4:

- there is one Excel file per chapter, which contains the data to create figures in different sheets. Figures created in Stata stored as .png and .eps files. The data to replicate these figures are also saved in the Excel file.
- The Excel file and figure files are stored in each chapter's "\2-output" folder.

Chapter 1 README

1-data

\raw\forecasts

- \Global_FGT_1981_2050_20260922_2021_01_02_PROD.dta
  - Source: Poverty and Inequality Platform (PIP)
  - Link: https://datacatalog.worldbank.org/int/search/dataset/0067066/pip-poverty-projections
  - Access timestamp: September 22, 2026
  - Availability: All data are publicly available
  - Description: Created using the September 2026 vintage of the Poverty and Inequality Platform (PIP) global poverty estimates and projections for 1981–2050.
- \Country_FGT_1981_2050_20260922_2021_01_02_PROD.dta
  - Source: Poverty and Inequality Platform (PIP)
  - Link: https://datacatalog.worldbank.org/int/search/dataset/0067066/pip-poverty-projections
  - Access timestamp: September 22, 2026
  - Availability: All data are publicly available
  - Description: Created using the September 2026 vintage of the Poverty and Inequality Platform (PIP) country - level poverty estimates and projections for 1981–2050.
- \poverty_scenarios_global.dta

Official Use Only

- Source: Kimura, Y., D. G. Mahler, C. Lakner, and N. Yonzan. 2026. “Global Poverty Projection Using Simple Macro-Micro Modelling.” Global Poverty Monitoring Technical Note 55, World Bank.
- Description: This was data set created to model the poverty impacts of the conflict in the Middle East, which escalated in February 2026.

\raw\mpm

- \MPM_AM26.xlsx
  - Source: Poverty and Inequality Platform (PIP
  - Link: https://datacatalog.worldbank.org/int/search/dataset/0037589/world-banks-multidimensional-poverty-measure
  - Access timestamp: September 22, 2026
  - Availability: All data are publicly available
  - Description: These are survey estimates of the deprivations for 103 countries in multiple dimension of well-being, both monetary and non-monetary, for circa 2023.

\raw\other

- \CLASS.dta
  - Source: https://github.com/GPID-WB/Class/tree/master/OutputData
  - Access year: 2026
  - Availability: All data are publicly available
  - Description: World Bank classification of economies by income group, fragility status, and IDA status up to fiscal year 2026.
- \GlobalDist1000bins_1990_2026_20260922_2021_01_02_PROD.dta
  - Source: https://datacatalog.worldbank.org/int/search/dataset/0064304/1000-binned-global-distribution
  - Access timestamp: September 22, 2026
  - Availability: All data are publicly available
  - Description: This dataset contains a distribution of global welfare for the years 1990 to 2026. For each year, the dataset contains 1000 welfare (income or consumption) bins per country.

\raw\profiles

- \LN_combined.dta
  - Source: Datalibweb
  - Link: https://datalibweb2.worldbank.org/home
  - Access year: 2026
  - Availability: Not publicly available
  - Description: Datalibweb is a World Bank data system hosting harmonized and raw household survey microdata and documentation. This data set contains survey-level data income and consumption distributions as well as household demographic characteristics.

- \Profiling_data_collapsed.dta
  - Source: Datalibweb
  - Link: https://datalibweb2.worldbank.org/home
  - Access year: 2026
  - Availability: Not publicly available
  - Description: Datalibweb is a World Bank data system hosting harmonized and raw household survey microdata and documentation. This dataset contains individual-level observations on income and consumption distributions and household demographic characteristics, lined up to the 2003, 2013, and 2024 reference years.
- \testwb4c.dta
  - Source: Luxembourg Income Study (LIS)
  - Link: https://www.lisdatacenter.org/
  - Access year: 2026
  - Availability: Restricted access; registration and authorization required from LIS.
  - Description: Contains poverty rates of different household types for selected country-years.

Official Use Only

- \testwb4d.dta
    - Source: Luxembourg Income Study (LIS)
    - Link: https://www.lisdatacenter.org/
    - Access year: 2026
    - Availability: Restricted access; registration and authorization required from LIS.
    - Description: Contains additional poverty rates of different household types for selected country-years.

\raw\spid

- \AM26_MASTER\am26_subnat_em.shp
    - Source: Subnational Poverty and Inequality Database (SPID), version AM26
    - Link: https://datacatalog.worldbank.org/int/search/dataset/0064796/subnational-poverty-and-inequality-database-spid
    - Access year: 2026
    - Description: Contains direct survey-based estimates of subnational poverty and inequality over time for more than 141 economies, primarily at the first administrative level (ADM1), together with geographic shapefiles. This data set contains geo-coordinates.
- \AM26 - GSAP data.xlsx
    - Source: Global Subnational Poverty Atlas (GSAP), version AM26
    - Link: https://datacatalog.worldbank.org/int/search/dataset/0042041/global-subnational-poverty-atlas-gsap
    - Access year: 2026
    - Description: Contains lined-up estimates of subnational poverty for common reference years, primarily at the first administrative level (ADM1), together with geographic shapefiles. This data set contains sub-national poverty data.
- \AM26 - SPID data.xlsx
    - Source: Subnational Poverty and Inequality Database (SPID), version AM26
    - Link: https://datacatalog.worldbank.org/int/search/dataset/0064796/subnational-poverty-and-inequality-database-spid
    - Access year: 2026
    - Description: Contains direct survey-based estimates of subnational poverty and inequality over time for more than 141 economies, primarily at the first administrative level (ADM1), together with geographic shapefiles. This data set contains sub-national poverty data.
- \GSAP_AM26_2023/GSAP_AM26_2023.shp
    - Source: Global Subnational Poverty Atlas (GSAP), version AM26
    - Link: https://datacatalog.worldbank.org/int/search/dataset/0042041/global-subnational-poverty-atlas-gsap
    - Access year: 2026
    - Description: Contains lined-up estimates of subnational poverty for common reference years, primarily at the first administrative level (ADM1), together with geographic shapefiles. This data set contains geo-coordinates.

List of Exhibits - Chapter 1

Abbreviations: Poverty and Inequality Platform (PIP), Subnational Poverty and Inequality Database (SPID), Global Subnational Poverty Atlas (GSAP), Luxembourg Income Study (LIS)

Title	Figure File	Data Sheet (chapter1.xlsx)	Code / Dofiles	Data Source
Figure 1.1	ch1_fig1.eps	fig1	ch1_2_fig1_recenttrends.do	PIP
Figure 1B.1a	ch1_fig1B_1a.eps	fig1B_1a	ch1_2_fig4_regions.do	PIP
Figure 1B.1b	ch1_fig1B_1b.eps	fig1B_1b	ch1_2_fig4_regions.do	PIP
Figure 1B.6	ch1_fig1B_6.eps	fig1B_6	ch1_2_figB6_poverty_trends.do	PIP
Figure 1.2	ch1_fig2.eps	fig2	ch1_2_fig2_globalpoverty.do	PIP
Figure 1.3	ch1_fig3.eps	fig3	ch1_2_fig3_welfdistribution.do	PIP
Figure 1.4	ch1_fig4.eps	fig4	ch1_2_fig4_regions.do	PIP
Figure 1.5	ch1_fig5.eps	fig5	ch1_2_fig5_gic.do	

Official Use Only

Title	Figure File	Data Sheet (chapter1.xlsx)	Code / Dofiles	Data Source
Figure 1.6	[created by Cartography]	fig6	Ch1_2_fig6_countries.do	PIP
Figure 1.7	ch1_fig7.eps	fig7	ch1_2_fig7_pov_decade_ch.do	PIP
Figure 1.8	ch1_fig8.eps	fig8	ch1_2_fig8_incgrpshares.do	PIP
Figure 1.9	ch1_fig9.eps	fig9	ch1_2_fig9_projections_global.do	PIP
Figure 1.10	ch1_fig10.eps	fig10	ch1_2_fig10_popgrowth.do	PIP
Figure 1.11a	ch1_fig11a.eps	fig11a	ch1_2_fig11a_fcsshares.do	PIP
Figure 1.11b	ch1_fig11b.eps	fig11b	ch1_2_fig11b_regionshares.do	PIP
Figure 1.12	ch1_fig12.eps	fig12	ch1_2_fig12_popshares.do	PIP
Figure 1.13	ch1_fig13.eps	fig13	ch1_2_fig13_profiles.do	PIP, Datalibweb, LIS
Figure 1.14	ch1_fig14.eps	fig14	ch1_2_fig14_typologies_ssa.do	Datalibweb
Figure 1.15	ch1_fig15.eps	fig15	ch1_2_fig15_ruralurban.do	PIP, Datalibweb
Figure 1.16	ch1_fig16.eps	fig16	ch1_2_fig16_subnat_pov.do	PIP, SPID,GSAP
Figure 1.17	ch1_fig17.eps	fig17	ch1_2_fig17_spl_rates.do	PIP
Figure 1.18	ch1_fig18.eps	fig18	ch1_2_fig18_mpm_scatter.do	GMD
Figure 1.19	ch1_fig19.eps	fig19	ch1_2_fig19_mpm_India.do	GMD
Figure 1B.2.1	ch1_figB1_2_1.eps	figB1_2_1	ch1_2_figB1_2_globalpovprojections.do	PIP
Figure 1B.3	ch1_figB1_3.eps	figB1_3	ch1_2_figB1_3_middle_class.do	PIP
Figure 1B.3	ch1_figb3.eps	figb3	ch1_2_figB3_education_decomp.do	GMD
Figure 1B.4	ch1_figb4.eps	figb4	ch1_2_figB4_profiles_shift.do	GMD
Figure 1B.5	ch1_figb5.eps	figb5	ch1_2_figB5_subnat.do	PIP, SPID,GSAP
Figure 1D.1	ch1_figD1.eps	figD1	ch1_2_figD1_dissimilarity.do	PIP
Map 1.1a	ch1_map1a.eps	map1a	ch1_2_map1_subnat_maps.do	PIP
Map 1.1b	ch1_map1b.eps	map1b	ch1_2_map1_subnat_maps.do	PIP
Map 1.1c	ch1_map1c.eps	map1c	ch1_2_map1_subnat_maps.do	PIP
Map 1.1d	ch1_map1d.eps	map1d	ch1_2_map1_subnat_maps.do	PIP

Dofiles

ch1_0_master.do: Runs all dofiles in chapter 1.
ch1_1a_povertydata.do: Downloads poverty data from the Poverty and Inequality Platform.
ch1_1b_classification.do: Prepares country classification files.
ch1_1c_other.do: Organizes additional datasets on population, poverty, income distributions, demographics, and household types.
ch1_1d_povertyprojection.do: organizes different growth scenarios & assumptions for poverty projections.
ch1_1e_gmdspat.do: loads and organizes spatial data.
ch1_1f_coverage.do: create coverage rates
ch1_2_fig1_recenttrends.do: makes figure to show extreme poverty has fallen less, relative to the pre-2013 trajectory.
ch1_2_fig2_globalpoverty.do: makes figures to show that extreme poverty reduction has come to a standstill.
ch1_2_fig3_welfdistribution.do: Shows changes in the welfare distribution in low-income economies, 1990–2024.
ch1_2_fig4_regions.do: makes figures to show extreme poverty remains high in Sub-Saharan Africa.
ch1_2_fig5_gic.do: Welfare growth varies across welfare distribution in all regions
ch1_2_fig6_countries.do: Extreme poverty is concentrated in a few economies, 2024
ch1_2_fig7_pov_decade_ch.do: Progress in reducing extreme poverty has stalled in low-income economies
ch1_2_fig8_incgrpshares.do: Most of the world's poor live in middle-income economies, especially at the higher poverty lines

Official Use Only

ch1_2_fig9_projections_global.do: Extreme poverty is projected to increase under current conditions
ch1_2_fig10_popgrowth.do: The population is expected to grow most quickly in high-poverty economies
ch1_2_fig11a_fcsshares.do: The concentration of extreme poverty in FCS economies and in Sub-Saharan Africa
ch1_2_fig11b_regionshares.do: The concentration of extreme poverty in FCS economies and in Sub-Saharan Africa
ch1_2_fig12_popshares.do: Global populations are becoming more educated
ch1_2_fig13_profiles.do: Rates of extreme poverty are high among youth and people with no education
ch1_2_fig14_typologies_ssa.do: Rates of extreme poverty are high among youth and people with no education
ch1_2_fig15_ruralurban.do: Extreme poverty rates are higher in rural areas
ch1_2_fig16_subnat_pov.do: Subnational poverty rates vary widely in MENAAP and Sub-Saharan Africa
ch1_2_fig17_spl_rates.do: Societal poverty is high in economies with lower societal poverty lines
ch1_2_fig18_mpm_scatter.do: Relationship between components of the MPM and the IPL
ch1_2_fig19_mpm_India.do: Nonmonetary deprivations provide a broader view of poverty
ch1_2_figB1_2_globalpovprojections.do: Projects increases in extreme poverty due to the growth and price impacts of conflict.
ch1_2_figB1_3_middle_class.do: The global middle class has grown, mostly in middle-income economies
ch1_2_figB3_education_decomp.do: Decomposes changes in poverty among the uneducated within and across countries.
ch1_2_figB4_profiles_shift.do: Geographic concentration is driving the increasing share of children among extremely poor people
ch1_2_figB5_subnat.do: Shows subnational poverty rates in selected countries in East Asia & Pacific, Latin America & Caribbean.
ch1_2_figB6_poverty_trends.do: Global poverty trends, 19900-2026
ch1_2_figD1_dissimilarity.do: Global poverty has become increasingly concentrated in a small number of economies
ch1_2_map1_subnat_maps.do: Subnational poverty trends vary widely for selected countries
ch1_2_tab1_monetary_nonmonetary_pov.do: Poverty beyond monetary definitions, by region, circa 2023
ch1_2_tabC_tables.do: Poverty estimates by region.

Official Use Only

Chapter 2 README

a. raw

- \pip_20260922_2021_01_02_PROD.dta
    - Source: World Bank Poverty and Inequality Platform (PIP), version 20260922_2021_01_02_PROD: https://pip.worldbank.org/
    - Code: pip, clear ${pipoptions}
    - PIP Stata package version: 0.10.16
    - Access timestamp: September 22, 2026
    - Availability: All data are publicly available
    - Description: Survey-level poverty, prosperity gap, and inequality estimates from PIP. The data are used to construct the survey-year inequality datasets and the lined-up country-year series used throughout Chapter 2.
- \pip_framework_20260922_2021_01_02_PROD.dta
    - Source: World Bank Poverty and Inequality Platform (PIP), version 20260922_2021_01_02_PROD: https://pip.worldbank.org/
    - Code: pip tables, table(framework) clear ${pipoptions}
    - Access timestamp: September 22, 2026
    - Availability: All data are publicly available
    - Description: PIP framework table containing information on survey coverage, welfare type, and the preferred income or consumption welfare concept. The file is used to select the preferred welfare measure when more than one estimate is available for an economy-year.
- \pip_countries_20260922_2021_01_02_PROD.dta
    - Source: World Bank Poverty and Inequality Platform (PIP): https://pip.worldbank.org/
    - Code: pip tables, table(countries) clear
    - Access timestamp: September 22, 2026
    - Availability: All data are publicly available
    - Description: PIP country table containing country and regional codes and other country classifications. It is used in the Chapter 2 inequality-data preparation and in Table 2A.1.
- \pip_povline28_20260922_2021_01_02_PROD.dta
    - Source: World Bank Poverty and Inequality Platform (PIP): https://pip.worldbank.org/
    - Code: pip wb, clear povline(28)
    - Access timestamp: September 22, 2026
    - Availability: All data are publicly available
    - Description: Regional poverty estimates at the $28 per person per day prosperity standard. The data are used in the comparison of the prosperity gap, mean welfare, and the prosperity headcount in East Asia and Pacific and Sub-Saharan Africa.
- \class.dta

Official Use Only

    - Source: World Bank country classifications: https://github.com/GPID-WB/Class/tree/master/OutputData
    - Access year: 2026
    - Availability: All data are publicly available
    - Description: World Bank economy classifications. The file is used in the Chapter 2 inequality-data preparation and Figure 2.13.
- \poverty_aggregates.dta
    - Source: World Bank Poverty and Inequality Platform (PIP). This dataset was created in Chapter 1.
    - Access year: 2026
    - Availability: All data are publicly available
    - Description: Regional poverty aggregate data used to identify years for which regional estimates are projections rather than observed or lined-up estimates. Chapter 2 uses this information when displaying regional prosperity-gap trends in Figure 2.9a.
- \spid\AM25_-_SPID_data.xlsx
    - Source: Subnational Poverty and Inequality Database (SPID), AM25 vintage. See the raw-data files and accompanying metadata for source and access information.
    - Access year: 2026
    - Description: Subnational prosperity-gap estimates by economy, year, and geographic unit. Chapter 2 uses prosgap2021 to construct the subnational prosperity-gap maps.
    - Files created in processed folder: spid_pov.dta
- \spid\AM25_MASTER\am25_subnat_em.shp
    - Source: Subnational Poverty and Inequality Database (SPID), AM25 geographic boundaries. See the raw-data files and accompanying metadata for source and access information.
    - Access year: 2026
    - Description: Subnational boundary shapefile matched to the SPID prosperity-gap data.
    - Files created in processed folder: spid.dta, spid_shp.dta
- \spid\GSAP_AM25_2023\GSAP_AM25_2023.shp
    - Source: Global Subnational Poverty Atlas (GSAP), AM25/2023 geographic boundaries. See the raw-data files and accompanying metadata for source and access information.
    - Access year: 2026
    - Description: Geographic boundary file imported as part of the Chapter 2 spatial-data preparation.
    - Files created in processed folder: gsap.dta, gsap_shp.dta

b. processed

- inequality_survey.dta: Preferred survey-year inequality and prosperity-gap observations for economies with a survey from 2000 onward.
- inequality_lineup.dta: Lined-up annual country-level inequality and prosperity-gap series from 1980 onward, including population and economy classifications.

- inequality_survey_expanded.dta: Expanded annual survey-based inequality dataset used to classify economies into low-, moderate-, and high-inequality groups and analyze persistence over time.
- region_avgini.dta: Population-weighted and unweighted regional and global average Gini indexes.
- spid_pov.dta: Cleaned subnational prosperity-gap estimates.
- spid.dta and spid_shp.dta: Stata spatial datasets generated from the SPID shapefile.
- gsap.dta and gsap_shp.dta: Stata spatial datasets generated from the GSAP shapefile.

List of Exhibits - Chapter 2

Abbreviations: Poverty and Inequality Platform (PIP), Subnational Poverty and Inequality Database (SPID), Global Subnational Poverty Atlas (GSAP), World Bank (WB).

Title	**Figure File**	**Data Sheet (chapter2.xlsx)**	**Code**	**Data source**
Figure 2.1	ch2_fig1.eps	fig1	ch2_2_fig1_pop_highineq.do	PIP
Figure 2.2	ch2_fig2.eps	fig2	ch2_2_fig2_nb_economies_higineq.do	PIP
Figure 2.3	ch2_fig3.eps	fig3	ch2_2_fig3_global_trend.do	PIP
Figure 2.4	ch2_fig4.eps	fig4	ch2_2_fig4_global_poor_by_ineqstatus.do	PIP
Figure 2.5	ch2_fig5.eps	fig5	ch2_2_fig5_spell_highineq.do	PIP
Figure 2.6	ch2_fig6.eps	fig6	ch2_2_fig6_gini_trend_highineq.do	PIP
Figure 2.7	ch2_fig7.eps	fig7a; fig7b	ch2_2_fig7_11_prosperitygap.do	PIP
Figure 2.8	[created with Excel]	fig8	ch2_2_fig8_pgdecomp.do	PIP
Figure 2.9a	ch2_fig9a.eps	fig9a	ch2_2_fig9_pgbyregion.do	PIP
Figure 2.9b	ch2_fig9b.eps	fig9b	ch2_2_fig9_pgbyregion.do	PIP
Figure 2.10	[created with Excel]	fig10_2026; fig10_1990	ch2_2_fig10_pgbycntr.do	PIP
Figure 2.11	ch2_fig11.eps	fig11	ch2_2_fig7_11_prosperitygap.do	PIP
Figure 2.12	ch2_fig12.eps	fig12	ch2_2_fig12_pgssaeas.do	PIP
Figure 2.13a,b	[created with Flourish]	fig13	ch2_2_fig13_ssapgbycountry.do	PIP; WB country classification
Map 2.1	[created by Cartography]	map1	ch2_2_map1_globalgini_classification.do	PIP
Map 2.2	[created by Cartography]	map2	ch2_2_map2_3_submaps.do	SPID
Map 2.3a	ch2_map3a.eps		ch2_2_map2_3_submaps.do	SPID
Map 2.3b	ch2_map3b.eps		ch2_2_map2_3_submaps.do	SPID
Figure 2B.1	ch2_fig2b1.eps	fig2b1	ch2_2_fig2B1_inc_vs_cons.do	PIP
Figure B2.2.1	ch2_figb2.eps	figb2	ch2_2_figb2_higineq_threshold.do	PIP
Table 2A.1		tableA1	ch2_2_tableA1_gini_stats.do	PIP

Official Use Only

Chapter 3 Figure	Original downloaded data	dofile (if any)	File for figure (after running fig3_master.do)	Source
3.4	fig3_4exposure.xlsx			https://scorecard.worldbank.org/en/data/indicator-detail/EN_CLM_VULN?orgCode=ALL&refareatype=REGION&refareacode=ACW&age=_T&disability=_T&sex=_T
3.5	Fig3_5GHG.xlsx			Crippa et al. 2025; EU Forest Observatory, and World Bank World Development Indicators.
3.6	Fig3_6decoupling.xlsx			World Bank, "Net GHG Emissions." World Bank. https://data360files.worldbank.org/data360-data/metadata/WB_CSC/WB_CSC_RES_GHG_EMS_YEAR.pdf.
3.8	Fig3_8forest.xlsx			Forest Change (dashboard), Global Nature Watch, World Resources Institute, https://globalnaturewatch.org/dashboards/global/?category=forest-change.
3.9	Fig3_9food insecurity raw.xlsx	fig3_master.do	fig3_9food insecurity.xlsx	https://scorecard.worldbank.org/en/data/indicator-detail/SN_ITK_MSFI_ZS?orgCode=ALL&refareatype=REGION&refareacode=SAR&age=_T&disability=_T&sex=_T
3.10	fig3_10infra access raw.xlsx	fig3_master.do	fig3_10infra_a hygiene.xlsx fig3_10 infra_b sanitation.xlsx fig3_10 infra_c water.xlsx	https://scorecard.worldbank.org/en/data/indicator-detail/SH_H2O_STA_HYGN_TO?orgCode=ALL&refareatype=REGION&refareacode=ACW&age=_T&disability=_T&se
3.11	Fig3_11safe water.xls			WHO/UNICEF Joint Monitoring Programme (JMP) for Water Supply, Sanitation and Hygiene, World Health Organization (WHO) https://data.worldbank.org/indicator/SH.H2O.SMDW.ZS
B3.2.1	FigB3_2_1 exposure.xlsx			Population grid from Schiavina et al. (2023a, 2023b). Hazardous air from Shen et al. (2024). High water risk from Kuzma et al. (2023). Land degradation from Bai et al. (2025). Climate hazards are across 4 categories: (1) Agricultural drought from FAO ASIS; (2) Flood from Sampson al. (2015) and Deltares (2021); (3) Cyclone from Bloemendaal et al. (2020a, 2020b); (4) Heat wave from W Bank CCKP (2024) and Hersbach et al. (2020).
Notes: Figures 3.1 and 3.2 have no data. Figure 3.3 data are in the figure itself. Figure 3.7 is from Hallegatte et al. 2026 and Map B3.1.1 is fron de la Fuente, Doan, and Freije-Rodriguez, 2026; complete references are in the report.				

Official Use Only

Chapter 4 Readme

Reproducibility Package for 3PR Chapter 4 Figures and Tables

This reproducibility package contains the Stata code, prepared source-data files, and generated outputs used to reproduce the figures and tables for Chapter 4 of the Poverty, Prosperity, and Planet Report 2026 (3PR). The source data for the chapter exhibits are the figure and table datasets produced by the provided working-paper reproducibility package, *A Global Profile of Work and Poverty: Two Decades of Evidence*.

This Chapter 4 package is linked to the working-paper reproducibility package in "../07.reproducibility". The working-paper package produces the DataFig*.dta and DataTab*.dta outputs in its 04.output/DataFig folder; those files are then copied into this package's 1-data/processed folder and used by the Chapter 4 do-files to render the report figures and tables.

The Chapter 4 package is intentionally organized as a lightweight exhibit-rendering archive. It does not rebuild the full working-paper analysis pipeline from country survey microdata. Instead, it starts from prepared DataFig*.dta and DataTab*.dta source-data files in "1-data/processed", applies the Chapter 4 graph and table formatting code in 0-code, and writes final PNG, SVG, and Excel outputs to 2-output.

Contents

1. **Overview**
2. **Data Availability**
3. **Instructions for Replicators**
4. **List of Exhibits**
5. **Requirements**
6. **Code Description**
7. **Folder Structure**
8. **Notes and Caveats**

Overview

The package is organized as a Stata replication archive for Chapter 4 exhibits. The master file "0-code/master_ch4.do" sets the package root directory in the global macro upath3 and loads the graph color settings from "0-code/00-color setting.do". Each remaining do-file corresponds to one Chapter 4 figure, figure group, box figure, or table.

Main inputs are the prepared source-data files in "1-data/processed". These files are copied from, or generated by, the working-paper reproducibility workflow under the "04.output/DataFig" folder of the working-paper package. The file "1-data/processed/Chapter4.xlsx" is included as a chapter exhibit/source workbook; the source data for the Chapter 4 figures are also provided there as separate sheets.

To update the Chapter 4 report data outputs, first rerun the working-paper package so that "../07.reproducibility/04.output/DataFig" is refreshed, then copy the updated DataFig*.dta and DataTab*.dta files into "1-data/processed" in this package.

At a high level, the workflow does the following:

Official Use Only

1. Reads prepared Chapter 4 source-data files from “1-data/processed”.
2. Applies Chapter 4-specific figure and table formatting in Stata.
3. Exports final figures as PNG and SVG files to 2-output.
4. Exports final tables as Excel workbooks to “2-output”.
5. Provides Chapter 4 report data outputs as DataFig*.dta, DataTab*.dta, and Chapter4.xlsx sheets in “1-data/processed”.

Data Availability

- [ ] All data are publicly available.
- [x] Some data cannot be made publicly available.
- [ ] No data can be made publicly available.

The files in “1-data/processed” are exhibit-level source-data files. The DataFig*.dta files and the corresponding figure sheets in Chapter4.xlsx can be made publicly available. These files are derived from the provided working-paper reproducibility package, which uses harmonized country survey files, PIP poverty inputs, population and growth inputs, country classification files, and other prepared analysis data. Some upstream source microdata are restricted by licensing or access permissions.

Replicators who only want to reproduce Chapter 4 figures and tables can use the prepared files in “1-data/processed”. Replicators who want to rebuild these source-data files from the underlying analysis pipeline need access to the working-paper reproducibility package and any restricted upstream country-level or LIS/LISSY-derived inputs required there.

Source-Data Provenance

The immediate inputs for this Chapter 4 package are the DataFig*.dta and DataTab*.dta files in “1-data/processed”. The same figure source data are also provided as sheets in “1-data/processed/Chapter4.xlsx”. Their source is the working-paper reproducibility workflow. In that workflow, figure and table scripts save the same files to “04.output/DataFig”, including:

- Main Chapter 4 figure source data: DataFig4_1.dta through DataFig4_10.dta, including panel-combined files such as DataFig4_6ab.dta, DataFig4_6cd.dta, DataFig4_6ef.dta, and DataFig4_8a_9a.dta.
- Annex and box figure source data: DataFigB4_1_1.dta, DataFig4C_123.dta, DataFig4C_4.dta, DataFig4D_*.dta, DataFig4E_1.dta, DataFig4F_1b.dta, and DataFig4F_2b.dta.
- Table source data: DataTab4A_1.dta and DataTab4A_2.dta.

The source of the chapter figures is therefore the working paper's prepared figure/table data, not a separate re-cleaning of raw survey microdata inside this folder.

Statement about Rights

- [x] The authors have legitimate access to and permission to use the data used in this analysis.
- [ ] The authors have documented permission to redistribute/publish all restricted upstream source microdata used to create the source-data files.

Official Use Only

Because some upstream survey microdata may be restricted, replicators should confirm their own access rights before attempting to rebuild the source-data files from the full working-paper pipeline or redistributing any upstream source data.

Instructions for Replicators

1. Install Stata and the required user-written packages listed in **Requirements**.
2. Confirm that the prepared source-data files are available in "1-data/processed".
3. Open "0-code/master_ch4.do" and update the global upath3 path to the root of this Chapter 4 reproducibility package on your machine.
4. Run "0-code/master_ch4.do" once to initialize the root path and color settings.
5. Run the exhibit do-files in 0-code for the figures and tables you want to reproduce. Each script reads from "1-data/processed" and exports to "2-output".
6. Review generated PNG/SVG figures and Excel tables in "2-output".

The package uses prepared 2021 PPP-based source-data files inherited from the working-paper workflow. Poverty-line values and analytical definitions are embedded upstream in the source-data construction and, where needed, in the exhibit scripts.

List of Exhibits

- [x] Figures and tables listed below
- [x] Supporting prepared source-data files used by listed figures and tables
- [x] Chapter 4 report data outputs in DataFig*.dta, DataTab*.dta, and Chapter4.xlsx sheets

Main Figures

3PR Chapter 4 exhibit	Producing do-file	Source-data file(s)	Output file(s)
Figure 4.1	ch4_2_fig4.1.do	DataFig4_1.dta	Fig4_1.png, Fig4_1.svg
Figure 4.2a	ch4_2_fig4.2a.do	DataFig4_2a.dta	Fig4_2a.png, Fig4_2a.svg
Figure 4.2b	ch4_2_fig4.2b.do	DataFig4_2b.dta	Fig4_2b.png, Fig4_2b.svg
Figure 4.3	ch4_2_fig4.3.do	DataFig4_3.dta	Fig4_3.png, Fig4_3.svg
Figure 4.4	ch4_2_fig4.4.do	DataFig4_4.dta	Fig4_4.png, Fig4_4.svg
Figure 4.5	ch4_2_fig4.5.do	DataFig4_5a.dta, DataFig4_5b.dta	Fig4_5.png, Fig4_5.svg, plus panel outputs where generated
Figure 4.6a-b	ch4_2_fig4.6ab.do	DataFig4_6ab.dta	Fig4_6ab.png, Fig4_6ab.svg, plus panel outputs where generated
Figure 4.6c-d	ch4_2_fig4.6cd.do	DataFig4_6cd.dta	Fig4_6cd.png, Fig4_6cd.svg
Figure 4.6e-f	ch4_2_fig4.6ef.do	DataFig4_6ef.dta	Fig4_6ef.png, Fig4_6ef.svg
Figure 4.7	ch4_2_fig4.7.do	DataFig4_7a.dta, DataFig4_7b.dta	Fig4_7.png, Fig4_7.svg
Figure 4.8	ch4_2_fig4.8.do	DataFig4_8a_9a.dta, DataFig4_8b_9b.dta, DataFig4_8c_9c.dta	Fig4_8.png, Fig4_8.svg
Figure 4.9	ch4_2_fig4.9.do	DataFig4_8a_9a.dta, DataFig4_8b_9b.dta, DataFig4_8c_9c.dta	Fig4_9.png, Fig4_9.svg
Figure 4.10	ch4_2_fig4.10.do	DataFig4_10.dta	Fig4_10.png, Fig4_10.svg

Official Use Only

Box, Annex, and Table Exhibits

3PR Chapter 4 exhibit	Producing do-file	Source-data file(s)	Output file(s)
Figure B4.1.1	ch4_2_fig4Box.1.1.do	DataFigB4_1_1.dta	FigB4_1_1.png, FigB4_1_1.svg
Figure 4C.1	ch4_2_fig4C.1.do	DataFig4C_123.dta	Fig4C_1.png, Fig4C_1.svg
Figure 4C.2	ch4_2_fig4C.2.do	DataFig4C_123.dta	Fig4C_2.png, Fig4C_2.svg
Figure 4C.3	ch4_2_fig4C.3.do	DataFig4C_123.dta	Fig4C_3.png, Fig4C_3.svg
Figure 4C.4	ch4_2_fig4C.4.do	DataFig4C_4.dta	Fig4C_4.png, Fig4C_4.svg
Figure 4D.1	ch4_2_fig4D.1.do	DataFig4D_1a.dta, DataFig4D_1b.dta, DataFig4D_1c.dta	Fig4D_1a/b/c.png, Fig4D_1a/b/c.svg
Figure 4D.2	ch4_2_fig4D.2.do	DataFig4D_2a.dta, DataFig4D_2b.dta, DataFig4D_2c.dta	Fig4D_2a/b/c.png, Fig4D_2a/b/c.svg
Figure 4D.3	ch4_2_fig4D.3.do	DataFig4D_3a.dta, DataFig4D_3b.dta, DataFig4D_3c.dta	Fig4D_3a/b/c.png, Fig4D_3a/b/c.svg
Figure 4D.4	ch4_2_fig4D.4.do	DataFig4D_4ab.dta	Fig4D_4.png, Fig4D_4.svg
Figure 4D.5	ch4_2_fig4D.5.do	DataFig4D_5ab.dta	Fig4D_5.png, Fig4D_5.svg
Figure 4D.7	ch4_2_fig4D.7.do	DataFig4D_7.dta	Fig4D_7.png, Fig4D_7.svg
Figure 4E.1	ch4_2_fig4E.1.do	DataFig4E_1.dta	Fig4E_1.png, Fig4E_1.svg
Figure 4F.1	ch4_2_fig4F.1.do	DataFig4_1.dta, DataFig4F_1b.dta	Fig4F_1.png, Fig4F_1.svg
Figure 4F.2	ch4_2_fig4F.2.do	DataFig4_5b.dta, DataFig4F_2b.dta	Fig4F_2.png, Fig4F_2.svg
Table 4A.1	ch4_2_tab4A.1.do	DataTab4A_1.dta	Table4A1.xlsx
Table 4A.2	ch4_2_tab4A.2.do	DataTab4A_2.dta	Table4A2.xlsx

Table A3 is reproduced in the provided working-paper reproducibility package. It is not regenerated by this Chapter 4 exhibit-rendering package.

Some scripts generate panel-specific files in addition to combined figure files. The current contents of "2-output" should be treated as the authoritative generated-output inventory for this package.

Requirements

Software

- Stata 17 or later recommended. The exhibit scripts use Stata graphics, collect, graph export, and SVG export.

Stata User-Written and External Dependencies

- External Stata command grc1leg2 is used by several figure scripts to combine graphs with a shared legend, including ch4_2_fig4.8.do, ch4_2_fig4.9.do, ch4_2_fig4C.1.do, ch4_2_fig4C.2.do, ch4_2_fig4C.3.do, ch4_2_fig4D.1.do, ch4_2_fig4D.2.do, ch4_2_fig4D.3.do, ch4_2_fig4D.4.do, ch4_2_fig4D.5.do, ch4_2_fig4E.1.do, and ch4_2_fig4F.1.do.
- No custom ado folder is included in this Chapter 4 folder.

Official Use Only

- The prepared source-data files in “1-data/processed” must be present before running the exhibit scripts.

If needed, install grc1leg2 in Stata:

ssc install grc1leg2, replace

Runtime

- Chapter 4 Stata exhibit-rendering pipeline: less than 60 minutes. Because this folder reads prepared source-data files rather than rebuilding country-level analysis datasets, the exhibit scripts are expected to run quickly on a standard workstation.
- Working-paper source-data pipeline: see the provided working-paper reproducibility package.

Storage

- The current size of this Chapter 4 package is approximately 0.015 GB, or 15.7 MB, across code, source-data files, and outputs.
- Recommended disk space for this Chapter 4 package: at least 1 GB, to allow for regenerated outputs, logs, and temporary files.
- Additional disk space is required if the full working-paper reproducibility package and restricted upstream inputs are stored on the same machine.

Code Description

The code folder contains one setup script and one exhibit script per figure/table.

File or pattern	Description
master_ch4.do	Sets global upath3 to the package root and loads graph color settings.
00-color setting.do	Defines the color globals used by the figure scripts.
ch4_2_fig4.*.do	Reproduces main Chapter 4 figures.
ch4_2_fig4Box.1.1.do	Reproduces the Chapter 4 box figure.
ch4_2_fig4C.*.do, ch4_2_fig4D.*.do, ch4_2_fig4E.1.do, ch4_2_fig4F.*.do	Reproduces Chapter 4 annex figures.
ch4_2_tab4A.1.do, ch4_2_tab4A.2.do	Reproduces Chapter 4 annex tables.

The do-files read from “1-data/processed” using “${upath3}” and export directly to “2-output”. They do not overwrite the source-data files.

Official Use Only

Folder Structure

```
07.reproducibility_3pr/
  README.md
  0-code/
    master_ch4.do
    00-color setting.do
    ch4_2_fig4*.do
    ch4_2_tab4A*.do
  1-data/
    processed/
      Chapter4.xlsx    Chapter 4 report data workbook; figure data are provided as sheets
      DataFig*.dta     Chapter 4 report figure data outputs
      DataTab*.dta     Chapter 4 report table data outputs
  2-output/
    Fig*.png
    Fig*.svg
    Table4A*.xlsx
```

Notes and Caveats

- This package reproduces the Chapter 4 exhibits from prepared source-data files. It is not the full working-paper analysis pipeline.
- The source of the Chapter 4 figure and table data is the provided working-paper reproducibility package, specifically the prepared outputs saved to the working paper's "04.output/DataFig" folder.
- The DataFig*.dta and DataTab*.dta files are not generated by this Chapter 4 package. They are produced by the linked working-paper package in "../07.reproducibility" and then copied here for report rendering.
- Table A3 is part of the working-paper reproducibility package and should be reproduced from that package, not from this Chapter 4-only folder.
- To rebuild DataFig*.dta or DataTab*.dta from country-level survey files, use the working-paper reproducibility package and ensure that all restricted inputs are available under the required access conditions.
- master_ch4.do currently initializes the path and color settings. The individual exhibit scripts should be run after that setup, or the master can be extended to call them in sequence.
- Output filenames reflect the current Chapter 4 production workflow. Where a script produces both combined and panel-specific outputs, the files in 2-output are the generated products to compare against the manuscript exhibits.
- The DataFig*.dta, DataTab*.dta, and Chapter4.xlsx files in 1-data/processed are included as Chapter 4 report data outputs for public release and replication.

Official Use Only