

FRENCH CHEESE SHOP

AI in Requirements Engineering

A French cheese shop live demo shows how AI systems must interpret vague requests, depend on domain knowledge, and be evaluated under uncertainty.

Juho Vepsäläinen

6.5.2026

Live demo: <https://french-cheese-shop-demo.survivejs.workers.dev>

**Ambiguity
Data
Evaluation**



Photo: jackmac34 / Pixabay

SESSION FOCUS

Learning Outcomes

1

Interpret vague requests

See why a short sentence can hide extra requirements the system still needs.

SESSION FOCUS

Learning Outcomes

1

Interpret vague requests

See why a short sentence can hide extra requirements the system still needs.

2

Treat data as artifact

See why domain data and product knowledge become part of the requirements.

SESSION FOCUS

Learning Outcomes

1

Interpret vague requests

See why a short sentence can hide extra requirements the system still needs.

2

Treat data as artifact

See why domain data and product knowledge become part of the requirements.

3

Evaluate uncertainty

Judge AI by fit, trust, and usefulness, not only by right or wrong answers.

CUSTOMER QUERY

A Vague Customer Request

“I want something
like Brie,
but stronger.”

Easy for a shopkeeper,
hard for a machine.

Photo: lee_2 / Pixabay

CUSTOMER QUERY

A Vague Customer Request

“I want something
like Brie,
but stronger.”

Easy for a shopkeeper,
hard for a machine.

Photo: lee_2 / Pixabay

Similarity

Texture, milk type,
region, serving context

CUSTOMER QUERY

A Vague Customer Request

“I want something
like Brie,
but stronger.”

Easy for a shopkeeper,
hard for a machine.

Photo: lee_2 / Pixabay

Similarity

Texture, milk type,
region, serving context

Strength

Age, aroma,
pungency, salt

CUSTOMER QUERY

A Vague Customer Request

“I want something
like Brie,
but stronger.”

Easy for a shopkeeper,
hard for a machine.

Photo: lee_2 / Pixabay

Similarity

Texture, milk type,
region, serving context

Strength

Age, aroma,
pungency, salt

Constraints

Budget, stock,
allergies, pairings

CUSTOMER QUERY

A Vague Customer Request

“I want something
like Brie,
but stronger.”

Easy for a shopkeeper,
hard for a machine.

Photo: lee_2 / Pixabay

Similarity

Texture, milk type,
region, serving context

Strength

Age, aroma,
pungency, salt

Constraints

Budget, stock,
allergies, pairings

Good answer

Best match, shortlist,
or clear explanation

CONCEPTUAL SHIFT

Traditional RE vs AI-Supported RE

The key shift is from building fixed features to guiding behavior when the system must interpret uncertain input.

Traditional

- Search cheeses by type
- Validate fields and stock
- Same input, same output
- Success = feature works

CONCEPTUAL SHIFT

Traditional RE vs AI-Supported RE

The key shift is from building fixed features to guiding behavior when the system must interpret uncertain input.

Traditional

- Search cheeses by type
- Validate fields and stock
- Same input, same output
- Success = feature works

AI-augmented

- Recommend from vague language
- Use data and domain knowledge
- Outputs depend on interpretation
- Success = useful, trusted fit

CONCEPTUAL SHIFT

Traditional RE vs AI-Supported RE

The key shift is from building fixed features to guiding behavior when the system must interpret uncertain input.

Traditional

- Search cheeses by type
- Validate fields and stock
- Same input, same output
- Success = feature works

AI-augmented

- Recommend from vague language
- Use data and domain knowledge
- Outputs depend on interpretation
- Success = useful, trusted fit

Requirements are no longer just functions. They also define how the system interprets, learns, and is evaluated.

DEMO

Live Demo

We will walk the hidden requirements, data requirements, and evaluation questions through the deployed cheese shop demo.

Open the demo

french-cheese-shop-
demo.survivejs.workers.dev

We will use the live system to surface the three challenge areas before moving to the main claim.

Scan the QR code



MAIN CLAIM

AI Changes RE

AI changes requirements engineering
from specifying system functions
to shaping behavior, learning, and evaluation.

Questions and Comments

REFERENCES

References

Cited sources

[1]

B. Nuseibeh and S. Easterbrook. "Requirements Engineering: A Roadmap." In The Future of Software Engineering, ICSE 2000.

[2]

N. Kiyavitskaya, N. Zeni, L. Mich, and D. M. Berry. "Requirements for tools for ambiguity identification and measurement in natural language requirements specifications." Requirements Engineering, 13(3), 2008.

[3]

K. Ahmad, M. Abdelrazek, C. Arora, M. Bano, and J. Grundy. "Requirements engineering for artificial intelligence systems: A systematic mapping study." Information and Software Technology, 158, 2023.

ARCHITECTURE

Architecture Decision Records

Here they work as living design notes that capture key choices for an uncertain system.



Record key assumptions

Write down the system goals, checks, and limits, not only the chosen tool.



Connect goals to code

Link quality goals to prompts, ranking logic, and test criteria.



Keep it testable

Acceptable means it meets today's tests, not that it is always correct.

Example design record

Context: request is vague

Decision: semantic search + reranking

Evaluation: useful and explainable

Checks: stock and domain fit

Good enough for the current shop context.