

Project Container Strategy

Project Container Strategy

Goal

Give the Equatorial Guinea national addressing platform its own isolated development and runtime boundary so large-scale delivery does not get mixed with unrelated Hermes work.

Isolation model

- One dedicated root workspace: `/home/ubuntu/projects/eg-addressing`
- One dedicated compose project name: `eg\_addressing`
- One dedicated `.env` at project root
- One dedicated persistent data area under `data/`
- One dedicated docs/artifacts area for this initiative only

Why this matters

As the platform grows, it will likely accumulate:

- proposal and briefing artifacts
- schema and API specs
- frontend and backend code
- local volumes
- test exports
- GIS data imports
- operational scripts

Without a project boundary, those start colliding with other workstreams.

Runtime shape

Recommended local isolated stack:

- Postgres/PostGIS
- Redis
- MinIO
- API container
- Admin UI container

Later additions can include:

- worker service
- reverse proxy
- GIS ingest tools
- training/demo environment variants

Current blocker

This machine currently does **not** have Docker or Podman installed, so the isolation scaffold has been prepared but not started.

Immediate next move when runtime is available

1. Copy `env/.env.example` to `.env`

2. Start ``infra/docker/docker-compose.yml``
3. Import current proposal/spec artifacts into ``docs/`` and ``artifacts/``
4. Begin implementation only inside this workspace