Overview of Best Practices in HPC Software Development

Better Scientific Software Tutorial

Anshu Dubey

Argonne National Laboratory

ISC High Performance Conference

June 16, 2019

exascaleproject.org

U.S. DEPARTMENT OF ENERGY | Office of Science

NNS National Nuclear Security Administration

License, citation, and acknowledgements

License and Citation

- This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).
- Requested citation: **Anshu Dubey and David E. Bernholdt, Overview of Best Practices in HPC Software Development, in Better Scientific Software Tutorial, ISC High Performance Conference, Frankfurt, Germany, 2019. DOI: https://doi.org/10.6084/m9.figshare.8242859**

Acknowledgements

Good scientific process requires
good software practices

Good software practices increase
scientific productivity

You Can Mitigate Risk But It Is Never Zero

- Short notice availability of one of the biggest machines of it's time
  - **< 1month to get ready, run was 1.5 weeks**

- Quick and dirty development of particle capability in code

- Error in tracking particles resulted in duplicated tags from round-off

- Had to develop post-processing tools to correctly identify trajectories
  - **6 months to process results**

> FLASH had a software process in place. It was tested regularly. This was one instance when the full process could not be applied because of time constraints.

IDE▲S
productivity

ECP
EXASCALE
COMPUTING
PROJECT

Why Be Concerned with Software Engineering

Consequence of Choices
Quick and dirty collects interest which means more effort required to add features.

Accretion leads to unmanageable software

- Increases cost of maintenance

- Parts of software may become unusable over time

- Inadequately verified software produces questionable results

- Increases ramp-on time for new developers

- Reduces software and science productivity due to **technical debt**

Taking stock

- Software architecture and process design is an overhead
  - Value lies in avoiding technical debt (future saving)
  - Worthwhile to understand the trade-off

- The target of the software
  - Proof-of-concept
  - Verification
  - Exploration of some phenomenon
  - Experiment design
  - Analysis
  - Other …

Cognizant of resource constraints

Dictate the rigor of the design and software process

Heroic Programming

Usually a pejorative term, is used to describe the expenditure of huge amounts of (coding) effort by talented people to overcome shortcomings in process, project management, scheduling, architecture or any other shortfalls in the execution of a software development project in order to complete it. Heroic Programming is often the only course of action left when poor planning, insufficient funds, and impractical schedules leave a project stranded and unlikely to complete successfully.

From http://c2.com/cgi/wiki?HeroicProgramming

Science teams often resemble heroic programming

Many do not see anything wrong with that approach

What is wrong with heroic programming

Scientific results that could be obtained with heroic programming have run their course, because:

It is not possible for a single person to take on all these roles

In Extreme-Scale science

- Positive feedback loop
  - More complex codes, simulations and analysis
  - More moving parts that need to interoperate
  - Variety of expertise needed – the only tractable development model is through **separation of concerns**
  - **It is more difficult to work on the same software in different roles without a software engineering process**

- Onset of higher platform heterogeneity
  - Requirements are unfolding, not known *a priori*
  - **The only safeguard is investing in flexible design and robust software engineering process**

More Scientific Understanding → Higher Fidelity Model → More Diverse Solvers → More Hardware Resources → More Scientific Understanding

IDEAS productivity

ECP EXASCALE COMPUTING PROJECT

In Extreme-Scale science

- Positive feedback loop
  - More complex codes, simulations and analysis
  - More moving parts that need to interoperate
  - Variety of expertise needed – the only tractable development model is through **separation of concerns**
  - **It is more difficult to work on the same software in different roles without a software engineering process**

- Onset of higher platform heterogeneity
  - Requirements are unfolding, not known *a priori*
  - **The only safeguard is investing in flexible design and robust software engineering process**

> ### Supercomputers change fast
> ### Especially Now

More Scientific Understanding → Higher Fidelity Model → More Diverse Solvers → More Hardware Resources → (loop)

Lifecycle of a Scientific Application


- Modeling
  - Approximations
  - Discretizations
  - Numerics
    - Convergence
    - Stability

- Implementation
  - Verification
    - Expected behavior
  - Validation
    - Experiment/observation

Expertise Map

Lifecycle: Software engineering view

Challenges Developing a Scientific Application

Technical	Sociological
• All parts of the cycle can be under research • Requirements change throughout the lifecycle as knowledge grows • Verification complicated by floating point representation • Real world is messy, so is the software	• Competing priorities and incentives • Limited resources • Perception of overhead without benefit • Need for interdisciplinary interactions

Reconcile conflicting requirements

- Separation of concerns
  - Encapsulation of functionalities where possible
  - Abstractions for encapsulations
    - Offload complexity where possible

- Hard-nosed trade-offs
  - Flexibility and composability Vs raw performance
  - Extensibility and developer productivity

Architecting scientific codes

Taming the Complexity: Separation of Concerns

Subject of research Model Numerics	**Client Code** Mathematically complex	Applies to both kinds	logically separable functional units of computation
Treat differently	Hide from one another		Encode into framework
More Stable Discretization I/O Parameters	**Infrastructure** Data structures and movement		Differentiate between private and public
			Define interfaces

IDEAS productivity

ECP EXASCALE COMPUTING PROJECT

A successful model

Design investment impact – Example FLASH

capabilities	categories	new community reached	year
base	all	thermonuclear astrophysics	2000
MHD	physics	reconnection, solar plasma	2002
particles	physics and infrastructure	cosmology	2003
multigrid	infrastructure	CFD	2008
Lagrangian Markers	infrastructure	FSI	2009
PIC	ph		
nuclear EOS, neutrino source terms and leakage	ph		
3-T, conductivity Radiation, laser	ph in		
sink particles	ph		

	astro-physics	cosmo-logy	CFD/ FSI	HEDP	solar physics	recon-nection	star fo-rmation	combus-tion
compress-ible hydro	1998	*		*	*			*
burn	1999							*
MHD	2002	*		*	*	*	*	
elliptic solver	*	2001	*				*	
particles	*	2002	*	*		*	*	*
bittree	*	*	2012	*				
HYPRE interface			*	2011				
radiation	*	*		2011				

Community Impact of Well Done Software

Software Process Best Practices

Baseline	Desirable

• Invest in extensible code design
 	
• Use version control and automated testing
 	
• Institute a rigorous verification and validation regime
 	
• Define coding and testing standards
 	
• Clear and well defined policies for
   – Auditing and maintenance
   – Distribution and contribution
   – Documentation
	• Provenance and reproducibility
	
	• Lifecycle management
	
	• Open development and frequent releases

IDEAS productivity   ECP EXASCALE COMPUTING PROJECT

A Useful Resource

https://ideas-productivity.org/resources/howtos/

- **'What Is' docs**: 2-page characterizations of important topics for SW projects in computational science & engineering (CSE)

- **'How To' docs**: brief sketch of best practices
  - Emphasis on ``bite-sized'' topics enables CSE software teams to consider improvements at a small but impactful scale

- We welcome feedback from the community to help make these documents more useful

Other resources

http://www.software.ac.uk/

http://software-carpentry.org/

http://flash.uchicago.edu/cc2012/

http://journals.plos.org/plosbiology/article?id=10.1371/journal.pbio.1001745

http://ieeexplore.ieee.org/xpls/icp.jsp?arnumber=4375255

http://www.orau.gov/swproductivity2014/SoftwareProductivityWorkshopReport2014.pdf

http://ieeexplore.ieee.org/xpl/articleDetails.jsp?arnumber=6171147

Summary

- Good software practices are needed for scientific productivity

- Science at extreme-scales is complex and requires multiple expertise

- Software process does need to address reality

- Open codes, community contribution, are a powerful tool

> It is extremely important to recognize that science through computing is at best as credible as the software that produces it

Agenda

Time	Module	Topic	Speaker
2:00pm-2:40pm	01	Overview of Best Practices in HPC Software Development	Anshu Dubey, ANL
2:40pm-3:20pm	02	Better (Small) Scientific Software Teams	David E. Bernholdt, ORNL
3:20pm-4:00pm	03	Improving Reproducibility through Better Software Practices	David E. Bernholdt, ORNL
4:00pm-4:30pm		*Break*	
4:30pm-5:15pm	04	Verification & Refactoring	Anshu Dubey, ANL
5:15pm-6:00pm	05	Git Workflow & Continuous Integration	Jared O'Neal, ANL

https://r.isc-hpc.com/tut130
(Please note the R before our domain)

FEEDBACK