



# Git Workflows

Rinku Gupta  
Argonne National Laboratory

Better Scientific Software Tutorial, ISS, March 2021



See slide 2 for  
license details

# License, Citation and Acknowledgements

## License and Citation



- This work is licensed under a [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/) (CC BY 4.0).
- **The requested citation the overall tutorial is: David E. Bernholdt, Anshu Dubey, Rinku K. Gupta, and David M. Rogers, Better Scientific Software tutorial, in Improving Scientific Software conference, online, 2021. DOI: [10.6084/m9.figshare.14256257](https://doi.org/10.6084/m9.figshare.14256257)**
- Individual modules may be cited as *Speaker, Module Title*, in Better Scientific Software tutorial...

## Acknowledgements

- Additional contributors include: Mike Heroux, Alicia Klinvex, Mark Miller, Jared O'Neal, Katherine Riley, David Rogers, Deborah Stevens, James Willenbring
- This work was supported by the U.S. Department of Energy Office of Science, Office of Advanced Scientific Computing Research (ASCR), and by the Exascale Computing Project (17-SC-20-SC), a collaborative effort of the U.S. Department of Energy Office of Science and the National Nuclear Security Administration.
- This work was performed in part at the Argonne National Laboratory, which is managed by UChicago Argonne, LLC for the U.S. Department of Energy under Contract No. DE-AC02-06CH11357.
- This work was performed in part at the Oak Ridge National Laboratory, which is managed by UT-Battelle, LLC for the U.S. Department of Energy under Contract No. DE-AC05-00OR22725.
- This work was performed in part at the Lawrence Livermore National Laboratory, which is managed by Lawrence Livermore National Security, LLC for the U.S. Department of Energy under Contract No. DE-AC52-07NA27344.
- This work was performed in part at the Los Alamos National Laboratory, which is managed by Triad National Security, LLC for the U.S. Department of Energy under Contract No. 89233218CNA000001
- This work was performed in part at Sandia National Laboratories. Sandia National Laboratories is a multi-mission laboratory managed and operated by National Technology and Engineering Solutions of Sandia, LLC., a wholly owned subsidiary of Honeywell International, Inc., for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-NA0003525.

# Content

- Brief explanation of Version Control with Git
- Git Workflow Mechanisms for Collaboration
  - Branches
  - Pull Requests
  - Forks
- Exposure to workflows of different complexity
- What to think about when evaluating different workflows
- Extra: Heat Equation Example Workflow


# Goal

Development teams would like to use version control to collaborate productively and ensure correct code.

# First Workflow

This process of collaborating *via* Git is called the **Centralized Workflow**

- See [Atlassian/BitBucket](#) for more information
- “Simple” to learn and “easy” to use
- Leverages local vs. remote repo dimension
  - Integration in local repo when local repos interact with remote repo
- What if you have many team members?
- What if developers only push once a month?
  - Lengthy development efforts without integrating
  - Occasional contributors
- What if team members works on different parts of the code?
- Working directly on master




# Git Workflow Mechanisms for Collaboration

- Branches
  - Enable separate development for features or fixes on the same repo
  - Enables different types of Workflows
- Pull Requests
  - Enables code review and testing before merge
- Forks
  - Enables outside contributors that have read access only
  - Controls on original repo remains with the team


# Branches

Branches are independent lines of development


- Use branches to protect master branch
- Feature branches
  - Organize a new feature as a sequence of related commits in a branch
- Branches are usually combined or **merged**
- Develop on a branch, test on the branch, and merge into master
- Integration occurs at merge commits




Fast-Forward



No Merge




Divergence



Merge Commit

# Control Project Branch Complexity

- Workflow policy is needed
  - Project supported branches and workflows should not be unnecessarily complex
  - Individuals and sub-teams can leverage more complex models when advantageous
  - Descriptive names or linked to issue tracking system
  - Where do branches start and end?






# Feature Branches


## Extend Centralized Workflow

- Remote repo has commits A & B
- Bob pulls remote to synchronize local repo to remote
- Bob creates local feature branch based on commit B
- Commit C pushed to remote repo
- Alice pulls remote to synchronize local repo to remote
- Alice creates local feature branch based on commit C
- Both develop independently on local feature branches


Alice's Local Repository



Bob's Local Repository



Main Remote Repository (origin)




# Feature Branch Divergence


Alice integrates first without issue

- Alice does fast-forward merge to local master
- Alice deletes local feature branch
- Alice pushes master to remote
- Meanwhile, Bob pulls master from remote and finds Alice's changes
- Merge conflict between commits D and E


Alice's Local Repository



Bob's Local Repository



Main Remote Repository (origin)




# Feature Race Condition


Integration occurs on Bob's local repo

- Bob laments not having fast-forward merge
- Bob **rebases** local feature branch to latest commit on master
  - E based off of commit B
  - E' based off of Alice's commit I
  - E' is E integrated with commits C, D, F, G, I
- Merge conflict resolved by Bob & Alice on Bob's local branch when converting commit E into E'
- Can test on feature branch and merge easily and cleanly
- See [Atlassian/BitBucket](#) for a richer Feature Branch Workflow


Alice's Local Repository



Bob's Local Repository




Main Remote Repository (origin)



# More Branches

## Branches with infinite lifetime

- Base off of master branch
- Exist in all copies of a repository
- Each provides a distinct **environment**
  - Development vs. pre-production



# Pull Requests

- Review and testing before merge
  - Alerts others about changes in branch before merge
  - Discussions ensue with possible follow up commits
  - Can request reviewer
- Set policies for merge


# GitHub Forks

- A “fork” of a repository is a complete copy of another repository, inside a different GitHub account.
  - Forking requires read access to the main (often referred to as “upstream”) repository
    - Forks of public repositories are public
    - Other users can be granted write access to your fork
    - You cannot fork a fork
  - Does not copy issues or pull requests
  - Use branches within your fork (do not modify master)
  - A pull request (GitLab uses “merge request”) can be used to suggest changes to the upstream repository
    - Added benefit: pull requests from forks prevent huge numbers of branches on the upstream repository

# Git Workflow Models of Different complexity

- Git Flow
- Github Flow
- Gitlab Flow
- Trilionos Workflow

# Git Flow



- Full-featured workflow
- Increased complexity
- Designed for SW with official releases
- Feature branches based off of develop
- Git extensions to enforce policy
- How are develop and master synchronized?
- Where do merge conflicts occur and how are they resolved?

Author: Vincent Driessen

Original Blog: <https://nvie.com/posts/a-successful-git-branching-model/>

License: Creative Commons





# GitHub Flow

<http://scottchacon.com/2011/08/31/github-flow.html>

- Published as viable alternative to Git Flow
- No structured release schedule
- Continuous deployment & continuous integration allows for simpler workflow

## Main Ideas

1. All commits in master are **deployable**
2. Base feature branches off of master
3. Push local repository to remote constantly
4. Open Pull Requests early to start dialogue
5. Merge into master after Pull Request review

# GitLab Flow

[https://docs.gitlab.com/ee/workflow/gitlab\\_flow.html](https://docs.gitlab.com/ee/workflow/gitlab_flow.html)

- Published as viable alternative to Git Flow & GitHub Flow
- Semi-structured release schedule
- Workflow that simplifies difficulties and common failures in synchronizing infinite lifetime branches

## Main Ideas

- Master branch is staging area
- Mature code in master flows downstream into pre-production & production infinite lifetime branches
- Allow for release branches with downstream flow
  - Fixes made upstream & merged into master.
  - Fixes cherry picked into release branch


# Current Trilinos Workflow

## Test-driven workflow

- Feature branches start and end with develop
- All changes to develop must come from GitHub pull requests
- Feature branches are merged into develop only after passing pull request test suite
- Change sets from develop are tested daily for integration into master

Workflow designed so that

- All commits in master are in develop
- Merge conflicts exposed when integrating into develop
- Merge conflicts never occur when promoting to master



# Considerations for Choosing a Git Workflow

Want to establish a clear set of policies that

- results in correct code on a particular branch (usually master),
- ensures that a team can develop in parallel and communicate well,
- minimizes difficulties associated with parallel and distributed work, and
- minimizes overhead associated with learning, following, and enforcing policies.

## **Adopt what is good for your team**

- Consider team culture and project challenges
- Assess what is and isn't feasible/acceptable
- Start with simplest and add complexity where and when necessary

# Agenda

Time (MDT)	Module	Topic	Speaker
1:00pm-1:05pm	00	Introduction	David E. Bernholdt, ORNL
1:05pm-1:15pm	01	Motivation and Overview of Best Practices in HPC Software Development	David E. Bernholdt, ORNL
1:15pm-1:45pm	02	Agile Methodologies	Rinku K. Gupta, ANL
1:45pm-2:00pm	03	Git Workflows	Rinku K. Gupta, ANL
2:00pm-2:20pm	04	Software Testing 1	David M. Rogers, ORNL
<i>2:20pm-2:40pm</i>		<i>Break (optional Q&amp;A)</i>	<i>All</i>
2:40pm-3:00pm	05	Software Design	Anshu Dubey, ANL
3:00pm-3:15pm	06	Software Testing 2	David M. Rogers
3:15pm-3:40pm	07	Refactoring	Anshu Dubey, ANL
3:40pm-3:55pm	08	Reproducibility	David E. Bernholdt, ORNL
3:55pm-4:00pm	09	Summary	David E. Bernholdt, ORNL

# Extra: Demo for Heat Equation Example Workflow

- Fork repository (once)
- Clone the fork (once)
- Create and checkout branch
  - Base branch on current development or other appropriate version for each feature
- Modify and commit code
- Push change to fork
- Issue pull request to upstream repository
- Review pull request
- CI testing (covered in upcoming module)

# Git Workflow for the Heat Equation Example

- Developers
  - Work on feature branches in their forks
    - Using forks requires contributors to have only read-access to primary repository
  - Issue pull requests for changes
    - Natural opportunity to review and test all changes
- Pull requests
  - Are reviewed by at least one developer (not the author)
  - Undergo CI testing prior to merging

# Fork the Repository

The screenshot shows the GitHub interface for the repository `betterscientificsoftware / hello-numerical-world`. The `Fork` button in the top right corner is circled in red. A modal dialog titled "Fork hello-numerical-world" is open, asking "Where should we fork hello-numerical-world?". A red arrow points to the user `jwillenbring` in the list of suggested locations. The list includes:

- `jwillenbring`
- `Collegeville`
- `CSBSJU-CS330-F19`
- `E4S-Project`
- `ecp-ci`
- `Mantevo`
- `SJU-CS330-S18`
- `Tramonto`
- `trilinos`
- `xsdk-project`
- `spack`

The background shows the repository's file structure, including `tools`, `.codecov.yml`, `.travis.yml`, `Double.H`, `README.md`, `args.C`, `check.sh`, `crankn.C`, `exact.C`, `ftcs.C`, `heat.C`, `heat.H`, `makefile`, and `upwind15.C`.



# Find the Path to Clone

The screenshot shows the GitHub repository page for `jwillenbring / hello-numerical-world`, which is a fork of `beterscientificsoftware/hello-numerical-world`. The repository has 0 stars, 0 forks, and 5 forks. The 'Code' button is circled in red, and a red arrow points to the 'Clone with SSH' dropdown menu.

The repository contains the following files and folders:

File/Folder	Description	Last Commit
tools	simplify shell math	
.codecov.yml	adjust how coverage computed	
.travis.yml	reseting back to normal	
Double.H	adding initial heatapp code	19 days ago
README.md	Update README.md	15 days ago
args.C	adding initial heatapp code	19 days ago
check.sh	making bash not sh	19 days ago
crankn.C	adding initial heatapp code	19 days ago
exact.C	adding comments	18 days ago
ftcs.C	adding initial heatapp code	19 days ago
heat.C	adding initial heatapp code	19 days ago
heat.H	adding initial heatapp code	19 days ago
makefile	adjust how coverage computed	17 days ago
upwind15.C	adding initial heatapp code	19 days ago

The 'Clone with SSH' dropdown menu shows the following options:

- Clone with SSH (selected)
- Open with GitHub Desktop
- Download ZIP

The 'About' section shows the repository has no description, website, or topics provided. The 'Releases' section shows no releases published. The 'Packages' section shows no packages published. The 'Languages' section shows the following language usage:

Language	Percentage
C	59.5%
C++	21.9%
Shell	13.4%
Makefile	5.2%

# Clone the fork; Create and Checkout a New Branch

```
[s988335:repos jmwille$ git clone git@github.com:jwillenbring/hello-numerical-world.git
Cloning into 'hello-numerical-world'...
[Enter passphrase for key '/Users/jmwille/.ssh/id_rsa':
remote: Enumerating objects: 102, done.
remote: Counting objects: 100% (102/102), done.
remote: Compressing objects: 100% (52/52), done.
remote: Total 102 (delta 54), reused 94 (delta 50), pack-reused 0
Receiving objects: 100% (102/102), 21.69 KiB | 120.00 KiB/s, done.
Resolving deltas: 100% (54/54), done.
[s988335:repos jmwille$

[s988335:repos jmwille$ cd hello-numerical-world/
[s988335:hello-numerical-world jmwille$ git checkout -b issue-1000
Switched to a new branch 'issue-1000'
s988335:hello-numerical-world jmwille$
```

# Modify and Commit Code

```
[s988335:hello-numerical-world jmwille$ vi README.md
[s988335:hello-numerical-world jmwille$ git diff
diff --git a/README.md b/README.md
index 3cd1a3c..b44c57e 100644
--- a/README.md
+++ b/README.md
@@ -22,7 +22,7 @@ is known as the _Diffusion Equation_ and also the [_Heat Equation_](https://en.w

### Simplifying Assumptions

-To make the problem tractable for this lesson, we make some simplifying assumptions...
+To make the problem tractable for this lesson, we make some simplifying assumptions:


1. The thermal diffusivity,  $\alpha$  (http://latex.codecogs.com/gif.latex?%5Calpha),
   is constant for all _space_ and _time_.
s988335:hello-numerical-world jmwille$
```

```
[s988335:hello-numerical-world jmwille$ git add README.md
[s988335:hello-numerical-world jmwille$ git commit -m "replaced ... with :"
[issue-1000 1c3a901] replaced ... with :
1 file changed, 1 insertion(+), 1 deletion(-)
s988335:hello-numerical-world jmwille$
```

# Push Change to Fork


```
[s988335:hello-numerical-world jmwille$ git remote -vv
origin  git@github.com:jwillenbring/hello-numerical-world.git (fetch)
origin  git@github.com:jwillenbring/hello-numerical-world.git (push)
[s988335:hello-numerical-world jmwille$ git branch
* issue-1000
  main
[s988335:hello-numerical-world jmwille$ git push origin issue-1000
[Enter passphrase for key '/Users/jmwille/.ssh/id_rsa':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 310 bytes | 310.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'issue-1000' on GitHub by visiting:
remote:      https://github.com/jwillenbring/hello-numerical-world/pull/new/issue-1000
remote:
To github.com:jwillenbring/hello-numerical-world.git
 * [new branch]      issue-1000 -> issue-1000
s988335:hello-numerical-world jmwille$
```


# Issue Pull Request to Upstream Repository


 **jwillenbring** / **hello-numerical-world**


forked from [betterscientificsoftware/hello-numerical-world](#)


<> Code


 Pull requests


 Actions

 Projects

 Wiki

 Security

 Insights

 Settings

Watch 0

Star 0

Fork 5

issue-1000 had recent pushes less than a minute ago

**Compare & pull request**


main 2 branches 0 tags


Go to file


Add file

Code

This branch is even with betterscientificsoftware:main.

 Pull request

 Compare

 **markcmiller86** Update README.md c591164 15 days ago 26 commits

tools	simplify shell math	17 days ago
.codecov.yml	adjust how coverage computed	17 days ago
.travis.yml	reseting back to normal	17 days ago
Double.H	adding initial heatapp code	19 days ago
README.md	Update README.md	15 days ago
args.C	adding initial heatapp code	19 days ago
check.sh	making bash not sh	19 days ago
crankn.C	adding initial heatapp code	19 days ago
exact.C	adding comments	18 days ago
ftcs.C	adding initial heatapp code	19 days ago
heat.C	adding initial heatapp code	19 days ago
heat.H	adding initial heatapp code	19 days ago
makefile	adjust how coverage computed	17 days ago

About

No description, website, or topics provided.

Readme

Releases

No releases published  
[Create a new release](#)

Packages

No packages published  
[Publish your first package](#)

Languages

C 59.5%

C++ 21.9%

Shell 13.4%

Makefile 5.2%

# Issue Pull Request to Upstream Repository

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

base repository: betterscientificsoftware/hello-numerical-world base: main head repository: jwillenbring/hello-numerical-world compare: issue-1000

✓ Able to merge. These branches can be automatically merged.

replaced ... with :

Write Preview

Issue 1000

I really like using : a lot better.

Attach files by dragging & dropping, selecting or pasting them.

☒ Allow edits by maintainers

Create pull request

Reviewers

markcmiller86

Assignees

jwillenbring

Labels

enhancement

Projects

None yet

Milestones

Linked issues

Use Closing keywords in the description to automatically close issues

Helpful resources

GitHub Community Guidelines

1 commit 1 file changed 0 comments 1 contributor

# Review Pull Request

Search or jump to...

Pull requests

Issues

Marketplace

Explore

betterscientificsoftware / hello-numerical-world

Unwatch

6

Star

0

Fork

5

<> Code

Issues

Pull requests

4

Actions

Projects

Wiki

Security

Insights

Settings

replaced ... with : #4

Open

jwillenbring wants to merge 1 commit into betterscientificsoftware:main from jwillenbring:issue-1000

Conversation 1

Commits 1

Checks 1

Files changed 1

Changes from all commits

File filter...

Jump to...

0 / 1 files viewed

Finish your review 1

2 README.md

@@ -22,7 +22,7 @@ is known as the \_Diffusion Equation\_ and also the [\_Heat Equation\_](https://en.w

22

23 **### Simplifying Assumptions**

24

25 - To make the problem tractable for this lesson, we make some simplifying assumptions...

26

27 1. The thermal diffusivity,  $\alpha$  (<http://latex.codecogs.com/gif.latex?\alpha>),

28 is constant for all `_space_` and `_time_`.

22

23 **### Simplifying Assumptions**

24

25 + To make the problem tractable for this lesson, we make some simplifying assumptions...

26

27 1. The thermal diffusivity,  $\alpha$  (<http://latex.codecogs.com/gif.latex?\alpha>),

28 is constant for all `_space_` and `_time_`.

markcmiller86 Member Pending

Are you sure you really wanna do that?

Reply...

Comment

Submit general feedback without explicit approval.

Approve

Submit feedback and approve merging these changes.

Request changes

Submit feedback that must be addressed before merging.

Submit review

1 pending comment

ProTip! Use `n` and `p` to navigate between commits in a pull request.

© 2020 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#)

[Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

31

# CI Testing for PR

[EXTERNAL] Passed: jwillenbring/hello-numerical-world#1 (issue-1000 - 1c3a901)



Travis CI <builds@travis-ci.com>

To: Willenbring, James M

Today at 2:37 PM

**jwillenbring / hello-numerical-world**

issue-1000

**Build #1 passed** >

20 secs



James M. Willenbring

[1c3a901 CHANGESSET →](#)

replaced ... with :

This will be covered in the CI module