



Hands on Ratpack

Danny Hyun
HBO

Jeff Beck
SmartThings

<http://bit.ly/ratpackDevovx>

#DevovxUS

#RatpackFW

@Lspacewalker @beckje01



Agenda



- Who are we?
- What is Ratpack
- How the Labs are Setup
- Lab 1 - Handlers
- Lab 2 - Handler Refactoring
- Lab 3 - The Context
- Lab 4 - Google Guice
- Lab 5 - Render
- Lab 6 - Security
- Lab 7 - Blocking
- Resources to Learn More



Who are we?


DEVVOXXTM
UNITED STATES



 beckje01 

Jeff Beck

- Software Architect at SmartThings
- Ratpack Team Member



Danny Hyun

- Technical Lead at HBO
- Ratpack Team Member



What is Ratpack

Ratpack is a set of Java libraries that facilitate fast, efficient, evolvable and well tested HTTP applications. It is built on Netty the event-driven networking engine and focused on Reactive principals.





How the Labs are Setup

- Clone the repo bit.ly/ratpackDevoxx
- Each Lab has two directories
 - lab-01 has failing tests you need to make pass
 - lab-01-answer has the example solution
- We will introduce each lab and have some hints posted here
- Lots of details are in comments in the tests themselves
- Each lab has a markdown file with detailed notes



Lab 1 - Handlers

DEVVOXXTM
UNITED STATES

Handlers are the fundamental component of any Ratpack application, all request processing in Ratpack apps is done by composing a chain of handlers.





DEVVOXXTM
UNITED STATES

Lab 1 - Handlers Whats Covered

- Simple routing
- Routing by HTTP method
- Routing by HTTP header
- Grouping handlers with the same prefix
- Routing by regular expression
- Using path tokens
- Static assets



Lab 1 - Handler Sign Posts

Run the tests continuously:

```
./gradlew -t lab-01:test
```

- [Handler Manual](#)
- Important Classes
 - ratpack.handling.Chain
 - ratpack.handling.Context
 - ratpack.path.PathBinding
- Interesting Ratpack Specs
 - [PathroutingSpec](#)
 - [PathAndMethodRoutingSpec](#)
 - [TokenPathBinderSpec](#)



DEVVOXXTM
UNITED STATES

Lab 2 - Handler Refactor

- Improve readability
- Allow handlers to be easily unit tested
- Share common handlers across applications
- Extend the handler DSL with your own shortcut methods



Lab 2 - Sign Posts




- `ratpack.handling.Chain#prefix(prefix, action)`
- `ratpack.handling.Handler`



Lab 3 - Context

The **Context** provides access to the HTTP Request and Response. More than that though, the Context is also a **Registry** of objects. It provides access to these contextual objects via type-lookup and allows arbitrary objects to be "pushed" into the context for use by downstream handlers.





DEVVOXXTM
UNITED STATES

Lab 3 - Context Whats Covered

- Registering objects in the registry
- Dynamically adding contextual objects
- Looking up contextual objects from the registry
- Injecting contextual objects into handlers



Lab 3 - Sign Posts

- [Context Manual](#)
- `ratpack.handling.Context`
- `ratpack.registry.Registry`



Lab 4 - Google Guice

Ratpack provides integration with Google Guice for dependency injection. Guice is of particular importance as additional Ratpack functionality is packaged up as Guice modules.

The Guice integration provides a Guice backed **Registry**. This means that any objects bound with Guice are available in the **Context**.



Lab 4 - Sign Posts



- `ratpack.guice.BindingsSpec`
- This time the hints are in the TODO within **Lab04.java**



Lab 5 - Render



Ratpack has the concept of **Renderer** which is responsible for rendering an object to the response. Ratpack provides many renderers out-of-the-box but you can also create your own renderers for custom objects.



Lab 5 - What is Covered

- Rendering String
- Rendering Handlebars Templates
- Rendering a custom object with a different content type depending on what has been requested



Lab 5 - Sign Posts



- `ratpack.render.Renderer`
- `ratpack.jackson.Jackson`



Lab 6 - Security



The Pac4j library is a powerful security framework. There is a Ratpack module that adapts the framework for use. Note that the module depends on the Session module.



Lab 6 - Sign Posts

- Pac4j
- Pac4j-http
- [ratpack.pac4j.RatpackPac4j](#)
- [BasicAuthClient](#)



Lab 7 - Blocking



Real world applications need to do blocking work, most commonly interacting with a datastore. We don't want to block the main process while doing this work. Ratpack provides APIs to allow the developer to adapt to blocking libraries.



Lab 7 - Sign Posts




- `ratpack.exec.Promise`
- `ratpack.exec.Operation`
- `ratpack.exec.Blocking`
- `ratpack.hikari.HikariModule`



DEVVOXXTM
UNITED STATES

Resources to Learn More

- Website - <http://ratpack.io>
- Slack - <http://slack-signup.ratpack.io/>
- The Java Docs - <http://ratpack.io/manual/current/api/index.html>



<http://bit.ly/ratpackBook>