






Dimensions: mm (inches)




## 502 Series Plug-in Valve



Weight	Valve Body	Manifold Block	End Plates
lbs (kg)	0.372 (0.169)	0.75 (0.34)	3.30 (0.45)




A	B	C
120 (4.72)	18 (0.71)	49.6 (1.95)

## Dimensions: mm (inches)

**Plug-in Valve Mounted  
Plug-in Manifold Block**

A	B	C	D	E	F	G	H
107.1 (4.217)	42.3 (1.665)	14.8 (0.583)	38 (1.496)	29.4 (1.157)	12.2 (0.48)	37.3 (1.469)	120 (4.724)

Dimensions: mm (inches)






**M12 Valve Mounted****Non Plug-in Manifold Block (ISO 15407-1)**

A	B	C	D	E	F	G	H	J
123.6 (4.866)	42.3 (1.665)	14.8 (0.583)	38 (1.496)	29.4 (1.157)	12.2 (0.48)	37.3 (1.469)	120 (4.724)	57 (2.244)

Dimensions: mm (inches)

## Plug-in Valve on Individual Subbase

## Plug-in Individual Subbase




A	B	C	D	E	F	G	H	J	K	L	M	N
12.8 (0.504)	128.1 (5.043)	21.2 (0.835)	17 (0.669)	10 (0.394)	12 (0.472)	24 (0.945)	4 (0.157)	4.7 (0.185)	65.5 (2.579)	42 (1.654)	120 (4.724)	85.1 (3.35)

P	Q	R	S	T	U	V	W	X	Y	Z	AA
35 (1.378)	26.4 (1.039)	10.4 (0.409)	17.7 (0.697)	27.9 (1.098)	20.7 (0.815)	58.7 (2.311)	104.6 (4.118)	8.1 (0.319)	18.3 (0.72)	25 (0.984)	50 (1.969)

Dimensions: mm (inches)

## Plug-in Valve on Individual Subbase

## M12 Individual Subbase (ISO 15407-2)








A	B	C	D	E	F	G	H	J	K	L	M	N
12.8 (0.504)	128.1 (5.043)	21.2 (0.835)	17 (0.669)	10 (0.394)	12 (0.472)	24 (0.945)	4 (0.157)	4.7 (0.185)	65.5 (2.579)	42 (1.654)	70 (2.756)	120 (4.724)

P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB
85.1 (3.35)	35 (1.378)	26.4 (1.039)	10.4 (0.409)	17.7 (0.697)	27.9 (1.098)	20.7 (0.815)	58.7 (2.311)	104.6 (4.118)	8.1 (0.319)	18.3 (0.72)	25 (0.984)	50 (1.969)

## Dimensions: mm (inches)

## Non Plug-in Valve on Individual Subbase

## Non Plug-in Individual Subbase (ISO 15407-1)






A	B	C	D	E	F	G	H	J	K	L	M	N
12.8 (0.504)	74.9 (2.949)	21.2 (0.835)	17 (0.669)	10 (0.394)	12 (0.472)	24 (0.945)	4 (0.157)	4.7 (0.185)	65.5 (2.579)	42 (1.654)	120 (4.724)	101.6 (4)

P	Q	R	S	T	U	V	W	X	Y
35 (1.378)	26.4 (1.039)	10.4 (0.409)	17.7 (0.697)	27.9 (1.098)	20.7 (0.815)	58.7 (2.311)	18.3 (0.72)	25 (0.984)	50 (1.969)

Dimensions: mm (inches)

## Manifold Assembly with Vertical End Plates




A	B	C	D	E	F	G	H	J	K	L
120 (4.724)	31.9 (1.256)	44.9 (1.768)	6 (0.236)	75.8 (2.984)	23.1 (0.909)	107.1 (4.217)	98.9 (3.894)	37.3 (1.469)	17.1 (0.673)	91.6 (3.606)

M	N	P	Q	R	S	T	U	V	W	X
66.9 (2.634)	45.7 (1.799)	42.3 (1.665)	24.4 (0.961)	14.8 (0.583)	13.7 (0.539)	6.35 (0.25)	21 (0.827)	47.5 (1.87)	64.7 (2.547)	95 (3.74)

Dimensions: mm (inches)

## Manifold Assembly with Horizontal End Plates




A	B	C	D	E	F	G	H	J	K	L
120.0 (4.72)	39.0 (1.54)	39.0 (1.54)	6.0 (0.24)	95.0 (3.74)	12.5 (0.49)	108.1 (4.26)	10.0 (0.39)	40.8 (1.61)	21.2 (0.83)	39.8 (1.57)

M	N	P	Q	R	S	T	U	V	W	X
25.7 (1.01)	35.7 (1.41)	53.0 (2.09)	70.3 (2.77)	84.0 (3.31)	14.8 (0.58)	42.3 (1.67)	41.6 (1.64)	58.8 (2.31)	37.3 (1.47)	123.6 (4.87)


Dimensions: mm (inches)

### 502 Series Mid-Station Supply Block



A	B	C
120 (4.72)	72.5 (2.85)	38 (1.50)





## Dimensions: mm (inches)

502 Series Mid-Station Supply/Auxiliary Power Manifold Block  
with X32 Solenoid Coils Kit

## Dimensions: mm (inches)

## Sandwich Pressure Regulator

## Single Regulator






Weight
lbs (kg)
0.65 (0.30)

A	B	C	D	E	F
190.6 (7.504)	139.6 (5.496)	73.5 (2.894)	35.6 (1.402)	18.6 (0.732)	9.3 (0.366)




## Dimensions: mm (inches)

## Double Regulator






Weight
lbs (kg)
1.05 (0.48)

A	B	C	D	E	F
261.2 (10.283)	139.6 (5.496)	73.5 (2.894)	35.6 (1.402)	18.6 (0.732)	9.3 (0.366)

**Dimensions: mm (inches)****Sandwich Shut Off Block Kit**

<b>Weight</b>
<b>lbs (kg)</b>
0.30 (0.14)

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
147.2 (5.795)	51 (2.008)	27.5 (1.083)	18.5 (0.728)


**Dimensions: mm (inches)****Sandwich Pressure Block Kit**

<b>Weight</b>
<b>lbs (kg)</b>
0.50 (0.23)

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
129.2 (5.087)	51 (2.008)	27.5 (1.083)	18.5 (0.728)


## Dimensions: mm (inches)

## Sandwich Exhaust Block Kit





## Dimensions: mm (inches)

## Sandwich Speed Control Kit



## Dimensions: mm (inches)

## Blank Station Plate Kit



Weight
Ibs (kg)
0.10 (0.05)

A	B	C
120 (4.724)	18.5 (0.728)	15 (0.591)