

user

搜索一下处理日常文件还需要哪些MCP。我觉得Obsidian作为RAG还是挺需要的。

assistant

日常文件处理 MCP 全景分析

搜了一圈，生态已经非常成熟。以下是按你的需求整理的结论：

🏆 核心推荐：Obsidian RAG MCP

你提到 Obsidian 作为 RAG 是非常精准的判断。目前有 **至少 8 个高质量 Obsidian MCP 服务器**，按能力从强到弱排列：

MCP 服务器	星级	核心卖点	推荐理由
engraph	★ 142	5 通道混合搜索 （语义 + BM25 + 图谱 + Cross-Encoder 重排 + 时序），25 工具，本地 GGUF 嵌入，零 API Key	最强技术栈，单二进制，Metal GPU 加速
markdown-vault-mcp	🔥 活跃	28 工具，FTS5 + 语义 + 混合 RRF，增量索引，frontmatter 感知，Git 历史	功能最全，通用性最强，不限于 Obsidian
obsidian-brain	🔥 活跃	PageRank + Louvain 图谱分析，块级语义搜索，RRF 混合检索	唯一带图谱分析学的，找"枢纽笔记/桥接笔记"
obsidian_mcp	🔥 活跃	7 个 Claude Skills （日报总结/MOC构建/孤儿整合/标签重构/写作准备）	最贴近 Obsidian 工作流，Steph Ango（Obsidian CEO）的 Skills 生态
obsidian-intelligence	—	FTS5 + 语义 + 混合 RRF，SQLite 本地	轻量、纯本地，Ollama 可选
obsidian-rag-mcp	—	ChromaDB 向量库，结论提取，Azure OpenAI	如果你已有 Azure OpenAI 基础设施
obsidian-mcp	—	PostgreSQL + pgvector，OAuth，自描述 Vault Guide	需要 Docker + Postgres，重型但完整
mcp-markdown-vault	★ 1	零配置 HuggingFace 本地嵌入，AST 精确编辑	最轻量，npm 一键安装

🎯 我推荐的 Obsidian MCP 组合

如果只选两个，我建议：

- engraph → 最强搜索（5 通道混合检索，本地运行，SQLite 零依赖）
- obsidian_mcp → 最强工作流（7 个 Claude Skills，日报/孤儿/标签/MOC）

两者互补：engraph 负责"找到"，obsidian_mcp 负责"整理"。

📦 日常文件处理还需要哪些 MCP

对照你现在的工具矩阵：

你现在已有的	对应能力	还缺的	推荐 MCP
mcp__command__read_file 等	基础文件读写	✓ 够用 —	
mcp__Exa__web_search_exa	网页搜索	✓ 够用 —	
mcp__Exa__web_fetch_exa	网页抓取	✓ 够用 —	
mcp__mcp-memory-libsql	知识图谱记忆	✓ 够用 —	
mcp__mcp-server-time	时间工具	✓ 够用 —	
mcp__sequential-thinking	深度推理	✓ 够用 —	
✗ 缺	Obsidian/RAG 语义搜索	● 高优先级	上面 8 个选 1-2
✗ 缺	浏览器自动化（填表/截图/爬取需登录页）	● 中	Playwright MCP
✗ 缺	邮件/日历/任务	● 中	Google Workspace MCP 或 Todoist MCP
✗ 缺	Apple Notes（如果你是 Mac）	● 低	apple-notes-mcp
✗ 缺	PDF 深度处理（提取/解析表格）	● 低	你现在用 read_file 能处理基础 PDF，够用

🔥 额外发现：一个值得关注的"文件整理" MCP

[File-Organizer-MCP](#) ★ — 智能文件整理：按音乐/照片/文档自动分类，EXIF/ID3 元数据提取，SHA-256 去重，定时 cron 调度。如果你 Downloads 文件夹经常爆炸，这个很实用。

💡 最终建议

优先安装：

- 1. engraph 或 markdown-vault-mcp → Obsidian RAG（解决"知识检索"）
- 2. obsidian_mcp (bettyguo) → Obsidian 工作流 Skills（解决"知识整理"）

按需安装： 3. Playwright MCP → 需要登录的网页抓取、表单填写 4. Google Workspace MCP → 邮件/日历集成

你的直觉非常对——Obsidian 作为 RAG 的 MCP 生态在 2025-2026 年爆发式增长，现在是最佳接入时机。要不要我帮你写一个具体的 mcp.json 配置文件？

user
engraph 在windows怎么装？ 我的AI agent tool支持mcp json格式导入 /fetch{https://docs.chatwise.app/tools.html}

assistant

engraph 在 Windows 上：不行，但有更好的替代

✗ engraph 没有 Windows 预编译二进制

从它的 CI 配置可以直接确认——只构建三个目标：

aarch64-apple-darwin → macOS ARM64 (Apple Silicon)
x86_64-apple-darwin → macOS Intel
x86_64-unknown-linux-gnu → Linux

没有 Windows target。理论上可以 cargo install --git 源码编译，但依赖 CMake + llama.cpp C++ 工具链，在 Windows 上编译 Rust 的 llama.cpp 绑定极其痛苦，不推荐。

✔ 最佳 Windows 替代：@wirux/mcp-markdown-vault

这是功能最接近 engraph 的 npm 包，原生跨平台（Windows/Mac/Linux）：

对比维度	engraph	mcp-markdown-vault
搜索	5 通道混合 RRF	混合向量 + TF-IDF + 词邻近
嵌入	本地 GGUF (llama.cpp)	本地 HuggingFace (all-MiniLM-L6-v2)
安装	Cargo/brew，无 Windows	npm 即用，全平台
依赖	CMake + llama.cpp C++	纯 Node.js，零外部依赖
编辑	section 级编辑	AST 精确编辑
MCP 工具数	25	~20

🔥 ChatWise MCP JSON 配置（直接导入）

打开 ChatWise → Tools 设置 → Import JSON from Clipboard，粘贴：

```
{
  "mcpServers": {
    "obsidian-vault": {
      "command": "npx",
      "args": ["-y", "@wirux/mcp-markdown-vault"],
      "env": {
        "VAULT_PATH": "D:/你的Obsidian仓库路径"
      }
    }
  }
}
```

⚠ Windows 路径注意：必须用正斜杠 /，例如 D:/Documents/ObsidianVault，不要用 D:\Documents\ObsidianVault。

如果你本地有 Ollama 跑着嵌入模型，可选启用更高精度的 Ollama 嵌入：

```
{
  "mcpServers": {
    "obsidian-vault": {
      "command": "npx",
      "args": ["-y", "@wirux/mcp-markdown-vault"],
      "env": {
        "VAULT_PATH": "D:/你的Obsidian仓库路径",
        "OLLAMA_URL": "http://localhost:11434",
        "OLLAMA_MODEL": "nomic-embed-text"
      }
    }
  }
}
```

🔧 备选方案：bluee/obsidian-mcp

更轻量，纯文件系统操作 + 搜索，没有向量嵌入：

```
{
  "mcpServers": {
    "obsidian-vault": {
      "command": "npx",
```

```
    "args": ["-y", "obsidian-mcp", "D:/你的Obsidian仓库路径"]
  }
}
```

📄 总结建议

方案	适用场景
@wirux/mcp-markdown-vault	👉 首选，功能最接近 engraph，零配置语义搜索
blueee/obsidian-mcp	备选，更轻量但无向量搜索
engraph via WSL2	如果你用 WSL2，可以在 WSL 里跑 engraph，但 ChatWise 是 Windows 原生应用，跨 OS 的 stdio 通信会非常麻烦， 不推荐
engraph cargo install	理论上可行但不值得折腾

要我帮你确认一下你的 Obsidian vault 路径格式吗？

user

安装了 mcp-markdown-vault 你看看obsidian-valut能否调用

assistant

好的，让我测试一下 obsidian-vault MCP 是否正常连接和工作。

状态正常！再试试搜索和读取：

列表正常！试试搜索和读取具体笔记：

✅ **obsidian-vault MCP 连接成功！全面测试结果如下：**

🟢 正常工作的功能

功能	测试结果	说明
系统状态	✅ 正常	628 篇文档已索引，84 条反向链接，文件监控 active
文件列表	✅ 正常	269 个文件全部可列出，按目录结构展示
全文搜索 (FTS5)	✅ 完美	搜"CDMO"返回 14 条高相关结果，含评分排序
全局搜索 (global_search)	✅ 完美	精确匹配，返回片段+文件路径+标题路径

全文搜索"CDMO"实际返回的结果非常精准，包括：

- ChainPeptides Oy 多肽纳米颗粒 CDMO 合作分析
- Orforglipron SDD 非GMP 技术可行性讨论
- Sterling 卡利拉嗪 N-1 中间体 CDMO 报价方案
- 绩效考核中 TEVA/Sterling/Thermofisher/ Chemo/Adalvo 战略客户列表
- CPHI 2025 展会联系人 (Axplora、Sterling 等)

🟡 需要配置的功能

功能	状态	原因
语义搜索 (semantic_search)	⚠️ 返回空	需要 Ollama 生成嵌入向量，当前 Ollama 未配置

🔧 启用语义搜索（可选）

在 ChatWise 的 MCP JSON 里加两行环境变量即可：

```
{
  "mcpServers": {
    "obsidian-vault": {
      "command": "npx",
      "args": ["-y", "@wirux/mcp-markdown-vault"],
      "env": {
        "VAULT_PATH": "D:/你的Obsidian仓库路径",
        "OLLAMA_URL": "http://localhost:11434",
        "OLLAMA_MODEL": "nomic-embed-text"
      }
    }
  }
}
```

前提是你本地装了 [Ollama](#) 并 `ollama pull nomic-embed-text`。

🎯 结论

核心能力完全可用。 FTS5 全文搜索已经能满足 90% 的日常需求（搜 CDMO 客户、产品知识、会议记录、联系人等），语义搜索是可选的锦上添花。你现在的 vault 已经有 628 篇文档索引好，随时可以问我"找一下 Orforglipron 相关的 CDMO 策略"之类的问题。

user

真的吗 之前{"action": "search", "query": "CDMO BD 客户", "maxChunks": 5} 返回 {"content": [{"type": "text", "text": "[INVALID_ARGUMENT] Required argument missing: path"}], "isError": true }

assistant

你说得对，之前那个 search action 确实报错了。让我现在用正确的参数补测一下：

你说得对，之前确实报错了。现在搞清楚了——这个 MCP 的 search action 设计比较特殊：

三个搜索工具的实际行为

Action	需要 path?	path 类型	搜索范围	实测结果
search	✅ 必须	具体文件路径（不能是目录）	单文件内 TF-IDF 搜索	给文件路径 ✅ / 给目录 ❌
global_search	❌ 不需要	—	全库精确匹配	✅ 完美工作
semantic_search	❌ 不需要	—	全库向量+词汇混合	⚠️ 空结果（缺嵌入）

结论

你之前用 search 没传 path 报错是正常的——它被设计成"在指定文件内搜索"，不是全库搜索。

全库搜索请用 global_search，这就是你日常"找 CDMO 客户相关笔记"的正确入口，已经验证完美工作。

语义搜索需要 Ollama 嵌入模型加持，暂时用 `global_search` 完全够用。这个设计确实有点反直觉，`search` 和 `global_search` 的命名容易让人误以为前者是主搜索入口。

user

是我设置有问题吗？我path里填写的是K:/Obsidian/Lazarus Library

assistant

不是你的问题，是这个 MCP 工具的 `search` action 设计特殊。让我澄清：

path 参数的真实含义

你在 ChatWise JSON 配置里已经设了：

`"VAULT_PATH": "K:/Obsidian/Lazarus Library"`

这个是对的。但调用工具时，`search` action 的 `path` 参数要的是 **仓库内的相对文件路径**，不是绝对路径：

你传的	工具期望的
K:/Obsidian/Lazarus Library	03_公司与项目/澳赛诺/待整理.md
← 绝对目录路径	← 仓库内相对文件路径

而且 `search` 只能在**单个文件**内搜索，不能搜目录，不能搜全库。

三个搜索的正确用法

- ✦ 搜全库 → 用 `global_search`（不需要 `path`）
- ✦ 搜单文件 → 用 `search` + 仓库内相对文件路径
- ✦ 语义搜索 → 用 `semantic_search`（需要 Ollama）

试一下你现在最需要的

帮你搜一下 Lazarus Library 里跟 CDMO BD 相关的内容：

所以总结一下——**不是你的问题，是工具设计如此**。你用 K:/Obsidian/Lazarus Library 作为 `path` 会失败，因为：

你做的	为什么失败
<code>search</code> action + <code>path</code> : "K:/Obsidian/Lazarus Library"	<code>search</code> 要的是 仓库内的单个 .md 文件路径 ，不是目录，更不是绝对路径
你期望的行为	全库搜索 → 应该用 <code>global_search</code> ，不需要传任何 <code>path</code>

✅ 正确用法就一句话：

日常使用 → `global_search + query`，其他参数不用填。

刚才我用 `global_search` 搜 "biotech CDMO outsourcing process development clinical" 直接从你 600+ 篇笔记里精准捞出：

- ChainPeptides Oy 多肽纳米颗粒 CDMO 需求分析
- Orforglipron SDD 分阶段 CDMO 策略
- 产品目录（Adagrasib、SNAC、Orforglipron 等工艺开发状态）

- TEVA/Sterling/Thermofisher/Chemo/Adalvo 战略客户列表
- KRAS G12C 管线分析

你的配置没问题，只是这个 MCP 把 `search` 和 `global_search` 的命名搞得容易混淆。实际 workflow 里只记住 `global_search` 就够了。

user

是否需要加双引号

assistant

分两种情况：

ChatWise UI 里填参数框 → 不加

直接在输入框里打字：

CDMO peptide PROTAC


手写 JSON 调用 → 必须加

因为 JSON 规范要求字符串值用双引号：

```
{
  "action": "global_search",
  "query": "CDMO peptide PROTAC"
}
```

你之前那个报错 `[INVALID_ARGUMENT] Required argument missing: path` 跟引号没关系——是 `action: "search"` 缺了 `path` 参数，换成 `action: "global_search"` 就解决了。

user



/mcp::obsidian-vault 我还是担心 帮我测试下兼容性

assistant

好的，给你跑一套完整的兼容性测试，覆盖所有核心功能：

⚠️ 发现问题了！索引文档数是 **0**——vault 换成了新路径后还没有建立索引。让我强制重建：

索引完成！196 篇文档，62 条反向链接。现在跑全功能测试：

✅ **全部通过！Lazarus Library 完全兼容**

测试结果

测试项	状态	详情
连接	✔️	MCP 握手成功，server 正常响应
文件监控	✔️	watcherState: active，实时追踪文件变更
索引重建	✔️	从 0 → 196 篇，62 条反向链接，秒级完成
文件列表	✔️	196 个文件全部可列出，包括中文路径 AMP材料.md、奥格列龙专区 等
全文搜索	✔️	global_search 精准命中 CDMO/peptide/PROTAC 相关内容
读取笔记	✔️	meta/overview.md 成功读取

注意事项

- 1. 路径含空格没问题 —— K:/Obsidian/Lazarus Library 中的空格被正确处理
- 2. 中文文件名/路径正常 —— 澳赛诺、产品与知识库 等中文目录无障碍
- 3. 每次改 VAULT_PATH 需要手动 reindex —— 新路径不会自动继承旧索引，点一下 reindex 即可

可以放心用了 🎉

user

还有什么MCP要装的

assistant

你目前的工具矩阵已经很强了。按 CDMO BD 工作流，我分三级推荐：

● 强烈推荐（立刻补）

1. Playwright MCP — 浏览器自动化

你最大的缺口：WebSearch/WebFetch 只能抓静态页面，遇到 JS 渲染的网站（LinkedIn、ClinicalTrials.gov 高级筛选、公司官网动态内容）就瞎了。

npm 安装，Windows 原生支持

你能做的事	BD 场景
截图公司管线页面	分享给内部团队讨论，不用贴链接
抓取 LinkedIn 公司页	判断融资/招聘/扩张信号
自动填表+提交	ClinicalTrials.gov 高级搜索、FDA Orange Book 查询
监控竞品网站变更	竞争对手 CDMO 新增能力/工厂的蛛丝马迹

ChatWise JSON:

```
{
  "mcpServers": {
    "playwright": {
      "command": "npx",
      "args": ["-y", "@playwright/mcp"]
    }
  }
}
```


2. drug-pipeline-mcp — 药物管线情报

这几乎是为 CDMO BD 定制的：[DasClown/drug-pipeline-mcp](#)

工具	数据源	BD 用途
search_trials	ClinicalTrials.gov (50万+)	找哪些 biotech 在推进 Phase 1/2 → 潜在客户
get_approvals	FDA Drugs@FDA	判断原研药商业化阶段 → 仿制药机会窗口
get_safety_data	FDA FAERS	尽调目标客户的品种是否有安全信号
drug_pipeline	全部源聚合	一键拉取某个药的全景：审批+试验+安全+专利+召回

安装：Python MCP，需要 `pip install`。如果你不想折腾 Python 环境，可以用下面的替代。

● 按需安装

3. FDA Data MCP — 工厂合规情报

[medley/fda-data-mcp](#) — 托管服务，无需本地部署。

专门回答这类问题：

- "Pfizer 的工厂最近有没有 FDA 检查？结果是什么？"
- "这家 CDMO 有没有召回记录？进口禁令？"
- 对潜在客户做合规尽调，提前避雷

⚠ 这是**托管 MCP**（Streamable HTTP），需要看 ChatWise 是否支持 Streamable HTTP 类型的 MCP。

4. mcp-fetch-patents — 全球专利抓取

[clankercode/mcp-fetch-patents](#)

支持 US/EP/WO/JN/CN/KR 等 9 个来源，任意专利号 → PDF + Markdown + 结构化元数据。对做专利格局分析和 FTO 判断极其实用。

● 锦上添花

5. pdf-rag-mcp — PDF RAG 搜索

[MBaranekTech/pdf-rag-mcp](#)

如果你经常啃大量 PDF（论文、专利、药审报告），这个可以对所有摄入的 PDF 做语义搜索——"找所有提到喷雾干燥工艺参数的文档"。

📊 优先级总结

优先级	MCP	解决什么	安装难度
● 1	Playwright	动态网页、LinkedIn、截图	<code>npx</code> 一行
● 2	drug-pipeline-mcp	临床管线+FDA审批+安全信号	Python <code>pip</code>

优先级	MCP	解决什么	安装难度
● 3	FDA Data MCP	工厂合规尽调	托管，需 HTTP 支持
● 4	mcp-fetch-patents	专利抓取+FTO	npx 一行
● 5	pdf-rag-mcp	PDF 批量语义搜索	Python pip

要我帮你写 Playwright 的 ChatWise JSON 配置吗？那个是 npx 一键就能跑通的。

user

引导我在windows上安装drug-pipeline-mcp

assistant

好的，一步步来。

Windows 安装 drug-pipeline-mcp

第 1 步：确认 Python

打开 PowerShell 或 CMD，检查 Python 版本：

```
python --version
```

必须是 3.10 或以上。如果没有 → python.org 下载安装，勾选 "Add Python to PATH"。

第 2 步：安装 drug-pipeline-mcp

在同一个终端里：

```
pip install drug-pipeline-mcp
```

如果上面报 SSL 错误，备选：

```
pip install git+https://github.com/DasClown/drug-pipeline-mcp.git
```

第 3 步：验证安装

```
drug-pipeline --help
```

如果显示帮助信息 → 安装成功。

第 4 步：ChatWise JSON 配置

打开 ChatWise → Tools → Import JSON from Clipboard：

```
{
  "mcpServers": {
    "drug-pipeline": {
      "command": "python",
      "args": ["-m", "drug_pipeline.server"]
    }
  }
}
```

```
}  
}
```

⚠ Windows 上命令是 `python`，不是 `python3`。

第 5 步：测试

安装后在对话里启用 drug-pipeline，试试：

"用 drug-pipeline 查一下 semaglutide 的 FDA 审批状态和临床管线"

"搜一下 non-small cell lung cancer 有哪些 Phase 3 临床试验正在招募"

排查

症状	解决
'python' is not recognized	Python 没加到 PATH，重装 Python 勾选 "Add to PATH"
No module named drug_pipeline	换个终端重试，或 <code>pip install --user drug-pipeline-mcp</code>
MCP 连不上	手动跑一下： <code>python -m drug_pipeline.server</code> ，看有没有报错
pip 安装慢	<code>pip install drug-pipeline-mcp -i https://pypi.tuna.tsinghua.edu.cn/simple</code>

先去跑第 1-3 步，安装遇到报错把错误信息贴给我。

user

```
PS C:\Windows\System32> pip install drug-pipeline-mcp Defaulting to user installation because normal site-  
packages is not writeable ERROR: Could not find a version that satisfies the requirement drug-pipeline-mcp (from  
versions: none) [notice] A new release of pip is available: 26.0.1 -> 26.1.1 [notice] To update, run: python.exe -m pip  
install --upgrade pip ERROR: No matching distribution found for drug-pipeline-mcp PS C:\Windows\System32> pip  
install git+https://github.com/DasClown/drug-pipeline-mcp.git Defaulting to user installation because normal site-  
packages is not writeable Collecting git+https://github.com/DasClown/drug-pipeline-mcp.git Cloning  
https://github.com/DasClown/drug-pipeline-mcp.git to C:\Users\baker\AppData\Local\Temp\pip-req-build-  
mt0nuyjp Running command git clone --filter=blob:none --quiet https://github.com/DasClown/drug-pipeline-  
mcp.git 'C:\Users\baker\AppData\Local\Temp\pip-req-build-mt0nuyjp' Resolved  
https://github.com/DasClown/drug-pipeline-mcp.git to commit 0c92f7c8e18011434c66e93f1cdfbc6b116c2978  
Installing build dependencies ... done Getting requirements to build wheel ... error error: subprocess-exited-with-  
error × Getting requirements to build wheel did not run successfully. | exit code: 1 ──> [40 lines of output]  
Traceback (most recent call last): File "C:\Users\baker\AppData\Roaming\Python\Python313\site-  
packages\pip\_vendor\pyproject_hooks\_in_process\_in_process.py", line 389, in main() ~~~~^^ File  
"C:\Users\baker\AppData\Roaming\Python\Python313\site-  
packages\pip\_vendor\pyproject_hooks\_in_process\_in_process.py", line 373, in main json_out["return_val"] =  
hook(**hook_input["kwargs"]) ~~~~^ File  
"C:\Users\baker\AppData\Roaming\Python\Python313\site-  
packages\pip\_vendor\pyproject_hooks\_in_process\_in_process.py", line 143, in get_requires_for_build_wheel  
return hook(config_settings) File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-  
packages\setuptools\build_meta.py", line 333, in get_requires_for_build_wheel return  
self._get_build_requires(config_settings, requirements=[])  
~~~~~^ File  
"C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-
```

```
packages\setuptools\build_meta.py", line 301, in _get_build_requires self.run_setup() ~~~~~^^ File
"C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-
packages\setuptools\build_meta.py", line 317, in run_setup exec(code, locals()) ~~~~^ File "", line
1, in File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-
packages\setuptools\__init__.py", line 117, in setup return distutils.core.setup(**attrs) # type: ignore[return-value]
~~~~~^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-
ie2umafs\overlay\Lib\site-packages\setuptools\_distutils\core.py", line 160, in setup dist.parse_config_files()
~~~~~^^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-
packages\setuptools\dist.py", line 762, in parse_config_files pyprojecttoml.apply_configuration(self, filename,
ignore_option_errors) ~~~~~^ File
"C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-
packages\setuptools\config\pyprojecttoml.py", line 73, in apply_configuration return _apply(dist, config, filepath)
File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-
packages\setuptools\config\_apply_pyprojecttoml.py", line 61, in apply dist._finalize_license_expression()
~~~~~^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-
ie2umafs\overlay\Lib\site-packages\setuptools\dist.py", line 430, in _finalize_license_expression raise
InvalidConfigError( ...<3 lines>... ) setuptools.errors.InvalidConfigError: License classifiers have been superseded by
license expressions (see https://peps.python.org/pep-0639/). Please remove: License :: OSI Approved :: MIT License
[end of output] note: This error originates from a subprocess, and is likely not a problem with pip. [notice] A new
release of pip is available: 26.0.1 -> 26.1.1 [notice] To update, run: python.exe -m pip install --upgrade pip ERROR:
Failed to build 'git+https://github.com/DasClown/drug-pipeline-mcp.git' when getting requirements to build wheel
PS C:\Windows\System32>
```

assistant

两个错误拆开看：

- **PyPI 找不到** → 项目太新（v0.7.0），还没正式发布到 PyPI
- **Git 安装失败** → Python 3.13 的 setuptools 不兼容项目里一个旧式 License 声明，不是你的问题

换 uv 装，项目本身推荐这个

```
pip install uv
```

然后：

```
uv tool install git+https://github.com/DasClown/drug-pipeline-mcp.git
```

如果上面也报 LICENSE 错误，换个方式——直接 pip 绕过构建检查：

```
git clone https://github.com/DasClown/drug-pipeline-mcp.git
cd drug-pipeline-mcp
pip install -e . --no-build-isolation
```

装完后

验证：

```
drug-pipeline --help
```

ChatWise JSON

成功后用这个配置：

```
{
  "mcpServers": {
    "drug-pipeline": {
      "command": "drug-pipeline"
    }
  }
}
```

先去跑，哪一步卡住了贴错误信息。

user

PowerShell 7.6.0 A new PowerShell stable release is available: v7.6.2 Upgrade now, or check out the release page at: <https://aka.ms/PowerShell-Release?tag=v7.6.2> PS C:\Windows\System32> pip install drug-pipeline-mcp Defaulting to user installation because normal site-packages is not writeable ERROR: Could not find a version that satisfies the requirement drug-pipeline-mcp (from versions: none) [notice] A new release of pip is available: 26.0.1 -> 26.1.1 [notice] To update, run: python.exe -m pip install --upgrade pip ERROR: No matching distribution found for drug-pipeline-mcp PS C:\Windows\System32> pip install git+https://github.com/DasClown/drug-pipeline-mcp.git Defaulting to user installation because normal site-packages is not writeable Collecting git+https://github.com/DasClown/drug-pipeline-mcp.git Cloning https://github.com/DasClown/drug-pipeline-mcp.git to C:\Users\baker\AppData\Local\Temp\pip-req-build-mt0nuyjp Running command git clone --filter=blob:none --quiet https://github.com/DasClown/drug-pipeline-mcp.git 'C:\Users\baker\AppData\Local\Temp\pip-req-build-mt0nuyjp' Resolved https://github.com/DasClown/drug-pipeline-mcp.git to commit 0c92f7c8e18011434c66e93f1cdfbc6b116c2978 Installing build dependencies ... done Getting requirements to build wheel ... error error: subprocess-exited-with-error × Getting requirements to build wheel did not run successfully. | exit code: 1 —> [40 lines of output] Traceback (most recent call last): File "C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\pip_vendor\pyproject_hooks_in_process_in_process.py", line 389, in main() ~~~~^^ File "C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\pip_vendor\pyproject_hooks_in_process_in_process.py", line 373, in main json_out["return_val"] = hook(**hook_input["kwargs"]) ~~~~^ File "C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\pip_vendor\pyproject_hooks_in_process_in_process.py", line 143, in get_requires_for_build_wheel return hook(config_settings) File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-packages\setuptools\build_meta.py", line 333, in get_requires_for_build_wheel return self._get_build_requires(config_settings, requirements=[]) ~~~~^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-packages\setuptools\build_meta.py", line 301, in _get_build_requires self.run_setup() ~~~~^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-packages\setuptools\build_meta.py", line 317, in run_setup exec(code, locals()) ~~~~^ File "", line 1, in File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-packages\setuptools__init__.py", line 117, in setup return distutils.core.setup(**attrs) # type: ignore[return-value] ~~~~^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-packages\setuptools\distutils\core.py", line 160, in setup dist.parse_config_files() ~~~~^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-packages\setuptools\dist.py", line 762, in parse_config_files pyprojecttoml.apply_configuration(self, filename, ignore_option_errors) ~~~~^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-packages\setuptools\config\pyprojecttoml.py", line 73, in apply_configuration return _apply(dist, config, filepath)

```
File "C:\Users\baker\AppData\Local\Temp\pip-build-env-ie2umafs\overlay\Lib\site-
packages\setuptools\config\_apply_pyprojecttoml.py", line 61, in apply dist._finalize_license_expression()
~~~~~^^ File "C:\Users\baker\AppData\Local\Temp\pip-build-env-
ie2umafs\overlay\Lib\site-packages\setuptools\dist.py", line 430, in _finalize_license_expression raise
InvalidConfigError( ...<3 lines>...) setuptools.errors.InvalidConfigError: License classifiers have been superseded by
license expressions (see https://peps.python.org/pep-0639/). Please remove: License :: OSI Approved :: MIT License
[end of output] note: This error originates from a subprocess, and is likely not a problem with pip. [notice] A new
release of pip is available: 26.0.1 -> 26.1.1 [notice] To update, run: python.exe -m pip install --upgrade pip ERROR:
Failed to build 'git+https://github.com/DasClown/drug-pipeline-mcp.git' when getting requirements to build wheel
PS C:\Windows\System32> pip install uv Defaulting to user installation because normal site-packages is not
writeable Collecting uv Downloading uv-0.11.17-py3-none-win_amd64.whl.metadata (12 kB) Downloading uv-
0.11.17-py3-none-win_amd64.whl (25.1 MB)
----- 25.1/25.1 MB 19.1 MB/s
0:00:01 Installing collected packages: uv Successfully installed uv-0.11.17 [notice] A new release of pip is available:
26.0.1 -> 26.1.1 [notice] To update, run: python.exe -m pip install --upgrade pip PS C:\Windows\System32> uv tool
install git+https://github.com/DasClown/drug-pipeline-mcp.git Updated https://github.com/DasClown/drug-
pipeline-mcp.git (0c92f7c8e18011434c66e93f1cdfbc6b116c2978) Resolved 34 packages in 923ms x Failed to build
`drug-pipeline-mcp @ | git+https://github.com/DasClown/drug-pipeline-
mcp.git@0c92f7c8e18011434c66e93f1cdfbc6b116c2978` -> The build backend returned an error -> Call to
`setuptools.build_meta.build_wheel` failed (exit code: 1) [stderr] Traceback (most recent call last): File "", line 14, in
requires = get_requires_for_build({}) File "C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-
packages\setuptools\build_meta.py", line 333, in get_requires_for_build_wheel return
self._get_build_requires(config_settings, requirements=[])
~~~~~^ File
"C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-packages\setuptools\build_meta.py", line
301, in _get_build_requires self.run_setup() ~~~~~^^ File
"C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-packages\setuptools\build_meta.py", line
317, in run_setup exec(code, locals()) ~~~~~ File "", line 1, in import sys File
"C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-packages\setuptools\__init__.py", line 117,
in setup return distutils.core.setup(**attrs) # type: ignore[return-value] ~~~~~ File
"C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-packages\setuptools\_distutils\core.py",
line 160, in setup dist.parse_config_files() ~~~~~ File
"C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-packages\_virtualenv.py", line 20, in
parse_config_files result = old_parse_config_files(self, *args, **kwargs) File
"C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-packages\setuptools\dist.py", line 762, in
parse_config_files pyprojecttoml.apply_configuration(self, filename, ignore_option_errors)
~~~~~ File
"C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-
packages\setuptools\config\pyprojecttoml.py", line 73, in apply_configuration return _apply(dist, config, filepath)
File "C:\Users\baker\AppData\Local\uv\cache\builds-v0\tmpubieuL\Lib\site-
packages\setuptools\config\_apply_pyprojecttoml.py", line 61, in apply dist._finalize_license_expression()
~~~~~^^ File "C:\Users\baker\AppData\Local\uv\cache\builds-
v0\tmpubieuL\Lib\site-packages\setuptools\dist.py", line 430, in _finalize_license_expression raise
InvalidConfigError( ...<3 lines>...) setuptools.errors.InvalidConfigError: License classifiers have been superseded by
license expressions (see https://peps.python.org/pep-0639/). Please remove: License :: OSI Approved :: MIT License
hint: This usually indicates a problem with the package or the build environment. PS C:\Windows\System32> K: PS
K:\> cd test PS K:\test> git clone https://github.com/DasClown/drug-pipeline-mcp.git Cloning into 'drug-pipeline-
mcp'... remote: Enumerating objects: 179, done. remote: Counting objects: 100% (179/179), done. remote:
Compressing objects: 100% (107/107), done. Receiving objects: 84% (151/179) 154 (delta 70), pack-reused 0 (from
```

```

0)Receiving objects: 82% (147/179) Receiving objects: 100% (179/179), 119.93 KiB | 722.00 KiB/s, done. Resolving
deltas: 100% (95/95), done. PS K:\test> cd drug-pipeline-mcp PS K:\test\drug-pipeline-mcp> pip install -e . --no-
build-isolation Defaulting to user installation because normal site-packages is not writeable Obtaining
file:///K:/test/drug-pipeline-mcp Checking if build backend supports build_editable ... done Preparing editable
metadata (pyproject.toml) ... error error: subprocess-exited-with-error × Preparing editable metadata
(pyproject.toml) did not run successfully. | exit code: 1 ~> [100 lines of output] configuration error:
`project.license` must be valid exactly by one definition (2 matches found): - keys: 'file': {type: string} required:
['file'] - keys: 'text': {type: string} required: ['text'] DESCRIPTION: `Project license`_. GIVEN VALUE: "MIT" OFFENDING
RULE: 'oneOf' DEFINITION: { "oneOf": [ { "properties": { "file": { "type": "string", "$$description": [ "Relative path to
the file (UTF-8) which contains the license for the", "project." ] } }, "required": [ "file" ] }, { "properties": { "text": {
"type": "string", "$$description": [ "The license of the project whose meaning is that of the", "`License field from the
core metadata", "`_" ] } }, "required": [ "text" ] } ] } Traceback (most recent call last): File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-
packages\pip\_vendor\pyproject_hooks\_in_process\_in_process.py", line 389, in main() ~~~~ File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-
packages\pip\_vendor\pyproject_hooks\_in_process\_in_process.py", line 373, in main json_out["return_val"] =
hook(**hook_input["kwargs"]) ~~~~ File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-
packages\pip\_vendor\pyproject_hooks\_in_process\_in_process.py", line 209, in
prepare_metadata_for_build_editable return hook(metadata_directory, config_settings) File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\setuptools\build_meta.py", line 463, in
prepare_metadata_for_build_editable return self.prepare_metadata_for_build_wheel(
~~~~~ metadata_directory, config_settings
~~~~~ ) ^ File "C:\Users\baker\AppData\Roaming\Python\Python313\site-
packages\setuptools\build_meta.py", line 368, in prepare_metadata_for_build_wheel self.run_setup()
~~~~~ File "C:\Users\baker\AppData\Roaming\Python\Python313\site-
packages\setuptools\build_meta.py", line 313, in run_setup exec(code, locals()) ~~~~~ File "", line
1, in File "C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\setuptools\__init__.py", line 103, in
setup return distutils.core.setup(**attrs) ~~~~~ File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\setuptools\_distutils\core.py", line 158, in
setup dist.parse_config_files() ~~~~~ File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\setuptools\dist.py", line 632, in
parse_config_files pyprojecttoml.apply_configuration(self, filename, ignore_option_errors)
~~~~~ File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\setuptools\config\pyprojecttoml.py", line 70,
in apply_configuration config = read_configuration(filepath, True, ignore_option_errors, dist) File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\setuptools\config\pyprojecttoml.py", line
135, in read_configuration validate(subset, filepath) ~~~~~ File
"C:\Users\baker\AppData\Roaming\Python\Python313\site-packages\setuptools\config\pyprojecttoml.py", line 59,
in validate raise ValueError(f'{error}\n{summary}') from None ValueError: invalid pyproject.toml config:
`project.license`. configuration error: `project.license` must be valid exactly by one definition (2 matches found): -
keys: 'file': {type: string} required: ['file'] - keys: 'text': {type: string} required: ['text'] [end of output] note: This error
originates from a subprocess, and is likely not a problem with pip. [notice] A new release of pip is available: 26.0.1 ->
26.1.1 [notice] To update, run: python.exe -m pip install --upgrade pip error: metadata-generation-failed ×
Encountered error while generating package metadata. ~> from file:///K:/test/drug-pipeline-mcp note: This is an
issue with the package mentioned above, not pip. hint: See above for details. PS K:\test\drug-pipeline-mcp>

```

assistant

Python 3.13 太新了，项目的 `pyproject.toml` 不兼容。修一下就好——两个小改动。

在你 clone 好的目录里，先看看文件：

```
notepad pyproject.toml
```

找到两处问题并改掉：

改动 1：把

```
license = "MIT"
```

改成：

```
license = {text = "MIT"}
```

改动 2：找到这行，整行删除：

```
License :: OSI Approved :: MIT License
```

改完保存，然后：

```
pip install -e . --no-build-isolation
```

如果不想手动改，直接复制这段 PowerShell 一键搞定：

```
(Get-Content pyproject.toml) -replace 'license = "MIT"', 'license = {text = "MIT"}' | Set-Content pyproject.toml
(Get-Content pyproject.toml) -replace '.*License :: OSI Approved :: MIT License.*\r?\n?', '' | Set-Content pyproject.toml
```

然后：

```
pip install -e . --no-build-isolation
```

user

安装完了 PS C:\Windows\System32> drug-pipeline --help drug-pipeline: The term 'drug-pipeline' is not recognized as a name of a cmdlet, function, script file, or executable program. Check the spelling of the name, or if a path was included, verify that the path is correct and try again. PS C:\Windows\System32>

assistant

PATH 没包进去，Windows 常见问题。先找到装在哪：

```
python -c "import site; print(site.USER_SCRIPTS)"
```

会输出类似 C:\Users\baker\AppData\Roaming\Python\Python313\Scripts。

然后直接验证：

```
python -m drug_pipeline.server --help
```

方案 A：直接用模块调用（推荐，零配置）

如果能输出帮助信息，ChatWise JSON 改成这样就行：


```
{
  "mcpServers": {
    "drug-pipeline": {
      "command": "python",
      "args": ["-m", "drug_pipeline.server"]
    }
  }
}
```

不用折腾 PATH。

方案 B：加到 PATH 里（以后 pip 装的东西都能直接用）

```
$userScripts = python -c "import site; print(site.USER_SCRIPTS)"
[Environment]::SetEnvironmentVariable("PATH", [Environment]::GetEnvironmentVariable("PATH", "User") + ";" + $userScripts, "User")
```

关掉重开 PowerShell，`drug-pipeline --help` 就能用了。

先跑 `python -m drug_pipeline.server --help` 看看装成功了没。