

Document Control Standard

Numbering, revision, issue and retirement of project information

Document reference	KUT-SMB-ZZ-ZZ-RP-Z-0003
Revision	P01
Status / suitability	DRAFT — not issued (S0, work in progress)
Prepared by	Symbion Consulting Group Studios
Role	Information Manager
Date of issue	[FILL]

Supersedes the earlier Document Control Standard and Numbering Convention issued before the numbering was settled. Not yet issued through the Common Data Environment. Uncontrolled when printed.

Contents

Document control	3
Revision history	3
Status of this document	3
Contents	3
1 Scope and principles	4
2 Container naming	5
2.1 Volumes	5
2.2 Levels	5

2.3 Types.....	6
2.4 Roles	6
3 Sheet numbering	7
4 Revision	8
5 Suitability and authorisation	9
5.1 Who may authorise	9
6 Issue and transmittal	10
7 Superseding, cancelling and replacing.....	11
7.1 Marking.....	11
8 Number retirement and reuse	12
9 The register.....	13
10 Non-conformity	14

Document control

Revision history

Rev	Date	Prepared	Checked	Summary of change
P01	[FILL]	[FILL]	[FILL]	First issue. Supersedes the earlier standard and numbering convention

Status of this document

This standard sets out how project information is numbered, revised, issued, superseded and retired. It applies to every container produced by every appointed party, for the full duration of the appointment.

The BIM Execution Plan is the contractual statement of the information requirements, and Section 4.2 of that plan states the container naming convention. This standard states the same convention and adds the procedure that surrounds it. Where the two differ, the BIM Execution Plan takes precedence and this standard is corrected at the next revision.

SUPERSEDED DOCUMENTS

Two earlier documents are superseded by this one: the Document Control Standard and the Drawing and Document Numbering Convention issued before the numbering was settled. Both assume a four-character originator code and alphabetic volume codes. Container names built to either will be rejected by the compliance check. Withdraw any local copies.

Contents

Section	Title
1	Scope and principles
2	Container naming
3	Sheet numbering
4	Revision
5	Suitability and authorisation
6	Issue and transmittal
7	Superseding, cancelling and replacing
8	Number retirement and reuse
9	The register
10	Non-conformity

1 Scope and principles

Every piece of information produced for this project is a container: a model, a drawing, a sheet, a schedule, a report, a specification, a calculation or a notice. Every container has a name, a revision and a suitability, and appears in the register.

1. **A container is identified by its name, not by its file name on a local machine.** The name is the same in the register, on the sheet, in the transmittal and in the model.
2. **Nothing is issued outside the Common Data Environment.** Information sent by email, messaging application or portable media has not been issued and carries no status.
3. **A number is allocated once and is never reused.** A cancelled drawing keeps its number for the life of the project; the number is retired, not recycled.
4. **Revision and suitability are different things.** The revision says which version this is. The suitability says what it may be used for. Both change, and they change for different reasons.

2 Container naming

Every container name has seven fields, separated by hyphens, in this order.

KUT - SMB - 01 - GF - M3 - A - 0001

Field	Length	Permitted values
Project	3	KUT
Originator	3	Per the originator register
Volume	2	01, 02, 03, 04, 05, 06, 00, ZZ
Level	2	B1 basement, GF ground floor, 01 first floor, and upward in sequence, RF roof, ZZ all levels, XX not applicable
Type	2	CO, CP, CR, DR, IE, M2, M3, MI, PP, PR, RD, RI, RP, SH, SN, SP, SU, VS
Role	1 to 2	A, C, E, I, M, P, Q, S, W, X, Y. Z is used for multi-discipline and federated containers
Number	4	Sequential within the set

OPEN ITEM

The originator code register has not yet been issued by the Lead Appointed Party. `SMB` is used provisionally for information management. **No container is to be numbered until the register is issued** — renumbering after Deliverable A affects every issued document, every transmittal and every reference in a report.

2.1 Volumes

Numbering value	Volume code	Volume	Gross internal area
01	BLD1	Temple	2,449 m ²
02	BLD2	Meetinghouse	1,312 m ²
03	BLD3	Housing and ancillary	2,554 m ²
04	BLD4	Grounds building	93 m ²
05	BLD5	Utility building	166 m ²
06	BLD6	Guard house	23 m ²
00	EXT	Site-wide and external works	—
ZZ	ZZ	All volumes	—

The numbering value is the field that appears in a container name. The volume code is the location token carried on an ELEMENT, which is a different string with a different grammar; the two are related here so they are not confused.

2.2 Levels

Code	Level
B1	Basement
GF	Ground floor
01	First floor, and upward in sequence
RF	Roof
ZZ	All levels
XX	Not applicable

A container covering more than one level takes ZZ. A container to which level does not apply — a report, a specification, a schedule — takes XX.

2.3 Types

Code	Type	Code	Type
CO	Correspondence	PR	Programme
CP	Cost plan — including bills of quantities	RD	Room data sheet
CR	Clash rendition	RI	Request for information
DR	Drawing — including sheets	RP	Report — including calculations and method statements
IE	Information exchange — including transmittals	SH	Schedule
M2	2D model	SN	Snagging list
M3	3D model	SP	Specification
MI	Minutes or action list	SU	Survey
PP	Presentation	VS	Visualisation

2.4 Roles

Code	Role
A	Architect
C	Civil Engineer
E	Electrical Engineer
I	Interior Designer — including FF&E and finishes
M	Mechanical Engineer
P	Public Health Engineer — plumbing and drainage
Q	Quantity Surveyor
S	Structural Engineer
W	Contractor
X	Sub-contractor
Y	Specialist Designer — fire protection, low voltage and communications

Interiors is carried under A, and lighting under E. Cost information is issued under Z with the quantity surveyor as originator.

Code	Role
Z	General — multi-discipline, federated and management containers

ROLES AND DISCIPLINES ARE NOT THE SAME FIELD

The role field of a container name and the discipline code carried on an element are separate. Container roles include Z for federated and multi-discipline containers; element discipline codes are limited to the eight above and are validated on every element. A container produced by one organisation for two disciplines takes one originator code and two role codes.

3 Sheet numbering

The Number field of a SHEET is banded: its first digit says what kind of drawing it is, and the remaining three are sequential within that band. Every other container type takes a plain sequence from 0001.

Band	Content
0xxx	General — cover, drawing list, notes, legends, key plans
1xxx	Plans — general arrangement, reflected ceiling, roof, setting out
2xxx	Elevations
3xxx	Sections
4xxx	Large-scale plans and enlarged areas
5xxx	Details
6xxx	Schedules
7xxx	Diagrams and schematics — single line, riser, system
8xxx	Three-dimensional views and presentation
9xxx	Reserved

Banding is used because a drawing set grows in the middle. A section added after issue takes the next free number in the 3xxx band; under a plain sequence it would either take a number far from its neighbours or force everything after it to be renumbered, and a renumbered sheet invalidates every reference to it.

DECISION REQUIRED AT KICKOFF

This scheme is proposed, not confirmed. Three numbering schemes were in use across the earlier documents. This one is carried forward for decision at the mobilisation kickoff (BIM Execution Plan, Section 15.2). Until it is confirmed, no sheet numbers are to be allocated — a sheet renumbered after issue invalidates every drawing reference, every transmittal and every register row that names it.

4 Revision

Series	Meaning	When
P01, P02, P03 ...	Preliminary	Every revision before the information becomes contractual
C01, C02, C03 ...	Contractual	From the first issue at A1 onward

Rule	Requirement
Increment	Every issue increments the revision. A container is never reissued at the same revision with different content
Reset	The revision does not reset when the series changes. The first contractual revision following P04 is C01, and P04 remains in the register
Content	A revision records what changed and why, in the revision panel and in the register
Model revisions	A model carries the revision of the data drop it was published in
Withdrawn	A revision issued in error is withdrawn by a notice and the next revision issued. It is not deleted and the number is not reused

5 Suitability and authorisation

Code	Meaning	CDE state
S0	Work in progress; not for use by others	WIP
S1	Shared for coordination	Shared
S2	Shared for information	Shared
S3	Shared for review and comment	Shared
S4	Shared for stage approval	Shared
A1 to An	Published and authorised; contractual	Published
B1 to Bn	Published and authorised with comments	Published

5.1 Who may authorise

Authorisation is the act of accepting information for a stated use. It is recorded in the register against the container and the revision, with the name of the person who gave it.

Suitability	Authorised by	Recorded
S0	Nobody. Work in progress is not authorised and is not visible outside the originating task team	—
S1 to S4	The Task Team Manager of the originating party	Register and transmittal
A1 to An	The Appointing Party, or the Lead Appointed Party where the Appointing Party has delegated it in writing	Register, transmittal and the authorisation record
B1 to Bn	As A1, with the comments recorded and a date by which they are to be closed	Register, transmittal and the comment schedule

AUTHORITY

A1 is the only status that makes information contractual, and the Information Manager cannot confer it. The Information Manager verifies that a container is fit to be authorised — named correctly, complete, checked, and accompanied by its transmittal — and presents it. The decision belongs to the Appointing Party. A container marked A1 without a recorded authoriser is a non-conformity under Section 10.

6 Issue and transmittal

Every issue of information is accompanied by a transmittal. The transmittal is itself a container, of type TR, and is numbered and registered like any other.

The transmittal records	Detail
What	Every container issued, by name and revision
To whom	Every recipient, by organisation and person
For what	The suitability of each container and the purpose of the issue
When	The date of issue, and the date any response is required
By whom	The person issuing, and the person who authorised the issue
Where	The Common Data Environment location the information was published to

A recipient who receives information without a transmittal has not been issued it. The correct response is to ask for the transmittal, not to use the information.

7 Superseding, cancelling and replacing

Three things can happen to a container after it has been issued, and they are not the same. Each is recorded by its own notice, issued as a container of type TR.

Event	What it means	What happens to the number	Notice
Superseded	A later revision of the same container has been issued. This is the normal case and happens at every reissue	Kept. The container continues at the next revision	None. The register records the superseded revision as archived
Cancelled	The container is no longer required and no later revision will be issued. The scope it covered has gone	Retired. Never reused — see Section 8	Cancellation notice, issued to everyone who received the container
Replaced	The container is no longer required, and a DIFFERENT container now covers its scope. The scope moved rather than disappeared	Retired, and cross-referenced to the replacing container in both directions	Replacement notice, naming both containers

SUPERSEDED IS NOT CANCELLED

The distinction that matters is between superseded and cancelled. A superseded drawing is still the current information for its scope, at a later revision. A cancelled drawing means there is no current information for that scope, and somebody needs to know that. Marking a cancellation as a supersession leaves a recipient waiting for a revision that will never arrive.

7.1 Marking

Where	Requirement
On the sheet	A cancelled or replaced sheet is stamped across its face and reissued once at the next revision, so the stamped version is what a recipient holds
In the register	Status set, with the date, the reason, and the replacing container where there is one
In the CDE	Moved to the archived state. Never deleted
In the model	Any view or sheet corresponding to a cancelled container is removed from the issue set, not from the model

8 Number retirement and reuse

A retired number is never issued to a different container. This is not a filing preference: drawing numbers are quoted in requests for information, instructions, valuations, correspondence and site records, none of which are reissued when a number changes hands. A reused number makes every one of those references ambiguous, and the ambiguity is only discovered when somebody builds the wrong thing.

Rule	Requirement
Retirement	A cancelled or replaced number is marked retired in the register on the day the notice is issued
Reuse	Prohibited, for the life of the project and the handover record
Gaps	A gap in a sequence is expected and is not an error. The register explains every gap
Sheet bands	A retired sheet number leaves a gap in its band. The next sheet in that band takes the next free number, not the retired one
Audit	The Information Manager checks for reused numbers at every gate. A reused number is a gate failure, not an observation

9 The register

The register is the record of every container on the project: its name, its title, its originator, its current revision, its suitability, its status, its authoriser and the transmittal it was last issued on. It is maintained by the Information Manager and reissued with the monthly status report.

Requirement	Detail
Completeness	Every container that has ever been issued appears, including cancelled, replaced and superseded ones
Currency	Updated at every issue, not in batches
Authority	The register is the record. Where a local copy of a document disagrees with the register, the register is correct and the local copy is out of date
Retention	Retained for the life of the project and handed over as part of the record information

10 Non-conformity

Information that does not meet this standard is returned unaccepted, and the originating party remains responsible for the programme consequences. The following are non-conformities.

#	Non-conformity
1	A container name that does not match Section 2
2	A sheet number outside the bands in Section 3, once those bands are confirmed
3	An issue at the same revision as a previous issue with different content
4	Information issued without a transmittal
5	A container marked A1 with no recorded authoriser
6	A cancelled container recorded as superseded, or the reverse
7	A reused number
8	Information issued outside the Common Data Environment

The first four are detected automatically at the point of sharing. The remainder are detected at the gate audit, which is later and more expensive to correct.

End of document