White Hacker Cloud Security Fundamentals

[Date] – Day 5

[Trainers]









How are you today?





About our last session



Today's agenda





What are we going to learn today?

A/ Services

- Last week finalization
- ii. Presentation of your service to your peers

B/ Role Based Access Control

- Create a custom role
- II. Assign a role



60 minutes to finalize your service then 3 minutes presentation to everybody





Briefing time



Your challenge

Role Based Access Control

Duration: 3 hours

Team Challenge: Solo

At the end of this challenge you should be able to

i. Create a custom role

ii. Assign a role

Report and share vocabulary words not understood & the sources used





Your challenge

Role Based Access Control





5 minutes









The Dilbert of the day



THERE'S NO CELL COVERAGE IN THE CLOUD, SO IT MIGHT SEEM TO YOU AS IF I AM AT HOME DOING ©2014 Scott Adams, NOTHING. 2-8-14

IF YOU WHY NEED ME. WOULD I'LL BE ANYONE AT HOME NEED DOING YOU? NOTHING.

/Dist. by Universal Uclic

nc.









Cloud providers comparison

8 min 30 sec



The agenda of our next session

```
.length>t.arrayPos?t.typewrite(t.strings[t.sequence[t.arrayA
 .attr?this.el.setAttribute(this.attr,t):this.isInput?this.e
 },{key:"bindFocusEvents",value:function(){var t=this;this.:
\mathbf{e})\{\mathsf{t.el.value}^{\mathsf{k}}_{\mathsf{key}}|=\mathsf{t.el.value.length}|\mathsf{t.start}()\}))\},\mathsf{key}
"),this.cursor.className="typed-cursor",this.cursor.innerHTM
}();e["default"]=a,t.exports=e["default"]},function(t,e,s){
Error("Cannot call a class as a function")}Object.definePro
ts[e]; for (var n in s) Object. prototype. hasOwnProperty.call(s,
```

.enumerable | | !1, n. configurable = !0, "value"in n&(n.writable n(a) 1=function(){function t(){i(this,t)}return o(t,[{key:

this; return this.el.className+=" "+this.fadeOutClass,this.

ay))}},{key:"backspace",value:function(t,e){var s=this;if(

is.toggleBlinking(!1);var n=this.humanizer(this.backSpeed); **smartBackspace**){var i=s.strings[s.arrayPos+1];i&n===i.sub s.strings.length?(s.arrayPos=0,s.options.onLastStringBacks omplete", value: function() { this.options.onComplete(this), the :**=S,this.pause.**curString=t,this.pause.curStrPos=e}},{key:"to .ng=t; var e=t?"infinite":0; this.cursor.style.animationItera gsIfNeeded", value: function(){this.shuffle&(this.sequence=



What are we going to learn in the next session?

Module 2: Logging & Monitoring

- . Enable diagnostic monitoring for azure resources
- II. View metrics across subscriptions
- III. Create alerts across subscriptions
- IV. Analyse logs in Azure Monitor Log Analytics

WESOME TOTIL I