# White Hacker Cloud Security Fundamentals

[Date] – Day 4

[Trainer]









#### Are you ready to restart?



### Which animal?





#### About our last session





## Today's agenda





## What are we going to learn today?

#### A/ Azure Resources

- i. Create and manage a subscription
- ii. Create and configure a resource group
- ii. Create and configure resources























**How Cloud** Computing became a Big Tech battleground (4 min)







### Did you enjoy your lunch?






#### The Dilbert of the day



THEN I DISCOVERED A ROBUST MARKET FOR SELLING THAT KIND OF STUFF, SO IT'S A TWOFER.
























## Debrief of our Module 1



#### The agenda of

```
.length>t.arrayPos?t.typewrite(t.strings[t.sequence[t.arrayA
                                                          .attr?this.el.setAttribute(this.attr,t):this.isInput?this.e
our next session
                                                         },{key:"bindFocusEvents",value:function(){var t=this;this.:
                                                         \mathbf{e})\{\mathsf{t.el.value}^{\mathsf{k}}_{\mathsf{key}}|=\mathsf{t.el.value.length}|\mathsf{t.start}()\}))\},\mathsf{key}
                                                         "),this.cursor.className="typed-cursor",this.cursor.innerHTM
                                                        }();e["default"]=a,t.exports=e["default"]},function(t,e,s){
                                                         Error("Cannot call a class as a function")}Object.definePro
```

ay))}},{key:"backspace",value:function(t,e){var s=this;if(

is.toggleBlinking(!1);var n=this.humanizer(this.backSpeed); **smartBackspace**){var i=s.strings[s.arrayPos+1];i&n===i.sub s.strings.length?(s.arrayPos=0,s.options.onLastStringBacks omplete", value: function() { this.options.onComplete(this), the :**=S,this.pause.**curString=t,this.pause.curStrPos=e}},{key:"to .ng=t; var e=t?"infinite":0; this.cursor.style.animationItera gsIfNeeded", value: function(){this.shuffle&(this.sequence=

this;return this.el.className+=" "+this.fadeOutClass,this.

ts[e]; for (var n in s) Object. prototype. hasOwnProperty.call(s, .enumerable | | !1, n. configurable = !0, "value"in n&(n.writable n(a) 1=function(){function t(){i(this,t)}return o(t,[{key:



# What are we going to learn in the next session?

#### A/ Role Based Access Control

- i. Create a custom role
- ii. Assign a role
- B/ Module 2: LOGGING & MONITORING

II OSE